Protecting your assets and native vegetation

Approvals guide - Kangaroo Island

Start here



No approvals needed

- Clearance around existing dwellings (max.20m but excluding large trees see CFS)
- 2 Clearance 10m around existing buildings
- 3 Fenceline fire breaks (max. 5m)

 Note: Roadside fences can only clear 1m into roadside and 4m into own property.



Local Council approvals

1 For new access points and driveways



Native vegetation approvals

- 1 New dwellings Link in QR code
- 2 Atypical access points (e.g. wider)
- **Ecological burning** *Link in QR code*







CFS approvals

- Large trees around existing dwellings (<20m from dwelling)
- 2 Reducing fuel loads in the landscape (>20m from dwelling)
- 3 Constructing a fuel break (max.20m wide)
- 4 Constructing fire access track
- 5 How to reduce the impact of bushfire. Link in QR code



Contacts



Kangaroo Island Council

Further Information

 Council's bushfire prevention and fuel reduction website. Link in QR code



 Property Access s 221 LGA Act 1999 (Driveway Crossover). Link in QR code

Contact

- Call (08) 8553 4500
- Email kicouncil@kicouncil.sa.gov.au









Native Vegetation Council

Further Information

 NVC website has further details on fuel hazard reduction and native vegetation. Link in QR code





Contact

- Call (08) 8303 9777
- Email nvc@sa.gov.au





Country Fire Service

Further Information

- Visit the CFS's website Preparing your home and property. Link in QR code
- Native vegetation management including the process for applying. Link in QR code





Contact

- Call (08) 8391 1866
- Email CFS.Region1@eso.sa.gov.au

