Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1612	91.269	MALVACEAE	shrubs	M06358	*Abutilon cryptopetalum ssp. cryptopetalum*	Hill Lantern-bush			2007	24	6	25.00	NT	2	0	0.3	2.3
1614	91.269	MALVACEAE	shrubs	Y05520	*Abutilon fraseri ssp. diplotrichum*	Dwarf Lantern-bush			2010	80	41	51.25	NT	2	0	0.3	2.3
1615	91.269	MALVACEAE	shrubs	W05519	*Abutilon fraseri ssp. fraseri*	Dwarf Lantern-bush			2010	70	55	78.57	NT	2	0	0.3	2.3
1616	91.269	MALVACEAE	shrubs	S02065	*Abutilon halophilum*	Plains Lantern-bush			2011	538	417	77.51	LC	1	0	0.3	1.3
1617	91.269	MALVACEAE	shrubs	U02066	*Abutilon leucopetalum*	Desert Lantern-bush			2011	829	725	87.45	LC	1	0	0.3	1.3
1618	91.269	MALVACEAE	shrubs	W02067	*Abutilon macrum*	Slender Lantern-bush			2010	46	38	82.61	NT	2	0	0.3	2.3
1619	91.269	MALVACEAE	shrubs	A02068	*Abutilon malvaefolium*	Scrambling Lantern-bush			2011	77	65	84.42	NT	2	0	0.3	2.3
1620	91.269	MALVACEAE	shrubs	C02069	*Abutilon otocarpum*	Desert Lantern-bush			2011	517	371	71.76	LC	1	0	0.3	1.3
1622	91.269	MALVACEAE	shrubs	M02070	*Abutilon oxycarpum var. oxycarpum*	Straggly Lantern-bush			2000	5	3	60.00	RA	3	DD	0.0	3.0
1100	91.182	LEGUMINOSAE	legumes	G01535	*Acacia acanthoclada ssp. acanthoclada*	Harrow Wattle			2001	140	11	7.86	RA	3	0	0.3	3.3
1101	91.182	LEGUMINOSAE	legumes	W05983	*Acacia adsurgens*				2011	9	9	100.00	VU	4	0	0.3	4.3
1102	91.182	LEGUMINOSAE	legumes	E05618	*Acacia ammobia*			R	2009	2	2	100.00	VU	4	DD	0.0	4.0
1105	91.182	LEGUMINOSAE	legumes	Y06004	*Acacia aneura var. aneura*	Mulga			2010	483	322	66.67	LC	1	0	0.3	1.3
1107	91.182	LEGUMINOSAE	legumes	Q06008	*Acacia aneura var. intermedia*	Broad-leaf Mulga			2010	159	91	57.23	LC	1	0	0.3	1.3
1109	91.182	LEGUMINOSAE	legumes	G06011	*Acacia aneura var. major*				2010	35	14	40.00	LC	1	0	0.3	1.3
1110	91.182	LEGUMINOSAE	legumes	M06006	*Acacia aneura var. microcarpa*				2009	34	11	32.35	LC	1	0	0.3	1.3
1111	91.182	LEGUMINOSAE	legumes	K06005	*Acacia aneura var. tenuis*	Mulga			2010	38	28	73.68	LC	1	0	0.3	1.3
1112	91.182	LEGUMINOSAE	legumes	Z01539	*Acacia araneosa*	Spidery Wattle	VU	E	2009	99	91	91.92	VU	4	0	0.3	4.3
1113	91.182	LEGUMINOSAE	legumes	A01540	*Acacia argyrophylla*	Silver Mulga-bush			1996	182	9	4.95	RA	3	0	0.3	3.3
1114	91.182	LEGUMINOSAE	legumes	Z06007	*Acacia ayersiana*	Blue Mulga			2008	32	12	37.50	LC	1	0	0.3	1.3
1115	91.182	LEGUMINOSAE	legumes	E01542	*Acacia barattensis*	Baratta Wattle		R	2009	44	42	95.45	RA	3	0	0.3	3.3
1116	91.182	LEGUMINOSAE	legumes	G01543	*Acacia basedowii*	Basedow's Wattle			2009	29	27	93.10	NT	2	0	0.3	2.3
1117	91.182	LEGUMINOSAE	legumes	M32062	*Acacia beckleri ssp. megaspherica*	Beckler's Rock Wattle			2009	1	1	100.00	LC	1	0	0.3	1.3
1119	91.182	LEGUMINOSAE	legumes	Z05779	*Acacia brachystachya*	Turpentine Mulga			2010	129	74	57.36	LC	1	0	0.3	1.3
1120	91.182	LEGUMINOSAE	legumes	Z01547	*Acacia burkittii*	Pin-bush Wattle			2007	520	42	8.08	NT	2	0	0.3	2.3
1121	91.182	LEGUMINOSAE	legumes	A05984	*Acacia calamifolia*	Wallowa			2005	354	93	26.27	LC	1	0	0.3	1.3
1122	91.182	LEGUMINOSAE	legumes	S01549	*Acacia calcicola*	northern Myall			2008	152	104	68.42	NT	2	0	0.3	2.3
1123	91.182	LEGUMINOSAE	legumes	E01550	*Acacia cambagei*	Gidgee			2008	257	237	92.22	LC	1	0	0.3	1.3
1124	91.182	LEGUMINOSAE	legumes	G01551	*Acacia carneorum*	Needle Wattle	VU	V	2008	144	12	8.33	VU	4	0	0.3	4.3
1125	91.182	LEGUMINOSAE	legumes	A05780	*Acacia clelandii*	Turpentine Mulga			2010	52	26	50.00	LC	1	0	0.3	1.3
1126	91.182	LEGUMINOSAE	legumes	K01553	*Acacia confluens*	Arkaroola Wattle		V	2010	85	84	98.82	RA	3	DD	0.0	3.0
1127	91.182	LEGUMINOSAE	legumes	M01554	*Acacia continua*	Thorn Wattle			2009	855	109	12.75	LC	1	0	0.3	1.3
1129	91.182	LEGUMINOSAE	legumes	S01557	*Acacia cyperophylla var. cyperophylla*	Red Mulga			2008	105	88	83.81	LC	1	0	0.3	1.3
1130	91.182	LEGUMINOSAE	legumes	E05774	*Acacia dictyophleba*	Net-veined Wattle			2008	72	61	84.72	NT	2	0	0.3	2.3
1131	91.182	LEGUMINOSAE	legumes	S05021	*Acacia elachantha*	Cowle's Wattle			1987	1	1	100.00	RA	3	DD	0.0	3.0
1132	91.182	LEGUMINOSAE	legumes	Q01564	*Acacia estrophiolata*	Ironwood			2009	128	121	94.53	NT	2	0	0.3	2.3
1133	91.182	LEGUMINOSAE	legumes	Y03736	*Acacia georginae*	Georgina Gidgee		R	2008	23	23	100.00	RA	3	0	0.3	3.3
1135	91.182	LEGUMINOSAE	legumes	Q01572	*Acacia hakeoides*	Hakea Wattle			1999	694	6	0.86	RA	3	0	0.3	3.3
1136	91.182	LEGUMINOSAE	legumes	S01573	*Acacia havilandiorum*	Needle Wattle			2009	152	117	76.97	NT	2	0	0.3	2.3
1137	91.182	LEGUMINOSAE	legumes	Y03400	*Acacia helmsiana*	Helm's Wattle		R	1997	21	4	19.05	RA	3	0	0.3	3.3
1138	91.182	LEGUMINOSAE	legumes	E06338	*Acacia inaequilatera*				1987	1	1	100.00	RA	3	DD	0.0	3.0
1140	91.182	LEGUMINOSAE	legumes	A03740	*Acacia jennerae*	Coonavittra Wattle		R	1998	11	2	18.18	RA	3	DD	0.0	3.0
1141	91.182	LEGUMINOSAE	legumes	A01576	*Acacia kempeana*	Witchetty Bush			2008	435	282	64.83	NT	2	0	0.3	2.3
1142	91.182	LEGUMINOSAE	legumes	Y05996	*Acacia latzii*		VU	R	2008	2	2	100.00	RA	3	DD	0.0	3.0
1143	91.182	LEGUMINOSAE	legumes	E05238	*Acacia ligulata*	Umbrella Bush			2011	2943	1228	41.73	LC	1	0	0.3	1.3
1145	91.182	LEGUMINOSAE	legumes	U01582	*Acacia maitlandii*	Maitland's Wattle			2000	78	59	75.64	LC	1	0	0.3	1.3
1146	91.182	LEGUMINOSAE	legumes	G05775	*Acacia melleodora*	Net-veined Wattle			2001	42	28	66.67	LC	1	0	0.3	1.3
1147	91.182	LEGUMINOSAE	legumes	C01585	*Acacia menzelii*	Menzel's Wattle	VU	V	2009	239	15	6.28	VU	4	DD	0.0	4.0
1148	91.182	LEGUMINOSAE	legumes	Q05304	*Acacia minyura*	Desert Mulga			2008	174	130	74.71	NT	2	0	0.3	2.3
1149	91.182	LEGUMINOSAE	legumes	U01590	*Acacia murrayana*	Colony Wattle			2011	484	403	83.26	LC	1	0	0.3	1.3
1150	91.182	LEGUMINOSAE	legumes	C01593	*Acacia notabilis*	Notable Wattle			2005	606	18	2.97	NT	2	0	0.3	2.3
1151	91.182	LEGUMINOSAE	legumes	E01594	*Acacia nyssophylla*	Spine Bush			2005	906	22	2.43	RA	3	0	0.3	3.3
1152	91.182	LEGUMINOSAE	legumes	K03401	*Acacia olgana*	Mount Olga Wattle			2009	123	113	91.87	NT	2	0	0.3	2.3
1153	91.182	LEGUMINOSAE	legumes	G01595	*Acacia oswaldii*	Umbrella Wattle			2010	2067	665	32.17	LC	1	0	0.3	1.3
1154	91.182	LEGUMINOSAE	legumes	K01597	*Acacia pachyacra*	Shiny-pod Wattle			2001	54	53	98.15	LC	1	0	0.3	1.3
1155	91.182	LEGUMINOSAE	legumes	Z01599	*Acacia papyrocarpa*	Western Myall			2010	1159	131	11.30	NT	2	0	0.3	2.3
1156	91.182	LEGUMINOSAE	legumes	M01598	*Acacia paradoxa*	Kangaroo Thorn			2005	1908	13	0.68	RA	3	0	0.3	3.3
1157	91.182	LEGUMINOSAE	legumes	S06009	*Acacia paraneura*	Weeping Mulga			2008	40	33	82.50	NE	-1			-1.0
1158	91.182	LEGUMINOSAE	legumes	Q01600	*Acacia pickardii*	Pickard's Wattle	VU	R	2011	39	36	92.31	RA	3	0	0.3	3.3
1159	91.182	LEGUMINOSAE	legumes	U01602	*Acacia prainii*	Prain's Wattle			1997	100	28	28.00	LC	1	0	0.3	1.3
1160	91.182	LEGUMINOSAE	legumes	W01603	*Acacia pravifolia*	Coil-pod Wattle			1999	95	32	33.68	NT	2	0	0.3	2.3
1161	91.182	LEGUMINOSAE	legumes	A01604	*Acacia pruinocarpa*	Black Gidgee			1997	13	12	92.31	RA	3	0	0.3	3.3
1162	91.182	LEGUMINOSAE	legumes	C01605	*Acacia pycnantha*	Golden Wattle			2005	4124	28	0.68	RA	3	0	0.3	3.3
1163	91.182	LEGUMINOSAE	legumes	E01606	*Acacia quornensis*	Quorn Wattle		R	2006	50	20	40.00	RA	3	0	0.3	3.3
1164	91.182	LEGUMINOSAE	legumes	K05777	*Acacia ramulosa var. linophylla*	Horse Mulga			2010	264	59	22.35	NE	-1			-1.0
1165	91.182	LEGUMINOSAE	legumes	Y05776	*Acacia ramulosa var. ramulosa*	Horse Mulga			1997	97	52	53.61	NE	-1			-1.0
1166	91.182	LEGUMINOSAE	legumes	Q03748	*Acacia rhodophloia*	Minni Ritchi		R	2003	5	1	20.00	VU	4	DD	0.0	4.0
1167	91.182	LEGUMINOSAE	legumes	W01611	*Acacia rigens*	Nealie			1999	991	48	4.84	RA	3	0	0.3	3.3
1168	91.182	LEGUMINOSAE	legumes	A01612	*Acacia rivalis*	Silver Wattle			2009	450	442	98.22	NT	2	0	0.3	2.3
1169	91.182	LEGUMINOSAE	legumes	G01615	*Acacia salicina*	Willow Wattle			2011	576	422	73.26	LC	1	0	0.3	1.3
1170	91.182	LEGUMINOSAE	legumes	Z01555	*Acacia sericophylla*	Wirewood			2011	26	25	96.15	RA	3	DD	0.0	3.0
1171	91.182	LEGUMINOSAE	legumes	M03402	*Acacia sibirica*	Bastard Mulga			2011	235	165	70.21	NT	2	0	0.3	2.3
1171.1	91.182	LEGUMINOSAE	legumes	E06354	*Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)*							#DIV/0!	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1173	91.182	LEGUMINOSAE	legumes	Q05436	*Acacia spooneri*				1998	20	5	25.00	VU	4	DD	0.0	4.0
1174	91.182	LEGUMINOSAE	legumes	Z01619	*Acacia stenophylla*	River Cooba			2010	773	340	43.98	LC	1	0	0.3	1.3
1175	91.182	LEGUMINOSAE	legumes	C01621	*Acacia strongylophylla*	Round-leaf Wattle			2009	77	68	88.31	NT	2	0	0.3	2.3
1176	91.182	LEGUMINOSAE	legumes	Z03403	*Acacia symonii*	Symon's Wattle		R	2009	31	31	100.00	VU	4	0	0.3	4.3
1177	91.182	LEGUMINOSAE	legumes	G01623	*Acacia tarculensis*	Steel Bush			1972	184	3	1.63	RA	3	DD	0.0	3.0
1178	91.182	LEGUMINOSAE	legumes	Q03404	*Acacia tenuior*			R	2009	10	10	100.00	RA	3	0	0.3	3.3
1179	91.182	LEGUMINOSAE	legumes	G05239	*Acacia tenuissima*	Slender Wattle		R	2007	11	10	90.91	RA	3	DD	0.0	3.0
1180	91.182	LEGUMINOSAE	legumes	Y01624	*Acacia tetragonophylla*	Dead Finish			2011	2049	1645	80.28	LC	1	0	0.3	1.3
1182	91.182	LEGUMINOSAE	legumes	M01626	*Acacia validinervia*	Veined Wattle			2006	24	23	95.83	RA	3	0	0.3	3.3
1184	91.182	LEGUMINOSAE	legumes	G03751	*Acacia victoriae ssp. arida*	Downy Elegant Wattle			2008	84	75	89.29	NE	-1			-1.0
1185	91.182	LEGUMINOSAE	legumes	S01629	*Acacia victoriae ssp. victoriae*	Elegant Wattle			2010	1476	1134	76.83	LC	1	0	0.3	1.3
1187	91.182	LEGUMINOSAE	legumes	G01631	*Acacia wilhelmiana*	Dwarf Nealie			2005	455	24	5.27	RA	3	0	0.3	3.3
845	91.177	ROSACEAE	herbs & forbs	U05842	*Acaena echinata*	Sheep's Burr			1999	782	3	0.38	RA	3	0	0.3	3.3
845.1	91.177	ROSACEAE	herbs & forbs	W04867	*Acaena novae-zelandiae*	Biddy-biddy							VU	4	DD	0.0	4.0
234	91.435	COMPOSITAE	daisies	Z02939	*Actinobole uliginosum*	Flannel Cudweed			2010	1309	187	14.29	LC	1	0	0.3	1.3
1552	91.204	EUPHORBIACEAE	shrubs	W01911	*Adriana tomentosa var. hookeri*	Mallee Bitter-bush			2008	34	30	88.24	LC	1	0	0.3	1.3
1188	91.182	LEGUMINOSAE	legumes	Y01632	*Aeschynomene indica*	Budda Pea			2005	73	73	100.00	NT	2	0	0.3	2.3
1723	91.392	LABIATAE	shrubs	A04700	*Ajuga australis forma A (A.G.Spooner 9058)*	Australian Bugle			1999	214	66	30.84	LC	1	0	0.3	1.3
1592	91.236	SAPINDACEAE	shrubs	Q04652	*Alectryon oleifolius ssp. canescens*	Bullock Bush			2010	2024	819	40.46	LC	1	0	0.3	1.3
1925	91.001	CASUARINACEAE	trees	M02902	*Allocasuarina decaisneana*	Desert Oak			2000	51	40	78.43	LC	1	0	0.3	1.3
1926	91.001	CASUARINACEAE	trees	M02910	*Allocasuarina helmsii*	Helm's Oak-bush			2003	94	22	23.40	RA	3	DD	0.0	3.0
1927	91.001	CASUARINACEAE	trees	C05077	*Allocasuarina muelleriana ssp. alticola*	Flinders Ranges Oak-bush			2005	79	65	82.28	LC	1	-	0.4	1.4
1928	91.001	CASUARINACEAE	trees	W03627	*Allocasuarina muelleriana ssp. muelleriana*	Common Oak-bush			2000	2066	6	0.29	RA	3	-	0.4	3.4
1930	91.001	CASUARINACEAE	trees	A03636	*Allocasuarina verticillata*	Drooping Sheoak			2005	3024	52	1.72	LC	1	0	0.3	1.3
737	91.049	AMARANTHACEAE	herbs & forbs	S01273	*Alternanthera angustifolia*	Narrow-leaf Joyweed			2011	95	89	93.68	NT	2	0	0.3	2.3
738	91.049	AMARANTHACEAE	herbs & forbs	U01274	*Alternanthera denticulata*	Lesser Joyweed			2010	362	173	47.79	LC	1	0	0.3	1.3
739	91.049	AMARANTHACEAE	herbs & forbs	W01275	*Alternanthera nana*	Hairy Joyweed			2005	16	9	56.25	NT	2	0	0.3	2.3
740	91.049	AMARANTHACEAE	herbs & forbs	A01276	*Alternanthera nodiflora*	Common Joyweed			2011	214	169	78.97	LC	1	0	0.3	1.3
1313	91.306	MYRTACEAE	myrtles	A05764	*Aluta maisonneuvei ssp. auriculata*	Desert Thryptomene			2005	57	12	21.05	LC	1	0	0.3	1.3
1314	91.306	MYRTACEAE	myrtles	W05763	*Aluta maisonneuvei ssp. maisonneuvei*	Desert Thryptomene			2001	58	33	56.90	LC	1	0	0.3	1.3
1623	91.269	MALVACEAE	shrubs	S02073	*Alyogyne hakeifolia*	Hakea-leaf Hibiscus			2001	80	32	40.00	NT	2	0	0.3	2.3
1624	91.269	MALVACEAE	shrubs	Q04944	*Alyogyne pinoniana var. pinoniana*	Sand Hibiscus			2005	92	70	76.09	NT	2	0	0.3	2.3
741	91.049	AMARANTHACEAE	herbs & forbs	G06143	*Amaranthus centralis*				2007	7	7	100.00	DD	0	DD	0.0	0.0
742	91.049	AMARANTHACEAE	herbs & forbs	E06142	*Amaranthus cuspidifolius*	Boggabri Weed			2009	33	23	69.70	NT	2	0	0.3	2.3
743	91.049	AMARANTHACEAE	herbs & forbs	U01282	*Amaranthus grandiflorus*	Large-flower Amaranth			2007	96	55	57.29	NT	2	0	0.3	2.3
744	91.049	AMARANTHACEAE	herbs & forbs	A03124	*Amaranthus interruptus*	Native Amaranth			2011	25	22	88.00	RA	3	0	0.3	3.3
745	91.049	AMARANTHACEAE	herbs & forbs	W06051	*Amaranthus macrocarpus var. macrocarpus*	Large-fruit Amaranth			2004	5	2	40.00	RA	3	DD	0.0	3.0
746	91.049	AMARANTHACEAE	herbs & forbs	C06141	*Amaranthus mitchellii*	Boggabri Weed			2010	99	78	78.79	LC	1	0	0.3	1.3
912	91.303	LYTHRACEAE	herbs & forbs	K02193	*Ammannia multiflora*	Jerry-jerry			2011	107	63	58.88	LC	1	0	0.3	1.3
505	91.495	GRAMINEAE	grass	M04714	*Amphibromus nervosus*	Veined Swamp Wallaby-grass			1996	152	4	2.63	RA	3	-	0.4	3.4
506	91.495	GRAMINEAE	grass	C00301	*Amphipogon caricinus var. caricinus*	Long Grey-beard Grass			2010	583	105	18.01	LC	1	0	0.3	1.3
1941	91.028	LORANTHACEAE	vines	E00954	*Amyema fitzgeraldii*	Pincushion Mistletoe			2008	14	4	28.57	NT	2	0	0.3	2.3
1942	91.028	LORANTHACEAE	vines	G00955	*Amyema gibberula var. gibberula*	Twin-flower Mistletoe			2003	49	29	59.18	NT	2	0	0.3	2.3
1942.1	91.028	LORANTHACEAE	vines	Y00956	*Amyema hilliana*					2	2	100.00	RA	3	DD	0.0	3.0
1943	91.028	LORANTHACEAE	vines	K00957	*Amyema linophylla ssp. orientale*	Casuarina Mistletoe			2005	43	19	44.19	NT	2	0	0.3	2.3
1944	91.028	LORANTHACEAE	vines	M00958	*Amyema maidenii ssp. maidenii*	Pale-leaf Mistletoe			2010	602	495	82.23	LC	1	0	0.3	1.3
1945	91.028	LORANTHACEAE	vines	A00960	*Amyema miquelii*	Box Mistletoe			2009	1561	164	10.51	NT	2	0	0.3	2.3
1946	91.028	LORANTHACEAE	vines	C00961	*Amyema miraculosa ssp. boormanii*	Fleshy Mistletoe			2006	298	96	32.21	NT	2	0	0.3	2.3
1948	91.028	LORANTHACEAE	vines	G00963	*Amyema preissii*	Wire-leaf Mistletoe			2010	964	407	42.22	LC	1	0	0.3	1.3
1949	91.028	LORANTHACEAE	vines	Y00964	*Amyema quandang var. quandang*	Grey Mistletoe			2010	378	68	17.99	NT	2	0	0.3	2.3
1950	91.028	LORANTHACEAE	vines	A02888	*Amyema sanguinea var. sanguinea*	Bloodwood Mistletoe			2004	15	15	100.00	RA	3	DD	0.0	3.0
711	91.042	PORTULACACEAE	herbs & forbs	Y01040	*Anacampseros australiana*	Australian Anacampseros			2009	41	19	46.34	NT	2	0	0.3	2.3
235	91.435	COMPOSITAE	daisies	K03161	*Anemocarpa podolepidium*	Rock Everlasting			2011	303	260	85.81	NT	2	0	0.3	2.3
236	91.435	COMPOSITAE	daisies	E03186	*Anemocarpa saxatilis*	Hill Sunray			2010	57	50	87.72	RA	3	0	0.3	3.3
237	91.435	COMPOSITAE	daisies	G02943	*Angianthus brachypappus*	Spreading Angianthus			1995	50	24	48.00	RA	3	0	0.3	3.3
238	91.435	COMPOSITAE	daisies	G04447	*Angianthus glabratus*	Smooth Angianthus			2010	40	2	5.00	RA	3	DD	0.0	3.0
240	91.435	COMPOSITAE	daisies	E02950	*Angianthus tomentosus*	Hairy Angianthus			2005	574	15	2.61	RA	3	DD	0.0	3.0
493	74.018	ADIANTACEAE	fern	C00037	*Anogramma leptophylla*	Annual Fern		R	1989	110	5	4.55	EN	5	-	0.4	5.4
1741	91.395	SOLANACEAE	shrubs	Z02647	*Anthocercis angustifolia*	Narrow-leaf Ray-flower		R	2006	88	16	18.18	RA	3	0	0.3	3.3
934	91.339	UMBELLIFERAE	herbs & forbs	C03813	*Apium prostratum var. filiforme*	Native Celery			1995	163	4	2.45	VU	4	-	0.4	4.4
796	91.139	CRUCIFERAE	herbs & forbs	G01391	*Arabidella eremigena*	Priddiwalkatji			2009	96	82	85.42	LC	1	0	0.3	1.3
797	91.139	CRUCIFERAE	herbs & forbs	Y01392	*Arabidella filifolia*	Thread-leaf Cress			2009	105	50	47.62	NT	2	0	0.3	2.3
798	91.139	CRUCIFERAE	herbs & forbs	K01393	*Arabidella glaucescens*				2011	207	161	77.78	LC	1	0	0.3	1.3
799	91.139	CRUCIFERAE	herbs & forbs	M01394	*Arabidella nasturtium*	Yellow Cress			2010	256	137	53.52	LC	1	0	0.3	1.3
800	91.139	CRUCIFERAE	herbs & forbs	Z01395	*Arabidella procumbens*	Creeping Cress			2010	49	31	63.27	NT	2	0	0.3	2.3
801	91.139	CRUCIFERAE	herbs & forbs	Q01396	*Arabidella trisecta*	Shrubby Cress			2010	587	257	43.78	LC	1	0	0.3	1.3
507	91.495	GRAMINEAE	grass	Y00196	*Aristida anthoxanthoides*	Yellow Three-awn			2011	175	144	82.29	LC	1	0	0.3	1.3
508	91.495	GRAMINEAE	grass	M04934	*Aristida arida*			R	2005	46	41	89.13	RA	3	0	0.3	3.3
509	91.495	GRAMINEAE	grass	K00197	*Aristida behriana*	Brush Wire-grass			2010	739	11	1.49	RA	3	DD	0.0	3.0
510	91.495	GRAMINEAE	grass	C05537	*Aristida biglandulosa*	Jericho Wiregrass			1996	2	2	100.00	DD	0	DD	0.0	0.0
511	91.495	GRAMINEAE	grass	Z00199	*Aristida capillifolia*	Needle-leaf Three-awn			2010	49	46	93.88	NT	2	0	0.3	2.3
512	91.495	GRAMINEAE	grass	Q00200	*Aristida contorta*	Curly Wire-grass			2011	1995	1382	69.27	LC	1	0	0.3	1.3
513	91.495	GRAMINEAE	grass	W04955	*Aristida holathera var. holathera*	Tall Kerosene Grass			2011	910	708	77.80	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
514	91.495	GRAMINEAE	grass	Z03887	*Aristida inaequiglumis*				2010	25	21	84.00	RA	3	DD	0.0	3.0
515	91.495	GRAMINEAE	grass	K04765	*Aristida jerichoensis var. subspinulifera*	Jericho Three-awn			1996	6	6	100.00	RA	3	DD	0.0	3.0
516	91.495	GRAMINEAE	grass	S00201	*Aristida latifolia*	Feather-top Wire-grass			2008	110	99	90.00	NT	2	0	0.3	2.3
517	91.495	GRAMINEAE	grass	U00202	*Aristida nitidula*	Brush Three-awn			2007	625	582	93.12	NT	2	0	0.3	2.3
518	91.495	GRAMINEAE	grass	W00203	*Aristida obscura*	Brush Three-awn			2009	14	13	92.86	NT	2	0	0.3	2.3
519	91.495	GRAMINEAE	grass	C04745	*Aristida personata*	Purple Wire-grass			2007	33	8	24.24	NT	2	+	0.2	2.2
520	91.495	GRAMINEAE	grass	A00204	*Aristida strigosa*	Rough Three-awn			2010	60	52	86.67	LC	1	0	0.3	1.3
1886	91.451	LILIACEAE	shrubs	C00661	*Arthropodium minus*	Small Vanilla-lily			1996	279	19	6.81	LC	1	0	0.3	1.3
1887	91.451	LILIACEAE	shrubs	A04576	*Arthropodium strictum*	Common Vanilla-lily			2009	2382	149	6.26	NT	2	0	0.3	2.3
956	91.373	RUBIACEAE	herbs & forbs	G02491	*Asperula conferta*	Common Woodruff			1999	571	31	5.43	NT	2	0	0.3	2.3
957	91.373	RUBIACEAE	herbs & forbs	K02493	*Asperula gemella*	Twin-leaf Bedstraw			2001	119	11	9.24	VU	4	0	0.3	4.3
242	91.435	COMPOSITAE	daisies	G04747	*Asteridea athrixioides forma athrixioides*	Wirewort			1996	404	13	3.22	LC	1	0	0.3	1.3
521	91.495	GRAMINEAE	grass	M00162	*Astrebla lappacea*	Curly Mitchell-grass			2009	102	84	82.35	LC	1	0	0.3	1.3
522	91.495	GRAMINEAE	grass	Z00163	*Astrebla pectinata*	Barley Mitchell-grass			2011	731	672	91.93	LC	1	0	0.3	1.3
1711	91.346	EPACRIDACEAE	shrubs	C02413	*Astroloma humifusum*	Cranberry Heath			2005	3525	61	1.73	NT	2	0	0.3	2.3
1593	91.236	SAPINDACEAE	shrubs	S02005	*Atalaya hemiglauca*	Whitewood			2011	216	204	94.44	NT	2	0	0.3	2.3
37	91.047	CHENOPODIACEAE	chenopods	Y01120	*Atriplex acutibractea ssp. acutibractea*	Pointed Saltbush			2009	289	18	6.23	NT	2	0	0.3	2.3
38	91.047	CHENOPODIACEAE	chenopods	Z04035	*Atriplex acutibractea ssp. karoniensis*	Pointed Saltbush			1980	121	1	0.83	RA	3	DD	0.0	3.0
39	91.047	CHENOPODIACEAE	chenopods	K01121	*Atriplex acutiloba*				1997	19	12	63.16	RA	3	DD	0.0	3.0
40	91.047	CHENOPODIACEAE	chenopods	M01122	*Atriplex angulata*	Fan Saltbush			2011	570	372	65.26	LC	1	0	0.3	1.3
41	91.047	CHENOPODIACEAE	chenopods	S01125	*Atriplex cordifolia*				2010	43	38	88.37	NT	2	0	0.3	2.3
42	91.047	CHENOPODIACEAE	chenopods	U01126	*Atriplex crassipes var. crassipes*				2008	58	58	100.00	NT	2	0	0.3	2.3
43	91.047	CHENOPODIACEAE	chenopods	A01128	*Atriplex eardleyae*	Eardley's Saltbush			2008	280	85	30.36	LC	1	0	0.3	1.3
44	91.047	CHENOPODIACEAE	chenopods	E02854	*Atriplex eichleri*	Eichler's Saltbush		R	2010	54	35	64.81	NT	2	0	0.3	2.3
45	91.047	CHENOPODIACEAE	chenopods	C01129	*Atriplex elachophylla*				2005	120	108	90.00	NT	2	0	0.3	2.3
46	91.047	CHENOPODIACEAE	chenopods	Z01131	*Atriplex fissivalvis*	Gibber Saltbush			2010	192	161	83.85	LC	1	0	0.3	1.3
47	91.047	CHENOPODIACEAE	chenopods	G03479	*Atriplex holocarpa*	Pop Saltbush			2011	959	610	63.61	LC	1	0	0.3	1.3
48	91.047	CHENOPODIACEAE	chenopods	E05502	*Atriplex humifusa*			V	2003	6	5	83.33	RA	3	DD	0.0	3.0
49	91.047	CHENOPODIACEAE	chenopods	S01133	*Atriplex incrassata*				2010	59	47	79.66	RA	3	DD	0.0	3.0
50	91.047	CHENOPODIACEAE	chenopods	Q03480	*Atriplex intermedia*				2003	66	58	87.88	LC	1	0	0.3	1.3
51	91.047	CHENOPODIACEAE	chenopods	Q01132	*Atriplex kochiana*	Koch's Saltbush		V	1994	34	13	38.24	VU	4	-	0.4	4.4
52	91.047	CHENOPODIACEAE	chenopods	A01136	*Atriplex leptocarpa*	Slender-fruit Saltbush			2008	291	72	24.74	NT	2	0	0.3	2.3
53	91.047	CHENOPODIACEAE	chenopods	C01137	*Atriplex limbata*	Spreading Saltbush			2010	428	305	71.26	LC	1	0	0.3	1.3
54	91.047	CHENOPODIACEAE	chenopods	A04144	*Atriplex lindleyi ssp. conduplicata*	Baldoo			2008	140	96	68.57	LC	1	0	0.3	1.3
55	91.047	CHENOPODIACEAE	chenopods	Z04555	*Atriplex lindleyi ssp. inflata*	Corky Saltbush			2007	139	26	18.71	NT	2	0	0.3	2.3
56	91.047	CHENOPODIACEAE	chenopods	M04554	*Atriplex lindleyi ssp. lindleyi*	Baldoo			2011	213	70	32.86	LC	1	0	0.3	1.3
57	91.047	CHENOPODIACEAE	chenopods	K04553	*Atriplex lindleyi ssp. quadripartita*	Baldoo			1978	19	13	68.42	NT	2	DD	0.0	2.0
58	91.047	CHENOPODIACEAE	chenopods	G01139	*Atriplex lobativalvis*				2008	58	53	91.38	LC	1	0	0.3	1.3
59	91.047	CHENOPODIACEAE	chenopods	Q01140	*Atriplex macropterocarpa*				1997	27	15	55.56	NT	2	0	0.3	2.3
60	91.047	CHENOPODIACEAE	chenopods	S01141	*Atriplex morrisii*			V	1974	4	2	50.00	VU	4	-	0.4	4.4
61	91.047	CHENOPODIACEAE	chenopods	U01142	*Atriplex muelleri*	Mueller's Saltbush			2008	52	29	55.77	NT	2	0	0.3	2.3
62	91.047	CHENOPODIACEAE	chenopods	W01143	*Atriplex nummularia ssp. nummularia*	Old-man Saltbush			2010	187	174	93.05	LC	1	0	0.3	1.3
63	91.047	CHENOPODIACEAE	chenopods	C04137	*Atriplex nummularia ssp. omissa*	Old-man Saltbush			2007	168	165	98.21	LC	1	0	0.3	1.3
64	91.047	CHENOPODIACEAE	chenopods	M04334	*Atriplex obconica*				2005	49	42	85.71	NT	2	0	0.3	2.3
65	91.047	CHENOPODIACEAE	chenopods	G03515	*Atriplex papillata*	Coral Saltbush		E	1991	5	1	20.00	VU	4	DD	0.0	4.0
66	91.047	CHENOPODIACEAE	chenopods	G01147	*Atriplex pseudocampanulata*	Spreading Saltbush			2005	86	62	72.09	NT	2	0	0.3	2.3
67	91.047	CHENOPODIACEAE	chenopods	E03486	*Atriplex pumilio*	Mat Saltbush			1999	58	5	8.62	NT	2	0	0.3	2.3
68	91.047	CHENOPODIACEAE	chenopods	A03484	*Atriplex quadrivalvata var. quadrivalvata*				2005	33	13	39.39	RA	3	DD	0.0	3.0
69	91.047	CHENOPODIACEAE	chenopods	Y01148	*Atriplex quadrivalvata var. sessilifolia*				2009	19	7	36.84	RA	3	DD	0.0	3.0
70	91.047	CHENOPODIACEAE	chenopods	K01149	*Atriplex quinii*	Kidney-fruit Saltbush			2010	177	139	78.53	NT	2	0	0.3	2.3
72	91.047	CHENOPODIACEAE	chenopods	W01151	*Atriplex semibaccata*	Berry Saltbush			2010	614	8	1.30	LC	1	0	0.3	1.3
73	91.047	CHENOPODIACEAE	chenopods	C01153	*Atriplex spongiosa*	Pop Saltbush			2011	695	588	84.60	LC	1	0	0.3	1.3
74	91.047	CHENOPODIACEAE	chenopods	E01154	*Atriplex stipitata*	Bitter Saltbush			2010	1174	181	15.42	LC	1	0	0.3	1.3
75	91.047	CHENOPODIACEAE	chenopods	G01155	*Atriplex suberecta*	Lagoon Saltbush			2011	319	10	3.13	NT	2	0	0.3	2.3
76	91.047	CHENOPODIACEAE	chenopods	U03862	*Atriplex turbinata*				2001	24	23	95.83	RA	3	DD	0.0	3.0
77	91.047	CHENOPODIACEAE	chenopods	K01157	*Atriplex velutinella*	Sandhill Saltbush			2010	520	421	80.96	LC	1	0	0.3	1.3
78	91.047	CHENOPODIACEAE	chenopods	W04831	*Atriplex vesicaria ssp. calcicola*	Bladder Saltbush			1999	25	4	16.00	LC	1	0	0.3	1.3
79	91.047	CHENOPODIACEAE	chenopods	W04559	*Atriplex vesicaria ssp. variabilis*	Bladder Saltbush			2007	16	1	6.25	LC	1	0	0.3	1.3
908	91.302	CUCURBITACEAE	herbs & forbs	Z03835	*Austrobryonia micrantha*	Desert Cucumber			2011	33	28	84.85	NT	2	0	0.3	2.3
524	91.495	GRAMINEAE	grass	Q00164	*Austrodanthonia auriculata*	Lobed Wallaby-grass			1996	331	1	0.30	VU	4	-	0.4	4.4
525	91.495	GRAMINEAE	grass	S00165	*Austrodanthonia caespitosa*	Common Wallaby-grass			2010	4322	329	7.61	NT	2	0	0.3	2.3
526	91.495	GRAMINEAE	grass	C00169	*Austrodanthonia eriantha*	Hill Wallaby-grass			2003	257	8	3.11	RA	3	-	0.4	3.4
529	91.495	GRAMINEAE	grass	C00177	*Austrodanthonia setacea*	Small-flower Wallaby-grass			2009	2140	16	0.75	NT	2	0	0.3	2.3
531	91.495	GRAMINEAE	grass	A00124	*Austrostipa acrociliata*	Graceful Spear-grass			2010	870	11	1.26	NT	2	0	0.3	2.3
532	91.495	GRAMINEAE	grass	G00127	*Austrostipa blackii*	Crested Spear-grass			1999	783	15	1.92	RA	3	DD	0.0	3.0
533	91.495	GRAMINEAE	grass	K00129	*Austrostipa breviglumis*	Cane Spear-grass		R	1999	138	13	9.42	NT	2	0	0.3	2.3
534	91.495	GRAMINEAE	grass	A00132	*Austrostipa densiflora*	Fox-tail Spear-grass		R	1996	54	1	1.85	VU	4	DD	0.0	4.0
535	91.495	GRAMINEAE	grass	C00133	*Austrostipa drummondii*	Cottony Spear-grass			2005	1012	34	3.36	LC	1	-	0.4	1.4
536	91.495	GRAMINEAE	grass	Y00136	*Austrostipa elegantissima*	Feather Spear-grass			2005	2277	61	2.68	LC	1	0	0.3	1.3
537	91.495	GRAMINEAE	grass	K00137	*Austrostipa eremophila*	Rusty Spear-grass			2010	1485	26	1.75	NT	2	0	0.3	2.3
538	91.495	GRAMINEAE	grass	Q03844	*Austrostipa flavescens*	Coast Spear-grass			1995	1243	3	0.24	VU	4	DD	0.0	4.0
539	91.495	GRAMINEAE	grass	M00138	*Austrostipa hemipogon*	Half-beard Spear-grass			1999	682	9	1.32	RA	3	DD	0.0	3.0
542	91.495	GRAMINEAE	grass	K00145	*Austrostipa nitida*	Balcarra Spear-grass			2010	3163	591	18.68	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
543	91.495	GRAMINEAE	grass	M00146	*Austrostipa nodosa*	Tall Spear-grass			2009	1422	174	12.24	NT	2	0	0.3	2.3
544	91.495	GRAMINEAE	grass	C04153	*Austrostipa nullanulla*	Club Spear-grass		V	2010	63	7	11.11	RA	3	0	0.3	3.3
545	91.495	GRAMINEAE	grass	Z00147	*Austrostipa petraea*	Flinders Range Spear-grass		R	2007	43	16	37.21	NT	2	0	0.3	2.3
546	91.495	GRAMINEAE	grass	G04323	*Austrostipa pilata*	Prickly Spear-grass		V	2010	158	64	40.51	LC	1	0	0.3	1.3
547	91.495	GRAMINEAE	grass	Q00148	*Austrostipa platychaeta*	Flat-awn Spear-grass			2009	549	17	3.10	NT	2	0	0.3	2.3
548	91.495	GRAMINEAE	grass	S00149	*Austrostipa plumigera*			R	1997	32	9	28.13	RA	3	DD	0.0	3.0
549	91.495	GRAMINEAE	grass	S04769	*Austrostipa scabra ssp. falcata*	Slender Spear-grass			2010	1030	26	2.52	NT	2	0	0.3	2.3
550	91.495	GRAMINEAE	grass	G03911	*Austrostipa scabra ssp. scabra*	Rough Spear-grass			2010	442	65	14.71	NT	2	0	0.3	2.3
551	91.495	GRAMINEAE	grass	K00153	*Austrostipa setacea*	Corkscrew Spear-grass			2009	331	25	7.55	LC	1	0	0.3	1.3
552	91.495	GRAMINEAE	grass	M02150	*Austrostipa trichophylla*				2009	458	182	39.74	NT	2	0	0.3	2.3
553	91.495	GRAMINEAE	grass	Q00156	*Austrostipa tuckeri*	Tucker's Spear-grass		R	1999	10	7	70.00	VU	4	-	0.4	4.4
554	91.495	GRAMINEAE	grass	S04097	*Austrostipa vickeryana*	Vickery's Spear-grass		R	1998	11	1	9.09	VU	4	DD	0.0	4.0
1	74.041	AZOLLACEAE	aquatic	K00065	*Azolla filiculoides*	Pacific Azolla			1987	243	10	4.12	LC	1	0	0.3	1.3
1317	91.306	MYRTACEAE	myrtles	A04744	*Baeckea tuberculata*				2003	25	10	40.00	NT	2	DD	0.0	2.0
243	91.435	COMPOSITAE	daisies	S02957	*Basedowia tenerrima*			R	1998	18	16	88.89	RA	3	DD	0.0	3.0
1189	91.182	LEGUMINOSAE	legumes	Y03648	*Bauhinia gilva*	Bauhinia			2008	119	108	90.76	LC	1	0	0.3	1.3
1441	91.504	CYPERACEAE	sedges	E03794	*Baumea arthrophylla*	Swamp Twig-rush			2010	244	13	5.33	VU	4	-	0.4	4.4
1442	91.504	CYPERACEAE	sedges	Z03799	*Baumea articulata*	Jointed Twig-rush			2007	89	10	11.24	VU	4	DD	0.0	4.0
1443	91.504	CYPERACEAE	sedges	S03801	*Baumea juncea*	Bare Twig-rush			2004	829	12	1.45	VU	4	DD	0.0	4.0
901	91.296	ELATINACEAE	herbs & forbs	Q02188	*Bergia ammannioides*	Jerry Water-fire			2011	11	11	100.00	NT	2	0	0.3	2.3
902	91.296	ELATINACEAE	herbs & forbs	K04529	*Bergia diacheiron*				2011	5	5	100.00	NT	2	0	0.3	2.3
903	91.296	ELATINACEAE	herbs & forbs	U04530	*Bergia occultipetala*			V	2011	18	16	88.89	NT	2	0	0.3	2.3
904	91.296	ELATINACEAE	herbs & forbs	C05253	*Bergia pedicellaris*				2007	6	5	83.33	NT	2	0	0.3	2.3
905	91.296	ELATINACEAE	herbs & forbs	Q04060	*Bergia perennis ssp. exigua*	Perennial Water-fire			2003	5	3	60.00	RA	3	DD	0.0	3.0
906	91.296	ELATINACEAE	herbs & forbs	G02183	*Bergia trimera*	Three-part Water-fire			2011	118	92	77.97	LC	1	0	0.3	1.3
1553	91.204	EUPHORBIACEAE	shrubs	Y01916	*Beyeria lechenaultii*	Pale Turpentine Bush			1999	2136	56	2.62	LC	1	0	0.3	1.3
1546	91.173	PITTOSPORACEAE	shrubs	E01498	*Billardiera versicolor*	Yellow-flower Apple-berry			1999	323	12	3.72	RA	3	0	0.3	3.3
802	91.139	CRUCIFERAE	herbs & forbs	U01398	*Blennodia canescens*	Native Stock			2010	65	54	83.08	LC	1	0	0.3	1.3
803	91.139	CRUCIFERAE	herbs & forbs	W01399	*Blennodia pterosperma*	Wild Stock			2010	118	112	94.92	NT	2	0	0.3	2.3
244	91.435	COMPOSITAE	daisies	M03630	*Blennospora drummondii*	Dwarf Button-flower			1996	794	5	0.63	RA	3	DD	0.0	3.0
1956	91.039	NYCTAGINACEAE	vines	C04065	*Boerhavia coccinea*	Tar-vine			2011	170	139	81.76	LC	1	0	0.3	1.3
1957	91.039	NYCTAGINACEAE	vines	U04070	*Boerhavia dominii*	Tar-vine			2010	704	467	66.34	LC	1	+	0.2	1.2
1958	91.039	NYCTAGINACEAE	vines	S05569	*Boerhavia repleta*				2007	12	10	83.33	RA	3	DD	0.0	3.0
1959	91.039	NYCTAGINACEAE	vines	E04226	*Boerhavia schomburgkiana*	Schomburgk's Tar-vine			2010	316	270	85.44	LC	1	0	0.3	1.3
1444	91.504	CYPERACEAE	sedges	Y00576	*Bolboschoenus caldwellii*	Salt Club-rush			2005	380	69	18.16	NT	2	0	0.3	2.3
975	91.377	CONVOLVULACEAE	herbs & forbs	Q30068	*Bonamia deserticola*				1991	1	1	100.00	RA	3	DD	0.0	3.0
976	91.377	CONVOLVULACEAE	herbs & forbs	W02519	*Bonamia erecta*				2001	59	55	93.22	LC	1	0	0.3	1.3
977	91.377	CONVOLVULACEAE	herbs & forbs	M05654	*Bonamia media*				2007	3	3	100.00	RA	3	DD	0.0	3.0
555	91.495	GRAMINEAE	grass	E00442	*Bothriochloa ewartiana*	Desert Blue-grass			2000	50	29	58.00	NT	2	0	0.3	2.3
556	91.495	GRAMINEAE	grass	G00443	*Bothriochloa macra*	Red-leg Grass		R	2001	107	2	1.87	RA	3	DD	0.0	3.0
557	91.495	GRAMINEAE	grass	U05878	*Brachiaria gilesii*	Hairy-edged Arm-grass			2001	13	11	84.62	LC	1	0	0.3	1.3
558	91.495	GRAMINEAE	grass	W05879	*Brachiaria notochthona*	Hairy-edged Arm-grass			2004	13	4	30.77	NT	2	0	0.3	2.3
559	91.495	GRAMINEAE	grass	M03702	*Brachiaria piligera*	Hairy Arm-grass			2005	51	35	68.63	LC	1	0	0.3	1.3
560	91.495	GRAMINEAE	grass	S00385	*Brachiaria praetervisa*	Large Arm-grass			2010	142	101	71.13	LC	1	0	0.3	1.3
561	91.495	GRAMINEAE	grass	G00363	*Brachyachne ciliaris*	Hairy Native Couch			2005	68	52	76.47	LC	1	0	0.3	1.3
1669	91.271	STERCULIACEAE	shrubs	K02109	*Brachychiton gregorii*	Desert Kurrajong			2009	69	39	56.52	NT	2	0	0.3	2.3
245	91.435	COMPOSITAE	daisies	Z02963	*Brachyscome blackii*	Black's Daisy			2009	26	26	100.00	NT	2	0	0.3	2.3
246	91.435	COMPOSITAE	daisies	Q02964	*Brachyscome campylocarpa*	Large White Daisy			2007	15	13	86.67	LC	1	0	0.3	1.3
249	91.435	COMPOSITAE	daisies	U02966	*Brachyscome ciliaris var. ciliaris*	Variable Daisy			2010	1084	222	20.48	LC	1	0	0.3	1.3
250	91.435	COMPOSITAE	daisies	M03518	*Brachyscome ciliaris var. lanuginosa*	Woolly Variable Daisy			2010	590	358	60.68	LC	1	0	0.3	1.3
251	91.435	COMPOSITAE	daisies	Z03519	*Brachyscome ciliaris var. lyrifolia*	Lyrate-leaf Daisy			2010	105	97	92.38	NT	2	0	0.3	2.3
252	91.435	COMPOSITAE	daisies	A03520	*Brachyscome ciliaris var. subintegrifolia*			R	1996	29	2	6.90	RA	3	DD	0.0	3.0
253	91.435	COMPOSITAE	daisies	K05785	*Brachyscome debilis*	Weak Daisy			1996	14	1	7.14	RA	3	DD	0.0	3.0
254	91.435	COMPOSITAE	daisies	C04445	*Brachyscome dentata*	Lobe-seed Daisy			2010	56	36	64.29	LC	1	0	0.3	1.3
255	91.435	COMPOSITAE	daisies	U04910	*Brachyscome dichromosomatica var. dichromosomatica*	Large Hard-head Daisy			2010	38	14	36.84	RA	3	-	0.4	3.4
256	91.435	COMPOSITAE	daisies	Z02971	*Brachyscome eriogona*			R	2010	70	59	84.29	LC	1	DD	0.0	1.0
257	91.435	COMPOSITAE	daisies	A02976	*Brachyscome iberidifolia*	Swan River Daisy			2010	139	96	69.06	LC	1	0	0.3	1.3
258	91.435	COMPOSITAE	daisies	E02978	*Brachyscome lineariloba*	Hard-head Daisy			2010	1472	146	9.92	LC	1	0	0.3	1.3
259	91.435	COMPOSITAE	daisies	G04455	*Brachyscome perpusilla*	Tiny Daisy			1996	294	3	1.02	NT	2	0	0.3	2.3
260	91.435	COMPOSITAE	daisies	W04939	*Brachyscome rara*	Rare Daisy			2007	8	8	100.00	RA	3	0	0.3	3.3
262	91.435	COMPOSITAE	daisies	C02985	*Brachyscome tesquorum*	Shrubby Desert Daisy			2010	23	19	82.61	RA	3	DD	0.0	3.0
263	91.435	COMPOSITAE	daisies	E02986	*Brachyscome trachycarpa*	Smooth Daisy			2010	125	11	8.80	NT	2	0	0.3	2.3
562	91.495	GRAMINEAE	grass	W00211	*Bromus arenarius*	Sand Brome			2004	381	51	13.39	NT	2	0	0.3	2.3
1827	91.43	GOODENIACEAE	shrubs	E02926	*Brunonia australis*	Blue Pincushion			2003	649	72	11.09	NT	2	0	0.3	2.3
1888	91.451	LILIACEAE	shrubs	Z00667	*Bulbine alata*	Winged Bulbine-lily			2010	306	221	72.22	LC	1	0	0.3	1.3
1889	91.451	LILIACEAE	shrubs	Q00668	*Bulbine bulbosa*	Bulbine-lily			1996	806	5	0.62	RA	3	0	0.3	3.3
1890	91.451	LILIACEAE	shrubs	S00669	*Bulbine semibarbata*	Small Leek-lily			2009	1072	182	16.98	LC	1	0	0.3	1.3
1445	91.504	CYPERACEAE	sedges	W00459	*Bulbostylis barbata*				2011	30	23	76.67	NT	2	0	0.3	2.3
1445.1	91.504	CYPERACEAE	sedges	Z06059	*Bulbostylis pyriformis*			R	2003				RA	3	DD	0.0	3.0
1446	91.504	CYPERACEAE	sedges	K00461	*Bulbostylis turbinata*			R	2007	7	4	57.14	RA	3	DD	0.0	3.0
1547	91.173	PITTOSPORACEAE	shrubs	G01499	*Bursaria spinosa ssp. lasiophylla*	Downy Bursaria			2001	101	11	10.89	RA	3	-	0.4	3.4
1548	91.173	PITTOSPORACEAE	shrubs	A04208	*Bursaria spinosa ssp. spinosa*	Sweet Bursaria			1999	2729	103	3.77	LC	1	0	0.3	1.3
1387	91.514	ORCHIDACEAE	orchids	Z04115	*Caladenia capillata*	Wispy Spider-orchid			2005	343	14	4.08	RA	3	-	0.4	3.4

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1389	91.514	ORCHIDACEAE	orchids	G05159	*Caladenia toxochila*	Bow-lip Spider-orchid			1996	82	15	18.29	VU	4	-	0.4	4.4
712	91.042	PORTULACACEAE	herbs & forbs	K01041	*Calandrinia balonensis*	Broad-leaf Parakeelya			2009	105	105	100.00	NT	2	0	0.3	2.3
715	91.042	PORTULACACEAE	herbs & forbs	Q01044	*Calandrinia corrigioloides*	Strap Purslane			1992	105	1	0.95	RA	3	DD	0.0	3.0
716	91.042	PORTULACACEAE	herbs & forbs	U01046	*Calandrinia disperma*	Two-seed Purslane			2000	46	9	19.57	NT	2	0	0.3	2.3
717	91.042	PORTULACACEAE	herbs & forbs	W01047	*Calandrinia eremaea*	Dryland Purslane			2010	1303	135	10.36	LC	1	0	0.3	1.3
718	91.042	PORTULACACEAE	herbs & forbs	C01049	*Calandrinia granulifera*	Pigmy Purslane			1996	298	1	0.34	VU	4	-	0.4	4.4
719	91.042	PORTULACACEAE	herbs & forbs	M01050	*Calandrinia polyandra var. polyandra*	Parakeelya			2005	107	84	78.50	NT	2	0	0.3	2.3
720	91.042	PORTULACACEAE	herbs & forbs	Z01051	*Calandrinia ptychosperma*	Creeping Parakeelya			2011	109	103	94.50	NT	2	0	0.3	2.3
721	91.042	PORTULACACEAE	herbs & forbs	Q01052	*Calandrinia pumila*	Tiny Purslane			2010	35	32	91.43	NT	2	0	0.3	2.3
722	91.042	PORTULACACEAE	herbs & forbs	S01053	*Calandrinia remota*	Round-leaf Parakeelya			2010	98	76	77.55	NT	2	0	0.3	2.3
723	91.042	PORTULACACEAE	herbs & forbs	Z02859	*Calandrinia reticulata*				2010	41	25	60.98	NT	2	0	0.3	2.3
724	91.042	PORTULACACEAE	herbs & forbs	W01055	*Calandrinia stagnensis*			R	1997	7	6	85.71	RA	3	DD	0.0	3.0
725	91.042	PORTULACACEAE	herbs & forbs	A01056	*Calandrinia volubilis*	Twining Purslane			1989	73	2	2.74	RA	3	DD	0.0	3.0
1319	91.306	MYRTACEAE	myrtles	Y02204	*Callistemon teretifolius*	Needle Bottlebrush			2005	202	71	35.15	LC	1	0	0.3	1.3
1035	91.391	CALLITRICHACEAE	herbs & forbs	U02586	*Callitriche sonderi*	Matted Water Starwort		R	1998	23	7	30.43	NT	2	0	0.3	2.3
1922	84.004	CUPRESSACEAE	trees	K03381	*Callitris glaucophylla*	White Cypress-pine			2010	1154	758	65.68	NT	2	0	0.3	2.3
1924	84.004	CUPRESSACEAE	trees	Q03384	*Callitris verrucosa*	Scrub Cypress Pine			2007	908	6	0.66	DD	0	DD	0.0	0.0
264	91.435	COMPOSITAE	daisies	U02990	*Calocephalus citreus*	Lemon Beauty-heads			1995	299	4	1.34	RA	3	0	0.3	3.3
265	91.435	COMPOSITAE	daisies	C02993	*Calocephalus knappii*	Knapp's Beauty-heads			2001	53	51	96.23	RA	3	DD	0.0	3.0
266	91.435	COMPOSITAE	daisies	G02995	*Calocephalus platycephalus*	Western Beauty-heads			2011	347	321	92.51	LC	1	0	0.3	1.3
1094	91.466	AMARYLLIDACEAE	herbs & forbs	Y05792	*Calostemma abdicatum*	Everard Garland Lily			2007	24	24	100.00	RA	3	0	0.3	3.3
1095	91.466	AMARYLLIDACEAE	herbs & forbs	C00717	*Calostemma luteum*	Yellow Garland-lily			2000	28	18	64.29	NT	2	0	0.3	2.3
1096	91.466	AMARYLLIDACEAE	herbs & forbs	E00718	*Calostemma purpureum*	Pink Garland-lily			1999	607	10	1.65	NT	2	0	0.3	2.3
268	91.435	COMPOSITAE	daisies	K02997	*Calotis ancyrocarpa*	Anchor Burr-daisy			2007	39	30	76.92	NT	2	0	0.3	2.3
271	91.435	COMPOSITAE	daisies	A03000	*Calotis cymbacantha*	Showy Burr-daisy			2010	335	97	28.96	LC	1	0	0.3	1.3
272	91.435	COMPOSITAE	daisies	C03001	*Calotis erinacea*	Tangled Burr-daisy			2011	439	105	23.92	LC	1	0	0.3	1.3
273	91.435	COMPOSITAE	daisies	E03002	*Calotis hispidula*	Hairy Burr-daisy			2011	2121	959	45.21	LC	1	++	0.1	1.1
274	91.435	COMPOSITAE	daisies	G03003	*Calotis kempei*	Kemp's Burr-daisy			2001	24	20	83.33	RA	3	DD	0.0	3.0
275	91.435	COMPOSITAE	daisies	Y03004	*Calotis lappulacea*	Yellow Burr-daisy		R	2010	38	23	60.53	NT	2	-	0.4	2.4
276	91.435	COMPOSITAE	daisies	K03005	*Calotis latiuscula*	Leafy Burr-daisy			2010	157	129	82.17	NT	2	0	0.3	2.3
277	91.435	COMPOSITAE	daisies	M03006	*Calotis multicaulis*	Woolly-headed Burr-daisy			2010	162	42	25.93	NT	2	DD	0.0	2.0
278	91.435	COMPOSITAE	daisies	M03974	*Calotis plumulifera*	Woolly-headed Burr-daisy			2010	414	293	70.77	LC	1	0	0.3	1.3
279	91.435	COMPOSITAE	daisies	Z03007	*Calotis porphyroglossa*	Channel Burr-daisy			2011	112	99	88.39	NT	2	0	0.3	2.3
280	91.435	COMPOSITAE	daisies	Q04880	*Calotis scabiosifolia var. scabiosifolia*	Rough Burr-daisy			2010	22	8	36.36	VU	4	-	0.4	4.4
1320	91.306	MYRTACEAE	myrtles	M04538	*Calytrix carinata*	Keeled Fringe-myrtle			2001	15	13	86.67	LC	1	0	0.3	1.3
1321	91.306	MYRTACEAE	myrtles	K04537	*Calytrix gypsophila*	Gypsum Fringe-myrtle			2005	34	9	26.47	LC	1	0	0.3	1.3
1322	91.306	MYRTACEAE	myrtles	Z02207	*Calytrix tetragona*	Common Fringe-myrtle			2005	3447	101	2.93	LC	1	0	0.3	1.3
1939	91.134	CAPPARACEAE	trees	Z01387	*Capparis mitchellii*	Native Orange			2010	165	151	91.52	LC	1	0	0.3	1.3
1447	91.504	CYPERACEAE	sedges	M00462	*Carex appressa*	Tall Sedge			1996	284	9	3.17	VU	4	DD	0.0	4.0
1448	91.504	CYPERACEAE	sedges	Z00463	*Carex bichenoviana*	Notched Sedge			2003	166	1	0.60	VU	4	0	0.3	4.3
1449	91.504	CYPERACEAE	sedges	Q00464	*Carex breviculmis*	Short-stem Sedge			1995	409	2	0.49	VU	4	-	0.4	4.4
1450	91.504	CYPERACEAE	sedges	A00468	*Carex gaudichaudiana*	Fen Sedge			1999	87	12	13.79	VU	4	DD	0.0	4.0
1451	91.504	CYPERACEAE	sedges	U03570	*Carex inversa var. major*	Knob Sedge			1996	96	5	5.21	RA	3	0	0.3	3.3
1452	91.504	CYPERACEAE	sedges	U00474	*Carex tereticaulis*	Rush Sedge			1999	268	8	2.99	VU	4	DD	0.0	4.0
804	91.139	CRUCIFERAE	herbs & forbs	G01411	*Carinavalva glauca*				2008	32	10	31.25	RA	3	0	0.3	3.3
282	91.435	COMPOSITAE	daisies	M03014	*Cassinia arcuata*	Drooping Cassinia			1989	105	1	0.95	RA	3	DD	0.0	3.0
283	91.435	COMPOSITAE	daisies	E05854	*Cassinia complanata*	Sticky Cassinia			2009	302	18	5.96	RA	3	0	0.3	3.3
284	91.435	COMPOSITAE	daisies	Z03015	*Cassinia laevis*	Curry Bush			2009	844	381	45.14	NT	2	0	0.3	2.3
1961	91.072	LAURACEAE	vines	W04055	*Cassytha flindersii*	Flinders Ranges Dodder-laurel			2005	114	62	54.39	NT	2	0	0.3	2.3
1931	91.001	CASUARINACEAE	trees	E00874	*Casuarina pauper*	Black Oak			2010	1629	517	31.74	LC	1	0	0.3	1.3
935	91.339	UMBELLIFERAE	herbs & forbs	S05445	*Centella asiatica*	Asian Centella			1995	98	3	3.06	VU	4	-	0.4	4.4
286	91.435	COMPOSITAE	daisies	A05896	*Centipeda crateriformis ssp. compacta*	Desert Sneezeweed			2005	81	2	2.47	NE	-1			-1.0
287	91.435	COMPOSITAE	daisies	Q05892	*Centipeda crateriformis ssp. crateriformis*	Common Sneezeweed			2011	87	64	73.56	LC	1	0	0.3	1.3
288	91.435	COMPOSITAE	daisies	Z05891	*Centipeda cunninghamii*	Common Sneezeweed			2008	189	43	22.75	LC	1	0	0.3	1.3
289	91.435	COMPOSITAE	daisies	S05893	*Centipeda minima ssp. minima*	Spreading Sneezeweed			2009	60	15	25.00	RA	3	DD	0.0	3.0
290	91.435	COMPOSITAE	daisies	U05894	*Centipeda nidiformis*	Spreading Sneezeweed			2008	18	2	11.11	NT	2	0	0.3	2.3
291	91.435	COMPOSITAE	daisies	C05897	*Centipeda pleiocephala*				2008	25	19	76.00	NT	2	DD	0.0	2.0
292	91.435	COMPOSITAE	daisies	W05895	*Centipeda thespidioides*	Desert Sneezeweed			2010	193	116	60.10	LC	1	0	0.3	1.3
1430	91.491	CENTROLEPIDACEAE	sedges	Y00604	*Centrolepis aristata*	Pointed Centrolepis			1996	569	2	0.35	VU	4	DD	0.0	4.0
1431	91.491	CENTROLEPIDACEAE	sedges	K02565	*Centrolepis cephaloformis ssp. cephaloformis*	Cushion Centrolepis		R	1995	71	5	7.04	VU	4	DD	0.0	4.0
1434	91.491	CENTROLEPIDACEAE	sedges	Q05004	*Centrolepis eremica*	Dryland Centrolepis			2008	37	27	72.97	NT	2	0	0.3	2.3
1436	91.491	CENTROLEPIDACEAE	sedges	S00609	*Centrolepis polygyna*	Wiry Centrolepis			1961	428	4	0.93	RA	3	DD	0.0	3.0
1437	91.491	CENTROLEPIDACEAE	sedges	E00610	*Centrolepis strigosa ssp. strigosa*	Hairy Centrolepis			1995	615	7	1.14	RA	3	DD	0.0	3.0
293	91.435	COMPOSITAE	daisies	C03029	*Cephalipterum drummondii*	Pompom Head			2005	180	24	13.33	NT	2	0	0.3	2.3
494	74.018	ADIANTACEAE	fern	K04033	*Cheilanthes austrotenuifolia*	Annual Rock-fern			2009	1896	36	1.90	LC	1	0	0.3	1.3
495	74.018	ADIANTACEAE	fern	E00038	*Cheilanthes distans*	Bristly Cloak-fern			1995	158	11	6.96	LC	1	0	0.3	1.3
496	74.018	ADIANTACEAE	fern	Q00040	*Cheilanthes lasiophylla*	Woolly Cloak-fern			2010	1050	665	63.33	NT	2	0	0.3	2.3
497	74.018	ADIANTACEAE	fern	Y04032	*Cheilanthes sieberi ssp. pseudovellea*				2010	17	10	58.82	RA	3	DD	0.0	3.0
498	74.018	ADIANTACEAE	fern	S00041	*Cheilanthes sieberi ssp. sieberi*	Narrow Rock-fern			2010	698	380	54.44	NT	2	0	0.3	2.3
80	91.047	CHENOPODIACEAE	chenopods	G01163	*Chenopodium auricomum*	Golden Goosefoot			2011	319	295	92.48	LC	1	0	0.3	1.3
81	91.047	CHENOPODIACEAE	chenopods	S03925	*Chenopodium curvispicatum*	Cottony Goosefoot			2010	767	39	5.08	NT	2	0	0.3	2.3
82	91.047	CHENOPODIACEAE	chenopods	Q03984	*Chenopodium desertorum ssp. anidiophyllum*	Mallee Goosefoot			2007	145	69	47.59	LC	1	0	0.3	1.3
83	91.047	CHENOPODIACEAE	chenopods	K01165	*Chenopodium desertorum ssp. desertorum*	Frosted Goosefoot			2010	721	78	10.82	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
84	91.047	CHENOPODIACEAE	chenopods	Z03983	*Chenopodium desertorum ssp. microphyllum*	Small-leaf Goosefoot			1999	492	23	4.67	NT	2	0	0.3	2.3
85	91.047	CHENOPODIACEAE	chenopods	S03985	*Chenopodium desertorum ssp. rectum*	Erect Goosefoot			1996	117	26	22.22	LC	1	0	0.3	1.3
86	91.047	CHENOPODIACEAE	chenopods	W01207	*Chenopodium gaudichaudianum*	Scrambling Goosefoot			1995	88	2	2.27	NT	2	0	0.3	2.3
87	91.047	CHENOPODIACEAE	chenopods	E01170	*Chenopodium nitrariaceum*	Nitre Goosefoot			2010	292	111	38.01	LC	1	0	0.3	1.3
563	91.495	GRAMINEAE	grass	K00365	*Chloris pectinata*	Comb Windmill Grass			2010	136	120	88.24	LC	1	0	0.3	1.3
564	91.495	GRAMINEAE	grass	Z00367	*Chloris truncata*	Windmill Grass			1997	261	19	7.28	RA	3	0	0.3	3.3
295	91.435	COMPOSITAE	daisies	S32217	*Chrysocephalum apiculatum*	Common Everlasting			2010	1152	141	12.24	LC	1	0	0.3	1.3
296	91.435	COMPOSITAE	daisies	A04488	*Chrysocephalum eremaeum*	Sand Button-bush			2009	283	165	58.30	LC	1	0	0.3	1.3
297	91.435	COMPOSITAE	daisies	S04185	*Chrysocephalum pterochaetum*	Shrub Everlasting			2010	346	243	70.23	LC	1	0	0.3	1.3
298	91.435	COMPOSITAE	daisies	S03165	*Chrysocephalum semipapposum*	Clustered Everlasting			2009	893	170	19.04	LC	1	0	0.3	1.3
565	91.495	GRAMINEAE	grass	Y00444	*Chrysopogon fallax*	Golden-beard Grass			2008	23	19	82.61	LC	1	0	0.3	1.3
299	91.435	COMPOSITAE	daisies	G03039	*Chthonocephalus pseudevax*	Ground-heads			2005	209	63	30.14	LC	1	0	0.3	1.3
1583	91.212	RUTACEAE	shrubs	W01971	*Citrus glauca*	Desert Lime		V	2002	42	6	14.29	EN	5	DD	0.0	5.0
1453	91.504	CYPERACEAE	sedges	C00477	*Cladium procerum*	Leafy Twig-rush		R	2010	101	4	3.96	EN	5	DD	0.0	5.0
776	91.08	RANUNCULACEAE	herbs & forbs	Z32151	*Clematis decipiens*	Old Man's Beard			1998	27	13	48.15	NT	2	0	0.3	2.3
777	91.08	RANUNCULACEAE	herbs & forbs	C32149	*Clematis leptophylla*				1975	61	2	3.28	RA	3	0	0.3	3.3
778	91.08	RANUNCULACEAE	herbs & forbs	M32150	*Clematis microphylla*	Old Man's Beard			2010	691	38	5.50	NE	-1			-1.0
795	91.134	CAPPARACEAE	herbs & forbs	S01389	*Cleome viscosa*	Tickweed			2011	122	114	93.44	LC	1	0	0.3	1.3
1933	91.037	GYROSTEMONACEAE	trees	W01003	*Codonocarpus cotinifolius*	Desert Poplar			2005	284	113	39.79	NT	2	0	0.3	2.3
1934	91.037	GYROSTEMONACEAE	trees	A01004	*Codonocarpus pyramidalis*	Slender Bell-fruit	VU	E	2009	219	129	58.90	RA	3	0	0.3	3.3
1590	91.227	POLYGALACEAE	shrubs	S04353	*Comesperma viscidulum*	Varnished Milkwort			2001	27	22	81.48	NT	2	0	0.3	2.3
1428	91.481	COMMELINACEAE	sedges	Q03560	*Commelina ensifolia*	Scurvy Grass			2001	3	2	66.67	RA	3	DD	0.0	3.0
1960	91.039	NYCTAGINACEAE	vines	G04227	*Commicarpus australis*	Pink Gum-fruit			2010	137	109	79.56	NT	2	0	0.3	2.3
979	91.377	CONVOLVULACEAE	herbs & forbs	Z05955	*Convolvulus clementii*				2010	193	115	59.59	LC	1	0	0.3	1.3
980	91.377	CONVOLVULACEAE	herbs & forbs	S05957	*Convolvulus crispifolius*	Silver Bindweed			1989	50	1	2.00	NT	2	0	0.3	2.3
981	91.377	CONVOLVULACEAE	herbs & forbs	Q05956	*Convolvulus eyreanus*	Silver Bindweed			2011	85	63	74.12	LC	1	0	0.3	1.3
982	91.377	CONVOLVULACEAE	herbs & forbs	U04970	*Convolvulus microsepalus*	Small-flower Bindweed			2009	66	17	25.76	NT	2	0	0.3	2.3
983	91.377	CONVOLVULACEAE	herbs & forbs	M05954	*Convolvulus recurvatus ssp. nullarborensis*				2007	35	5	14.29	RA	3	0	0.3	3.3
984	91.377	CONVOLVULACEAE	herbs & forbs	K05953	*Convolvulus recurvatus ssp. recurvatus*	Australian Bindweed			2002	19	4	21.05	NT	2	0	0.3	2.3
985	91.377	CONVOLVULACEAE	herbs & forbs	K01385	*Convolvulus remotus*	Grassy Bindweed			2010	1747	706	40.41	LC	1	0	0.3	1.3
985.1	91.377	CONVOLVULACEAE	herbs & forbs	Q32284	*Convolvulus tedmoorei*				2008			#DIV/0!	RA	3	0	0.3	3.3
1584	91.212	RUTACEAE	shrubs	G05863	*Correa glabra var. turnbullii*	Rock Correa			1986	231	8	3.46	NT	2	-	0.4	2.4
1323	91.306	MYRTACEAE	myrtles	Y04588	*Corymbia eremaea ssp. eremaea*	Hills Bloodwood			2009	190	164	86.32	LC	1	0	0.3	1.3
1323.1	91.306	MYRTACEAE	myrtles	C32333	*Corymbia opaca*	Desert Bloodwood			2009	3	3	100.00	LC	1	0	0.3	1.3
1324	91.306	MYRTACEAE	myrtles	G05547	*Corymbia terminalis*				2008	44	42	95.45	LC	1	0	0.3	1.3
1894	91.451	LILIACEAE	shrubs	S04581	*Corynotheca micrantha var. divaricata*	Small-flower Sand Lily			2008	31	25	80.65	RA	3	0	0.3	3.3
300	91.435	COMPOSITAE	daisies	U05834	*Craspedia haplorrhiza*	Billy-buttons			1968	34	2	5.88	EN	5	-	0.4	5.4
301	91.435	COMPOSITAE	daisies	S05833	*Craspedia variabilis*	Billy-buttons			1984	193	1	0.52	VU	4	DD	0.0	4.0
838	91.149	CRASSULACEAE	herbs & forbs	Y05820	*Crassula colligata ssp. lamprosperma*				2010	457	7	1.53	LC	1	0	0.3	1.3
839	91.149	CRASSULACEAE	herbs & forbs	K00877	*Crassula colorata var. acuminata*	Dense Crassula			2005	1177	97	8.24	LC	1	0	0.3	1.3
840	91.149	CRASSULACEAE	herbs & forbs	S01485	*Crassula colorata var. colorata*	Dense Crassula			2010	578	18	3.11	NT	2	0	0.3	2.3
841	91.149	CRASSULACEAE	herbs & forbs	M05822	*Crassula extrorsa*				2004	2	1	50.00	VU	4	DD	0.0	4.0
842	91.149	CRASSULACEAE	herbs & forbs	M01490	*Crassula peduncularis*	Purple Crassula		R	1996	67	2	2.99	VU	4	-	0.4	4.4
844	91.149	CRASSULACEAE	herbs & forbs	W05819	*Crassula tetramera*	Australian Stonecrop			2010	167	59	35.33	LC	1	0	0.3	1.3
302	91.435	COMPOSITAE	daisies	E03054	*Cratystylis conocephala*	Bluebush Daisy			2010	770	6	0.78	NT	2	0	0.3	2.3
303	91.435	COMPOSITAE	daisies	G04819	*Cremnothamnus thomsonii*	Thomson's Daisy			2009	15	15	100.00	VU	4	DD	0.0	4.0
986	91.377	CONVOLVULACEAE	herbs & forbs	Z02523	*Cressa australis*	Rosinweed			2007	259	131	50.58	LC	1	0	0.3	1.3
1097	91.466	AMARYLLIDACEAE	herbs & forbs	G00719	*Crinum flaccidum*	Murray Lily			2010	186	85	45.70	LC	1	0	0.3	1.3
1190	91.182	LEGUMINOSAE	legumes	W01655	*Crotalaria cunninghamii ssp. sturtii*	Bird-flower Rattle-pod			2011	144	144	100.00	NT	2	0	0.3	2.3
1191	91.182	LEGUMINOSAE	legumes	A01656	*Crotalaria eremaea ssp. eremaea*	Downy Loose-flowered Rattle-pod			2011	380	319	83.95	NT	2	0	0.3	2.3
1192	91.182	LEGUMINOSAE	legumes	K03649	*Crotalaria eremaea ssp. strehlowii*	Smooth Loose-flowered Rattle-pod			2011	235	207	88.09	NT	2	0	0.3	2.3
1193	91.182	LEGUMINOSAE	legumes	M04106	*Crotalaria medicaginea var. neglecta*	Trefoil Rattle-pod			2008	8	8	100.00	RA	3	0	0.3	3.3
1194	91.182	LEGUMINOSAE	legumes	W03651	*Crotalaria novae-hollandiae ssp. lasiophylla*	Woolly Rattle-pod			1999	22	21	95.45	NT	2	0	0.3	2.3
1195	91.182	LEGUMINOSAE	legumes	C01657	*Crotalaria smithiana*	Low Rattle-pod			2007	64	55	85.94	NT	2	0	0.3	2.3
1604	91.263	RHAMNACEAE	shrubs	W05799	*Cryptandra aridicola*				2001	11	9	81.82	RA	3	DD	0.0	3.0
909	91.302	CUCURBITACEAE	herbs & forbs	Y03832	*Cucumis maderaspatanus*	Snake Vine			2009	316	309	97.78	LC	1	0	0.3	1.3
910	91.302	CUCURBITACEAE	herbs & forbs	Q04996	*Cucumis melo*	Ulcardo Melon			2008	70	61	87.14	LC	1	0	0.3	1.3
1196	91.182	LEGUMINOSAE	legumes	C03785	*Cullen australasicum*	Tall Scurf-pea			2011	797	465	58.34	LC	1	0	0.3	1.3
1197	91.182	LEGUMINOSAE	legumes	S01741	*Cullen cinereum*	Annual Scurf-pea			2010	252	208	82.54	LC	1	0	0.3	1.3
1198	91.182	LEGUMINOSAE	legumes	A05528	*Cullen discolor*	Prostrate Scurf-pea			2010	136	109	80.15	NT	2	0	0.3	2.3
1199	91.182	LEGUMINOSAE	legumes	W01743	*Cullen graveolens*	Native Lucerne			2010	221	165	74.66	NT	2	0	0.3	2.3
1200	91.182	LEGUMINOSAE	legumes	E03786	*Cullen pallidum*	White Scurf-pea			2011	226	183	80.97	LC	1	0	0.3	1.3
1201	91.182	LEGUMINOSAE	legumes	A01744	*Cullen parvum*	Small Scurf-pea		V	2000	85	1	1.18	DD	0	DD	0.0	0.0
1202	91.182	LEGUMINOSAE	legumes	W05527	*Cullen patens*	Spreading Scurf-pea			2011	58	47	81.03	NT	2	0	0.3	2.3
805	91.139	CRUCIFERAE	herbs & forbs	Q01416	*Cuphonotus andraeanus*	Downy Mother-of-misery			2010	8	7	87.50	RA	3	0	0.3	3.3
806	91.139	CRUCIFERAE	herbs & forbs	U03598	*Cuphonotus humistratus*	Mother-of-misery			1988	4	4	100.00	RA	3	DD	0.0	3.0
987	91.377	CONVOLVULACEAE	herbs & forbs	Q01388	*Cuscuta victoriana*				2007	34	26	76.47	NT	2	0	0.3	2.3
566	91.495	GRAMINEAE	grass	K00445	*Cymbopogon ambiguus*	Lemon-grass			2010	1010	757	74.95	NT	2	0	0.3	2.3
567	91.495	GRAMINEAE	grass	M00446	*Cymbopogon obtectus*	Silky-head Lemon-grass			2011	285	159	55.79	NT	2	0	0.3	2.3
1719	91.371	ASCLEPIADACEAE	shrubs	Z02487	*Cynanchum floribundum*	Desert Cynanchum			2009	248	230	92.74	LC	1	0	0.3	1.3
998	91.381	BORAGINACEAE	herbs & forbs	M04926	*Cynoglossum australe*	Australian Hound's-tongue			2010	438	58	13.24	LC	1	0	0.3	1.3
999	91.381	BORAGINACEAE	herbs & forbs	A02544	*Cynoglossum suaveolens*	Sweet Hound's-tongue			1995	350	2	0.57	VU	4	-	0.4	4.4
1454	91.504	CYPERACEAE	sedges	M05582	*Cyperus alterniflorus*	Umbrella Flat-sedge			2005	188	109	57.98	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1455	91.504	CYPERACEAE	sedges	Z05583	*Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461*	Umbrella Flat-sedge			2005	3	3	100.00	DD	0	DD	0.0	0.0
1456	91.504	CYPERACEAE	sedges	K00073	*Cyperus bifax*	Downs Flat-sedge		R	2002	15	14	93.33	RA	3	DD	0.0	3.0
1457	91.504	CYPERACEAE	sedges	Q00480	*Cyperus bulbosus*	Bulbous Flat-sedge			2008	168	143	85.12	NT	2	0	0.3	2.3
1458	91.504	CYPERACEAE	sedges	M05938	*Cyperus castaneus*			R	2000	2	1	50.00	VU	4	DD	0.0	4.0
1459	91.504	CYPERACEAE	sedges	A05200	*Cyperus centralis*	Inland Flat-sedge			2009	73	71	97.26	RA	3	0	0.3	3.3
1460	91.504	CYPERACEAE	sedges	E15198	*Cyperus concinnus*			R	2011	3	3	100.00	RA	3	0	0.3	3.3
1461	91.504	CYPERACEAE	sedges	A00484	*Cyperus dactylotes*			V	2011	23	20	86.96	VU	4	0	0.3	4.3
1462	91.504	CYPERACEAE	sedges	C00485	*Cyperus difformis*	Variable Flat-sedge			2011	101	54	53.47	NT	2	0	0.3	2.3
1463	91.504	CYPERACEAE	sedges	G00487	*Cyperus exaltatus*	Splendid Flat-sedge			2008	98	40	40.82	NT	2	0	0.3	2.3
1464	91.504	CYPERACEAE	sedges	Z05451	*Cyperus flaccidus*	Flaccid Flat-sedge		R	2000	4	1	25.00	RA	3	DD	0.0	3.0
1465	91.504	CYPERACEAE	sedges	K00489	*Cyperus gilesii*	Giles' Flat-sedge			2010	41	23	56.10	NT	2	0	0.3	2.3
1467	91.504	CYPERACEAE	sedges	W00491	*Cyperus gymnocaulos*	Spiny Flat-sedge			2009	923	343	37.16	LC	1	0	0.3	1.3
1468	91.504	CYPERACEAE	sedges	A00492	*Cyperus iria*				2011	83	75	90.36	LC	1	0	0.3	1.3
1469	91.504	CYPERACEAE	sedges	C00493	*Cyperus laevigatus*	Bore-drain Sedge			2008	370	321	86.76	NT	2	+	0.2	2.2
1470	91.504	CYPERACEAE	sedges	G05503	*Cyperus nervulosus*			R	2011	8	2	25.00	NT	2	DD	0.0	2.0
1471	91.504	CYPERACEAE	sedges	E00494	*Cyperus pygmaeus*	Pygmy Flat-sedge			2007	65	24	36.92	NT	2	0	0.3	2.3
1472	91.504	CYPERACEAE	sedges	G00495	*Cyperus rigidellus*	Dwarf Flat-sedge			2011	117	78	66.67	LC	1	0	0.3	1.3
1474	91.504	CYPERACEAE	sedges	Z00499	*Cyperus squarrosus*	Bearded Flat-sedge			2011	80	71	88.75	NT	2	0	0.3	2.3
1475	91.504	CYPERACEAE	sedges	S00501	*Cyperus vaginatus*	Stiff Flat-sedge			2009	488	95	19.47	NT	2	-	0.4	2.4
1476	91.504	CYPERACEAE	sedges	U00502	*Cyperus victoriensis*	Yelka			2011	197	165	83.76	NT	2	0	0.3	2.3
568	91.495	GRAMINEAE	grass	Z00331	*Dactyloctenium radulans*	Button-grass			2011	716	591	82.54	LC	1	0	0.3	1.3
1093	91.436	ALISMATACEAE	herbs & forbs	Z00111	*Damasonium minus*	Star-fruit			1989	33	2	6.06	RA	3	DD	0.0	3.0
1829	91.43	GOODENIACEAE	shrubs	S06457	*Dampiera cinerea*				2001	2	1	50.00	RA	3	DD	0.0	3.0
1830	91.43	GOODENIACEAE	shrubs	S04337	*Dampiera dysantha*	Shrubby Dampiera			1981	363	5	1.38	VU	4	DD	0.0	4.0
1832	91.43	GOODENIACEAE	shrubs	G05539	*Dampiera roycei*			R	1995	2	2	100.00	RA	3	DD	0.0	3.0
1325	91.306	MYRTACEAE	myrtles	M05338	*Darwinia salina*	Salt Darwinia			2005	88	1	1.14	RA	3	0	0.3	3.3
936	91.339	UMBELLIFERAE	herbs & forbs	W02359	*Daucus glochidiatus*	Native Carrot			2010	3761	637	16.94	LC	1	0	0.3	1.3
1203	91.182	LEGUMINOSAE	legumes	Q01660	*Daviesia arenaria*	Sand Bitter-pea			1995	171	3	1.75	VU	4	DD	0.0	4.0
1205	91.182	LEGUMINOSAE	legumes	G03655	*Daviesia benthamii ssp. humilis*	Mallee Bitter-pea		R	1999	214	3	1.40	DD	0	DD	0.0	0.0
1207	91.182	LEGUMINOSAE	legumes	W01663	*Daviesia genistifolia*	Broom Bitter-pea			2009	171	41	23.98	NT	2	0	0.3	2.3
1208	91.182	LEGUMINOSAE	legumes	Y04456	*Daviesia leptophylla*	Narrow-leaf Bitter-pea			1999	874	12	1.37	RA	3	0	0.3	3.3
1209	91.182	LEGUMINOSAE	legumes	E01666	*Daviesia stricta*	Flinders Ranges Bitter-pea		R	2009	51	50	98.04	RA	3	0	0.3	3.3
1210	91.182	LEGUMINOSAE	legumes	U05622	*Daviesia ulicifolia ssp. aridicola*	Gorse Bitter-pea			2008	131	3	2.29	EN	5	-	0.4	5.4
958	91.373	RUBIACEAE	herbs & forbs	U02498	*Dentella pulvinata*				2008	107	99	92.52	LC	1	0	0.3	1.3
569	91.495	GRAMINEAE	grass	K00305	*Deyeuxia quadriseta*	Reed Bent-grass			1995	459	2	0.44	EN	5	-	0.4	5.4
1897	91.451	LILIACEAE	shrubs	G04991	*Dianella revoluta var. divaricata*	Broad-leaf Flax-lily			1994	242	5	2.07	NE	-1			-1.0
1898	91.451	LILIACEAE	shrubs	C04893	*Dianella revoluta var. revoluta*	Black-anther Flax-lily			2009	3184	28	0.88	LC	1	0	0.3	1.3
570	91.495	GRAMINEAE	grass	Z00447	*Dichanthium sericeum ssp. humilius*	Annual Silky Blue-grass			2010	115	91	79.13	LC	1	0	0.3	1.3
571	91.495	GRAMINEAE	grass	Q00448	*Dichanthium sericeum ssp. sericeum*	Silky Blue-grass			2010	171	80	46.78	NT	2	0	0.3	2.3
572	91.495	GRAMINEAE	grass	M03074	*Dichelachne crinita*	Long-hair Plume-grass			1995	508	4	0.79	RA	3	0	0.3	3.3
573	91.495	GRAMINEAE	grass	Z00307	*Dichelachne micrantha*	Short-hair Plume-grass			1995	107	3	2.80	EN	5	DD	0.0	5.0
988	91.377	CONVOLVULACEAE	herbs & forbs	Q02524	*Dichondra repens*	Kidney Weed			1999	1187	15	1.26	NT	2	0	0.3	2.3
305	91.435	COMPOSITAE	daisies	S04709	*Dichromochlamys dentatifolia*				2010	137	102	74.45	LC	1	0	0.3	1.3
1020	91.387	CHLOANTHACEAE	herbs & forbs	A04904	*Dicrastylis beveridgei var. beveridgei*	Sand-sage			2003	46	10	21.74	RA	3	0	0.3	3.3
1021	91.387	CHLOANTHACEAE	herbs & forbs	M03358	*Dicrastylis beveridgei var. lanata*	Woolly Sand-sage			2010	106	36	33.96	NT	2	0	0.3	2.3
1022	91.387	CHLOANTHACEAE	herbs & forbs	Q02576	*Dicrastylis costelloi var. costelloi*	Sand-sage			2008	45	34	75.56	NT	2	0	0.3	2.3
1023	91.387	CHLOANTHACEAE	herbs & forbs	E05034	*Dicrastylis costelloi var. eriantha*	Sand-sage			1963	2	2	100.00	DD	0	DD	0.0	0.0
1024	91.387	CHLOANTHACEAE	herbs & forbs	C03557	*Dicrastylis costelloi var. globulifera*	Sand-sage			2008	4	3	75.00	DD	0	DD	0.0	0.0
1025	91.387	CHLOANTHACEAE	herbs & forbs	E03558	*Dicrastylis costelloi var. violacea*	Sand-sage			2008	21	15	71.43	NT	2	DD	0.0	2.0
1026	91.387	CHLOANTHACEAE	herbs & forbs	C04293	*Dicrastylis exsuccosa var. tomentosa*	Sand-sage			2001	15	15	100.00	NT	2	0	0.3	2.3
1027	91.387	CHLOANTHACEAE	herbs & forbs	Z04483	*Dicrastylis gilesii var. bagotensis*	Giles' Sand-sage			1978	1	1	100.00	RA	3	DD	0.0	3.0
1028	91.387	CHLOANTHACEAE	herbs & forbs	Y02580	*Dicrastylis lewellinii*	Purple Sand-sage			2008	45	24	53.33	LC	1	0	0.3	1.3
574	91.495	GRAMINEAE	grass	Z00391	*Digitaria ammophila*	Spider Grass			2011	161	123	76.40	LC	1	0	0.3	1.3
575	91.495	GRAMINEAE	grass	Q00392	*Digitaria brownii*	Cotton Panic-grass			2010	807	632	78.31	LC	1	0	0.3	1.3
576	91.495	GRAMINEAE	grass	U00394	*Digitaria coenicola*	Spider Grass			2010	153	114	74.51	RA	3	0	0.3	3.3
577	91.495	GRAMINEAE	grass	Y03840	*Digitaria ctenantha*	Comb Finger-grass			2001	3	3	100.00	VU	4	DD	0.0	4.0
306	91.435	COMPOSITAE	daisies	G03063	*Dimorphocoma minutula*				2010	41	27	65.85	NT	2	0	0.3	2.3
1951	91.028	LORANTHACEAE	vines	K00965	*Diplatia grandibractea*	Coolibah Mistletoe			2006	90	83	92.22	LC	1	0	0.3	1.3
1055	91.405	ACANTHACEAE	herbs & forbs	C04981	*Dipteracanthus australasicus ssp. australasicus*				2007	15	11	73.33	RA	3	-	0.4	3.4
1056	91.405	ACANTHACEAE	herbs & forbs	Z04679	*Dipteracanthus australasicus ssp. glabratus*				2011	11	8	72.73	RA	3	-	0.4	3.4
17	91.04	AIZOACEAE	chenopods	E04886	*Disphyma crassifolium ssp. clavellatum*	Round-leaf Pigface			1994	1457	4	0.27	LC	1	0	0.3	1.3
88	91.047	CHENOPODIACEAE	chenopods	S01177	*Dissocarpus biflorus var. biflorus*	Two-horn Saltbush			2010	562	119	21.17	LC	1	0	0.3	1.3
89	91.047	CHENOPODIACEAE	chenopods	W04039	*Dissocarpus biflorus var. villosus*	Woolly Two-horn Saltbush			2010	26	6	23.08	RA	3	DD	0.0	3.0
90	91.047	CHENOPODIACEAE	chenopods	Q04272	*Dissocarpus fontinalis*				2001	34	26	76.47	NT	2	0	0.3	2.3
91	91.047	CHENOPODIACEAE	chenopods	Y04560	*Dissocarpus latifolius*				2003	19	16	84.21	NT	2	0	0.3	2.3
92	91.047	CHENOPODIACEAE	chenopods	K04561	*Dissocarpus paradoxus*	Ball Bindyi			2010	1361	852	62.60	LC	1	0	0.3	1.3
578	91.495	GRAMINEAE	grass	E00230	*Distichlis distichophylla*	Emu-grass			1999	389	4	1.03	NT	2	0	0.3	2.3
1594	91.236	SAPINDACEAE	shrubs	W02007	*Dodonaea baueri*	Crinkled Hop-bush			2009	811	96	11.84	LC	1	0	0.3	1.3
1596	91.236	SAPINDACEAE	shrubs	Q02012	*Dodonaea lobulata*	Lobed-leaf Hop-bush			2010	1096	577	52.65	NT	2	0	0.3	2.3
1597	91.236	SAPINDACEAE	shrubs	M04898	*Dodonaea microzyga var. microzyga*	Brilliant Hop-bush			2010	544	391	71.88	NT	2	0	0.3	2.3
1598	91.236	SAPINDACEAE	shrubs	Y32256	*Dodonaea petiolaris*	Balloon Hop-bush			2011	4	4	100.00	RA	3	0	0.3	3.3
1599	91.236	SAPINDACEAE	shrubs	A02016	*Dodonaea stenozyga*	Desert Hop-bush			1995	686	2	0.29	RA	3	0	0.3	3.3
1601	91.236	SAPINDACEAE	shrubs	C04921	*Dodonaea viscosa ssp. angustissima*	Narrow-leaf Hop-bush			2011	2790	841	30.14	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1602	91.236	SAPINDACEAE	shrubs	U04654	*Dodonaea viscosa ssp. mucronata*	northern Hop-bush			2008	169	163	96.45	LC	1	0	0.3	1.3
1603	91.236	SAPINDACEAE	shrubs	K04781	*Dodonaea viscosa ssp. spatulata*	Sticky Hop-bush			2009	1460	68	4.66	RA	3	0	0.3	3.3
501	74.027	BLECHNACEAE	fern	K00057	*Doodia caudata*	Small Rasp-fern		E	2004	10	9	90.00	EN	5	DD	0.0	5.0
790	91.129	DROSERACEAE	herbs & forbs	W00051	*Drosera auriculata*	Tall Sundew			1995	959	3	0.31	VU	4	-	0.4	4.4
791	91.129	DROSERACEAE	herbs & forbs	C01357	*Drosera glanduligera*	Scarlet Sundew			1995	519	4	0.77	VU	4	DD	0.0	4.0
792	91.129	DROSERACEAE	herbs & forbs	E01358	*Drosera indica*	Indian Sundew			2011	13	11	84.62	RA	3	0	0.3	3.3
793	91.129	DROSERACEAE	herbs & forbs	S03457	*Drosera macrantha ssp. planchonii*	Climbing Sundew			2000	1804	3	0.17	VU	4	DD	0.0	4.0
794	91.129	DROSERACEAE	herbs & forbs	C32229	*Drosera peltata*	Pale Sundew			1996	189	3	1.59	EN	5	-	0.4	5.4
1742	91.395	SOLANACEAE	shrubs	U02658	*Duboisia hopwoodii*	Pituri			2009	276	80	28.99	LC	1	0	0.3	1.3
93	91.047	CHENOPODIACEAE	chenopods	Y01164	*Dysphania cristata*	Crested Goosefoot			2010	372	200	53.76	LC	1	0	0.3	1.3
94	91.047	CHENOPODIACEAE	chenopods	W03987	*Dysphania glomulifera ssp. eremaea*	Globular Crumbweed			2009	25	20	80.00	LC	1	0	0.3	1.3
95	91.047	CHENOPODIACEAE	chenopods	U03986	*Dysphania glomulifera ssp. glomulifera*	Globular Crumbweed			2008	40	7	17.50	NT	2	0	0.3	2.3
96	91.047	CHENOPODIACEAE	chenopods	C03989	*Dysphania kalpari*	Rats' Tails			2000	28	21	75.00	LC	1	0	0.3	1.3
97	91.047	CHENOPODIACEAE	chenopods	Y03912	*Dysphania melanocarpa forma leucocarpa*	Pale-fruit Goosefoot			2001	8	7	87.50	NT	2	0	0.3	2.3
98	91.047	CHENOPODIACEAE	chenopods	Z01167	*Dysphania melanocarpa forma melanocarpa*	Black-fruit Goosefoot			2010	140	104	74.29	LC	1	0	0.3	1.3
99	91.047	CHENOPODIACEAE	chenopods	Z01115	*Dysphania plantaginella*	Plantain Crumbweed			2007	53	28	52.83	LC	1	0	0.3	1.3
100	91.047	CHENOPODIACEAE	chenopods	Z03991	*Dysphania platycarpa*	Flat-fruit Crumbweed			2007	45	29	64.44	NT	2	0	0.3	2.3
101	91.047	CHENOPODIACEAE	chenopods	K01173	*Dysphania pumilio*	Clammy Goosefoot			2008	317	23	7.26	LC	1	0	0.3	1.3
102	91.047	CHENOPODIACEAE	chenopods	G03495	*Dysphania rhadinostachya ssp. rhadinostachya*	Green Crumbweed			1998	22	17	77.27	NT	2	0	0.3	2.3
103	91.047	CHENOPODIACEAE	chenopods	Q01116	*Dysphania simulans*	Erect Crumbweed			2008	36	22	61.11	LC	1	0	0.3	1.3
104	91.047	CHENOPODIACEAE	chenopods	Y01172	*Dysphania truncata*				2008	46	35	76.09	LC	1	0	0.3	1.3
579	91.495	GRAMINEAE	grass	C06053	*Echinochloa inundata*	Channel Millet			2008	25	15	60.00	RA	3	0	0.3	3.3
580	91.495	GRAMINEAE	grass	E06054	*Echinochloa turneriana*	Channel Millet			1997	12	5	41.67	NT	2	0	0.3	2.3
580.1	91.495	GRAMINEAE	grass	E05810	*Echinopogon caespitosus var. caespitosus*							#DIV/0!	VU	4	0	0.3	4.3
581	91.495	GRAMINEAE	grass	S00309	*Echinopogon ovatus*	Rough-beard Grass		R	1995	32	1	3.13	VU	4	DD	0.0	4.0
307	91.435	COMPOSITAE	daisies	K03065	*Eclipta alatocarpa*				2010	20	17	85.00	RA	3	0	0.3	3.3
308	91.435	COMPOSITAE	daisies	M03066	*Eclipta platyglossa*	Yellow Twin-heads			1996	144	1	0.69	VU	4	DD	0.0	4.0
105	91.047	CHENOPODIACEAE	chenopods	S03993	*Einadia nutans ssp. eremaea*	Dryland Climbing Saltbush			2010	212	193	91.04	LC	1	0	0.3	1.3
106	91.047	CHENOPODIACEAE	chenopods	W01179	*Einadia nutans ssp. nutans*	Climbing Saltbush			2010	1343	155	11.54	NT	2	0	0.3	2.3
107	91.047	CHENOPODIACEAE	chenopods	U03994	*Einadia nutans ssp. oxycarpa*	Pointed-fruit Climbing Saltbush			1997	26	7	26.92	RA	3	0	0.3	3.3
309	91.435	COMPOSITAE	daisies	Q03068	*Elachanthus pusillus*	Elachanth			2010	190	13	6.84	RA	3	DD	0.0	3.0
907	91.296	ELATINACEAE	herbs & forbs	Y02184	*Elatine gratioloides*	Waterwort		R	2007	88	17	19.32	RA	3	-	0.4	3.4
1477	91.504	CYPERACEAE	sedges	W00503	*Eleocharis acuta*	Common Spike-rush			1995	445	5	1.12	VU	4	DD	0.0	4.0
1478	91.504	CYPERACEAE	sedges	G04359	*Eleocharis geniculata*	Spike-rush		R	2003	9	7	77.78	EN	5	DD	0.0	5.0
1479	91.504	CYPERACEAE	sedges	G05407	*Eleocharis pallens*	Pale Spike-rush			2011	161	113	70.19	NT	2	0	0.3	2.3
1480	91.504	CYPERACEAE	sedges	Y05408	*Eleocharis papillosa*		VU	R	2003	6	5	83.33	RA	3	DD	0.0	3.0
1481	91.504	CYPERACEAE	sedges	S00481	*Eleocharis plana*	Flat Spike-rush		R	2007	6	5	83.33	RA	3	0	0.3	3.3
1482	91.504	CYPERACEAE	sedges	Y00508	*Eleocharis pusilla*	Small Spike-rush			2011	56	7	12.50	RA	3	DD	0.0	3.0
1483	91.504	CYPERACEAE	sedges	K00509	*Eleocharis sphacelata*	Tall Spike-rush			1999	105	7	6.67	EN	5	-	0.4	5.4
582	91.495	GRAMINEAE	grass	Y06232	*Elymus multiflorus var. multiflorus*	Native Wheat-grass			1993	8	5	62.50	RA	3	0	0.3	3.3
583	91.495	GRAMINEAE	grass	G06231	*Elymus scaber var. scaber*	Native Wheat-grass			1999	324	7	2.16	RA	3	0	0.3	3.3
584	91.495	GRAMINEAE	grass	C00337	*Elytrophorus spicatus*	Spike-grass			2005	32	26	81.25	LC	1	0	0.3	1.3
1000	91.381	BORAGINACEAE	herbs & forbs	G02547	*Embadium johnstonii*	Johnston's Slipper-plant		R	2010	28	19	67.86	LC	1	0	0.3	1.3
1002	91.381	BORAGINACEAE	herbs & forbs	K02549	*Embadium uncinatum*	Gawler Ranges Slipper-plant			1995	50	3	6.00	RA	3	0	0.3	3.3
108	91.047	CHENOPODIACEAE	chenopods	Q03924	*Enchylaena tomentosa var. glabra*	Smooth Ruby Saltbush			2010	130	128	98.46	LC	1	0	0.3	1.3
109	91.047	CHENOPODIACEAE	chenopods	Q01504	*Enchylaena tomentosa var. tomentosa*	Ruby Saltbush			2010	5972	1297	21.72	LC	1	0	0.3	1.3
585	91.495	GRAMINEAE	grass	M00322	*Enneapogon avenaceus*	Common Bottle-washers			2011	1749	1283	73.36	LC	1	0	0.3	1.3
586	91.495	GRAMINEAE	grass	Z00323	*Enneapogon caerulescens*	Blue Bottle-washers			2010	202	104	51.49	LC	1	0	0.3	1.3
587	91.495	GRAMINEAE	grass	S00325	*Enneapogon cylindricus*	Jointed Bottle-washers			2011	1036	811	78.28	LC	1	0	0.3	1.3
588	91.495	GRAMINEAE	grass	K30101	*Enneapogon eremophilus*				2001	1	1	100.00	RA	3	DD	0.0	3.0
589	91.495	GRAMINEAE	grass	Y04172	*Enneapogon intermedius*	Tall Bottle-washers			2010	50	22	44.00	NT	2	0	0.3	2.3
590	91.495	GRAMINEAE	grass	A00328	*Enneapogon lindleyanus*	Purple-head Nineawn			2010	52	52	100.00	NT	2	0	0.3	2.3
591	91.495	GRAMINEAE	grass	W00327	*Enneapogon nigricans*	Black-head Grass			2010	699	69	9.87	NT	2	0	0.3	2.3
592	91.495	GRAMINEAE	grass	C00329	*Enneapogon polyphyllus*	Leafy Bottle-washers			2010	1273	1023	80.36	LC	1	0	0.3	1.3
593	91.495	GRAMINEAE	grass	Q00324	*Enneapogon robustissimus*	Cleland's Nineawn			2004	10	5	50.00	RA	3	DD	0.0	3.0
594	91.495	GRAMINEAE	grass	Q05372	*Enteropogon acicularis*	Umbrella Grass			2010	247	113	45.75	NT	2	0	0.3	2.3
595	91.495	GRAMINEAE	grass	S05373	*Enteropogon ramosus*	Umbrella Grass			2010	323	247	76.47	NT	2	0	0.3	2.3
310	91.435	COMPOSITAE	daisies	E03070	*Epaltes australis*	Spreading Nut-heads			2011	239	115	48.12	LC	1	0	0.3	1.3
311	91.435	COMPOSITAE	daisies	G03071	*Epaltes cunninghamii*	Tall Nut-heads			2011	146	112	76.71	LC	1	0	0.3	1.3
917	91.32	ONAGRACEAE	herbs & forbs	A04752	*Epilobium billardierianum ssp. intermedium*	Variable Willow-herb			1999	72	2	2.78	VU	4	DD	0.0	4.0
918	91.32	ONAGRACEAE	herbs & forbs	A02316	*Epilobium hirtigerum*	Hairy Willow-herb			1995	157	3	1.91	RA	3	0	0.3	3.3
596	91.495	GRAMINEAE	grass	E00338	*Eragrostis australasica*	Cane-grass			2010	330	197	59.70	LC	1	0	0.3	1.3
597	91.495	GRAMINEAE	grass	Q00340	*Eragrostis basedowii*	Neat Love-grass			2007	117	109	93.16	NT	2	0	0.3	2.3
599	91.495	GRAMINEAE	grass	A00344	*Eragrostis confertiflora*	Spike Love-grass			2011	14	8	57.14	NT	2	0	0.3	2.3
600	91.495	GRAMINEAE	grass	G30099	*Eragrostis cumingii*				2001	1	1	100.00	RA	3	DD	0.0	3.0
601	91.495	GRAMINEAE	grass	U04750	*Eragrostis dielsii var. dielsii*	Mulka			2010	654	544	83.18	LC	1	0	0.3	1.3
602	91.495	GRAMINEAE	grass	G00347	*Eragrostis elongata*	Clustered Love-grass			1986	65	2	3.08	RA	3	DD	0.0	3.0
603	91.495	GRAMINEAE	grass	Y00348	*Eragrostis eriopoda*	Woollybutt			2010	779	530	68.04	LC	1	0	0.3	1.3
604	91.495	GRAMINEAE	grass	Y06056	*Eragrostis exigua*	Delicate Love-grass			1989	5	1	20.00	DD	0	DD	0.0	0.0
605	91.495	GRAMINEAE	grass	K00349	*Eragrostis falcata*	Sickle Love-grass			2011	180	114	63.33	LC	1	0	0.3	1.3
606	91.495	GRAMINEAE	grass	U00350	*Eragrostis infecunda*	Barren Cane-grass		R	1988	96	1	1.04	VU	4	DD	0.0	4.0
607	91.495	GRAMINEAE	grass	A00352	*Eragrostis kennedyae*	Small-flower Love-grass			2007	23	16	69.57	LC	1	0	0.3	1.3
608	91.495	GRAMINEAE	grass	C00353	*Eragrostis lacunaria*	Purple Love-grass		R	2009	69	20	28.99	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
609	91.495	GRAMINEAE	grass	E00354	*Eragrostis laniflora*	Hairy-flower Woollybutt			2010	257	180	70.04	LC	1	0	0.3	1.3
610	91.495	GRAMINEAE	grass	W00343	*Eragrostis lanipes*	Woollybutt			2009	47	21	44.68	NT	2	0	0.3	2.3
611	91.495	GRAMINEAE	grass	G00355	*Eragrostis leptocarpa*	Drooping Love-grass			2011	251	202	80.48	LC	1	0	0.3	1.3
612	91.495	GRAMINEAE	grass	Y00356	*Eragrostis parviflora*	Weeping Love-grass			2010	193	113	58.55	LC	1	0	0.3	1.3
613	91.495	GRAMINEAE	grass	K04801	*Eragrostis pergracilis*	Small Love-grass			2010	56	34	60.71	NT	2	0	0.3	2.3
614	91.495	GRAMINEAE	grass	K00357	*Eragrostis setifolia*	Bristly Love-grass			2011	1199	1042	86.91	LC	1	0	0.3	1.3
615	91.495	GRAMINEAE	grass	W30107	*Eragrostis sp. Limestone (P.K.Latz 5921)*				2009	2	2	100.00	RA	3	DD	0.0	3.0
616	91.495	GRAMINEAE	grass	M00358	*Eragrostis speciosa*	Handsome Love-grass			2008	18	16	88.89	RA	3	DD	0.0	3.0
617	91.495	GRAMINEAE	grass	G06055	*Eragrostis tenellula*	Delicate Love-grass			2011	58	39	67.24	LC	1	0	0.3	1.3
618	91.495	GRAMINEAE	grass	Z00359	*Eragrostis xerophila*	Knotty-butt Neverfail			2010	370	248	67.03	LC	1	0	0.3	1.3
110	91.047	CHENOPODIACEAE	chenopods	G04851	*Eremophea spinosa*				2000	39	29	74.36	LC	1	0	0.3	1.3
1774	91.415	MYOPORACEAE	shrubs	E04930	*Eremophila alternifolia*	Narrow-leaf Emubush			2010	1233	500	40.55	NT	2	0	0.3	2.3
1775	91.415	MYOPORACEAE	shrubs	C04949	*Eremophila arachnoides ssp. tenera*	Spider Emubush			1995	42	7	16.67	RA	3	DD	0.0	3.0
1776	91.415	MYOPORACEAE	shrubs	W05543	*Eremophila arenaria*				1996	35	26	74.29	RA	3	DD	0.0	3.0
1777	91.415	MYOPORACEAE	shrubs	A02764	*Eremophila battii*				2008	53	33	62.26	RA	3	0	0.3	3.3
1778	91.415	MYOPORACEAE	shrubs	E02766	*Eremophila bignoniiflora*	Bignonia Emubush			2008	169	130	76.92	NT	2	0	0.3	2.3
1780	91.415	MYOPORACEAE	shrubs	Y02768	*Eremophila clarkei*	Turpentine Bush			2000	49	25	51.02	NT	2	0	0.3	2.3
1781	91.415	MYOPORACEAE	shrubs	U02770	*Eremophila dalyana*				2008	33	30	90.91	NT	2	0	0.3	2.3
1782	91.415	MYOPORACEAE	shrubs	Z05663	*Eremophila decussata*				2000	17	2	11.76	RA	3	DD	0.0	3.0
1783	91.415	MYOPORACEAE	shrubs	Q05664	*Eremophila dendritica*				2005	16	6	37.50	VU	4	DD	0.0	4.0
1784	91.415	MYOPORACEAE	shrubs	Q04572	*Eremophila deserti*	Turkey-bush			2005	694	56	8.07	NT	2	0	0.3	2.3
1785	91.415	MYOPORACEAE	shrubs	E02774	*Eremophila duttonii*	Harlequin Emubush			2010	586	378	64.51	NT	2	0	0.3	2.3
1786	91.415	MYOPORACEAE	shrubs	G02775	*Eremophila elderi*	Elder's Emubush			2009	28	28	100.00	NT	2	0	0.3	2.3
1787	91.415	MYOPORACEAE	shrubs	Q15168	*Eremophila fallax*				2009	54	32	59.26	NT	2	DD	0.0	2.0
1788	91.415	MYOPORACEAE	shrubs	S32225	*Eremophila forrestii ssp. forrestii*	Grey Poverty-bush			1955	3	3	100.00	VU	4	DD	0.0	4.0
1789	91.415	MYOPORACEAE	shrubs	U32226	*Eremophila forrestii ssp. viridis*	Grey Poverty-bush			1955	1	1	100.00	VU	4	DD	0.0	4.0
1790	91.415	MYOPORACEAE	shrubs	K02777	*Eremophila freelingii*	Rock Emubush			2010	1469	1355	92.24	LC	1	0	0.3	1.3
1792	91.415	MYOPORACEAE	shrubs	Z02779	*Eremophila gibsonii*	Gibson's Emubush			2009	120	38	31.67	NT	2	0	0.3	2.3
1793	91.415	MYOPORACEAE	shrubs	A02780	*Eremophila gilesii ssp. gilesii*	Hairy-fruit Emubush			2008	197	108	54.82	LC	1	0	0.3	1.3
1794	91.415	MYOPORACEAE	shrubs	Z05427	*Eremophila glabra ssp. glabra*	Tar Bush			2010	1615	198	12.26	LC	1	0	0.3	1.3
1795	91.415	MYOPORACEAE	shrubs	G02783	*Eremophila latrobei ssp. glabra*	Crimson Emubush			2010	761	385	50.59	LC	1	0	0.3	1.3
1796	91.415	MYOPORACEAE	shrubs	M03878	*Eremophila latrobei ssp. latrobei*	Grey-leaf Crimson Emubush			2008	146	129	88.36	NT	2	0	0.3	2.3
1797	91.415	MYOPORACEAE	shrubs	Y02784	*Eremophila longifolia*	Weeping Emubush			2010	1236	701	56.72	LC	1	0	0.3	1.3
1798	91.415	MYOPORACEAE	shrubs	G04843	*Eremophila macdonnellii*	Macdonnell's Emubush			2008	250	232	92.80	NT	2	0	0.3	2.3
1799	91.415	MYOPORACEAE	shrubs	M02786	*Eremophila macgillivrayi*	Dog-bush			2008	55	46	83.64	NT	2	0	0.3	2.3
1800	91.415	MYOPORACEAE	shrubs	Z02787	*Eremophila maculata ssp. maculata*	Spotted Emubush			2010	310	150	48.39	NT	2	0	0.3	2.3
1801	91.415	MYOPORACEAE	shrubs	G02767	*Eremophila neglecta*				2009	201	152	75.62	NT	2	0	0.3	2.3
1802	91.415	MYOPORACEAE	shrubs	Q02788	*Eremophila obovata ssp. obovata*				2008	19	17	89.47	RA	3	0	0.3	3.3
1803	91.415	MYOPORACEAE	shrubs	W04575	*Eremophila oppositifolia ssp. angustifolia*	Opposite-leaved Emubush			1956	3	1	33.33	VU	4	DD	0.0	4.0
1804	91.415	MYOPORACEAE	shrubs	C04905	*Eremophila oppositifolia ssp. oppositifolia*	Opposite-leaved Emubush			2009	467	113	24.20	NT	2	0	0.3	2.3
1805	91.415	MYOPORACEAE	shrubs	Z05611	*Eremophila paisleyi ssp. glandulosa*				2009	32	25	78.13	RA	3	0	0.3	3.3
1806	91.415	MYOPORACEAE	shrubs	M05610	*Eremophila paisleyi ssp. paisleyi*				2010	124	30	24.19	NT	2	0	0.3	2.3
1807	91.415	MYOPORACEAE	shrubs	Y02792	*Eremophila pentaptera*			R	2006	28	22	78.57	VU	4	DD	0.0	4.0
1808	91.415	MYOPORACEAE	shrubs	U05534	*Eremophila platythamnos ssp. exotrachys*	Munyunpa			2001	84	66	78.57	LC	1	0	0.3	1.3
1810	91.415	MYOPORACEAE	shrubs	K02793	*Eremophila polyclada*	Twiggy Emubush		R	2011	13	8	61.54	VU	4	DD	0.0	4.0
1811	91.415	MYOPORACEAE	shrubs	M02794	*Eremophila rotundifolia*	Round-leaf Emubush			2007	251	150	59.76	NT	2	0	0.3	2.3
1812	91.415	MYOPORACEAE	shrubs	Z02795	*Eremophila santalina*	Sandalwood Emubush			1999	86	26	30.23	RA	3	-	0.4	3.4
1813	91.415	MYOPORACEAE	shrubs	Q02796	*Eremophila scoparia*	Broom Emubush			2010	1246	167	13.40	NT	2	0	0.3	2.3
1814	91.415	MYOPORACEAE	shrubs	S02797	*Eremophila serrulata*	Green Emubush			2010	525	307	58.48	LC	1	0	0.3	1.3
1816	91.415	MYOPORACEAE	shrubs	U02798	*Eremophila sturtii*	Turpentine Bush			2009	453	164	36.20	NT	2	0	0.3	2.3
1817	91.415	MYOPORACEAE	shrubs	S05137	*Eremophila subfloccosa ssp. glandulosa*	Green-flower Emubush		R	2009	44	7	15.91	VU	4	0	0.3	4.3
1818	91.415	MYOPORACEAE	shrubs	U05138	*Eremophila subfloccosa ssp. lanata*	Woolly Emubush			1996	121	2	1.65	VU	4	DD	0.0	4.0
1819	91.415	MYOPORACEAE	shrubs	Z03879	*Eremophila verrucosa ssp. verrucosa*	Warty Emubush			2005	19	14	73.68	RA	3	0	0.3	3.3
1820	91.415	MYOPORACEAE	shrubs	S05497	*Eremophila willsii ssp. integrifolia*	Will's Emubush			2005	165	69	41.82	NT	2	0	0.3	2.3
1821	91.415	MYOPORACEAE	shrubs	U05498	*Eremophila willsii ssp. willsii*	Sandhill Emubush			2000	46	41	89.13	NT	2	0	0.3	2.3
619	91.495	GRAMINEAE	grass	G00179	*Eriachne aristidea*	Three-awn Wanderrie			2011	243	228	93.83	LC	1	0	0.3	1.3
620	91.495	GRAMINEAE	grass	S00181	*Eriachne helmsii*	Woollybutt Wanderrie			2010	254	204	80.31	LC	1	0	0.3	1.3
621	91.495	GRAMINEAE	grass	W00183	*Eriachne mucronata*	Mountain Wanderrie			2011	252	214	84.92	NT	2	0	0.3	2.3
622	91.495	GRAMINEAE	grass	Y03884	*Eriachne ovata*	Swamp Wanderrie			2010	187	161	86.10	NT	2	0	0.3	2.3
623	91.495	GRAMINEAE	grass	G03883	*Eriachne pulchella ssp. pulchella*	Pretty Wanderrie Grass			2011	34	29	85.29	NT	2	0	0.3	2.3
312	91.435	COMPOSITAE	daisies	S04001	*Erigeron sessilifolius*				2007	5	5	100.00	RA	3	DD	0.0	3.0
1429	91.487	ERIOCAULACEAE	sedges	K00613	*Eriocaulon carsonii ssp. carsonii*	Salt Pipewort	EN	E	2011	151	151	100.00	VU	4	0	0.3	4.3
111	91.047	CHENOPODIACEAE	chenopods	K04009	*Eriochiton sclerolaenoides*	Woolly-fruit Bluebush			2010	1674	250	14.93	LC	1	0	0.3	1.3
313	91.435	COMPOSITAE	daisies	W32023	*Eriochlamys behrii*	Woolly Mantle			2006	110	12	10.91	RA	3	DD	0.0	3.0
314	91.435	COMPOSITAE	daisies	U32022	*Eriochlamys eremaea*	Woolly Mantle			2010	72	63	87.50	LC	1	0	0.3	1.3
624	91.495	GRAMINEAE	grass	Z00403	*Eriochloa australiensis*	Australian Cupgrass			2010	168	130	77.38	LC	1	0	0.3	1.3
625	91.495	GRAMINEAE	grass	Q00016	*Eriochloa crebra*	Tall Cupgrass			2004	23	13	56.52	NT	2	-	0.4	2.4
626	91.495	GRAMINEAE	grass	U04214	*Eriochloa procera*	Slender Cupgrass			1939	1	1	100.00	EN	5	-	0.4	5.4
627	91.495	GRAMINEAE	grass	Q00404	*Eriochloa pseudoacrotricha*	Perennial Cupgrass			2007	110	62	56.36	LC	1	0	0.3	1.3
315	91.435	COMPOSITAE	daisies	K03073	*Erodiophyllum elderi*	Koonamore Daisy			2003	144	6	4.17	RA	3	DD	0.0	3.0
849	91.191	GERANIACEAE	herbs & forbs	M05946	*Erodium carolinianum*	Clammy Heron's-bill			2010	252	139	55.16	LC	1	0	0.3	1.3
850	91.191	GERANIACEAE	herbs & forbs	A01868	*Erodium cinitum*	Blue Heron's-bill			2010	1105	373	33.76	LC	1	0	0.3	1.3
851	91.191	GERANIACEAE	herbs & forbs	K05945	*Erodium cygnorum*	Blue Heron's-bill			2010	164	59	35.98	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
852	91.191	GERANIACEAE	herbs & forbs	Z05947	*Erodium janszii*	Clammy Heron's-bill			1968	12	2	16.67	NE	-1			-1.0
937	91.339	UMBELLIFERAE	herbs & forbs	K02361	*Eryngium plantagineum*	Long Eryngium			2004	6	3	50.00	RA	3	0	0.3	3.3
938	91.339	UMBELLIFERAE	herbs & forbs	Z02363	*Eryngium supinum*	Little Devil			2007	16	15	93.75	NT	2	0	0.3	2.3
1325.1	91.306	MYRTACEAE	myrtles	U32154	*Eucalyptus camaldulensis ssp. arida*	Northern River Red Gum						#DIV/0!	NT	2	0	0.3	2.3
1330	91.306	MYRTACEAE	myrtles	S32145	*Eucalyptus camaldulensis ssp. minima*	River Red Gum			2010	35	30	85.71	NT	2	-	0.4	2.4
1331	91.306	MYRTACEAE	myrtles	Q05656	*Eucalyptus canescens ssp. beadellii*	Beadell's Mallee		R	1981	40	2	5.00	NE	-1			-1.0
1333	91.306	MYRTACEAE	myrtles	K02221	*Eucalyptus concinna*	Victoria Desert Mallee			2005	428	6	1.40	NT	2	0	0.3	2.3
1334	91.306	MYRTACEAE	myrtles	K04105	*Eucalyptus coolabah*	Coolibah			2011	545	491	90.09	LC	1	0	0.3	1.3
1336	91.306	MYRTACEAE	myrtles	W02227	*Eucalyptus dumosa*	White Mallee			2005	1864	190	10.19	LC	1	0	0.3	1.3
1339	91.306	MYRTACEAE	myrtles	K02213	*Eucalyptus flindersii*	Flinders Grey Mallee			2007	232	214	92.24	LC	1	0	0.3	1.3
1340	91.306	MYRTACEAE	myrtles	S02233	*Eucalyptus gamophylla*	Twin-leaf Mallee			2008	55	50	90.91	NT	2	0	0.3	2.3
1341	91.306	MYRTACEAE	myrtles	S02241	*Eucalyptus gillenii*	Mount Lindsay Mallee		R	1996	23	15	65.22	RA	3	0	0.3	3.3
1342	91.306	MYRTACEAE	myrtles	W02235	*Eucalyptus gillii*	Curly Mallee			2009	286	247	86.36	NT	2	0	0.3	2.3
1343	91.306	MYRTACEAE	myrtles	Q05100	*Eucalyptus glomerosa*	Jinjulu			2008	115	46	40.00	NT	2	0	0.3	2.3
1344	91.306	MYRTACEAE	myrtles	A02236	*Eucalyptus gongylocarpa*	Marble Gum			1997	93	20	21.51	NT	2	0	0.3	2.3
1345	91.306	MYRTACEAE	myrtles	Q05824	*Eucalyptus goniocalyx ssp. exposa*	Long-leaf Box		V	1995	23	23	100.00	VU	4	0	0.3	4.3
1346	91.306	MYRTACEAE	myrtles	E02238	*Eucalyptus gracilis*	Yorrell			1996	2715	40	1.47	NT	2	0	0.3	2.3
1347	91.306	MYRTACEAE	myrtles	Z05479	*Eucalyptus gypsophila*	Kopi Mallee			2005	155	7	4.52	RA	3	0	0.3	3.3
1348	91.306	MYRTACEAE	myrtles	U02242	*Eucalyptus intertexta*	Gum-barked Coolibah			2009	636	525	82.55	RA	3	0	0.3	3.3
1349	91.306	MYRTACEAE	myrtles	C02245	*Eucalyptus largiflorens*	River Box			2007	1140	21	1.84	RA	3	DD	0.0	3.0
1350	91.306	MYRTACEAE	myrtles	S05101	*Eucalyptus leptophylla*	Narrow-leaf Red Mallee			1999	1951	21	1.08	RA	3	0	0.3	3.3
1351	91.306	MYRTACEAE	myrtles	Y02248	*Eucalyptus mannensis ssp. mannensis*	Mann Ranges Mallee			2003	73	68	93.15	RA	3	0	0.3	3.3
1353	91.306	MYRTACEAE	myrtles	W04591	*Eucalyptus minniritchi*	Round-leaf Mallee			2009	8	8	100.00	VU	4	0	0.3	4.3
1354	91.306	MYRTACEAE	myrtles	E02254	*Eucalyptus odorata*	Peppermint Box			1999	1734	56	3.23	LC	1	0	0.3	1.3
1354.1	91.306	MYRTACEAE	myrtles	Y05880	*Eucalyptus oleosa ssp. oleosa*	Red Mallee						#DIV/0!	RA	3	0	0.3	3.3
1355	91.306	MYRTACEAE	myrtles	K02257	*Eucalyptus oxymitra*	Sharp-cap Mallee			2009	167	143	85.63	LC	1	0	0.3	1.3
1357	91.306	MYRTACEAE	myrtles	M02258	*Eucalyptus peeneri*	Peeneri Mallee			1987	21	2	9.52	RA	3	DD	0.0	3.0
1358	91.306	MYRTACEAE	myrtles	Y05108	*Eucalyptus percostata*	Ribbed White Mallee		R	1999	71	4	5.63	NE	-1			-1.0
1359	91.306	MYRTACEAE	myrtles	A02260	*Eucalyptus pimpiniana*	Pimpin Mallee			1988	103	1	0.97	RA	3	DD	0.0	3.0
1360	91.306	MYRTACEAE	myrtles	G05095	*Eucalyptus polybractea*	Flinders Ranges Box		R	1999	10	9	90.00	NE	-1			-1.0
1361	91.306	MYRTACEAE	myrtles	C02261	*Eucalyptus porosa*	Mallee Box			2005	1901	78	4.10	LC	1	0	0.3	1.3
1362	91.306	MYRTACEAE	myrtles	U32146	*Eucalyptus repullulans*				2008	1	1	100.00	VU	4	DD	0.0	4.0
1363	91.306	MYRTACEAE	myrtles	Q05948	*Eucalyptus socialis ssp. eucentrica*				2009	129	66	51.16	RA	3	0	0.3	3.3
1364	91.306	MYRTACEAE	myrtles	E05950	*Eucalyptus socialis ssp. socialis*	Beaked Red Mallee			2010	734	180	24.52	NE	-1			-1.0
1365	91.306	MYRTACEAE	myrtles	S05949	*Eucalyptus socialis ssp. victoriensis*				2005	144	25	17.36	NE	-1			-1.0
1366	91.306	MYRTACEAE	myrtles	S02269	*Eucalyptus sparsa*	northern Ranges Box			2009	86	80	93.02	RA	3	0	0.3	3.3
1367	91.306	MYRTACEAE	myrtles	E02270	*Eucalyptus trivalvis*	Three-valve Mallee			2008	48	9	18.75	RA	3	0	0.3	3.3
1369	91.306	MYRTACEAE	myrtles	Y02272	*Eucalyptus viridis ssp. viridis*	Green Mallee		R	2006	127	64	50.39	NE	-1			-1.0
1370	91.306	MYRTACEAE	myrtles	E02262	*Eucalyptus youngiana*	Ooldea Mallee			2003	162	39	24.07	RA	3	0	0.3	3.3
316	91.435	COMPOSITAE	daisies	U05402	*Euchiton collinus*	Creeping Cudweed			1999	205	2	0.98	NE	-1			-1.0
317	91.435	COMPOSITAE	daisies	E06370	*Euchiton involucratus*	Star Cudweed			1989	87	4	4.60	RA	3	DD	0.0	3.0
318	91.435	COMPOSITAE	daisies	Z03091	*Euchiton sphaericus*	Annual Cudweed			2010	453	93	20.53	LC	1	0	0.3	1.3
628	91.495	GRAMINEAE	grass	S00449	*Eulalia aurea*	Silky Brown-top			2010	234	199	85.04	LC	1	0	0.3	1.3
1555	91.204	EUPHORBIACEAE	shrubs	K00541	*Euphorbia alsiniflora*				1996	1	1	100.00	RA	3	DD	0.0	3.0
1556	91.204	EUPHORBIACEAE	shrubs	U05710	*Euphorbia australis*				2010	55	46	83.64	NT	2	0	0.3	2.3
1557	91.204	EUPHORBIACEAE	shrubs	W05331	*Euphorbia centralis*				2005	30	30	100.00	LC	1	0	0.3	1.3
1558	91.204	EUPHORBIACEAE	shrubs	A06328	*Euphorbia drummondii*				2010	318	126	39.62	LC	1	0	0.3	1.3
1559	91.204	EUPHORBIACEAE	shrubs	Y03584	*Euphorbia inappendiculata*				2005	38	38	100.00	NT	2	0	0.3	2.3
1561	91.204	EUPHORBIACEAE	shrubs	A04816	*Euphorbia mitchelliana*				2008	20	20	100.00	RA	3	DD	0.0	3.0
1562	91.204	EUPHORBIACEAE	shrubs	E01930	*Euphorbia parvicaruncula*	Rough-seeded Spurge			2008	110	93	84.55	NT	2	0	0.3	2.3
1563	91.204	EUPHORBIACEAE	shrubs	K01933	*Euphorbia stevenii*	Bottletree Spurge			2011	154	113	73.38	LC	1	0	0.3	1.3
1564	91.204	EUPHORBIACEAE	shrubs	E04762	*Euphorbia tannensis ssp. eremophila*	Desert Spurge			2010	1147	678	59.11	LC	1	0	0.3	1.3
1565	91.204	EUPHORBIACEAE	shrubs	Q01936	*Euphorbia wheeleri*	Wheeler's Spurge			2009	75	67	89.33	NT	2	0	0.3	2.3
1212	91.182	LEGUMINOSAE	legumes	M03658	*Eutaxia diffusa*	Large-leaf Eutaxia			1995	247	2	0.81	RA	3	0	0.3	3.3
1213	91.182	LEGUMINOSAE	legumes	E01674	*Eutaxia microphylla*	Common Eutaxia			2008	2212	42	1.90	LC	1	0	0.3	1.3
989	91.377	CONVOLVULACEAE	herbs & forbs	S02525	*Evolvulus alsinoides var. decumbens*	Tropical Speedwell			1998	28	27	96.43	NT	2	0	0.3	2.3
990	91.377	CONVOLVULACEAE	herbs & forbs	Z03455	*Evolvulus alsinoides var. villosicalyx*				2008	82	75	91.46	NT	2	0	0.3	2.3
1532	91.026	SANTALACEAE	shrubs	W00943	*Exocarpos aphyllus*	Leafless Cherry			2010	2671	351	13.14	NT	2	0	0.3	2.3
1533	91.026	SANTALACEAE	shrubs	C00945	*Exocarpos sparteus*	Slender Cherry			2009	1130	51	4.51	LC	1	0	0.3	1.3
629	91.495	GRAMINEAE	grass	Y00232	*Festuca benthamiana*	Bentham's Fescue		R	1996	22	1	4.55	VU	4	0	0.3	4.3
1932	91.016	MORACEAE	trees	S00889	*Ficus brachypoda*	Native Fig			2009	103	96	93.20	LC	1	0	0.3	1.3
1484	91.504	CYPERACEAE	sedges	W00511	*Fimbristylis dichotoma*	Common Fringe-rush			2010	172	154	89.53	LC	1	0	0.3	1.3
1485	91.504	CYPERACEAE	sedges	A00512	*Fimbristylis ferruginea*				2007	20	19	95.00	RA	3	-	0.4	3.4
1486	91.504	CYPERACEAE	sedges	C00513	*Fimbristylis sieberiana*	Sieber's Fringe-rush			1997	5	5	100.00	VU	4	DD	0.0	4.0
1487	91.504	CYPERACEAE	sedges	Q03624	*Fimbristylis velata*	Veiled Fringe-rush			1989	63	3	4.76	RA	3	DD	0.0	3.0
319	91.435	COMPOSITAE	daisies	U03078	*Flaveria trinervia*	Yellow Twin-stem			2000	23	22	95.65	LC	1	0	0.3	1.3
1699	91.295	FRANKENIACEAE	shrubs	E02158	*Frankenia cinerea*			R	2007	15	4	26.67	DD	0	DD	0.0	0.0
1700	91.295	FRANKENIACEAE	shrubs	Q02160	*Frankenia cordata*				2008	23	2	8.70	DD	0	DD	0.0	0.0
1701	91.295	FRANKENIACEAE	shrubs	S02161	*Frankenia crispa*	Hoary Sea-heath			2010	22	9	40.91	DD	0	DD	0.0	0.0
1702	91.295	FRANKENIACEAE	shrubs	U02162	*Frankenia cupularis*			R	2009	85	76	89.41	NT	2	0	0.3	2.3
1703	91.295	FRANKENIACEAE	shrubs	E02166	*Frankenia foliosa*	Leafy Sea-heath			2010	244	188	77.05	LC	1	0	0.3	1.3
1704	91.295	FRANKENIACEAE	shrubs	S04785	*Frankenia pauciflora var. gunnii*	southern Sea-heath			1997	166	3	1.81	DD	0	DD	0.0	0.0
1705	91.295	FRANKENIACEAE	shrubs	E02174	*Frankenia plicata*		EN	V	2003	78	46	58.97	DD	0	DD	0.0	0.0

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1706	91.295	FRANKENIACEAE	shrubs	K02177	*Frankenia serpyllifolia*	Thyme Sea-heath			2011	754	550	72.94	LC	1	0	0.3	1.3
1708	91.295	FRANKENIACEAE	shrubs	A02180	*Frankenia subteres*			R	2010	46	41	89.13	NT	2	0	0.3	2.3
1488	91.504	CYPERACEAE	sedges	G00523	*Gahnia trifida*	Cutting Grass			2004	555	14	2.52	EN	5	DD	0.0	5.0
960	91.373	RUBIACEAE	herbs & forbs	Q32100	*Galium bulliformis*	Reflexed Bedstraw			1997	18	7	38.89	RA	3	0	0.3	3.3
961	91.373	RUBIACEAE	herbs & forbs	W32103	*Galium gaudichaudii ssp. gaudichaudii*	Rough Bedstraw			1937	145	4	2.76	VU	4	DD	0.0	4.0
962	91.373	RUBIACEAE	herbs & forbs	A32104	*Galium gaudichaudii ssp. parviflorum*	Rough Bedstraw			1996	11	6	54.55	VU	4	DD	0.0	4.0
963	91.373	RUBIACEAE	herbs & forbs	Z32099	*Galium leptogonium*	Reflexed Bedstraw			1993	96	1	1.04	VU	4	DD	0.0	4.0
964	91.373	RUBIACEAE	herbs & forbs	C32105	*Galium microlobum*	Rough Bedstraw			1993	42	5	11.90	RA	3	0	0.3	3.3
965	91.373	RUBIACEAE	herbs & forbs	G32107	*Galium migrans ssp. inversum*	Loose Bedstraw			1994	28	23	82.14	NT	2	0	0.3	2.3
966	91.373	RUBIACEAE	herbs & forbs	E32106	*Galium migrans ssp. migrans*	Loose Bedstraw			1995	91	2	2.20	VU	4	DD	0.0	4.0
967	91.373	RUBIACEAE	herbs & forbs	Y32108	*Galium migrans ssp. trichogynum*	Loose Bedstraw			1973	5	5	100.00	EN	5	-	0.4	5.4
1585	91.212	RUTACEAE	shrubs	M01978	*Geijera parviflora*	Wilga		R	2009	37	9	24.32	RA	3	0	0.3	3.3
807	91.139	CRUCIFERAE	herbs & forbs	M01422	*Geococcus pusillus*	Earth Cress			1996	155	20	12.90	LC	1	0	0.3	1.3
854	91.191	GERANIACEAE	herbs & forbs	A01876	*Geranium retrorsum*	Grassland Geranium			2005	776	13	1.68	RA	3	-	0.4	3.4
855	91.191	GERANIACEAE	herbs & forbs	C01877	*Geranium solanderi var. solanderi*	Austral Geranium			1999	559	23	4.11	NT	2	0	0.3	2.3
1670	91.271	STERCULIACEAE	shrubs	A02112	*Gilesia biniflora*	Western Tar-vine		R	2010	32	26	81.25	NT	2	0	0.3	2.3
18	91.04	AIZOACEAE	chenopods	K01025	*Glinus lotoides*	Hairy Carpet-weed			2011	260	179	68.85	LC	1	0	0.3	1.3
19	91.04	AIZOACEAE	chenopods	K01713	*Glinus oppositifolius*	Slender Carpet-weed			2005	31	11	35.48	RA	3	DD	0.0	3.0
20	91.04	AIZOACEAE	chenopods	M01026	*Glinus orygioides*	Desert Carpet-weed			2007	15	13	86.67	RA	3	DD	0.0	3.0
919	91.322	HALORAGACEAE	herbs & forbs	W04291	*Glischrocaryon aureum var. angustifolium*	Golden Pennants			2001	84	7	8.33	RA	3	0	0.3	3.3
920	91.322	HALORAGACEAE	herbs & forbs	E02326	*Glischrocaryon flavescens*	Yellow Pennants			2005	142	14	9.86	RA	3	0	0.3	3.3
320	91.435	COMPOSITAE	daisies	W04435	*Glossocardia bidens*	Native Cobbler's-pegs			2010	63	53	84.13	NT	2	0	0.3	2.3
1037	91.4	SCROPHULARIACEAE	herbs & forbs	C02017	*Glossostigma cleistanthum*	Spoon Mud-mat			2011	11	4	36.36	RA	3	0	0.3	3.3
1038	91.4	SCROPHULARIACEAE	herbs & forbs	W02711	*Glossostigma diandrum*	Two-anther Mud-mat			2010	33	19	57.58	NT	2	0	0.3	2.3
1039	91.4	SCROPHULARIACEAE	herbs & forbs	A02712	*Glossostigma drummondii*	Desert Mud-mat			2000	6	2	33.33	RA	3	DD	0.0	3.0
1040	91.4	SCROPHULARIACEAE	herbs & forbs	C02705	*Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)*			V	1995	1	1	100.00	VU	4	DD	0.0	4.0
1214	91.182	LEGUMINOSAE	legumes	M01678	*Glycine canescens*	Silky Glycine			2010	292	255	87.33	LC	1	0	0.3	1.3
1215	91.182	LEGUMINOSAE	legumes	Z01679	*Glycine rubiginosa*	Twining Glycine			2009	797	234	29.36	NT	2	0	0.3	2.3
1216	91.182	LEGUMINOSAE	legumes	Y01684	*Glycyrrhiza acanthocarpa*	Native Liquorice			1995	102	7	6.86	RA	3	DD	0.0	3.0
321	91.435	COMPOSITAE	daisies	Q03084	*Gnaphalium diamantinense*	Diamantina Cudweed			2008	25	21	84.00	NT	2	0	0.3	2.3
322	91.435	COMPOSITAE	daisies	U03086	*Gnaphalium indutum ssp. indutum*	Tiny Cudweed			2005	297	6	2.02	NE	-1			-1.0
323	91.435	COMPOSITAE	daisies	Y04164	*Gnephosis arachnoidea*	Spidery Button-flower			2010	549	441	80.33	LC	1	0	0.3	1.3
324	91.435	COMPOSITAE	daisies	U03094	*Gnephosis eriocarpa*	Native Camomile			2010	277	265	95.67	LC	1	0	0.3	1.3
325	91.435	COMPOSITAE	daisies	K04201	*Gnephosis tenuissima*	Dwarf Golden-tip			2010	388	138	35.57	LC	1	0	0.3	1.3
747	91.049	AMARANTHACEAE	herbs & forbs	Y01288	*Gomphrena lanata*				2001	3	3	100.00	RA	3	0	0.3	3.3
921	91.322	HALORAGACEAE	herbs & forbs	G02327	*Gonocarpus elatus*	Hill Raspwort			2005	1434	66	4.60	LC	1	0	0.3	1.3
1833	91.43	GOODENIACEAE	shrubs	Q02868	*Goodenia albiflora*	White Goodenia			2009	310	34	10.97	NT	2	0	0.3	2.3
1834	91.43	GOODENIACEAE	shrubs	E02870	*Goodenia anfracta*			R	1997	25	25	100.00	RA	3	0	0.3	3.3
1835	91.43	GOODENIACEAE	shrubs	Y02872	*Goodenia berardiana*	Split-end Goodenia			2010	176	84	47.73	NT	2	0	0.3	2.3
1836	91.43	GOODENIACEAE	shrubs	K04341	*Goodenia brunnea*			R	2009	28	27	96.43	RA	3	0	0.3	3.3
1837	91.43	GOODENIACEAE	shrubs	Z02875	*Goodenia calcarata*	Streaked Goodenia			2011	149	101	67.79	NT	2	0	0.3	2.3
1838	91.43	GOODENIACEAE	shrubs	Y03460	*Goodenia centralis*				2001	65	40	61.54	LC	1	0	0.3	1.3
1839	91.43	GOODENIACEAE	shrubs	S04857	*Goodenia chambersii*			R	2010	76	71	93.42	NT	2	0	0.3	2.3
1840	91.43	GOODENIACEAE	shrubs	S02877	*Goodenia cycloptera*	Serrated Goodenia			2011	370	263	71.08	LC	1	0	0.3	1.3
1841	91.43	GOODENIACEAE	shrubs	U02878	*Goodenia fascicularis*	Silky Goodenia			2010	1062	687	64.69	LC	1	0	0.3	1.3
1842	91.43	GOODENIACEAE	shrubs	Z04343	*Goodenia gibbosa*				2001	29	10	34.48	NT	2	0	0.3	2.3
1843	91.43	GOODENIACEAE	shrubs	M03462	*Goodenia glabra*	Smooth Goodenia			2001	106	28	26.42	NT	2	0	0.3	2.3
1844	91.43	GOODENIACEAE	shrubs	Q04344	*Goodenia glandulosa*			R	2001	8	3	37.50	RA	3	DD	0.0	3.0
1845	91.43	GOODENIACEAE	shrubs	Y02880	*Goodenia glauca*	Pale Goodenia			2010	135	73	54.07	NT	2	0	0.3	2.3
1845.1	91.43	GOODENIACEAE	shrubs		*Goodenia grandiflora*				2001			#DIV/0!	RA	3	DD	0.0	3.0
1846	91.43	GOODENIACEAE	shrubs	K02881	*Goodenia havilandii*	Hill Goodenia			1998	165	20	12.12	RA	3	0	0.3	3.3
1847	91.43	GOODENIACEAE	shrubs	Y31368	*Goodenia heterochila*	Serrated Goodenia			2001	42	25	59.52	NT	2	0	0.3	2.3
1848	91.43	GOODENIACEAE	shrubs	Q03464	*Goodenia heteromera*	Spreading Goodenia		R	2011	43	6	13.95	RA	3	DD	0.0	3.0
1849	91.43	GOODENIACEAE	shrubs	U02886	*Goodenia lobata*				2010	52	27	51.92	NT	2	0	0.3	2.3
1850	91.43	GOODENIACEAE	shrubs	W02887	*Goodenia lunata*	Stiff Goodenia			2011	411	293	71.29	LC	1	0	0.3	1.3
1851	91.43	GOODENIACEAE	shrubs	C02889	*Goodenia modesta*				2010	34	24	70.59	RA	3	0	0.3	3.3
1852	91.43	GOODENIACEAE	shrubs	W03467	*Goodenia mueckeana*				2001	9	9	100.00	RA	3	DD	0.0	3.0
1853	91.43	GOODENIACEAE	shrubs	U03466	*Goodenia occidentalis*				1998	30	4	13.33	RA	3	0	0.3	3.3
1854	91.43	GOODENIACEAE	shrubs	M02890	*Goodenia ovata*	Hop Goodenia			1999	656	17	2.59	NT	2	0	0.3	2.3
1855	91.43	GOODENIACEAE	shrubs	Z02891	*Goodenia pinnatifida*	Cut-leaf Goodenia			2010	1325	88	6.64	RA	3	0	0.3	3.3
1856	91.43	GOODENIACEAE	shrubs	S02893	*Goodenia pusilliflora*	Small-flower Goodenia			2010	950	93	9.79	NT	2	0	0.3	2.3
1857	91.43	GOODENIACEAE	shrubs	U02894	*Goodenia ramelii*	Purple-spike Goodenia			2001	32	31	96.88	NT	2	0	0.3	2.3
1859	91.43	GOODENIACEAE	shrubs	W04347	*Goodenia saccata*	Flinders Ranges Goodenia		R	2010	41	35	85.37	VU	4	-	0.4	4.4
1860	91.43	GOODENIACEAE	shrubs	U03474	*Goodenia triodiophila*				2001	25	25	100.00	LC	1	0	0.3	1.3
1862	91.43	GOODENIACEAE	shrubs	Y02900	*Goodenia vernicosa*	Wavy Goodenia			2010	162	144	88.89	NT	2	0	0.3	2.3
1863	91.43	GOODENIACEAE	shrubs	G03567	*Goodenia vilmoriniae*				1983	1	1	100.00	RA	3	DD	0.0	3.0
1217	91.182	LEGUMINOSAE	legumes	M05602	*Goodia medicaginea*	Western Golden-tip			2000	377	26	6.90	LC	1	0	0.3	1.3
1625	91.269	MALVACEAE	shrubs	A02076	*Gossypium sturtianum var. sturtianum*	Sturt's Desert Rose			2009	153	123	80.39	LC	1	0	0.3	1.3
326	91.435	COMPOSITAE	daisies	U03158	*Gratwickia monochaeta*			R	2010	84	5	5.95	RA	3	DD	0.0	3.0
1508	91.019	PROTEACEAE	shrubs	Y04828	*Grevillea albiflora*	White Grevillea			1987	3	2	66.67	DD	0	DD	0.0	0.0
1509	91.019	PROTEACEAE	shrubs	C00901	*Grevillea aspera*	Rough Grevillea			2005	346	88	25.43	LC	1	0	0.3	1.3
1510	91.019	PROTEACEAE	shrubs	G00903	*Grevillea eriostachya*	Orange Grevillea			2001	28	26	92.86	NT	2	0	0.3	2.3
1511	91.019	PROTEACEAE	shrubs	K00905	*Grevillea huegelii*	Comb Grevillea			1991	769	5	0.65	VU	4	-	0.4	4.4

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1512	91.019	PROTEACEAE	shrubs	Z00907	*Grevillea juncifolia ssp. juncifolia*	Honeysuckle Grevillea			2008	307	182	59.28	NT	2	0	0.3	2.3
1513	91.019	PROTEACEAE	shrubs	S05965	*Grevillea lavandulacea ssp. lavandulacea*	Spider-flower			1999	614	11	1.79	RA	3	0	0.3	3.3
1514	91.019	PROTEACEAE	shrubs	E00910	*Grevillea nematophylla ssp. nematophylla*	Water Bush			2010	284	176	61.97	LC	1	0	0.3	1.3
1515	91.019	PROTEACEAE	shrubs	K00913	*Grevillea pterosperma*	Dune Grevillea			2001	371	9	2.43	NT	2	DD	0.0	2.0
1516	91.019	PROTEACEAE	shrubs	S00917	*Grevillea stenobotrya*	Rattle-pod Grevillea			2011	315	209	66.35	LC	1	0	0.3	1.3
1517	91.019	PROTEACEAE	shrubs	U00918	*Grevillea striata*	Beefwood			2008	61	54	88.52	NT	2	0	0.3	2.3
21	91.04	AIZOACEAE	chenopods	Q03896	*Gunniopsis calcarea*				2007	29	2	6.90	VU	4	DD	0.0	4.0
22	91.04	AIZOACEAE	chenopods	W03899	*Gunniopsis calva*				2000	32	3	9.38	RA	3	0	0.3	3.3
23	91.04	AIZOACEAE	chenopods	U03898	*Gunniopsis kochii*	Koch's Pigface			2001	33	29	87.88	NT	2	0	0.3	2.3
24	91.04	AIZOACEAE	chenopods	S03897	*Gunniopsis papillata*	Twin-leaf Pigface			2010	138	109	78.99	LC	1	0	0.3	1.3
25	91.04	AIZOACEAE	chenopods	Y03904	*Gunniopsis quadrifida*	Sturt's Pigface			2011	441	266	60.32	LC	1	0	0.3	1.3
26	91.04	AIZOACEAE	chenopods	G03903	*Gunniopsis septifraga*	Green Pigface			2007	37	12	32.43	NT	2	0	0.3	2.3
27	91.04	AIZOACEAE	chenopods	Z03895	*Gunniopsis tenuifolia*	Narrow-leaf Pigface			2010	40	36	90.00	RA	3	DD	0.0	3.0
28	91.04	AIZOACEAE	chenopods	E03910	*Gunniopsis zygophylloides*	Twin-leaf Pigface			2010	110	91	82.73	LC	1	0	0.3	1.3
1935	91.037	GYROSTEMONACEAE	trees	E01006	*Gyrostemon australasicus*	Buckbush Wheel-fruit			1973	258	1	0.39	RA	3	DD	0.0	3.0
1936	91.037	GYROSTEMONACEAE	trees	G01007	*Gyrostemon ramulosus*	Bushy Wheel-fruit			2010	299	69	23.08	NT	2	0	0.3	2.3
1937	91.037	GYROSTEMONACEAE	trees	C01005	*Gyrostemon tepperi*	Tepper's Wheel-fruit			1987	6	5	83.33	RA	3	-	0.4	3.4
1938	91.037	GYROSTEMONACEAE	trees	E02334	*Gyrostemon thesioides*	Broom Wheel-fruit			2002	139	3	2.16	RA	3	DD	0.0	3.0
328	91.435	COMPOSITAE	daisies	Z04203	*Haeckeria punctulata*	Sticky Haeckeria			2009	82	44	53.66	NT	2	0	0.3	2.3
1520	91.019	PROTEACEAE	shrubs	A03988	*Hakea divaricata*	Corkbark			2009	156	156	100.00	NT	2	0	0.3	2.3
1521	91.019	PROTEACEAE	shrubs	Z00923	*Hakea ednieana*	Flinders Ranges Corkwood			2009	366	338	92.35	LC	1	0	0.3	1.3
1522	91.019	PROTEACEAE	shrubs	Q00924	*Hakea eyreana*	Fork-leaf Corkwood			2011	90	84	93.33	LC	1	0	0.3	1.3
1523	91.019	PROTEACEAE	shrubs	S00925	*Hakea francisiana*	Bottlebrush Hakea			2008	334	2	0.60	RA	3	DD	0.0	3.0
1524	91.019	PROTEACEAE	shrubs	A00928	*Hakea leucoptera ssp. leucoptera*	Silver Needlewood			2011	816	431	52.82	LC	1	0	0.3	1.3
1525	91.019	PROTEACEAE	shrubs	S00933	*Hakea lorea ssp. lorea*	Long-leaf Corkwood			2008	228	216	94.74	NT	2	0	0.3	2.3
1526	91.019	PROTEACEAE	shrubs	Q03112	*Hakea minyma*	Minyma-minyma			2001	65	62	95.38	LC	1	0	0.3	1.3
1004	91.381	BORAGINACEAE	herbs & forbs	Q02568	*Halgania cyanea*	Rough Blue-flower			2009	772	75	9.72	NT	2	0	0.3	2.3
1005	91.381	BORAGINACEAE	herbs & forbs	W04903	*Halgania erecta*	Erect Blue-flower			2009	17	14	82.35	NT	2	0	0.3	2.3
1006	91.381	BORAGINACEAE	herbs & forbs	Y30100	*Halgania glabra*				2001	1	1	100.00	RA	3	0	0.3	3.3
922	91.322	HALORAGACEAE	herbs & forbs	A02332	*Haloragis aspera*	Rough Raspwort			2011	739	359	48.58	LC	1	0	0.3	1.3
923	91.322	HALORAGACEAE	herbs & forbs	A04728	*Haloragis glauca forma glauca*	Bluish Raspwort			1998	11	6	54.55	RA	3	0	0.3	3.3
924	91.322	HALORAGACEAE	herbs & forbs	K02337	*Haloragis glauca forma sclopetifera*	Grey Raspwort			1995	6	4	66.67	RA	3	DD	0.0	3.0
925	91.322	HALORAGACEAE	herbs & forbs	M02338	*Haloragis gossei*	Gosse's Raspwort			2008	41	23	56.10	RA	3	0	0.3	3.3
927	91.322	HALORAGACEAE	herbs & forbs	E03610	*Haloragis odontocarpa forma octoforma*	Mulga Nettle			2001	7	3	42.86	RA	3	DD	0.0	3.0
928	91.322	HALORAGACEAE	herbs & forbs	G03611	*Haloragis odontocarpa forma pterocarpa*	Mulga Nettle			2008	38	9	23.68	RA	3	DD	0.0	3.0
929	91.322	HALORAGACEAE	herbs & forbs	C02341	*Haloragis odontocarpa forma rugosa*	Mulga Nettle			1996	26	20	76.92	RA	3	DD	0.0	3.0
930	91.322	HALORAGACEAE	herbs & forbs	E02342	*Haloragis uncatipila*	Shrubby Raspwort			2001	59	53	89.83	NT	2	0	0.3	2.3
1671	91.271	STERCULIACEAE	shrubs	U03838	*Hannafordia bissillii ssp. bissillii*	Grey Felt-bush			2000	29	28	96.55	LC	1	0	0.3	1.3
808	91.139	CRUCIFERAE	herbs & forbs	Z01423	*Harmsiodoxa blennodioides*	Hairy-pod Cress			2008	202	92	45.54	NT	2	0	0.3	2.3
809	91.139	CRUCIFERAE	herbs & forbs	Q01424	*Harmsiodoxa brevipes var. brevipes*	Short Cress			2007	122	41	33.61	RA	3	-	0.4	3.4
810	91.139	CRUCIFERAE	herbs & forbs	U03510	*Harmsiodoxa brevipes var. major*	Short Cress			2004	23	17	73.91	RA	3	DD	0.0	3.0
811	91.139	CRUCIFERAE	herbs & forbs	S01425	*Harmsiodoxa puberula*	Scented Cress			2001	43	31	72.09	NT	2	DD	0.0	2.0
329	91.435	COMPOSITAE	daisies	W04003	*Helichrysum luteoalbum*	Jersey Cudweed			2010	309	49	15.86	LC	1	0	0.3	1.3
1007	91.381	BORAGINACEAE	herbs & forbs	M02558	*Heliotropium ammophilum*				2011	31	29	93.55	NT	2	0	0.3	2.3
1008	91.381	BORAGINACEAE	herbs & forbs	W02551	*Heliotropium asperrimum*	Rough Heliotrope			2010	294	182	61.90	NT	2	0	0.3	2.3
1009	91.381	BORAGINACEAE	herbs & forbs	S06149	*Heliotropium cunninghamii*	Bushy Heliotrope			2011	17	16	94.12	RA	3	DD	0.0	3.0
1010	91.381	BORAGINACEAE	herbs & forbs	C02553	*Heliotropium europaeum*	Common Heliotrope			2010	439	124	28.25	NT	2	0	0.3	2.3
1011	91.381	BORAGINACEAE	herbs & forbs	E02554	*Heliotropium filaginoides*				2011	38	38	100.00	NT	2	0	0.3	2.3
1013	91.381	BORAGINACEAE	herbs & forbs	E06150	*Heliotropium moorei*	Bushy Heliotrope			2008	18	17	94.44	NT	2	0	0.3	2.3
1014	91.381	BORAGINACEAE	herbs & forbs	S05649	*Heliotropium tanythrix*				2010	30	23	76.67	NT	2	0	0.3	2.3
748	91.049	AMARANTHACEAE	herbs & forbs	K01289	*Hemichroa diandra*	Mallee Hemichroa			2005	251	23	9.16	NT	2	0	0.3	2.3
749	91.049	AMARANTHACEAE	herbs & forbs	W01291	*Hemichroa mesembryanthema*	Pigface Hemichroa		V	2006	25	25	100.00	VU	4	DD	0.0	4.0
1539	91.105	DILLENIACEAE	shrubs	E05510	*Hibbertia crinita*				1999	415	13	3.13	RA	3	0	0.3	3.3
1542	91.105	DILLENIACEAE	shrubs	W01347	*Hibbertia glaberrima*	Central Australian Guinea-flower		R	2009	40	35	87.50	RA	3	0	0.3	3.3
1626	91.269	MALVACEAE	shrubs	Z06367	*Hibiscus brachychlaenus*				2006	2	2	100.00	RA	3	DD	0.0	3.0
1627	91.269	MALVACEAE	shrubs	E02078	*Hibiscus brachysiphonius*	Low Hibiscus			2010	105	95	90.48	LC	1	0	0.3	1.3
1629	91.269	MALVACEAE	shrubs	Q03412	*Hibiscus krichauffianus*	Velvet-leaf Hibiscus			2011	276	215	77.90	LC	1	0	0.3	1.3
1630	91.269	MALVACEAE	shrubs	G02079	*Hibiscus solanifolius*	Solanum-leaf Hibiscus			2009	61	44	72.13	LC	1	0	0.3	1.3
1631	91.269	MALVACEAE	shrubs	E02898	*Hibiscus sturtii var. grandiflorus*	Sturt's Hibiscus			2005	199	180	90.45	NT	2	0	0.3	2.3
1632	91.269	MALVACEAE	shrubs	A04664	*Hibiscus sturtii var. muelleri*	Sturt's Hibiscus			1988	2	1	50.00	VU	4	DD	0.0	4.0
1633	91.269	MALVACEAE	shrubs	Q02080	*Hibiscus sturtii var. sturtii*	Sturt's Hibiscus			2011	4	3	75.00	RA	3	DD	0.0	3.0
1634	91.269	MALVACEAE	shrubs	Q06368	*Hibiscus sturtii var. truncatus*				2001	1	1	100.00	RA	3	DD	0.0	3.0
492	74.015	DENNSTAEDTIACEAE	fern	M00058	*Histiopteris incisa*	Bat's-wing Fern		E	1995	15	2	13.33	CR	6	-	0.4	6.4
1218	91.182	LEGUMINOSAE	legumes	E01690	*Hovea purpurea*	Tall Hovea		R	1995	70	3	4.29	EN	5	DD	0.0	5.0
330	91.435	COMPOSITAE	daisies	Q03172	*Hyalosperma demissum*	Dwarf Sunray			1995	541	6	1.11	RA	3	-	0.4	3.4
331	91.435	COMPOSITAE	daisies	A03176	*Hyalosperma glutinosum ssp. glutinosum*	Golden Sunray			1996	349	12	3.44	NT	2	-	0.4	2.4
332	91.435	COMPOSITAE	daisies	C03177	*Hyalosperma semisterile*	Orange Sunray			2008	479	60	12.53	NT	2	0	0.3	2.3
1695	91.282	VIOLACEAE	shrubs	W02147	*Hybanthus aurantiacus*	Yellow Slender Violet			2008	18	15	83.33	RA	3	0	0.3	3.3
1696	91.282	VIOLACEAE	shrubs	A02148	*Hybanthus floribundus ssp. floribundus*	Shrub Violet			1999	1014	20	1.97	NT	2	0	0.3	2.3
1697	91.282	VIOLACEAE	shrubs	C02149	*Hybanthus monopetalus*	Slender Violet			2009	181	40	22.10	NT	2	0	0.3	2.3
940	91.339	UMBELLIFERAE	herbs & forbs	A02368	*Hydrocotyle callicarpa*	Tiny Pennywort			2007	651	2	0.31	RA	3	DD	0.0	3.0
943	91.339	UMBELLIFERAE	herbs & forbs	W02375	*Hydrocotyle laxiflora*	Stinking Pennywort			1999	831	7	0.84	VU	4	-	0.4	4.4
945	91.339	UMBELLIFERAE	herbs & forbs	U02382	*Hydrocotyle trachycarpa*	Wild Parsley			2003	165	123	74.55	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
946	91.339	UMBELLIFERAE	herbs & forbs	W02383	*Hydrocotyle verticillata*	Shield Pennywort			1999	164	11	6.71	VU	4	-	0.4	4.4
789	91.125	GUTTIFERAE	herbs & forbs	Q01352	*Hypericum gramineum*	Small St John's Wort			2011	429	12	2.80	RA	3	DD	0.0	3.0
1098	91.467	HYPOXIDACEAE	herbs & forbs	A00724	*Hypoxis glabella var. glabella*	Tiny Star			2010	681	27	3.96	LC	1	0	0.3	1.3
1099	91.467	HYPOXIDACEAE	herbs & forbs	M05054	*Hypoxis vaginata var. vaginata*	Yellow Star			1989	252	1	0.40	EN	5	-	0.4	5.4
630	91.495	GRAMINEAE	grass	G04959	*Imperata cylindrica*	Blady Grass			2003	120	11	9.17	EN	5	-	0.4	5.4
1219	91.182	LEGUMINOSAE	legumes	M06234	*Indigastrum parviflorum*				1995	3	3	100.00	RA	3	DD	0.0	3.0
1220	91.182	LEGUMINOSAE	legumes	Q32196	*Indigofera australis ssp. australis*	Austral Indigo			2005	59	14	23.73	RA	3	0	0.3	3.3
1221	91.182	LEGUMINOSAE	legumes	S32197	*Indigofera australis ssp. hesperia*	Austral Indigo			1974	37	5	13.51	RA	3	0	0.3	3.3
1222	91.182	LEGUMINOSAE	legumes	K04969	*Indigofera basedowii*	Showy Indigo			2009	18	17	94.44	NT	2	0	0.3	2.3
1223	91.182	LEGUMINOSAE	legumes	M01694	*Indigofera colutea*	Sticky Indigo			2011	42	41	97.62	LC	1	+	0.2	1.2
1223.1	91.182	LEGUMINOSAE	legumes	M32194	*Indigofera cornuligera ssp cornuligera*	Silver Indigo			2010	1	1	100.00	NT	2	0	0.3	2.3
1223.2	91.182	LEGUMINOSAE	legumes	Z32195	*Indigofera cornuligera ssp flindersensis*	Silver Indigo			2010	5	5	100.00	NT	2	0	0.3	2.3
1224	91.182	LEGUMINOSAE	legumes	Q03588	*Indigofera georgei*	George's Indigo			2006	46	40	86.96	NT	2	0	0.3	2.3
1225	91.182	LEGUMINOSAE	legumes	E04470	*Indigofera helmsii*	Helm's Indigo			2009	67	34	50.75	RA	3	0	0.3	3.3
1226	91.182	LEGUMINOSAE	legumes	Y32192	*Indigofera leucotricha*	Silver Indigo			2009	47	44	93.62	NE	-1			-1.0
1227	91.182	LEGUMINOSAE	legumes	S01697	*Indigofera linifolia*	Flax-leaf Indigo			2007	30	28	93.33	NT	2	+	0.2	2.2
1228	91.182	LEGUMINOSAE	legumes	G03663	*Indigofera linnaei*	Birdsville Indigo			2011	54	51	94.44	LC	1	0	0.3	1.3
1229	91.182	LEGUMINOSAE	legumes	C04233	*Indigofera longibractea*				2010	21	19	90.48	NE	-1			-1.0
1230	91.182	LEGUMINOSAE	legumes	K01693	*Indigofera psammophila*	Sand Indigo			2011	83	78	93.98	NT	2	0	0.3	2.3
991	91.377	CONVOLVULACEAE	herbs & forbs	U02526	*Ipomoea diamantinensis*	Desert Cow-vine			1962	1	1	100.00	RA	3	0	0.3	3.3
992	91.377	CONVOLVULACEAE	herbs & forbs	A02528	*Ipomoea lonchophylla*	Cow-vine			2010	41	38	92.68	NT	2	0	0.3	2.3
993	91.377	CONVOLVULACEAE	herbs & forbs	C02529	*Ipomoea muelleri*	Native Morning-glory			2008	59	51	86.44	LC	1	0	0.3	1.3
995	91.377	CONVOLVULACEAE	herbs & forbs	W03643	*Ipomoea polymorpha*	Silky Cow-vine			2008	52	49	94.23	NT	2	0	0.3	2.3
996	91.377	CONVOLVULACEAE	herbs & forbs	M02530	*Ipomoea racemigera*	Inland Bell-vine			1997	14	11	78.57	NT	2	0	0.3	2.3
631	91.495	GRAMINEAE	grass	K00453	*Iseilema eremaeum*				2007	89	85	95.51	LC	1	0	0.3	1.3
632	91.495	GRAMINEAE	grass	M00454	*Iseilema membranaceum*	Small Flinders-grass			2011	158	136	86.08	LC	1	0	0.3	1.3
633	91.495	GRAMINEAE	grass	Z00455	*Iseilema vaginiflorum*	Red Flinders-grass			2010	102	81	79.41	LC	1	0	0.3	1.3
489	72.002	ISOETACEAE	fern	Q00024	*Isoetes muelleri*	Mueller's Quillwort			2000	34	17	50.00	NT	2	0	0.3	2.3
333	91.435	COMPOSITAE	daisies	Z03199	*Isoetopsis graminifolia*	Grass Cushion			1999	701	43	6.13	NT	2	0	0.3	2.3
1489	91.504	CYPERACEAE	sedges	A00564	*Isolepis australiensis*	southern Club-rush			2011	81	36	44.44	RA	3	0	0.3	3.3
1490	91.504	CYPERACEAE	sedges	C00565	*Isolepis cernua*	Nodding Club-rush			1999	374	11	2.94	RA	3	DD	0.0	3.0
1491	91.504	CYPERACEAE	sedges	E00566	*Isolepis congrua*	Slender Club-rush			2003	65	26	40.00	RA	3	0	0.3	3.3
1492	91.504	CYPERACEAE	sedges	U05578	*Isolepis hookeriana*	Grassy Club-rush			1996	89	6	6.74	NT	2	-	0.4	2.4
1493	91.504	CYPERACEAE	sedges	Q05380	*Isolepis inundata*	Swamp Club-rush			1999	305	9	2.95	VU	4	-	0.4	4.4
1494	91.504	CYPERACEAE	sedges	M00578	*Isolepis platycarpa*	Flat-fruit Club-rush			1995	201	5	2.49	RA	3	-	0.4	3.4
1074	91.427	CAMPANULACEAE	herbs & forbs	W02835	*Isotoma petraea*	Rock Isotome			2011	387	153	39.53	LC	1	0	0.3	1.3
1231	91.182	LEGUMINOSAE	legumes	Y03436	*Isotropis centralis*	Central Australian Poison-sage			2001	6	6	100.00	RA	3	DD	0.0	3.0
1232	91.182	LEGUMINOSAE	legumes	U01698	*Isotropis wheeleri*	Wheeler's Lamb-poison			2011	43	40	93.02	NT	2	0	0.3	2.3
334	91.435	COMPOSITAE	daisies	A03440	*Ixiochlamys cuneifolia*	Silverton Daisy			2010	277	242	87.36	NT	2	0	0.3	2.3
335	91.435	COMPOSITAE	daisies	C03441	*Ixiochlamys filicifolia*				2008	75	63	84.00	NT	2	0	0.3	2.3
336	91.435	COMPOSITAE	daisies	M30102	*Ixiochlamys integerrima*				2001	1	1	100.00	RA	3	DD	0.0	3.0
337	91.435	COMPOSITAE	daisies	E03442	*Ixiochlamys nana*	Small Fuzzweed			2010	70	40	57.14	NT	2	0	0.3	2.3
339	91.435	COMPOSITAE	daisies	C03565	*Ixodia flindersica*	Flinders Ranges Ixodia			2009	73	72	98.63	RA	3	DD	0.0	3.0
1964	91.361	OLEACEAE	vines	Q04768	*Jasminum didymum ssp. lineare*	Native Jasmine			2009	202	132	65.35	NT	2	0	0.3	2.3
1061	91.408	PEDALIACEAE	herbs & forbs	Y04008	*Josephinia eugeniae*	Josephina Burr			2008	25	22	88.00	RA	3	DD	0.0	3.0
1419	91.478	JUNCACEAE	sedges	U00618	*Juncus aridicola*	Inland Rush			2009	141	21	14.89	RA	3	0	0.3	3.3
1420	91.478	JUNCACEAE	sedges	K00621	*Juncus bufonius*	Toad Rush			1995	593	15	2.53	NT	2	0	0.3	2.3
1421	91.478	JUNCACEAE	sedges	Z00623	*Juncus caespiticius*	Grassy Rush			1995	234	4	1.71	VU	4	-	0.4	4.4
1422	91.478	JUNCACEAE	sedges	W00627	*Juncus flavidus*	Yellow Rush			2000	114	3	2.63	RA	3	DD	0.0	3.0
1423	91.478	JUNCACEAE	sedges	A00628	*Juncus holoschoenus*	Joint-leaf Rush			1995	249	5	2.01	EN	5	-	0.4	5.4
1424	91.478	JUNCACEAE	sedges	M00630	*Juncus kraussii*	Sea Rush			2009	680	69	10.15	NT	2	0	0.3	2.3
1427	91.478	JUNCACEAE	sedges	G00639	*Juncus subsecundus*	Finger Rush			2005	822	36	4.38	NT	2	0	0.3	2.3
1233	91.182	LEGUMINOSAE	legumes	C01701	*Kennedia prorepens*	Kalpil-kalpilpa			2001	60	56	93.33	LC	1	0	0.3	1.3
1672	91.271	STERCULIACEAE	shrubs	S03413	*Keraudrenia nephrosperma*				2008	33	27	81.82	RA	3	0	0.3	3.3
1673	91.271	STERCULIACEAE	shrubs	E02114	*Keraudrenia sp. North West (J.Z.Weber 6475)*	Common Firebush			2001	13	9	69.23	RA	3	DD	0.0	3.0
340	91.435	COMPOSITAE	daisies	M03894	*Kippistia suaedifolia*	Fleshy Kippistia			2009	105	35	33.33	RA	3	0	0.3	3.3
1955	91.029	VISCACEAE	vines	Q03640	*Korthalsella japonica forma japonica*	Jointed Mistletoe			1988	2	1	50.00	DD	0	DD	0.0	0.0
635	91.495	GRAMINEAE	grass	U32234	*Lachnagrostis filiformis*	Common Blown-grass			2009	369	40	10.84	NT	2	0	0.3	2.3
635.1	91.495	GRAMINEAE	grass	A32236	*Lachnagrostis perennis*	Perennial Blown-grass				46		0.00	VU	4	-	0.4	4.4
1674	91.271	STERCULIACEAE	shrubs	Y02116	*Lasiopetalum behrii*	Pink Velvet-bush			2008	1091	3	0.27	RA	3	DD	0.0	3.0
341	91.435	COMPOSITAE	daisies	M03110	*Lawrencella davenportii*	Davenport Daisy			2005	239	120	50.21	NT	2	0	0.3	2.3
1635	91.269	MALVACEAE	shrubs	G02087	*Lawrencia glomerata*	Clustered Lawrencia			2010	451	214	47.45	LC	1	0	0.3	1.3
1636	91.269	MALVACEAE	shrubs	W04971	*Lawrencia squamata*	Thorny Lawrencia			2010	789	58	7.35	LC	1	0	0.3	1.3
1865	91.43	GOODENIACEAE	shrubs	Z05275	*Lechenaultia aphylla*	Leafless Lechenaultia		V	2001	8	2	25.00	RA	3	0	0.3	3.3
1866	91.43	GOODENIACEAE	shrubs	Z02903	*Lechenaultia divaricata*	Tangled Lechenaultia			2011	233	214	91.85	NT	2	0	0.3	2.3
1867	91.43	GOODENIACEAE	shrubs	M01350	*Lechenaultia striata*	Striate Lechenaultia			1967	18	1	5.56	RA	3	DD	0.0	3.0
342	91.435	COMPOSITAE	daisies	S03201	*Leiocarpa brevicompta*	Plains Plover-daisy			2008	47	41	87.23	LC	1	0	0.3	1.3
343	91.435	COMPOSITAE	daisies	C04161	*Leiocarpa leptolepis*	Pale Plover-daisy			2011	455	388	85.27	LC	1	0	0.3	1.3
344	91.435	COMPOSITAE	daisies	K04977	*Leiocarpa semicalva ssp. semicalva*	Scented Button-bush			2010	766	613	80.03	LC	1	0	0.3	1.3
345	91.435	COMPOSITAE	daisies	C04489	*Leiocarpa semicalva ssp. vinacea*	Red-stem Button-bush			2000	21	19	90.48	RA	3	DD	0.0	3.0
346	91.435	COMPOSITAE	daisies	A03204	*Leiocarpa tomentosa*	Woolly Plover-daisy			2010	181	99	54.70	NT	2	0	0.3	2.3
347	91.435	COMPOSITAE	daisies	U03202	*Leiocarpa websteri*	Narrow Plover-daisy			2010	693	433	62.48	LC	1	0	0.3	1.3
15	91.5	LEMNACEAE	aquatic	Z00587	*Lemna disperma*	Common Duckweed			2001	104	8	7.69	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
348	91.435	COMPOSITAE	daisies	Z03059	*Lemooria burkittii*	Wires-and-wool			2006	184	74	40.22	NT	2	0	0.3	2.3
812	91.139	CRUCIFERAE	herbs & forbs	Z01431	*Lepidium fasciculatum*	Bundled Peppercress			1995	83	11	13.25	VU	4	-	0.4	4.4
813	91.139	CRUCIFERAE	herbs & forbs	A01436	*Lepidium leptopetalum*	Shrubby Peppercress			1994	101	8	7.92	RA	3	0	0.3	3.3
814	91.139	CRUCIFERAE	herbs & forbs	E01438	*Lepidium muelleri-ferdinandi*	Mueller's Peppercress			2010	284	233	82.04	LC	1	0	0.3	1.3
815	91.139	CRUCIFERAE	herbs & forbs	G01439	*Lepidium oxytrichum*	Green Peppercress			2010	660	519	78.64	LC	1	0	0.3	1.3
816	91.139	CRUCIFERAE	herbs & forbs	Q01440	*Lepidium papillosum*	Warty Peppercress			2010	350	102	29.14	RA	3	0	0.3	3.3
817	91.139	CRUCIFERAE	herbs & forbs	U01442	*Lepidium phlebopetalum*	Veined Peppercress			2010	783	484	61.81	LC	1	0	0.3	1.3
818	91.139	CRUCIFERAE	herbs & forbs	S01441	*Lepidium pseudoruderale*			R	1937	14	2	14.29	EN	5	-	0.4	5.4
819	91.139	CRUCIFERAE	herbs & forbs	E03398	*Lepidium rotundum*	Veined Peppercress			2001	27	3	11.11	RA	3	DD	0.0	3.0
820	91.139	CRUCIFERAE	herbs & forbs	G03399	*Lepidium sagittulatum*	Fine-leaf Peppercress			2008	68	41	60.29	NT	2	0	0.3	2.3
821	91.139	CRUCIFERAE	herbs & forbs	W01443	*Lepidium strongylophyllum*				2011	27	18	66.67	RA	3	0	0.3	3.3
1495	91.504	CYPERACEAE	sedges	Z00535	*Lepidosperma avium*	Central Australian Rapier-sedge		R	2009	37	36	97.30	RA	3	0	0.3	3.3
1497	91.504	CYPERACEAE	sedges	Q00536	*Lepidosperma viscidum*	Sticky Sword-sedge			2005	2553	20	0.78	NT	2	0	0.3	2.3
11	91.448	ZANNICHELLIACEAE	aquatic	Z00083	*Lepilaena australis*	Austral Water-mat			1989	56	1	1.79	VU	4	-	0.4	4.4
12	91.448	ZANNICHELLIACEAE	aquatic	Q00084	*Lepilaena bilocularis*	Small-fruit Water-mat			2010	11	2	18.18	VU	4	DD	0.0	4.0
14	91.448	ZANNICHELLIACEAE	aquatic	U00086	*Lepilaena preissii*	Slender Water-mat			1992	40	1	2.50	RA	3	DD	0.0	3.0
636	91.495	GRAMINEAE	grass	A00360	*Leptochloa digitata*	Umbrella Cane-grass			2010	50	40	80.00	NT	2	0	0.3	2.3
637	91.495	GRAMINEAE	grass	K06225	*Leptochloa fusca ssp. fusca*	Brown Beetle-grass			2010	11	4	36.36	RA	3	DD	0.0	3.0
638	91.495	GRAMINEAE	grass	Y06224	*Leptochloa fusca ssp. muelleri*	Brown Beetle-grass			2010	191	119	62.30	LC	1	0	0.3	1.3
349	91.435	COMPOSITAE	daisies	Q04468	*Leptorhynchos baileyi*	Bailey's Buttons			2010	53	20	37.74	RA	3	-	0.4	3.4
351	91.435	COMPOSITAE	daisies	Y03216	*Leptorhynchos tetrachaetus*	Little Buttons			1998	236	5	2.12	RA	3	-	0.4	3.4
352	91.435	COMPOSITAE	daisies	K03217	*Leptorhynchos waitzia*	Button Immortelle			1996	281	3	1.07	RA	3	-	0.4	3.4
1234	91.182	LEGUMINOSAE	legumes	U04806	*Leptosema chambersii*	Upside-down Plant			2001	18	17	94.44	LC	1	0	0.3	1.3
353	91.435	COMPOSITAE	daisies	S03173	*Leucochrysum fitzgibbonii*	Fitzgibbon's Daisy			2005	185	103	55.68	NT	2	0	0.3	2.3
354	91.435	COMPOSITAE	daisies	Q03180	*Leucochrysum molle*	Hoary Sunray			2000	84	41	48.81	NT	2	-	0.4	2.4
355	91.435	COMPOSITAE	daisies	G03187	*Leucochrysum stipitatum*	Salt-spoon Daisy			2008	195	127	65.13	LC	1	0	0.3	1.3
1089	91.432	STYLIDIACEAE	herbs & forbs	G02927	*Levenhookia dubia*	Hairy Stylewort			1995	533	5	0.94	VU	4	DD	0.0	4.0
1041	91.4	SCROPHULARIACEAE	herbs & forbs	A02720	*Limosella australis*	Australian Mudwort			2005	78	3	3.85	NT	2	-	0.4	2.4
1042	91.4	SCROPHULARIACEAE	herbs & forbs	S05269	*Limosella curdieana var. curdieana*	Large Mudwort			1985	8	1	12.50	DD	0	DD	0.0	0.0
894	91.199	LINACEAE	herbs & forbs	Y01908	*Linum marginale*	Native Flax			1999	610	26	4.26	NT	2	0	0.3	2.3
1498	91.504	CYPERACEAE	sedges	S00537	*Lipocarpha microcephala*	Button Rush			2011	24	7	29.17	RA	3	0	0.3	3.3
1075	91.427	CAMPANULACEAE	herbs & forbs	C02837	*Lobelia anceps*	Angled Lobelia			1995	363	2	0.55	VU	4	DD	0.0	4.0
1077	91.427	CAMPANULACEAE	herbs & forbs	E32018	*Lobelia heterophylla*			R	1998	25	5	20.00	RA	3	-	0.4	3.4
1715	91.362	LOGANIACEAE	shrubs	A05800	*Logania centralis*				2001	4	4	100.00	RA	3	DD	0.0	3.0
1716	91.362	LOGANIACEAE	shrubs	A00432	*Logania saxatilis*	Rock Logania		R	1995	158	7	4.43	RA	3	0	0.3	3.3
1900	91.451	LILIACEAE	shrubs	Y00680	*Lomandra densiflora*	Soft Tussock Mat-rush			1996	1376	4	0.29	VU	4	-	0.4	4.4
1901	91.451	LILIACEAE	shrubs	M00682	*Lomandra effusa*	Scented Mat-rush			1999	1550	9	0.58	VU	4	0	0.3	4.3
1903	91.451	LILIACEAE	shrubs	U00686	*Lomandra leucocephala ssp. robusta*	Woolly Mat-rush			2010	923	17	1.84	RA	3	0	0.3	3.3
1904	91.451	LILIACEAE	shrubs	M04730	*Lomandra multiflora ssp. dura*	Hard Mat-rush			2009	2212	199	9.00	LC	1	0	0.3	1.3
1235	91.182	LEGUMINOSAE	legumes	M01706	*Lotus australis*	Austral Trefoil			1995	471	7	1.49	NT	2	0	0.3	2.3
1236	91.182	LEGUMINOSAE	legumes	Q01708	*Lotus cruentus*	Red-flower Lotus			2011	1172	787	67.15	LC	1	0	0.3	1.3
1743	91.395	SOLANACEAE	shrubs	Y02660	*Lycium australe*	Australian Boxthorn			2011	1107	75	6.78	NT	2	0	0.3	2.3
1952	91.028	LORANTHACEAE	vines	M00966	*Lysiana exocarpi ssp. exocarpi*	Harlequin Mistletoe			2011	1988	824	41.45	LC	1	0	0.3	1.3
1953	91.028	LORANTHACEAE	vines	Z00967	*Lysiana murrayi*	Mulga Mistletoe			2007	221	129	58.37	LC	1	0	0.3	1.3
1954	91.028	LORANTHACEAE	vines	Q00968	*Lysiana subfalcata*	northern Mistletoe			2011	76	64	84.21	NT	2	DD	0.0	2.0
913	91.303	LYTHRACEAE	herbs & forbs	Z02195	*Lythrum hyssopifolia*	Lesser Loosestrife			2011	500	15	3.00	RA	3	DD	0.0	3.0
914	91.303	LYTHRACEAE	herbs & forbs	C04809	*Lythrum paradoxum*				1994	17	15	88.24	RA	3	0	0.3	3.3
915	91.303	LYTHRACEAE	herbs & forbs	Q02196	*Lythrum salicaria*	Purple Loosestrife		R	1990	52	1	1.92	DD	0	DD	0.0	0.0
916	91.303	LYTHRACEAE	herbs & forbs	A05032	*Lythrum wilsonii*	Wilson's Loosestrife			2007	69	50	72.46	NT	2	0	0.3	2.3
895	91.256	STACKHOUSIACEAE	herbs & forbs	K04289	*Macgregoria racemigera*	Snowflake			2007	13	13	100.00	RA	3	0	0.3	3.3
112	91.047	CHENOPODIACEAE	chenopods	K01181	*Maireana aphylla*	Cotton-bush			2011	919	604	65.72	LC	1	0	0.3	1.3
113	91.047	CHENOPODIACEAE	chenopods	M01182	*Maireana appressa*	Pale-fruit Bluebush			2010	444	183	41.22	LC	1	0	0.3	1.3
114	91.047	CHENOPODIACEAE	chenopods	Z01183	*Maireana astrotricha*	Low Bluebush			2010	1131	736	65.08	LC	1	0	0.3	1.3
115	91.047	CHENOPODIACEAE	chenopods	Q01184	*Maireana brevifolia*	Short-leaf Bluebush			2011	1324	125	9.44	NT	2	0	0.3	2.3
116	91.047	CHENOPODIACEAE	chenopods	Y01180	*Maireana campanulata*	Bell-fruit Bluebush			2010	95	88	92.63	NT	2	0	0.3	2.3
117	91.047	CHENOPODIACEAE	chenopods	S01185	*Maireana cannonii*	Cannon's Bluebush			2001	30	2	6.67	RA	3	0	0.3	3.3
118	91.047	CHENOPODIACEAE	chenopods	U01186	*Maireana carnosa*	Cottony Bluebush			2001	40	27	67.50	RA	3	0	0.3	3.3
119	91.047	CHENOPODIACEAE	chenopods	W01187	*Maireana ciliata*	Hairy Fissure-plant			2010	200	131	65.50	LC	1	0	0.3	1.3
120	91.047	CHENOPODIACEAE	chenopods	A01188	*Maireana coronata*	Crown Fissure-plant			2010	209	194	92.82	LC	1	0	0.3	1.3
121	91.047	CHENOPODIACEAE	chenopods	C01189	*Maireana enchylaenoides*	Wingless Fissure-plant			1999	1115	53	4.75	LC	1	0	0.3	1.3
122	91.047	CHENOPODIACEAE	chenopods	M01190	*Maireana eriantha*	Woolly Bluebush			2010	206	131	63.59	LC	1	0	0.3	1.3
123	91.047	CHENOPODIACEAE	chenopods	Z01191	*Maireana erioclada*	Rosy Bluebush			2010	1440	105	7.29	LC	1	0	0.3	1.3
124	91.047	CHENOPODIACEAE	chenopods	Q01192	*Maireana excavata*	Bottle Fissure-plant		V	1995	151	12	7.95	VU	4	-	0.4	4.4
125	91.047	CHENOPODIACEAE	chenopods	S01193	*Maireana georgei*	Satiny Bluebush			2010	856	444	51.87	LC	1	0	0.3	1.3
126	91.047	CHENOPODIACEAE	chenopods	U01194	*Maireana integra*	Entire-wing Bluebush			2010	340	153	45.00	LC	1	0	0.3	1.3
127	91.047	CHENOPODIACEAE	chenopods	W01195	*Maireana lanosa*	Woolly Bluebush			1891	2	2	100.00	EN	5	-	0.4	5.4
128	91.047	CHENOPODIACEAE	chenopods	A01196	*Maireana lobiflora*	Lobed Bluebush			2010	125	42	33.60	RA	3	0	0.3	3.3
129	91.047	CHENOPODIACEAE	chenopods	C01197	*Maireana luehmannii*	Luehman's Bluebush			1997	15	15	100.00	VU	4	DD	0.0	4.0
130	91.047	CHENOPODIACEAE	chenopods	W03475	*Maireana melanocarpa*	Black-fruit Bluebush		R	2001	43	40	93.02	RA	3	0	0.3	3.3
131	91.047	CHENOPODIACEAE	chenopods	E01198	*Maireana microcarpa*	Swamp Bluebush			2008	92	60	65.22	NT	2	0	0.3	2.3
132	91.047	CHENOPODIACEAE	chenopods	G01199	*Maireana oppositifolia*	Salt Bluebush			2007	802	7	0.87	LC	1	0	0.3	1.3
133	91.047	CHENOPODIACEAE	chenopods	Y01200	*Maireana ovata*				2010	71	51	71.83	NT	2	0	0.3	2.3
134	91.047	CHENOPODIACEAE	chenopods	K01201	*Maireana pentagona*	Slender Fissure-plant		R	2006	55	2	3.64	VU	4	DD	0.0	4.0

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
135	91.047	CHENOPODIACEAE	chenopods	M01202	*Maireana pentatropis*	Erect Mallee Bluebush			2010	1219	182	14.93	NT	2	0	0.3	2.3
136	91.047	CHENOPODIACEAE	chenopods	Z01203	*Maireana planifolia*	Flat-leaf Bluebush			2007	105	77	73.33	LC	1	0	0.3	1.3
137	91.047	CHENOPODIACEAE	chenopods	Q01204	*Maireana pyramidata*	Black Bluebush			2010	2034	705	34.66	LC	1	0	0.3	1.3
138	91.047	CHENOPODIACEAE	chenopods	S01205	*Maireana radiata*	Radiate Bluebush			2010	725	22	3.03	NT	2	0	0.3	2.3
140	91.047	CHENOPODIACEAE	chenopods	A03996	*Maireana schistocarpa*	Split-fruit Bluebush			2010	25	11	44.00	NT	2	0	0.3	2.3
141	91.047	CHENOPODIACEAE	chenopods	A01208	*Maireana scleroptera*	Hard-wing Bluebush			2006	43	19	44.19	NT	2	0	0.3	2.3
142	91.047	CHENOPODIACEAE	chenopods	C01209	*Maireana sedifolia*	Bluebush			2011	2579	460	17.84	NT	2	0	0.3	2.3
143	91.047	CHENOPODIACEAE	chenopods	A03476	*Maireana spongiocarpa*	Spongy-fruit Bluebush			2007	141	100	70.92	LC	1	0	0.3	1.3
144	91.047	CHENOPODIACEAE	chenopods	Z01211	*Maireana tomentosa ssp. urceolata*				2010	84	63	75.00	NT	2	0	0.3	2.3
145	91.047	CHENOPODIACEAE	chenopods	Q01212	*Maireana trichoptera*	Hairy-fruit Bluebush			2010	1294	137	10.59	NT	2	0	0.3	2.3
146	91.047	CHENOPODIACEAE	chenopods	S01213	*Maireana triptera*	Three-wing Bluebush			2010	351	126	35.90	NT	2	0	0.3	2.3
147	91.047	CHENOPODIACEAE	chenopods	U01214	*Maireana turbinata*	Top-fruit Bluebush			2010	656	131	19.97	NT	2	0	0.3	2.3
148	91.047	CHENOPODIACEAE	chenopods	G01227	*Maireana villosa*	Silky Bluebush			2008	135	116	85.93	NT	2	0	0.3	2.3
149	91.047	CHENOPODIACEAE	chenopods	W01215	*Malacocera albolanata*	Woolly Soft-horns			2008	68	64	94.12	LC	1	0	0.3	1.3
150	91.047	CHENOPODIACEAE	chenopods	W00775	*Malacocera biflora*	Two-flower Soft-horns			2000	55	29	52.73	NT	2	0	0.3	2.3
151	91.047	CHENOPODIACEAE	chenopods	A01216	*Malacocera gracilis*	Slender Soft-horns		V	2008	30	9	30.00	RA	3	0	0.3	3.3
152	91.047	CHENOPODIACEAE	chenopods	C01217	*Malacocera tricornis*	Goat-head Soft-horns			2006	158	73	46.20	LC	1	0	0.3	1.3
1637	91.269	MALVACEAE	shrubs	C02085	*Malva preissiana*	Australian Hollyhock			2010	844	214	25.36	LC	1	0	0.3	1.3
1638	91.269	MALVACEAE	shrubs	A02092	*Malvastrum americanum var. americanum*	Malvastrum			2010	668	621	92.96	LC	1	0	0.3	1.3
1720	91.371	ASCLEPIADACEAE	shrubs	Q02488	*Marsdenia australis*	Native Pear			2010	560	421	75.18	NT	2	0	0.3	2.3
693	74.04	MARSILEACEAE	herbs & forbs	Y00072	*Marsilea costulifera*	Narrow-leaf Nardoo			2010	60	25	41.67	RA	3	0	0.3	3.3
693.1	74.04	MARSILEACEAE	herbs & forbs	G32051	*Marsilea cryptocarpa*	Common Nardoo						#DIV/0!	RA	3	DD	0.0	3.0
694	74.04	MARSILEACEAE	herbs & forbs	E32050	*Marsilea drummondii*	Common Nardoo			2011	288	103	35.76	LC	1	0	0.3	1.3
695	74.04	MARSILEACEAE	herbs & forbs	S00069	*Marsilea exarata*	Swayback Nardoo			2005	75	64	85.33	NT	2	0	0.3	2.3
696	74.04	MARSILEACEAE	herbs & forbs	E00070	*Marsilea hirsuta*	Short-fruit Nardoo			2010	234	189	80.77	NT	2	0	0.3	2.3
1371	91.306	MYRTACEAE	myrtles	W02287	*Melaleuca bracteata*	River Tea-tree			2003	50	47	94.00	RA	3	0	0.3	3.3
1372	91.306	MYRTACEAE	myrtles	M02290	*Melaleuca dissitiflora*				2010	110	107	97.27	RA	3	0	0.3	3.3
1374	91.306	MYRTACEAE	myrtles	A02288	*Melaleuca fulgens ssp. corrugata*	Wrinkled Honey-myrtle		R	2009	28	28	100.00	VU	4	0	0.3	4.3
1376	91.306	MYRTACEAE	myrtles	Q02292	*Melaleuca glomerata*	Inland Paper-bark			2009	444	414	93.24	RA	3	0	0.3	3.3
1377	91.306	MYRTACEAE	myrtles	G05987	*Melaleuca interioris*	Broombush			2010	61	33	54.10	NT	2	0	0.3	2.3
1378	91.306	MYRTACEAE	myrtles	M05830	*Melaleuca lanceolata*	Dryland Tea-tree			2009	1583	61	3.85	LC	1	0	0.3	1.3
1380	91.306	MYRTACEAE	myrtles	M03818	*Melaleuca trichostachya*	Narrow-leaf Honey-myrtle			2004	11	7	63.64	RA	3	0	0.3	3.3
1381	91.306	MYRTACEAE	myrtles	E05986	*Melaleuca uncinata*	Broombush			2009	277	14	5.05	NT	2	0	0.3	2.3
1382	91.306	MYRTACEAE	myrtles	M05590	*Melaleuca xerophila*	Boree			2010	90	40	44.44	NT	2	0	0.3	2.3
1675	91.271	STERCULIACEAE	shrubs	A02120	*Melhania oblongifolia*	Velvet Hibiscus			2010	48	45	93.75	NT	2	0	0.3	2.3
1698	91.282	VIOLACEAE	shrubs	K02133	*Melicytus dentatus*	Tree Violet			1989	145	1	0.69	DD	0	DD	0.0	0.0
822	91.139	CRUCIFERAE	herbs & forbs	G01447	*Menkea australis*	Fairy Spectacles			2010	94	21	22.34	NT	2	0	0.3	2.3
823	91.139	CRUCIFERAE	herbs & forbs	Y01448	*Menkea crassa*	Fat Spectacles			2008	113	90	79.65	NT	2	0	0.3	2.3
824	91.139	CRUCIFERAE	herbs & forbs	K01449	*Menkea lutea*			R	1997	8	5	62.50	VU	4	DD	0.0	4.0
825	91.139	CRUCIFERAE	herbs & forbs	U01450	*Menkea sphaerocarpa*				2009	67	46	68.66	LC	1	0	0.3	1.3
826	91.139	CRUCIFERAE	herbs & forbs	W01451	*Menkea villosula*				2010	84	66	78.57	NT	2	0	0.3	2.3
1724	91.392	LABIATAE	shrubs	M02602	*Mentha australis*	River Mint			2010	133	69	51.88	NT	2	0	0.3	2.3
1725	91.392	LABIATAE	shrubs	W02607	*Mentha satureioides*	Native Pennyroyal		R	1995	63	7	11.11	EN	5	-	0.4	5.4
1726	91.392	LABIATAE	shrubs	G05555	*Microcorys macredieana*			R	1997	3	3	100.00	VU	4	DD	0.0	4.0
639	91.495	GRAMINEAE	grass	U04890	*Microlaena stipoides var. stipoides*	Weeping Rice-grass			1995	522	2	0.38	VU	4	-	0.4	4.4
1383	91.306	MYRTACEAE	myrtles	M03886	*Micromyrtus fimbrisepala*				1997	36	6	16.67	LC	1	0	0.3	1.3
1384	91.306	MYRTACEAE	myrtles	S02305	*Micromyrtus flaviflora*	Yellow Heath-myrtle			2001	49	43	87.76	LC	1	0	0.3	1.3
356	91.435	COMPOSITAE	daisies	E04454	*Microseris lanceolata*	Yam Daisy			2005	1157	48	4.15	NT	2	0	0.3	2.3
1390	91.514	ORCHIDACEAE	orchids	G05183	*Microtis arenaria*	Notched Onion-orchid			1974	673	1	0.15	RA	3	DD	0.0	3.0
1391	91.514	ORCHIDACEAE	orchids	S06333	*Microtis eremaea*	Slender Onion-orchid		E	1996	5	1	20.00	EN	5	-	0.4	5.4
1392	91.514	ORCHIDACEAE	orchids	Y05028	*Microtis frutetorum*				1996	183	2	1.09	RA	3	-	0.4	3.4
1393	91.514	ORCHIDACEAE	orchids	Q06332	*Microtis parviflora*	Slender Onion-orchid			1987	126	1	0.79	RA	3	0	0.3	3.3
357	91.435	COMPOSITAE	daisies	W06335	*Millotia greevesii ssp. greevesii*	Creeping Millotia			1997	14	9	64.29	NT	2	0	0.3	2.3
358	91.435	COMPOSITAE	daisies	K03525	*Millotia greevesii ssp. helmsii*				1995	35	9	25.71	LC	1	0	0.3	1.3
359	91.435	COMPOSITAE	daisies	Q05048	*Millotia incurva*				1995	16	3	18.75	RA	3	DD	0.0	3.0
360	91.435	COMPOSITAE	daisies	C03221	*Millotia macrocarpa*	Large-fruit Millotia			1883	28	1	3.57	DD	0	DD	0.0	0.0
362	91.435	COMPOSITAE	daisies	E03222	*Millotia myosotidifolia*	Broad-leaf Millotia			1996	682	34	4.99	NT	2	0	0.3	2.3
363	91.435	COMPOSITAE	daisies	A03344	*Millotia perpusilla*	Tiny Bow-flower			1996	115	9	7.83	NT	2	0	0.3	2.3
364	91.435	COMPOSITAE	daisies	G03223	*Millotia tenuifolia var. tenuifolia*	Soft Millotia			1995	705	5	0.71	NT	2	-	0.4	2.4
1043	91.4	SCROPHULARIACEAE	herbs & forbs	G02723	*Mimulus gracilis*	Slender Monkey-flower			2011	20	10	50.00	RA	3	0	0.3	3.3
1044	91.4	SCROPHULARIACEAE	herbs & forbs	K02725	*Mimulus prostratus*	Small Monkey-flower		R	2011	23	20	86.96	NT	2	0	0.3	2.3
1045	91.4	SCROPHULARIACEAE	herbs & forbs	M02726	*Mimulus repens*	Creeping Monkey-flower			2011	160	22	13.75	RA	3	0	0.3	3.3
365	91.435	COMPOSITAE	daisies	Y03224	*Minuria annua*	Annual Minuria			2010	79	48	60.76	NT	2	0	0.3	2.3
366	91.435	COMPOSITAE	daisies	K03225	*Minuria cunninghamii*	Bush Minuria			2010	684	275	40.20	LC	1	0	0.3	1.3
367	91.435	COMPOSITAE	daisies	M03226	*Minuria denticulata*	Woolly Minuria			2011	614	503	81.92	LC	1	0	0.3	1.3
368	91.435	COMPOSITAE	daisies	Z03227	*Minuria integerrima*	Smooth Minuria			2011	216	157	72.69	LC	1	0	0.3	1.3
369	91.435	COMPOSITAE	daisies	Q03228	*Minuria leptophylla*	Minnie Daisy			2011	1155	199	17.23	LC	1	0	0.3	1.3
371	91.435	COMPOSITAE	daisies	S03229	*Minuria rigida*				2010	281	270	96.09	LC	1	0	0.3	1.3
29	91.04	AIZOACEAE	chenopods	Q01028	*Mollugo cerviana*	Wire-stem Chickweed			2011	106	79	74.53	LC	1	0	0.3	1.3
911	91.302	CUCURBITACEAE	herbs & forbs	Y02192	*Momordica balsamina*	Balsam Apple			1997	9	6	66.67	RA	3	0	0.3	3.3
640	91.495	GRAMINEAE	grass	A00184	*Monachather paradoxus*	Bandicoot Grass			2010	437	309	70.71	LC	1	0	0.3	1.3
1566	91.204	EUPHORBIACEAE	shrubs	M01942	*Monotaxis luteiflora*				2009	3	3	100.00	VU	4	DD	0.0	4.0
701	91.032	POLYGONACEAE	herbs & forbs	Z00975	*Muehlenbeckia coccoloboides*	Sandhill Lignum			2008	93	78	83.87	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
702	91.032	POLYGONACEAE	herbs & forbs	Q00976	*Muehlenbeckia florulenta*	Lignum			2011	1205	492	40.83	LC	1	0	0.3	1.3
1237	91.182	LEGUMINOSAE	legumes	Q01732	*Muelleranthus stipularis*	Sand Pea			2011	41	30	73.17	NT	2	0	0.3	2.3
1905	91.451	LILIACEAE	shrubs	G04931	*Murchisonia volubilis*				2005	65	11	16.92	NT	2	0	0.3	2.3
1822	91.415	MYOPORACEAE	shrubs	Q03836	*Myoporum brevipes*	Warty Boobialla			2011	213	13	6.10	RA	3	0	0.3	3.3
1824	91.415	MYOPORACEAE	shrubs	M02806	*Myoporum montanum*	Native Myrtle			2010	696	285	40.95	NT	2	0	0.3	2.3
1826	91.415	MYOPORACEAE	shrubs	S05357	*Myoporum platycarpum ssp. platycarpum*	False Sandalwood			2010	820	54	6.59	NT	2	0	0.3	2.3
779	91.08	RANUNCULACEAE	herbs & forbs	Q01328	*Myosurus minimus var. australis*	Mousetail			2007	86	30	34.88	RA	3	0	0.3	3.3
372	91.435	COMPOSITAE	daisies	A04460	*Myriocephalus pluriflorus*	Inland Woolly-heads			2008	41	24	58.54	NT	2	DD	0.0	2.0
373	91.435	COMPOSITAE	daisies	G03231	*Myriocephalus rhizocephalus*	Woolly-heads			2005	86	12	13.95	RA	3	-	0.4	3.4
374	91.435	COMPOSITAE	daisies	Q06244	*Myriocephalus rudallii*	Small Poached-egg Daisy			2010	48	40	83.33	NT	2	0	0.3	2.3
375	91.435	COMPOSITAE	daisies	S06245	*Myriocephalus squamatus*	Small Poached-egg Daisy			1989	12	7	58.33	RA	3	DD	0.0	3.0
933	91.322	HALORAGACEAE	herbs & forbs	S02349	*Myriophyllum verrucosum*	Red Milfoil			2011	213	49	23.00	NT	2	0	0.3	2.3
153	91.047	CHENOPODIACEAE	chenopods	C01321	*Neobassia proceriflora*	Desert Glasswort			2008	255	237	92.94	LC	1	0	0.3	1.3
1238	91.182	LEGUMINOSAE	legumes	U01734	*Neptunia dimorphantha*				2008	58	54	93.10	NT	2	0	0.3	2.3
642	91.495	GRAMINEAE	grass	Y00436	*Neurachne lanigera*	Woolly Mulga-grass		R	1996	3	3	100.00	VU	4	-	0.4	4.4
643	91.495	GRAMINEAE	grass	K00437	*Neurachne munroi*	Window Mulga-grass			2010	65	46	70.77	NT	2	0	0.3	2.3
1029	91.387	CHLOANTHACEAE	herbs & forbs	M02582	*Newcastelia bracteosa*				1997	35	20	57.14	NT	2	0	0.3	2.3
1030	91.387	CHLOANTHACEAE	herbs & forbs	Z02583	*Newcastelia cephalantha var. cephalantha*				2008	43	30	69.77	NT	2	0	0.3	2.3
1031	91.387	CHLOANTHACEAE	herbs & forbs	M32266	*Newcastelia cephalantha var. oblonga*				2007	4	3	75.00	RA	3	DD	0.0	3.0
1032	91.387	CHLOANTHACEAE	herbs & forbs	G03559	*Newcastelia cephalantha var. tephropepla*				1985	14	13	92.86	NT	2	DD	0.0	2.0
1033	91.387	CHLOANTHACEAE	herbs & forbs	Q02584	*Newcastelia spodiotricha*				2001	22	16	72.73	NT	2	DD	0.0	2.0
1744	91.395	SOLANACEAE	shrubs	G04907	*Nicotiana burbidgeae*			V	1992	6	6	100.00	VU	4	0	0.3	4.3
1745	91.395	SOLANACEAE	shrubs	Z02663	*Nicotiana excelsior*	Native Tobacco			2009	92	67	72.83	NT	2	0	0.3	2.3
1746	91.395	SOLANACEAE	shrubs	S02665	*Nicotiana goodspeedii*	Small-flower Tobacco			2007	451	5	1.11	NT	2	0	0.3	2.3
1747	91.395	SOLANACEAE	shrubs	U02666	*Nicotiana gossei*	Native Tobacco			2009	32	28	87.50	NT	2	0	0.3	2.3
1749	91.395	SOLANACEAE	shrubs	C02669	*Nicotiana occidentalis ssp. obliqua*	Western Tobacco			2010	127	80	62.99	NT	2	0	0.3	2.3
1750	91.395	SOLANACEAE	shrubs	Q03420	*Nicotiana rosulata ssp. ingulba*				2001	2	2	100.00	RA	3	DD	0.0	3.0
1751	91.395	SOLANACEAE	shrubs	E03362	*Nicotiana rosulata ssp. rosulata*				2003	12	4	33.33	RA	3	DD	0.0	3.0
1752	91.395	SOLANACEAE	shrubs	M02670	*Nicotiana simulans*	Native Tobacco			2010	251	190	75.70	LC	1	0	0.3	1.3
1753	91.395	SOLANACEAE	shrubs	S05605	*Nicotiana truncata*			R	2007	27	25	92.59	RA	3	0	0.3	3.3
1754	91.395	SOLANACEAE	shrubs	Z02671	*Nicotiana velutina*	Velvet Tobacco			2011	1046	707	67.59	LC	1	0	0.3	1.3
858	91.197	ZYGOPHYLLACEAE	herbs & forbs	A01884	*Nitraria billardierei*	Nitre-bush			2011	1726	367	21.26	LC	1	+	0.2	1.2
955	91.368	MENYANTHACEAE	herbs & forbs	Y02476	*Nymphoides crenata*	Wavy Marshwort		R	1989	11	2	18.18	EN	5	-	0.4	5.4
376	91.435	COMPOSITAE	daisies	E05926	*Olearia arckaringensis*				2010	28	28	100.00	EN	5	-	0.4	5.4
377	91.435	COMPOSITAE	daisies	Z03543	*Olearia arida*	Desert Daisy-bush		V	1993	3	3	100.00	VU	4	DD	0.0	4.0
379	91.435	COMPOSITAE	daisies	Z03235	*Olearia calcarea*	Crinkle-leaf Daisy-bush			1986	181	1	0.55	RA	3	-	0.4	3.4
380	91.435	COMPOSITAE	daisies	U03238	*Olearia decurrens*	Winged Daisy-bush			2009	950	348	36.63	LC	1	0	0.3	1.3
381	91.435	COMPOSITAE	daisies	K03241	*Olearia ferresii*	Central Australian Daisy-bush			2009	42	39	92.86	RA	3	DD	0.0	3.0
382	91.435	COMPOSITAE	daisies	Q04440	*Olearia incana*	Showy Daisy-bush			1979	19	1	5.26	NE	-1			-1.0
384	91.435	COMPOSITAE	daisies	S05217	*Olearia minor*	Heath Daisy-bush			1994	373	2	0.54	NE	-1			-1.0
385	91.435	COMPOSITAE	daisies	M03250	*Olearia muelleri*	Mueller's Daisy-bush			1999	1297	36	2.78	NT	2	0	0.3	2.3
386	91.435	COMPOSITAE	daisies	U03254	*Olearia picridifolia*	Rasp Daisy-bush		R	1979	162	1	0.62	VU	4	-	0.4	4.4
387	91.435	COMPOSITAE	daisies	Z04951	*Olearia pimeleoides*	Pimelea Daisy-bush			2006	671	85	12.67	LC	1	0	0.3	1.3
388	91.435	COMPOSITAE	daisies	A03256	*Olearia ramulosa*	Twiggy Daisy-bush			2009	2213	37	1.67	NT	2	DD	0.0	2.0
389	91.435	COMPOSITAE	daisies	G03259	*Olearia stuartii*	Stuart's Daisy-bush			2009	138	113	81.88	NT	2	0	0.3	2.3
390	91.435	COMPOSITAE	daisies	Q03260	*Olearia subspicata*	Spiked Daisy-bush			2000	137	30	21.90	RA	3	DD	0.0	3.0
1393.1	91.514	ORCHIDACEAE	orchids		*Oligochaetochilus sp Everard Range*	Mimili Orchid						#DIV/0!	VU	4	DD	0.0	4.0
1016	91.381	BORAGINACEAE	herbs & forbs	G02563	*Omphalolappula concava*	Burr Stickseed			2010	952	479	50.32	LC	1	0	0.3	1.3
968	91.373	RUBIACEAE	herbs & forbs	K02513	*Opercularia turpis*	Twiggy Stinkweed			1995	955	2	0.21	RA	3	0	0.3	3.3
490	74.005	OPHIOGLOSSACEAE	fern	A00028	*Ophioglossum lusitanicum*	Austral Adder's-tongue			2009	326	25	7.67	NT	2	0	0.3	2.3
491	74.005	OPHIOGLOSSACEAE	fern	C00029	*Ophioglossum polyphyllum*	Large Adder's-tongue		R	2001	16	8	50.00	RA	3	DD	0.0	3.0
1062	91.413	OROBANCHACEAE	herbs & forbs	W02755	*Orobanche cernua var. australiana*	Australian Broomrape		R	2010	101	28	27.72	NT	2	0	0.3	2.3
154	91.047	CHENOPODIACEAE	chenopods	M04490	*Osteocarpum acropterum var. acropterum*	Tuberculate Bonefruit			2010	305	157	51.48	LC	1	0	0.3	1.3
155	91.047	CHENOPODIACEAE	chenopods	C02077	*Osteocarpum acropterum var. deminutum*	Wingless Bonefruit		R	1993	15	4	26.67	RA	3	DD	0.0	3.0
156	91.047	CHENOPODIACEAE	chenopods	G03575	*Osteocarpum dipterocarpum*	Two-wing Bonefruit			2010	451	365	80.93	LC	1	0	0.3	1.3
157	91.047	CHENOPODIACEAE	chenopods	Y03576	*Osteocarpum pentapterum*	Five-wing Bonefruit		E	2008	12	10	83.33	VU	4	-	0.4	4.4
158	91.047	CHENOPODIACEAE	chenopods	K01261	*Osteocarpum salsuginosum*	Inland Bonefruit			1996	102	12	11.76	RA	3	0	0.3	3.3
3	91.439	HYDROCHARITACEAE	aquatic	W00115	*Ottelia ovalifolia ssp. ovalifolia*	Swamp Lily		R	1995	10	1	10.00	VU	4	DD	0.0	4.0
1940	91.22	MELIACEAE	trees	S01989	*Owenia acidula*	Sour Plum			2011	71	63	88.73	LC	1	0	0.3	1.3
847	91.188	OXALIDACEAE	herbs & forbs	A06336	*Oxalis perennans*	Native Sorrel			2010	1006	84	8.35	NT	2	0	0.3	2.3
848	91.188	OXALIDACEAE	herbs & forbs	Q03148	*Oxalis radicosa*	Downy Native Sorrel			2000	88	45	51.14	NT	2	0	0.3	2.3
644	91.495	GRAMINEAE	grass	G04307	*Oxychloris scariosa*				1998	13	9	69.23	NT	2	DD	0.0	2.0
392	91.435	COMPOSITAE	daisies	S03105	*Ozothamnus retusus*	Notched Bush-everlasting			2006	494	2	0.40	RA	3	DD	0.0	3.0
393	91.435	COMPOSITAE	daisies	K03533	*Ozothamnus scaber*	Rough Bush-everlasting		V	2009	46	22	47.83	VU	4	-	0.4	4.4
1054	91.403	BIGNONIACEAE	herbs & forbs	C04833	*Pandorea pandorana*	Spearwood			2008	68	55	80.88	NT	2	0	0.3	2.3
645	91.495	GRAMINEAE	grass	W00407	*Panicum decompositum var. decompositum*	Native Millet			2010	359	338	94.15	LC	1	0	0.3	1.3
646	91.495	GRAMINEAE	grass	A00408	*Panicum effusum var. effusum*	Hairy Panic			2007	258	54	20.93	LC	1	0	0.3	1.3
647	91.495	GRAMINEAE	grass	A04312	*Panicum laevinode*				2010	89	77	86.52	NT	2	0	0.3	2.3
499	74.018	ADIANTACEAE	fern	A00044	*Paraceterach reynoldsii*	Scaly Rock-fern			2009	108	99	91.67	NT	2	0	0.3	2.3
648	91.495	GRAMINEAE	grass	Q00412	*Paractaenum novae-hollandiae ssp. reversum*	Barbed-wire Grass			2010	196	129	65.82	LC	1	0	0.3	1.3
649	91.495	GRAMINEAE	grass	A00424	*Paractaenum refractum*	Bristle-brush Grass			2011	225	175	77.78	LC	1	0	0.3	1.3
650	91.495	GRAMINEAE	grass	M00438	*Paraneurachne muelleri*	northern Mulga-grass			2011	38	37	97.37	NT	2	0	0.3	2.3
698	91.018	URTICACEAE	herbs & forbs	U05762	*Parietaria australis*	Smooth-nettle			1998	42	15	35.71	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
699	91.018	URTICACEAE	herbs & forbs	G04551	*Parietaria cardiostegia*	Mallee Smooth-nettle			2010	253	28	11.07	NT	2	0	0.3	2.3
700	91.018	URTICACEAE	herbs & forbs	S05761	*Parietaria debilis*	Smooth-nettle			2009	354	68	19.21	LC	1	0	0.3	1.3
857	91.191	GERANIACEAE	herbs & forbs	S01881	*Pelargonium littorale*	Native Pelargonium			1996	386	3	0.78	VU	4	DD	0.0	4.0
1046	91.4	SCROPHULARIACEAE	herbs & forbs	E04974	*Peplidium aithocheilum*				2011	18	18	100.00	NT	2	0	0.3	2.3
1047	91.4	SCROPHULARIACEAE	herbs & forbs	G03743	*Peplidium foecundum*	Dwarf Peplidium			2010	23	20	86.96	NT	2	0	0.3	2.3
1048	91.4	SCROPHULARIACEAE	herbs & forbs	C03733	*Peplidium sp. Marla (W.R.Barker 3535)*				2011	9	9	100.00	RA	3	0	0.3	3.3
651	91.495	GRAMINEAE	grass	W00379	*Perotis rara*	Comet Grass			2001	4	1	25.00	RA	3	DD	0.0	3.0
703	91.032	POLYGONACEAE	herbs & forbs	Y00980	*Persicaria attenuata ssp. attenuata*				1989	4	3	75.00	RA	3	0	0.3	3.3
704	91.032	POLYGONACEAE	herbs & forbs	Y06284	*Persicaria decipiens*	Slender Knotweed			1974	152	3	1.97	VU	4	-	0.4	4.4
704.1	91.032	POLYGONACEAE	herbs & forbs	Q00984	*Persicaria glabra*				1934	4	4	100.00	RA	3	DD	0.0	3.0
705	91.032	POLYGONACEAE	herbs & forbs	U00986	*Persicaria lapathifolia*	Pale Knotweed			1995	132	6	4.55	NT	2	0	0.3	2.3
706	91.032	POLYGONACEAE	herbs & forbs	S01301	*Persicaria prostrata*	Creeping Knotweed			1989	142	1	0.70	RA	3	DD	0.0	3.0
1240	91.182	LEGUMINOSAE	legumes	S03781	*Petalostylis cassioides*	Cassia Butterfly Bush			2009	37	33	89.19	LC	1	0	0.3	1.3
1241	91.182	LEGUMINOSAE	legumes	A01736	*Petalostylis labicheoides*	Butterfly Bush			2009	156	141	90.38	NT	2	0	0.3	2.3
1586	91.212	RUTACEAE	shrubs	C04013	*Philotheca angustifolia ssp. angustifolia*	Narrow-leaf Wax-flower		R	2009	292	52	17.81	NT	2	-	0.4	2.4
1587	91.212	RUTACEAE	shrubs	S04725	*Philotheca difformis ssp. difformis*	Small-leaf Wax-flower		V	2009	5	4	80.00	EN	5	DD	0.0	5.0
1588	91.212	RUTACEAE	shrubs	E01974	*Philotheca linearis*	Narrow-leaf Wax-flower			2009	207	41	19.81	RA	3	0	0.3	3.3
827	91.139	CRUCIFERAE	herbs & forbs	A01460	*Phlegmatospermum cochlearinum*	Downy Cress			2010	176	85	48.30	NT	2	0	0.3	2.3
828	91.139	CRUCIFERAE	herbs & forbs	C01461	*Phlegmatospermum eremaeum*	Spreading Cress		R	1987	38	2	5.26	DD	0	DD	0.0	0.0
652	91.495	GRAMINEAE	grass	Y00160	*Phragmites australis*	Common Reed			2004	733	96	13.10	RA	3	0	0.3	3.3
652.1	91.495	GRAMINEAE	grass	K00161	*Phragmites vallatoria*	Tropical Reed						#DIV/0!	VU	4	-	0.4	4.4
1718	91.362	LOGANIACEAE	shrubs	S05585	*Phyllangium sulcatum*			V	1996	16	2	12.50	VU	4	DD	0.0	4.0
1567	91.204	EUPHORBIACEAE	shrubs	Q01944	*Phyllanthus calycinus*	Snowdrop Spurge		R	1996	43	2	4.65	VU	4	DD	0.0	4.0
1568	91.204	EUPHORBIACEAE	shrubs	S01945	*Phyllanthus fuernrohrii*	Sand Spurge			2010	152	128	84.21	LC	1	0	0.3	1.3
1569	91.204	EUPHORBIACEAE	shrubs	W06343	*Phyllanthus lacunarius*	Lagoon Spurge			2009	109	82	75.23	NT	2	0	0.3	2.3
1570	91.204	EUPHORBIACEAE	shrubs	A06344	*Phyllanthus lacunellus*	Lagoon Spurge			2010	5	5	100.00	RA	3	DD	0.0	3.0
1571	91.204	EUPHORBIACEAE	shrubs	A01948	*Phyllanthus maderaspatensis var. angustifolius*				2008	8	6	75.00	RA	3	DD	0.0	3.0
1572	91.204	EUPHORBIACEAE	shrubs	Z00543	*Phyllanthus oblanceolatus*	Sandhill Spurge			1999	5	5	100.00	RA	3	DD	0.0	3.0
1573	91.204	EUPHORBIACEAE	shrubs	C01949	*Phyllanthus saxosus*	Rock Spurge			2009	129	29	22.48	NT	2	0	0.3	2.3
394	91.435	COMPOSITAE	daisies	A03548	*Picris angustifolia ssp. angustifolia*	Coast Picris			1989	112	2	1.79	RA	3	DD	0.0	3.0
697	74.04	MARSILEACEAE	herbs & forbs	M00074	*Pilularia novae-hollandiae*	Austral Pillwort		R	1989	24	2	8.33	VU	4	-	0.4	4.4
1679	91.276	THYMELAEACEAE	shrubs	Z03827	*Pimelea elongata*				2010	18	17	94.44	NT	2	0	0.3	2.3
1680	91.276	THYMELAEACEAE	shrubs	U03782	*Pimelea flava ssp. dichotoma*	Diosma Riceflower			1995	786	2	0.25	RA	3	0	0.3	3.3
1682	91.276	THYMELAEACEAE	shrubs	M02274	*Pimelea imbricata var. petraea*	Rock Woolly Riceflower			1999	99	21	21.21	LC	1	0	0.3	1.3
1684	91.276	THYMELAEACEAE	shrubs	Q03772	*Pimelea micrantha*	Silky Riceflower			1999	358	10	2.79	NT	2	0	0.3	2.3
1685	91.276	THYMELAEACEAE	shrubs	G03779	*Pimelea microcephala ssp. glabra*	Shrubby Riceflower			1978	10	7	70.00	RA	3	DD	0.0	3.0
1686	91.276	THYMELAEACEAE	shrubs	M02134	*Pimelea microcephala ssp. microcephala*	Shrubby Riceflower			2011	988	272	27.53	NT	2	0	0.3	2.3
1687	91.276	THYMELAEACEAE	shrubs	Z02135	*Pimelea octophylla*	Woolly Riceflower			1999	877	3	0.34	VU	4	DD	0.0	4.0
1688	91.276	THYMELAEACEAE	shrubs	Q02136	*Pimelea penicillaris*	Sandhill Riceflower		R	2008	33	21	63.64	VU	4	0	0.3	4.3
1689	91.276	THYMELAEACEAE	shrubs	U02138	*Pimelea petrophila*	Rock Riceflower			2005	222	78	35.14	NT	2	0	0.3	2.3
1691	91.276	THYMELAEACEAE	shrubs	C03777	*Pimelea simplex ssp. continua*	Desert Riceflower			2010	133	89	66.92	LC	1	0	0.3	1.3
1692	91.276	THYMELAEACEAE	shrubs	K02141	*Pimelea simplex ssp. simplex*	Desert Riceflower			2010	456	239	52.41	LC	1	0	0.3	1.3
1693	91.276	THYMELAEACEAE	shrubs	M02142	*Pimelea stricta*	Erect Riceflower			1995	910	10	1.10	NT	2	0	0.3	2.3
1694	91.276	THYMELAEACEAE	shrubs	Z02143	*Pimelea trichostachya*	Spiked Riceflower			2010	216	121	56.02	LC	1	0	0.3	1.3
1549	91.173	PITTOSPORACEAE	shrubs	A01508	*Pittosporum angustifolium*	Native Apricot			2010	3275	631	19.27	LC	1	0	0.3	1.3
1017	91.381	BORAGINACEAE	herbs & forbs	Y02564	*Plagiobothrys elachanthus*	Hairy Forget-me-not			1989	7	2	28.57	RA	3	0	0.3	3.3
1018	91.381	BORAGINACEAE	herbs & forbs	M02566	*Plagiobothrys plurisepaleus*	White Rochelia			2010	221	84	38.01	NT	2	0	0.3	2.3
1065	91.417	PLANTAGINACEAE	herbs & forbs	K02813	*Plantago cunninghamii*	Clay Plantain			2010	107	14	13.08	NT	2	0	0.3	2.3
1066	91.417	PLANTAGINACEAE	herbs & forbs	M02814	*Plantago debilis*	Shade Plantain			1999	37	9	24.32	RA	3	0	0.3	3.3
1067	91.417	PLANTAGINACEAE	herbs & forbs	Z02815	*Plantago drummondii*	Dark Plantain			2010	1087	588	54.09	LC	1	0	0.3	1.3
1069	91.417	PLANTAGINACEAE	herbs & forbs	S02817	*Plantago hispida*	Hairy Plantain			1999	309	21	6.80	LC	1	0	0.3	1.3
1070	91.417	PLANTAGINACEAE	herbs & forbs	Y01384	*Plantago multiscapa*	Many-stem Plantain		V	1974	6	2	33.33	RA	3	DD	0.0	3.0
1072	91.417	PLANTAGINACEAE	herbs & forbs	G02803	*Plantago turrifera*	Crowned Plantain			1998	55	23	41.82	RA	3	-	0.4	3.4
1073	91.417	PLANTAGINACEAE	herbs & forbs	K02821	*Plantago varia*	Variable Plantain			1996	169	9	5.33	RA	3	0	0.3	3.3
1727	91.392	LABIATAE	shrubs	Z02611	*Plectranthus intraterraneus*	Inland Spur-flower			2010	101	83	82.18	LC	1	0	0.3	1.3
503	74.029	ASPLENIACEAE	fern	Y03876	*Pleurosorus rutifolius*	Blanket Fern			2009	509	152	29.86	NT	2	0	0.3	2.3
504	74.029	ASPLENIACEAE	fern	A00052	*Pleurosorus subglandulosus*	Clubbed Blanket Fern			1998	38	21	55.26	RA	3	DD	0.0	3.0
396	91.435	COMPOSITAE	daisies	A03272	*Pluchea dentex*	Bowl Daisy			2010	104	102	98.08	NT	2	0	0.3	2.3
397	91.435	COMPOSITAE	daisies	Z04759	*Pluchea dunlopii*	Pink Plains-bush			2011	50	46	92.00	LC	1	0	0.3	1.3
398	91.435	COMPOSITAE	daisies	C03273	*Pluchea rubelliflora*				2010	75	67	89.33	NT	2	0	0.3	2.3
654	91.495	GRAMINEAE	grass	U00246	*Poa crassicaudex*	Thick-stem Tussock-grass			1993	808	13	1.61	VU	4	-	0.4	4.4
655	91.495	GRAMINEAE	grass	A00248	*Poa fax*	Scaly Poa		R	1995	105	6	5.71	RA	3	DD	0.0	3.0
656	91.495	GRAMINEAE	grass	C00249	*Poa fordeana*	Forde's Poa			1994	61	5	8.20	RA	3	DD	0.0	3.0
657	91.495	GRAMINEAE	grass	Z00251	*Poa labillardieri var. labillardieri*	Common Tussock-grass			1999	463	6	1.30	VU	4	-	0.4	4.4
400	91.435	COMPOSITAE	daisies	M03278	*Podolepis canescens*	Grey Copper-wire Daisy			2001	392	144	36.73	NT	2	0	0.3	2.3
401	91.435	COMPOSITAE	daisies	Z03279	*Podolepis capillaris*	Wiry Podolepis			2010	1292	314	24.30	LC	1	0	0.3	1.3
402	91.435	COMPOSITAE	daisies	K04449	*Podolepis davisiana*	Button Podolepis			2010	56	20	35.71	RA	3	-	0.4	3.4
403	91.435	COMPOSITAE	daisies	C03281	*Podolepis jaceoides*	Showy Copper-wire Daisy		R	2005	154	10	6.49	VU	4	-	0.4	4.4
404	91.435	COMPOSITAE	daisies	U04126	*Podolepis longipedata*	Tall Copper-wire Daisy			2005	9	1	11.11	RA	3	DD	0.0	3.0
405	91.435	COMPOSITAE	daisies	E03282	*Podolepis muelleri*	Button Podolepis		V	1996	62	9	14.52	VU	4	-	0.4	4.4
406	91.435	COMPOSITAE	daisies	G03283	*Podolepis rugata var. rugata*	Pleated Copper-wire Daisy			1995	355	2	0.56	NE	-1			-1.0
407	91.435	COMPOSITAE	daisies	U04450	*Podolepis tepperi*	Delicate Copper-wire Daisy			1996	470	1	0.21	RA	3	0	0.3	3.3
409	91.435	COMPOSITAE	daisies	U01346	*Pogonolepis muelleriana*	Stiff Cup-flower			1996	602	5	0.83	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
410	91.435	COMPOSITAE	daisies	K03233	*Polycalymma stuartii*	Poached-egg Daisy			2011	987	652	66.06	LC	1	0	0.3	1.3
729	91.044	CARYOPHYLLACEAE	herbs & forbs	S03449	*Polycarpaea arida*				2011	76	60	78.95	NT	2	0	0.3	2.3
730	91.044	CARYOPHYLLACEAE	herbs & forbs	K03453	*Polycarpaea breviflora*				1997	19	16	84.21	RA	3	DD	0.0	3.0
1591	91.227	POLYGALACEAE	shrubs	K03437	*Polygala isingii*	Central Australian Milkwort			2010	13	11	84.62	NT	2	0	0.3	2.3
707	91.032	POLYGONACEAE	herbs & forbs	C00989	*Polygonum plebeium*	Small Knotweed			2010	175	52	29.71	LC	1	0	0.3	1.3
1608	91.263	RHAMNACEAE	shrubs	Y05088	*Pomaderris paniculosa ssp. paniculosa*	Mallee Pomaderris			1990	755	2	0.26	VU	4	-	0.4	4.4
969	91.373	RUBIACEAE	herbs & forbs	Z02515	*Pomax umbellata*	Pomax			2009	302	123	40.73	NT	2	0	0.3	2.3
1575	91.204	EUPHORBIACEAE	shrubs	W30087	*Poranthera leiosperma*	Small Poranthera			1996	19	5	26.32	NT	2	0	0.3	2.3
1576	91.204	EUPHORBIACEAE	shrubs	U30086	*Poranthera microphylla*	Small Poranthera			1998	309	1	0.32	RA	3	0	0.3	3.3
726	91.042	PORTULACACEAE	herbs & forbs	Q02884	*Portulaca filifolia*	Slender Purslane			2010	51	50	98.04	LC	1	0	0.3	1.3
727	91.042	PORTULACACEAE	herbs & forbs	Q01060	*Portulaca intraterranea*	Buttercup Purslane			2009	297	292	98.32	LC	1	0	0.3	1.3
728	91.042	PORTULACACEAE	herbs & forbs	U01062	*Portulaca oleracea*	Common Purslane			2010	851	721	84.72	LC	1	0	0.3	1.3
4	91.444	POTAMOGETONACEAE	aquatic	Z00091	*Potamogeton crispus*	Curly Pondweed			1994	104	3	2.88	VU	4	DD	0.0	4.0
5	91.444	POTAMOGETONACEAE	aquatic	Q00092	*Potamogeton ochreatus*	Blunt Pondweed		R	1995	69	2	2.90	VU	4	-	0.4	4.4
6	91.444	POTAMOGETONACEAE	aquatic	S00093	*Potamogeton pectinatus*	Fennel Pondweed			1997	108	22	20.37	RA	3	0	0.3	3.3
6.1	91.444	POTAMOGETONACEAE	aquatic	W00095	*Potamogeton tricarinatus*	Floating Pondweed			1961	43	1	2.33	NT	2	0	0.3	2.3
1395	91.514	ORCHIDACEAE	orchids	A00820	*Prasophyllum elatum*	Tall Leek-orchid			1995	167	3	1.80	RA	3	DD	0.0	3.0
1396	91.514	ORCHIDACEAE	orchids	Q05188	*Prasophyllum occidentale*	Plains Leek-orchid			1995	151	3	1.99	RA	3	-	0.4	3.4
1397	91.514	ORCHIDACEAE	orchids	A30116	*Prasophyllum odoratum*	Scented Leek-orchid			1981	166	1	0.60	RA	3	-	0.4	3.4
1728	91.392	LABIATAE	shrubs	M04378	*Prostanthera althoferi ssp. longifolia*				2003	91	17	18.68	NT	2	0	0.3	2.3
1729	91.392	LABIATAE	shrubs	S02621	*Prostanthera nudula*	Mount Illbillee Mintbush	VU	V	2009	34	31	91.18	VU	4	0	0.3	4.3
1731	91.392	LABIATAE	shrubs	A02624	*Prostanthera spinosa*	Spiny Mintbush			2005	318	21	6.60	NT	2	-	0.4	2.4
1732	91.392	LABIATAE	shrubs	C02625	*Prostanthera striatiflora*	Striated Mintbush			2010	674	435	64.54	LC	1	0	0.3	1.3
1733	91.392	LABIATAE	shrubs	E02626	*Prostanthera wilkieana*				2001	48	22	45.83	NT	2	0	0.3	2.3
659	91.495	GRAMINEAE	grass	C00425	*Pseudoraphis spinescens*	Spiny Mud-grass			1997	48	10	20.83	RA	3	0	0.3	3.3
970	91.373	RUBIACEAE	herbs & forbs	W03943	*Psydrax ammophila*				2005	22	22	100.00	RA	3	0	0.3	3.3
971	91.373	RUBIACEAE	herbs & forbs	Z02495	*Psydrax latifolia*	Broad-leaf Native Currant			2011	14	14	100.00	NT	2	0	0.3	2.3
972	91.373	RUBIACEAE	herbs & forbs	Q02496	*Psydrax suaveolens*	Narrow-leaf Native Currant			2010	14	11	78.57	RA	3	DD	0.0	3.0
500	74.023	PTERIDACEAE	fern	G00063	*Pteris tremula*	Tender Brake		R	1994	62	11	17.74	VU	4	-	0.4	4.4
411	91.435	COMPOSITAE	daisies	K03269	*Pterocaulon serrulatum*	Scented Apple-bush			1994	8	8	100.00	RA	3	DD	0.0	3.0
412	91.435	COMPOSITAE	daisies	E03290	*Pterocaulon sphacelatum*	Apple-bush			2010	662	595	89.88	LC	1	0	0.3	1.3
1398	91.514	ORCHIDACEAE	orchids	A32068	*Pterostylis biseta*	Two-bristle Greenhood			2005	89	8	8.99	RA	3	DD	0.0	3.0
1399	91.514	ORCHIDACEAE	orchids	G05191	*Pterostylis boormanii*	Boorman's Greenhood			1996	58	8	13.79	VU	4	-	0.4	4.4
1399.1	91.514	ORCHIDACEAE	orchids	U06174	*Pterostylis excelsa*	Dryland Greenhood			2011	73	1	1.37	VU	4	-	0.4	4.4
1400	91.514	ORCHIDACEAE	orchids	K06293	*Pterostylis lingua*			E	2003	1	1	100.00	EN	5	-	0.4	5.4
1401	91.514	ORCHIDACEAE	orchids	M00842	*Pterostylis mutica*	Midget Greenhood			1995	337	9	2.67	NT	2	-	0.4	2.4
1402	91.514	ORCHIDACEAE	orchids	Z00843	*Pterostylis nana*	Dwarf Greenhood			1995	943	15	1.59	RA	3	DD	0.0	3.0
1403	91.514	ORCHIDACEAE	orchids	A00848	*Pterostylis plumosa*	Bearded Greenhood			1996	252	1	0.40	RA	3	DD	0.0	3.0
1405	91.514	ORCHIDACEAE	orchids	A03960	*Pterostylis pusilla*	Small Rusty-hood			1996	214	4	1.87	NT	2	-	0.4	2.4
1406	91.514	ORCHIDACEAE	orchids	S03669	*Pterostylis robusta*	Large Shell-orchid			1979	292	2	0.68	RA	3	-	0.4	3.4
1407	91.514	ORCHIDACEAE	orchids	G05087	*Pterostylis sanguinea*	Blood Greenhood			1995	525	5	0.95	RA	3	-	0.4	3.4
1408	91.514	ORCHIDACEAE	orchids	W32067	*Pterostylis viriosa*				1979	22	2	9.09	RA	3	-	0.4	3.4
750	91.049	AMARANTHACEAE	herbs & forbs	M05506	*Ptilotus aervoides*				1997	4	4	100.00	RA	3	DD	0.0	3.0
751	91.049	AMARANTHACEAE	herbs & forbs	Q32240	*Ptilotus aristatus ssp. aristatus*			R	1932	1	1	100.00	RA	3	0	0.3	3.3
752	91.049	AMARANTHACEAE	herbs & forbs	Z04379	*Ptilotus barkeri*	Barker's Mulla Mulla		R	2009	35	30	85.71	RA	3	0	0.3	3.3
754	91.049	AMARANTHACEAE	herbs & forbs	U32250	*Ptilotus clementii*	Tassel Top			2009	2	2	100.00	RA	3	DD	0.0	3.0
755	91.049	AMARANTHACEAE	herbs & forbs	G01295	*Ptilotus decipiens*				2010	90	69	76.67	NT	2	0	0.3	2.3
756	91.049	AMARANTHACEAE	herbs & forbs	M32054	*Ptilotus disparilis*	Small-leaf Mulla Mulla			2001	4	4	100.00	VU	4	DD	0.0	4.0
758	91.049	AMARANTHACEAE	herbs & forbs	Z01299	*Ptilotus gaudichaudii ssp. gaudichaudii*	Paper Fox-tail			2010	70	36	51.43	LC	1	0	0.3	1.3
759	91.049	AMARANTHACEAE	herbs & forbs	Y01940	*Ptilotus gaudichaudii ssp. parviflorus*	Paper Fox-tail			2010	1	1	100.00	RA	3	DD	0.0	3.0
760	91.049	AMARANTHACEAE	herbs & forbs	Q01300	*Ptilotus helipteroides*	Hairy Mulla Mulla			2001	36	29	80.56	NT	2	0	0.3	2.3
761	91.049	AMARANTHACEAE	herbs & forbs	A32252	*Ptilotus incanus*				1995	14	13	92.86	NT	2	0	0.3	2.3
762	91.049	AMARANTHACEAE	herbs & forbs	A01304	*Ptilotus latifolius*	Tangled Mulla Mulla			2008	53	49	92.45	NT	2	0	0.3	2.3
763	91.049	AMARANTHACEAE	herbs & forbs	C01305	*Ptilotus macrocephalus*	Feather-heads			2008	130	36	27.69	NT	2	0	0.3	2.3
764	91.049	AMARANTHACEAE	herbs & forbs	C32253	*Ptilotus murrayi*				2011	6	5	83.33	NT	2	0	0.3	2.3
765	91.049	AMARANTHACEAE	herbs & forbs	S32241	*Ptilotus nobilis ssp. nobilis*	Yellow-tails			2010	5	5	100.00	LC	1	0	0.3	1.3
766	91.049	AMARANTHACEAE	herbs & forbs	K32257	*Ptilotus obovatus*				2010	82	56	68.29	LC	1	0	0.3	1.3
767	91.049	AMARANTHACEAE	herbs & forbs	K32053	*Ptilotus parvifolius*	Small-leaf Mulla Mulla			2003	30	16	53.33	RA	3	DD	0.0	3.0
768	91.049	AMARANTHACEAE	herbs & forbs	M04918	*Ptilotus polystachyus*	Long-tails			2010	344	204	59.30	LC	1	0	0.3	1.3
769	91.049	AMARANTHACEAE	herbs & forbs	Q32056	*Ptilotus propinquus*				2009	14	14	100.00	RA	3	0	0.3	3.3
770	91.049	AMARANTHACEAE	herbs & forbs	Q03448	*Ptilotus pseudohelipteroides*	Hairy Mulla Mulla			1998	4	2	50.00	NT	2	0	0.3	2.3
771	91.049	AMARANTHACEAE	herbs & forbs	W32059	*Ptilotus remotiflorus*				2011	5	5	100.00	RA	3	0	0.3	3.3
772	91.049	AMARANTHACEAE	herbs & forbs	Y04984	*Ptilotus schwartzii*	Horse mulla mulla		R	1998	2	2	100.00	RA	3	DD	0.0	3.0
773	91.049	AMARANTHACEAE	herbs & forbs	A01292	*Ptilotus sessilifolius*	Crimson-tails			2010	297	260	87.54	LC	1	0	0.3	1.3
774	91.049	AMARANTHACEAE	herbs & forbs	U32242	*Ptilotus spathulatus*	Pussy-tails			2005	56	2	3.57	NT	2	0	0.3	2.3
775	91.049	AMARANTHACEAE	herbs & forbs	U02234	*Ptilotus whitei*	Small-leaf Mulla Mulla			2009	24	24	100.00	RA	3	DD	0.0	3.0
1242	91.182	LEGUMINOSAE	legumes	E01746	*Ptychosema anomalum*				2001	2	2	100.00	RA	3	DD	0.0	3.0
660	91.495	GRAMINEAE	grass	A32164	*Puccinellia stricta*	Australian Saltmarsh-grass			1921	114	1	0.88	DD	0	DD	0.0	0.0
1243	91.182	LEGUMINOSAE	legumes	Y01756	*Pultenaea largiflorens*	Twiggy Bush-pea			2009	1144	34	2.97	VU	4	-	0.4	4.4
414	91.435	COMPOSITAE	daisies	M05558	*Pycnosorus eremaeus*	Golden Billy-buttons			2009	90	83	92.22	LC	1	0	0.3	1.3
415	91.435	COMPOSITAE	daisies	W03051	*Pycnosorus globosus*	Drumsticks		V	2004	35	3	8.57	VU	4	DD	0.0	4.0
416	91.435	COMPOSITAE	daisies	Z05559	*Pycnosorus melleus*	Long-head Buttons			2009	35	32	91.43	RA	3	DD	0.0	3.0
417	91.435	COMPOSITAE	daisies	A03052	*Pycnosorus pleiocephalus*	Soft Billy-buttons			2010	643	251	39.04	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1639	91.269	MALVACEAE	shrubs	G02095	*Radyera farragei*	Desert Rose Mallow			2009	104	33	31.73	RA	3	0	0.3	3.3
780	91.08	RANUNCULACEAE	herbs & forbs	C04957	*Ranunculus amphitrichus*	Small River Buttercup			1995	177	7	3.95	EN	5	-	0.4	5.4
781	91.08	RANUNCULACEAE	herbs & forbs	S01329	*Ranunculus hamatosetosus*	Hill Buttercup			2007	231	93	40.26	NT	2	0	0.3	2.3
783	91.08	RANUNCULACEAE	herbs & forbs	Y03752	*Ranunculus pentandrus var. pentandrus*	Smooth Buttercup			1991	4	4	100.00	RA	3	DD	0.0	3.0
784	91.08	RANUNCULACEAE	herbs & forbs	M01334	*Ranunculus pentandrus var. platycarpus*	Smooth Buttercup			2008	153	73	47.71	LC	1	0	0.3	1.3
785	91.08	RANUNCULACEAE	herbs & forbs	M03754	*Ranunculus pumilio var. politus*	Smooth-fruit Ferny Buttercup		V	1978	10	1	10.00	VU	4	DD	0.0	4.0
786	91.08	RANUNCULACEAE	herbs & forbs	Z01335	*Ranunculus pumilio var. pumilio*	Ferny Buttercup			2007	94	13	13.83	RA	3	DD	0.0	3.0
787	91.08	RANUNCULACEAE	herbs & forbs	Z03755	*Ranunculus sessiliflorus var. pilulifer*	Annual Buttercup		V	1995	25	4	16.00	EN	5	-	0.4	5.4
788	91.08	RANUNCULACEAE	herbs & forbs	W01339	*Ranunculus sessiliflorus var. sessiliflorus*	Annual Buttercup			2007	281	16	5.69	VU	4	DD	0.0	4.0
160	91.047	CHENOPODIACEAE	chenopods	S01221	*Rhagodia crassifolia*	Fleshy Saltbush			2007	1726	1	0.06	RA	3	DD	0.0	3.0
162	91.047	CHENOPODIACEAE	chenopods	G03999	*Rhagodia eremaea*	Desert Saltbush			2008	316	271	85.76	LC	1	0	0.3	1.3
163	91.047	CHENOPODIACEAE	chenopods	S01505	*Rhagodia parabolica*	Mealy Saltbush			2010	1596	311	19.49	NT	2	0	0.3	2.3
164	91.047	CHENOPODIACEAE	chenopods	U01506	*Rhagodia preissii ssp. preissii*	Mallee Saltbush			2005	852	3	0.35	NT	2	0	0.3	2.3
165	91.047	CHENOPODIACEAE	chenopods	W01507	*Rhagodia spinescens*	Spiny Saltbush			2010	2485	1209	48.65	LC	1	0	0.3	1.3
166	91.047	CHENOPODIACEAE	chenopods	Q03500	*Rhagodia ulicina*	Intricate Saltbush			2010	595	135	22.69	LC	1	0	0.3	1.3
418	91.435	COMPOSITAE	daisies	C03169	*Rhodanthe charsleyae*				2010	222	175	78.83	LC	1	0	0.3	1.3
419	91.435	COMPOSITAE	daisies	M03170	*Rhodanthe chlorocephala ssp. rosea*	Western Sunray			1995	35	2	5.71	NT	2	DD	0.0	2.0
420	91.435	COMPOSITAE	daisies	E03354	*Rhodanthe citrina*	Pale Immortelle			2000	55	34	61.82	LC	1	0	0.3	1.3
421	91.435	COMPOSITAE	daisies	Z03171	*Rhodanthe corymbiflora*	Paper Everlasting			2007	408	92	22.55	NT	2	0	0.3	2.3
422	91.435	COMPOSITAE	daisies	U03174	*Rhodanthe floribunda*	White Everlasting			2010	1372	859	62.61	LC	1	0	0.3	1.3
423	91.435	COMPOSITAE	daisies	U05366	*Rhodanthe gossypina*				1984	3	3	100.00	VU	4	DD	0.0	4.0
425	91.435	COMPOSITAE	daisies	E03178	*Rhodanthe laevis*	Smooth Daisy			1988	189	12	6.35	LC	1	0	0.3	1.3
426	91.435	COMPOSITAE	daisies	G03179	*Rhodanthe microglossa*	Clustered Everlasting			2010	606	432	71.29	LC	1	0	0.3	1.3
427	91.435	COMPOSITAE	daisies	S03181	*Rhodanthe moschata*	Musk Daisy			2010	913	491	53.78	LC	1	0	0.3	1.3
428	91.435	COMPOSITAE	daisies	W03183	*Rhodanthe polygalifolia*	Milkwort Everlasting			2010	413	60	14.53	NT	2	0	0.3	2.3
429	91.435	COMPOSITAE	daisies	C03185	*Rhodanthe pygmaea*	Pigmy Daisy			2010	1395	414	29.68	NT	2	0	0.3	2.3
430	91.435	COMPOSITAE	daisies	Y03188	*Rhodanthe stricta*	Slender Everlasting			2010	763	492	64.48	LC	1	0	0.3	1.3
431	91.435	COMPOSITAE	daisies	K03189	*Rhodanthe stuartiana*	Clay Everlasting			2006	222	15	6.76	RA	3	DD	0.0	3.0
432	91.435	COMPOSITAE	daisies	W03191	*Rhodanthe tietkensii*	Tietken's Daisy			2001	225	141	62.67	NT	2	0	0.3	2.3
433	91.435	COMPOSITAE	daisies	Z03535	*Rhodanthe troedelii*	Small Paper-everlasting			1997	107	68	63.55	NT	2	0	0.3	2.3
434	91.435	COMPOSITAE	daisies	C03193	*Rhodanthe uniflora*	Woolly Daisy			2010	192	138	71.88	LC	1	0	0.3	1.3
1721	91.371	ASCLEPIADACEAE	shrubs	W02527	*Rhyncharrhena linearis*	Bush Bean			2010	270	93	34.44	NT	2	0	0.3	2.3
1245	91.182	LEGUMINOSAE	legumes	E05318	*Rhynchosia australis*	Rhynchosia			2001	13	9	69.23	NE	-1			-1.0
1246	91.182	LEGUMINOSAE	legumes	C05317	*Rhynchosia minima*	Rhynchosia			2010	20	19	95.00	NE	-1			-1.0
829	91.139	CRUCIFERAE	herbs & forbs	M01466	*Ronippa eustylis*	River Bitter-cress			2007	36	4	11.11	RA	3	0	0.3	3.3
1057	91.405	ACANTHACEAE	herbs & forbs	M04686	*Rostellularia adscendens var. clementii*	Pink Tongues			2005	5	2	40.00	VU	4	-	0.4	4.4
1058	91.405	ACANTHACEAE	herbs & forbs	Y04684	*Rostellularia adscendens var. latifolia*	Pink Tongues			2001	2	2	100.00	RA	3	DD	0.0	3.0
1059	91.405	ACANTHACEAE	herbs & forbs	K04685	*Rostellularia adscendens var. pogonanthera*	Pink Tongues			2010	195	165	84.62	NT	2	0	0.3	2.3
1676	91.271	STERCULIACEAE	shrubs	U03414	*Rulingia loxophylla*	Pur#ar-pur#arpa			2008	84	73	86.90	NT	2	0	0.3	2.3
1677	91.271	STERCULIACEAE	shrubs	E02122	*Rulingia magniflora*				2001	29	24	82.76	RA	3	DD	0.0	3.0
708	91.032	POLYGONACEAE	herbs & forbs	M05566	*Rumex brownii*	Slender Dock			1998	438	21	4.79	RA	3	0	0.3	3.3
709	91.032	POLYGONACEAE	herbs & forbs	A00996	*Rumex crystallinus*	Glistening Dock			2008	131	82	62.60	LC	1	0	0.3	1.3
8	91.444	POTAMOGETONACEAE	aquatic	A00096	*Ruppia maritima*	Sea Tassel			1995	43	14	32.56	RA	3	DD	0.0	3.0
9	91.444	POTAMOGETONACEAE	aquatic	M04318	*Ruppia megacarpa*	Widgeon Grass			1982	119	1	0.84	DD	0	DD	0.0	0.0
10	91.444	POTAMOGETONACEAE	aquatic	Z04319	*Ruppia polycarpa*	Widgeon Grass			2007	61	1	1.64	VU	4	DD	0.0	4.0
435	91.435	COMPOSITAE	daisies	K03293	*Rutidosis helichrysoides ssp. helichrysoides*	Grey Wrinklewort			2011	389	338	86.89	LC	1	0	0.3	1.3
167	91.047	CHENOPODIACEAE	chenopods	S04565	*Salsola tragus*	Buckbush			2011	4384	2486	56.71	LC	1	0	0.3	1.3
952	91.349	PRIMULACEAE	herbs & forbs	Z03155	*Samolus eremaeus*	Desert Samolus		R	2009	34	29	85.29	RA	3	0	0.3	3.3
953	91.349	PRIMULACEAE	herbs & forbs	S02445	*Samolus repens*	Creeping Brookweed			2004	956	35	3.66	NT	2	0	0.3	2.3
1535	91.026	SANTALACEAE	shrubs	U00950	*Santalum acuminatum*	Quandong			2010	2115	234	11.06	NT	2	0	0.3	2.3
1536	91.026	SANTALACEAE	shrubs	W00951	*Santalum lanceolatum*	Plumbush			2010	877	710	80.96	LC	1	0	0.3	1.3
1537	91.026	SANTALACEAE	shrubs	C00953	*Santalum spicatum*	Sandalwood		V	2007	319	61	19.12	NT	2	-	0.4	2.4
168	91.047	CHENOPODIACEAE	chenopods	S01653	*Sarcocornia blackiana*	Thick-head Samphire			1997	206	6	2.91	NT	2	0	0.3	2.3
169	91.047	CHENOPODIACEAE	chenopods	E01518	*Sarcocornia quinqueflora*	Beaded Samphire			1995	667	1	0.15	RA	3	DD	0.0	3.0
1722	91.371	ASCLEPIADACEAE	shrubs	E02490	*Sarcostemma viminale ssp. australe*	Caustic Bush			2010	216	138	63.89	NT	2	0	0.3	2.3
30	91.04	AIZOACEAE	chenopods	G01031	*Sarcozona praecox*	Sarcozona			2007	227	21	9.25	NT	2	0	0.3	2.3
1577	91.204	EUPHORBIACEAE	shrubs	C03409	*Sauropus ramosissimus*			V	2011	21	21	100.00	VU	4	0	0.3	4.3
1578	91.204	EUPHORBIACEAE	shrubs	S01937	*Sauropus rigens*	Stiff Spurge			2009	183	174	95.08	NT	2	0	0.3	2.3
1579	91.204	EUPHORBIACEAE	shrubs	Z03587	*Sauropus trachyspermus*	Rough-seed Spurge			2007	251	243	96.81	LC	1	0	0.3	1.3
1869	91.43	GOODENIACEAE	shrubs	M05274	*Scaevola albida*	Pale Fanflower			1995	1177	3	0.25	RA	3	DD	0.0	3.0
1871	91.43	GOODENIACEAE	shrubs	U04494	*Scaevola amblyanthera var. centralis*				2001	59	44	74.58	NT	2	0	0.3	2.3
1872	91.43	GOODENIACEAE	shrubs	C04349	*Scaevola basedowii*	Leafless Fanflower			2001	67	43	64.18	LC	1	0	0.3	1.3
1873	91.43	GOODENIACEAE	shrubs	C02909	*Scaevola collaris*				2011	261	148	56.70	NT	2	0	0.3	2.3
1874	91.43	GOODENIACEAE	shrubs	Y04084	*Scaevola collina*	Hill Fanflower			2009	84	76	90.48	NT	2	0	0.3	2.3
1875	91.43	GOODENIACEAE	shrubs	Q02912	*Scaevola depauperata*	Skeleton Fanflower			2011	133	92	69.17	NT	2	0	0.3	2.3
1876	91.43	GOODENIACEAE	shrubs	M04350	*Scaevola glabrata*				2001	1	1	100.00	RA	3	DD	0.0	3.0
1877	91.43	GOODENIACEAE	shrubs	W04495	*Scaevola humilis*	Inland Fanflower			2009	343	70	20.41	LC	1	0	0.3	1.3
1878	91.43	GOODENIACEAE	shrubs	C05041	*Scaevola obovata*			V	2009	1	1	100.00	VU	4	DD	0.0	4.0
1879	91.43	GOODENIACEAE	shrubs	Z04351	*Scaevola parvibarbata*	Small-beard Fanflower			2011	406	350	86.21	LC	1	0	0.3	1.3
1880	91.43	GOODENIACEAE	shrubs	S04953	*Scaevola parvifolia ssp. parvifolia*	Camel Weed			2000	23	22	95.65	NT	2	DD	0.0	2.0
1881	91.43	GOODENIACEAE	shrubs	G02919	*Scaevola spinescens*	Spiny Fanflower			2010	1312	362	27.59	LC	1	0	0.3	1.3
954	91.367	GENTIANACEAE	herbs & forbs	U02470	*Schenkia australis*	Spike Centaury			2011	197	61	30.96	LC	1	0	0.3	1.3
436	91.435	COMPOSITAE	daisies	M03102	*Schoenia ayersii*	Ayer's Button-daisy			2009	86	69	80.23	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
437	91.435	COMPOSITAE	daisies	A03108	*Schoenia cassiniana*	Pink Everlasting			2010	248	137	55.24	LC	1	0	0.3	1.3
438	91.435	COMPOSITAE	daisies	Q03164	*Schoenia ramosissima*	Dainty Everlasting			1998	168	93	55.36	LC	1	0	0.3	1.3
1499	91.504	CYPERACEAE	sedges	G00567	*Schoenoplectus dissachanthus*	Inland Club-rush			2011	42	28	66.67	RA	3	0	0.3	3.3
1500	91.504	CYPERACEAE	sedges	U06190	*Schoenoplectus laevis*				2003	2	2	100.00	RA	3	DD	0.0	3.0
1501	91.504	CYPERACEAE	sedges	W06191	*Schoenoplectus lateriflorus*				2000	1	1	100.00	RA	3	DD	0.0	3.0
1502	91.504	CYPERACEAE	sedges	K00569	*Schoenoplectus pungens*	Spiky Club-rush			1996	206	9	4.37	VU	4	0	0.3	4.3
1503	91.504	CYPERACEAE	sedges	G00575	*Schoenoplectus subulatus*	Shore Club-rush			2004	15	8	53.33	RA	3	DD	0.0	3.0
1504	91.504	CYPERACEAE	sedges	U00570	*Schoenoplectus validus*	River Club-rush			1999	264	12	4.55	VU	4	0	0.3	4.3
1505	91.504	CYPERACEAE	sedges	U00546	*Schoenus apogon*	Common Bog-rush			1996	1305	3	0.23	RA	3	DD	0.0	3.0
731	91.044	CARYOPHYLLACEAE	herbs & forbs	Q01088	*Scleranthus minusculus*	Cushion Knawel			1995	32	1	3.13	VU	4	DD	0.0	4.0
732	91.044	CARYOPHYLLACEAE	herbs & forbs	S01089	*Scleranthus pungens*	Prickly Knawel			2009	235	52	22.13	LC	1	0	0.3	1.3
170	91.047	CHENOPODIACEAE	chenopods	A01224	*Scleroblitum atriplicinum*	Starry Goosefoot			2000	63	17	26.98	RA	3	-	0.4	3.4
171	91.047	CHENOPODIACEAE	chenopods	E32130	*Sclerolaena anisacanthoides*				2005	2	2	100.00	RA	3	DD	0.0	3.0
172	91.047	CHENOPODIACEAE	chenopods	K01229	*Sclerolaena articulata*	Jointed Bindyi			1997	19	16	84.21	RA	3	DD	0.0	3.0
173	91.047	CHENOPODIACEAE	chenopods	U01230	*Sclerolaena bicornis var. bicornis*	Goat-head Bindyi			2008	457	424	92.78	LC	1	0	0.3	1.3
174	91.047	CHENOPODIACEAE	chenopods	W01231	*Sclerolaena bicuspis*	Two-spine Bindyi			1996	11	5	45.45	RA	3	DD	0.0	3.0
175	91.047	CHENOPODIACEAE	chenopods	C03521	*Sclerolaena birchii*	Galvanised Burr			1994	15	4	26.67	RA	3	DD	0.0	3.0
176	91.047	CHENOPODIACEAE	chenopods	A01232	*Sclerolaena blackiana*	Black's Bindyi		R	2008	103	93	90.29	NT	2	0	0.3	2.3
177	91.047	CHENOPODIACEAE	chenopods	Q04864	*Sclerolaena brachyptera*	Short-wing Bindyi			2011	1060	673	63.49	LC	1	0	0.3	1.3
178	91.047	CHENOPODIACEAE	chenopods	E01234	*Sclerolaena calcarata*	Redburr Bindyi			2008	106	102	96.23	LC	1	0	0.3	1.3
179	91.047	CHENOPODIACEAE	chenopods	K03517	*Sclerolaena clelandii*	Cleland's Bindyi			1998	11	8	72.73	RA	3	DD	0.0	3.0
180	91.047	CHENOPODIACEAE	chenopods	Y01236	*Sclerolaena constricta*				2010	149	108	72.48	LC	1	0	0.3	1.3
181	91.047	CHENOPODIACEAE	chenopods	K01237	*Sclerolaena convexula*	Tall Bindyi			2009	362	307	84.81	LC	1	0	0.3	1.3
182	91.047	CHENOPODIACEAE	chenopods	A04568	*Sclerolaena cornishiana*	Cartwheel Bindyi			1977	3	3	100.00	RA	3	DD	0.0	3.0
183	91.047	CHENOPODIACEAE	chenopods	M01238	*Sclerolaena costata*	Ribbed Bindyi			1997	32	19	59.38	NT	2	0	0.3	2.3
184	91.047	CHENOPODIACEAE	chenopods	Z01239	*Sclerolaena cristata*	Crested Bindyi			1982	1	1	100.00	VU	4	DD	0.0	4.0
185	91.047	CHENOPODIACEAE	chenopods	C03997	*Sclerolaena cuneata*	Tangled Bindyi			2010	366	286	78.14	LC	1	0	0.3	1.3
186	91.047	CHENOPODIACEAE	chenopods	A01240	*Sclerolaena decurrens*	Green Bindyi			2010	290	156	53.79	LC	1	0	0.3	1.3
187	91.047	CHENOPODIACEAE	chenopods	C04569	*Sclerolaena deserticola*	Desert Bindyi			2009	36	20	55.56	NT	2	0	0.3	2.3
188	91.047	CHENOPODIACEAE	chenopods	C01241	*Sclerolaena diacantha*	Grey Bindyi			2011	3001	859	28.62	LC	1	0	0.3	1.3
189	91.047	CHENOPODIACEAE	chenopods	E01242	*Sclerolaena divaricata*	Tangled Bindyi			2011	933	644	69.02	LC	1	0	0.3	1.3
190	91.047	CHENOPODIACEAE	chenopods	Y01244	*Sclerolaena eriacantha*	Silky Bindyi			2010	303	218	71.95	LC	1	0	0.3	1.3
191	91.047	CHENOPODIACEAE	chenopods	M04246	*Sclerolaena fontinalis*	Mound Spring Bindyi		R	1998	16	16	100.00	VU	4	DD	0.0	4.0
192	91.047	CHENOPODIACEAE	chenopods	Y03920	*Sclerolaena glabra*	Smooth Bindyi			2008	115	108	93.91	NT	2	0	0.3	2.3
193	91.047	CHENOPODIACEAE	chenopods	M01246	*Sclerolaena holtiana*	Holt's Bindyi			2011	229	137	59.83	LC	1	0	0.3	1.3
194	91.047	CHENOPODIACEAE	chenopods	Z01247	*Sclerolaena intricata*	Tangled Bindyi			2010	889	761	85.60	LC	1	0	0.3	1.3
195	91.047	CHENOPODIACEAE	chenopods	Q01248	*Sclerolaena johnsonii*	Johnson's Bindyi			2008	120	93	77.50	LC	1	0	0.3	1.3
196	91.047	CHENOPODIACEAE	chenopods	E01250	*Sclerolaena lanicuspis*	Spinach Bindyi			2010	880	666	75.68	LC	1	0	0.3	1.3
197	91.047	CHENOPODIACEAE	chenopods	G01251	*Sclerolaena limbata*	Pearl Bindyi			2010	381	279	73.23	LC	1	0	0.3	1.3
198	91.047	CHENOPODIACEAE	chenopods	Y01252	*Sclerolaena longicuspis*	Long-spine Bindyi			2010	348	324	93.10	LC	1	0	0.3	1.3
199	91.047	CHENOPODIACEAE	chenopods	K01253	*Sclerolaena muricata var. muricata*	Five-spine Bindyi			2005	135	28	20.74	NT	2	0	0.3	2.3
200	91.047	CHENOPODIACEAE	chenopods	G01243	*Sclerolaena muricata var. semiglabra*	Five-spine Bindyi			1988	11	1	9.09	RA	3	DD	0.0	3.0
201	91.047	CHENOPODIACEAE	chenopods	Q01256	*Sclerolaena obliquicuspis*	Oblique-spined Bindyi			2010	2685	1023	38.10	LC	1	0	0.3	1.3
202	91.047	CHENOPODIACEAE	chenopods	U01258	*Sclerolaena parallelicuspis*	Western Bindyi			2010	326	281	86.20	LC	1	0	0.3	1.3
203	91.047	CHENOPODIACEAE	chenopods	W01259	*Sclerolaena parviflora*	Small-flower Bindyi			2010	478	34	7.11	LC	1	0	0.3	1.3
204	91.047	CHENOPODIACEAE	chenopods	Y01260	*Sclerolaena patenticuspis*	Spear-fruit Bindyi			2010	1138	421	36.99	LC	1	0	0.3	1.3
205	91.047	CHENOPODIACEAE	chenopods	Y01228	*Sclerolaena symoniana*	Symon's Bindyi		V	1988	25	2	8.00	RA	3	DD	0.0	3.0
206	91.047	CHENOPODIACEAE	chenopods	M01262	*Sclerolaena tatei*	Tate's Bindyi			2010	91	76	83.52	NT	2	0	0.3	2.3
207	91.047	CHENOPODIACEAE	chenopods	Z01263	*Sclerolaena tricuspis*	Three-spine Bindyi			2008	269	115	42.75	NT	2	DD	0.0	2.0
208	91.047	CHENOPODIACEAE	chenopods	Q01264	*Sclerolaena uniflora*	Small-spine Bindyi			2010	977	199	20.37	LC	1	0	0.3	1.3
209	91.047	CHENOPODIACEAE	chenopods	S01265	*Sclerolaena ventricosa*	Salt Bindyi			2010	749	504	67.29	LC	1	0	0.3	1.3
1734	91.392	LABIATAE	shrubs	G02635	*Scutellaria humilis*	Dwarf Skullcap		R	1999	94	2	2.13	EN	5	DD	0.0	5.0
439	91.435	COMPOSITAE	daisies	Z05743	*Senecio anethifolius ssp. anethifolius*	Feathery Groundsel			2006	73	14	19.18	LC	1	0	0.3	1.3
440	91.435	COMPOSITAE	daisies	Q05744	*Senecio anethifolius ssp. brevibracteolatus*	Feathery Groundsel			1993	60	25	41.67	LC	1	0	0.3	1.3
442	91.435	COMPOSITAE	daisies	K06013	*Senecio cunninghamii var. flindersensis*	Shrubby Groundsel			1994	32	4	12.50	VU	4	-	0.4	4.4
443	91.435	COMPOSITAE	daisies	A32084	*Senecio depressicola*				2008	64	60	93.75	LC	1	0	0.3	1.3
444	91.435	COMPOSITAE	daisies	Z06015	*Senecio dolichocephalus*	Woodland Groundsel			1996	55	1	1.82	NT	2	DD	0.0	2.0
445	91.435	COMPOSITAE	daisies	C32085	*Senecio eremicola*				2009	6	4	66.67	RA	3	DD	0.0	3.0
446	91.435	COMPOSITAE	daisies	C05773	*Senecio glomeratus ssp. longifructus*	Swamp Groundsel			1989	59	2	3.39	VU	4	0	0.3	4.3
447	91.435	COMPOSITAE	daisies	S06297	*Senecio glossanthus*	Annual Groundsel			2010	784	124	15.82	LC	1	0	0.3	1.3
448	91.435	COMPOSITAE	daisies	K03305	*Senecio gregorii*	Fleshy Groundsel			2010	786	588	74.81	LC	1	0	0.3	1.3
449	91.435	COMPOSITAE	daisies	M05486	*Senecio gypsicola*	Gypsum Groundsel		R	2010	13	12	92.31	RA	3	DD	0.0	3.0
451	91.435	COMPOSITAE	daisies	S03309	*Senecio laceratus*	Cut-leaf Groundsel			2010	59	42	71.19	NT	2	DD	0.0	2.0
452	91.435	COMPOSITAE	daisies	E32086	*Senecio lacustrinus*				2010	117	53	45.30	LC	1	0	0.3	1.3
453	91.435	COMPOSITAE	daisies	Z04475	*Senecio lanibracteus*	Inland Shrubby Groundsel			2010	325	266	81.85	LC	1	0	0.3	1.3
454	91.435	COMPOSITAE	daisies	K03313	*Senecio magnificus*	Showy Groundsel			2010	852	699	82.04	LC	1	0	0.3	1.3
456	91.435	COMPOSITAE	daisies	K03321	*Senecio quadridentatus*	Cotton Groundsel			1999	1331	62	4.66	LC	1	0	0.3	1.3
457	91.435	COMPOSITAE	daisies	M03322	*Senecio runcinifolius*	Thistle-leaf Groundsel			2007	108	13	12.04	RA	3	0	0.3	3.3
458	91.435	COMPOSITAE	daisies	W32083	*Senecio spanomerus*				2000	526	10	1.90	NT	2	DD	0.0	2.0
1247	91.182	LEGUMINOSAE	legumes	A05244	*Senna artemisioides ssp. alicia*	Desert Senna			2009	101	82	81.19	NT	2	0	0.3	2.3
1248	91.182	LEGUMINOSAE	legumes	M01642	*Senna artemisioides ssp. artemisioides*	Silver Senna			2010	788	654	82.99	LC	1	0	0.3	1.3
1249	91.182	LEGUMINOSAE	legumes	Z03287	*Senna artemisioides ssp. coriacea*	Broad-leaf Desert Senna			2010	1459	596	40.85	LC	1	0	0.3	1.3
1250	91.182	LEGUMINOSAE	legumes	C05025	*Senna artemisioides ssp. filifolia*	Fine-leaf Desert Senna			2011	1188	665	55.98	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
1251	91.182	LEGUMINOSAE	legumes	S01645	*Senna artemisioides ssp. helmsii*	Blunt-leaf Senna			2010	343	300	87.46	LC	1	0	0.3	1.3
1252	91.182	LEGUMINOSAE	legumes	W01647	*Senna artemisioides ssp. oligophylla*	Limestone Senna			2011	212	200	94.34	LC	1	0	0.3	1.3
1253	91.182	LEGUMINOSAE	legumes	E05598	*Senna artemisioides ssp. petiolaris*				2011	1009	193	19.13	LC	1	0	0.3	1.3
1254	91.182	LEGUMINOSAE	legumes	K04173	*Senna artemisioides ssp. quadrifolia*	Four-leaf Desert Senna			2006	186	144	77.42	NT	2	0	0.3	2.3
1255	91.182	LEGUMINOSAE	legumes	Z01643	*Senna artemisioides ssp. sturtii*	Grey Senna			2010	154	137	88.96	LC	1	0	0.3	1.3
1256	91.182	LEGUMINOSAE	legumes	E03646	*Senna artemisioides ssp. zygophylla*	Twin-leaf Desert Senna			2008	70	53	75.71	NT	2	0	0.3	2.3
1257	91.182	LEGUMINOSAE	legumes	M05118	*Senna cardiosperma ssp. gawlerensis*	Gawler Ranges Senna			2010	411	74	18.00	NT	2	0	0.3	2.3
1258	91.182	LEGUMINOSAE	legumes	Z05119	*Senna cardiosperma ssp. microphylla*	Curved-leaf Senna			2000	35	20	57.14	NT	2	0	0.3	2.3
1260	91.182	LEGUMINOSAE	legumes	Q01644	*Senna glutinosa ssp. glutinosa*	Sticky Senna			2000	9	8	88.89	RA	3	0	0.3	3.3
1261	91.182	LEGUMINOSAE	legumes	Z01651	*Senna glutinosa ssp. pruinosa*	White Senna			2011	35	30	85.71	NT	2	0	0.3	2.3
1263	91.182	LEGUMINOSAE	legumes	G03647	*Senna notabilis*	Showy Senna			2011	10	8	80.00	RA	3	0	0.3	3.3
1265	91.182	LEGUMINOSAE	legumes	C05597	*Senna phyllodinea*				2011	161	98	60.87	LC	1	0	0.3	1.3
1266	91.182	LEGUMINOSAE	legumes	C01649	*Senna planitiicola*	Yellow Pea			2009	37	29	78.38	RA	3	0	0.3	3.3
1267	91.182	LEGUMINOSAE	legumes	M01650	*Senna pleurocarpa var. pleurocarpa*	Stripe-pod Senna			2008	335	229	68.36	LC	1	0	0.3	1.3
1268	91.182	LEGUMINOSAE	legumes	Q01776	*Sesbania cannabina var. cannabina*	Sesbania Pea			2011	24	24	100.00	NT	2	0	0.3	2.3
661	91.495	GRAMINEAE	grass	S00413	*Setaria basiclada*				2010	99	47	47.47	NT	2	0	0.3	2.3
662	91.495	GRAMINEAE	grass	U00414	*Setaria clementii*	Clement's Paspalidium			2009	101	69	68.32	NT	2	0	0.3	2.3
663	91.495	GRAMINEAE	grass	W00415	*Setaria constricta*	Knotty-butt Paspalidium			2010	537	186	34.64	NT	2	0	0.3	2.3
664	91.495	GRAMINEAE	grass	E00426	*Setaria dielsii*	Diel's Pigeon-grass			2010	125	95	76.00	NT	2	0	0.3	2.3
665	91.495	GRAMINEAE	grass	A00416	*Setaria jubiflora*	Warrego Summer-grass			2005	241	42	17.43	NT	2	0	0.3	2.3
666	91.495	GRAMINEAE	grass	W05059	*Setaria reflexa*				2010	55	41	74.55	RA	3	0	0.3	3.3
1640	91.269	MALVACEAE	shrubs	U05594	*Sida "billbarkeri"*				1995	1	1	100.00	DD	0	DD	0.0	0.0
1641	91.269	MALVACEAE	shrubs	W05279	*Sida ammophila*	Sand Sida			2011	626	479	76.52	LC	1	0	0.3	1.3
1642	91.269	MALVACEAE	shrubs	K05029	*Sida argillacea*				2008	12	11	91.67	NT	2	0	0.3	2.3
1643	91.269	MALVACEAE	shrubs	K02097	*Sida calyxhymenia*	Tall Sida			2010	196	60	30.61	LC	1	0	0.3	1.3
1644	91.269	MALVACEAE	shrubs	C05633	*Sida cardiophylla*				2001	6	6	100.00	NT	2	0	0.3	2.3
1645	91.269	MALVACEAE	shrubs	E03866	*Sida corrugata var. angustifolia*	Grassland Sida			1996	165	3	1.82	RA	3	0	0.3	3.3
1646	91.269	MALVACEAE	shrubs	Z02099	*Sida corrugata var. corrugata*	Corrugated Sida			2005	186	14	7.53	RA	3	0	0.3	3.3
1647	91.269	MALVACEAE	shrubs	S02101	*Sida cunninghamii*	Ridge Sida			2011	210	208	99.05	LC	1	0	0.3	1.3
1648	91.269	MALVACEAE	shrubs	U05030	*Sida everistiana*	Everist's Sida			1994	5	5	100.00	RA	3	0	0.3	3.3
1649	91.269	MALVACEAE	shrubs	Y02108	*Sida fibulifera*	Pin Sida			2011	1530	1292	84.44	LC	1	0	0.3	1.3
1650	91.269	MALVACEAE	shrubs	K03153	*Sida filiformis*	Fine Sida			2011	56	50	89.29	NT	2	0	0.3	2.3
1651	91.269	MALVACEAE	shrubs	A04048	*Sida goniocarpa*	Angled Sida			2008	30	29	96.67	NT	2	0	0.3	2.3
1652	91.269	MALVACEAE	shrubs	W02103	*Sida intricata*	Twiggy Sida			2010	619	360	58.16	LC	1	0	0.3	1.3
1653	91.269	MALVACEAE	shrubs	E04666	*Sida petrophila*	Rock Sida			2010	1454	952	65.47	NT	2	0	0.3	2.3
1654	91.269	MALVACEAE	shrubs	A03872	*Sida phaeotricha*	Hill Sida			2009	178	139	78.09	LC	1	0	0.3	1.3
1655	91.269	MALVACEAE	shrubs	C05561	*Sida platycalyx*	Lifesaver Burr			2001	2	2	100.00	DD	0	DD	0.0	0.0
1656	91.269	MALVACEAE	shrubs	E02106	*Sida rohlenae ssp. rohlenae*	Shrub Sida			2008	31	28	90.32	NT	2	0	0.3	2.3
1657	91.269	MALVACEAE	shrubs	C02105	*Sida sp. B (C.Dunlop 1739)*				2010	27	25	92.59	NE	-1			-1.0
1658	91.269	MALVACEAE	shrubs	W05499	*Sida sp. Everard Ranges (D.J.Whibley 1085)*	Everard Range Sida			2008	10	10	100.00	NT	2	DD	0.0	2.0
1659	91.269	MALVACEAE	shrubs	Y05280	*Sida sp. F (Latz 7459)*				1997	38	38	100.00	NE	-1			-1.0
1660	91.269	MALVACEAE	shrubs	K05281	*Sida sp. L (A.M.Ashby 4202)*				2001	12	10	83.33	NE	-1			-1.0
1661	91.269	MALVACEAE	shrubs	M05282	*Sida sp. M (J.Z.Weber 831)*				1997	7	6	85.71	NE	-1			-1.0
1662	91.269	MALVACEAE	shrubs	G32087	*Sida sp. Mitrata (R.E.Winkworth 798)*				2008	1	1	100.00	NE	-1			-1.0
1663	91.269	MALVACEAE	shrubs	Z05283	*Sida sp. R (P.Copley 1390)*				1993	12	3	25.00	NE	-1			-1.0
1664	91.269	MALVACEAE	shrubs	W05595	*Sida sp. Rabbit Flat (R.B.Major 158)*				2005	11	7	63.64	NE	-1			-1.0
1665	91.269	MALVACEAE	shrubs	C05529	*Sida sp. Wakaya Desert (C.Dunlop 1984)*			R	2000	12	11	91.67	NE	-1			-1.0
1667	91.269	MALVACEAE	shrubs	A04832	*Sida spodochroma*				2007	166	26	15.66	NT	2	0	0.3	2.3
1668	91.269	MALVACEAE	shrubs	G02107	*Sida trichopoda*	High Sida			2011	420	319	75.95	LC	1	0	0.3	1.3
459	91.435	COMPOSITAE	daisies	U04718	*Sigesbeckia australiensis*	Australian Sigesbeckia			2010	227	152	66.96	LC	1	0	0.3	1.3
460	91.435	COMPOSITAE	daisies	K04909	*Sigesbeckia orientalis ssp. orientalis*	Oriental Sigesbeckia			1988	86	58	67.44	NE	-1			-1.0
461	91.435	COMPOSITAE	daisies	M03294	*Siloxerus multiflorus*	Small Wrinklewort			1993	448	2	0.45	NT	2	DD	0.0	2.0
1755	91.395	SOLANACEAE	shrubs	G03363	*Solanum centrale*	Desert Raisin			2010	156	112	71.79	LC	1	0	0.3	1.3
1757	91.395	SOLANACEAE	shrubs	A02676	*Solanum chenopodinum*	Goosefoot Potato-bush			2008	53	34	64.15	NT	2	0	0.3	2.3
1758	91.395	SOLANACEAE	shrubs	Y03744	*Solanum cleistogamum*	Shy Nightshade			2010	93	48	51.61	NT	2	0	0.3	2.3
1759	91.395	SOLANACEAE	shrubs	E02678	*Solanum coactiliferum*	Tomato-bush			2007	620	138	22.26	NT	2	0	0.3	2.3
1760	91.395	SOLANACEAE	shrubs	Y03364	*Solanum eardleyae*	Eardley's Nightshade			2009	98	80	81.63	NT	2	0	0.3	2.3
1761	91.395	SOLANACEAE	shrubs	Q02680	*Solanum ellipticum*	Velvet Potato-bush			2011	1477	937	63.44	LC	1	0	0.3	1.3
1763	91.395	SOLANACEAE	shrubs	U02682	*Solanum esuriale*	Quena			2008	395	211	53.42	LC	1	0	0.3	1.3
1764	91.395	SOLANACEAE	shrubs	W02683	*Solanum ferocissimum*	Spiny Potato-bush			2001	37	30	81.08	NT	2	0	0.3	2.3
1766	91.395	SOLANACEAE	shrubs	Y02688	*Solanum lacunarium*	Lagoon Nightshade			2003	67	39	58.21	NT	2	0	0.3	2.3
1767	91.395	SOLANACEAE	shrubs	K02689	*Solanum lasiophyllum*	Flannel Bush			2010	76	47	61.84	NT	2	0	0.3	2.3
1768	91.395	SOLANACEAE	shrubs	C02693	*Solanum oligacanthum*	Desert Nightshade			2011	267	230	86.14	NT	2	0	0.3	2.3
1769	91.395	SOLANACEAE	shrubs	E02694	*Solanum orbiculatum ssp. orbiculatum*	Round-leaf Nightshade			2005	105	37	35.24	LC	1	0	0.3	1.3
1770	91.395	SOLANACEAE	shrubs	G02695	*Solanum petrophilum*	Rock Nightshade			2009	1031	516	50.05	NT	2	0	0.3	2.3
1771	91.395	SOLANACEAE	shrubs	Y02696	*Solanum quadriloculatum*	Plains Nightshade			2010	332	218	65.66	LC	1	0	0.3	1.3
1772	91.395	SOLANACEAE	shrubs	M02698	*Solanum simile*	Kangaroo Apple			1998	382	28	7.33	LC	1	0	0.3	1.3
1773	91.395	SOLANACEAE	shrubs	Q02700	*Solanum sturtianum*	Sturt's Nightshade			2011	651	449	68.97	NT	2	0	0.3	2.3
462	91.435	COMPOSITAE	daisies	S03333	*Sonchus hydrophilus*	Native Sow-thistle			2009	266	22	8.27	RA	3	-	0.4	3.4
1034	91.387	CHLOANTHACEAE	herbs & forbs	S02585	*Spartothamnella teucriiflora*	Bead Bush			2009	83	72	86.75	NT	2	0	0.3	2.3
733	91.044	CARYOPHYLLACEAE	herbs & forbs	G06275	*Spergularia brevifolia*	Salt Sand-spurrey			1984	68	5	7.35	NT	2	DD	0.0	2.0
734	91.044	CARYOPHYLLACEAE	herbs & forbs	C06273	*Spergularia diandroides*	Lesser Sand-spurrey			2010	39	17	43.59	DD	0	DD	0.0	0.0
735	91.044	CARYOPHYLLACEAE	herbs & forbs	E06274	*Spergularia marina*	Salt Sand-spurrey			2010	265	73	27.55	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
463	91.435	COMPOSITAE	daisies	Y03428	*Sphaeranthus indicus*				1993	8	3	37.50	RA	3	DD	0.0	3.0
667	91.495	GRAMINEAE	grass	Y00372	*Sporobolus actinocladus*	Ray Grass			2010	546	489	89.56	LC	1	0	0.3	1.3
668	91.495	GRAMINEAE	grass	A06352	*Sporobolus australasicus*				1976	1	1	100.00	NT	2	0	0.3	2.3
669	91.495	GRAMINEAE	grass	U04398	*Sporobolus blakei*				2001	10	10	100.00	NT	2	0	0.3	2.3
670	91.495	GRAMINEAE	grass	Z00375	*Sporobolus caroli*	Yakka Grass			2010	63	44	69.84	NT	2	0	0.3	2.3
671	91.495	GRAMINEAE	grass	S00377	*Sporobolus mitchellii*	Rat-tail Couch			2011	340	161	47.35	NT	2	0	0.3	2.3
672	91.495	GRAMINEAE	grass	C05377	*Sporobolus virginicus*	Salt Couch			2004	451	64	14.19	NT	2	0	0.3	2.3
1610	91.263	RHAMNACEAE	shrubs	M02054	*Spyridium phlebophyllum*	Inland Spyridium			2005	212	128	60.38	LC	1	0	0.3	1.3
896	91.256	STACKHOUSIACEAE	herbs & forbs	E03150	*Stackhousia clementii*	Limestone Candles			2010	56	29	51.79	RA	3	0	0.3	3.3
898	91.256	STACKHOUSIACEAE	herbs & forbs	K02029	*Stackhousia monogyna*	Creamy Candles			2005	914	51	5.58	NT	2	0	0.3	2.3
899	91.256	STACKHOUSIACEAE	herbs & forbs	E05334	*Stackhousia muricata ssp. Annual (W.R.Barker 2172)*	Yellow Candles			1996	7	3	42.86	NE	-1			-1.0
900	91.256	STACKHOUSIACEAE	herbs & forbs	C05333	*Stackhousia muricata ssp. Perennial (W.R.Barker 3641)*	Yellow Candles			1995	17	1	5.88	NE	-1			-1.0
1049	91.4	SCROPHULARIACEAE	herbs & forbs	Q02728	*Stemodia florulenta*	Bluerod			2011	642	383	59.66	LC	1	0	0.3	1.3
1050	91.4	SCROPHULARIACEAE	herbs & forbs	E03370	*Stemodia glabella*	Smooth Bluerod			2011	58	56	96.55	NT	2	0	0.3	2.3
1051	91.4	SCROPHULARIACEAE	herbs & forbs	Y05416	*Stemodia sp. Haegii (J.Z.Weber 9055)*	Haegi's Stemodia		R	2000	21	19	90.48	RA	3	0	0.3	3.3
1052	91.4	SCROPHULARIACEAE	herbs & forbs	Z02735	*Stemodia viscosa*	Clammy Stemodia			2004	37	37	100.00	RA	3	0	0.3	3.3
1611	91.263	RHAMNACEAE	shrubs	A02032	*Stenanthemum leucophractum*	White Cryptandra			999	784	1	0.13	DD	0	DD	0.0	0.0
831	91.139	CRUCIFERAE	herbs & forbs	Z01475	*Stenopetalum anfractum*	Inland Thread-petal			2001	54	43	79.63	LC	1	0	0.3	1.3
832	91.139	CRUCIFERAE	herbs & forbs	S32049	*Stenopetalum decipiens*				2001	4	3	75.00	RA	3	DD	0.0	3.0
833	91.139	CRUCIFERAE	herbs & forbs	Z32047	*Stenopetalum lineare*	Narrow Thread-petal			2010	619	229	37.00	LC	1	0	0.3	1.3
834	91.139	CRUCIFERAE	herbs & forbs	U01478	*Stenopetalum nutans*	Nodding Thread-petal			2010	86	57	66.28	LC	1	0	0.3	1.3
835	91.139	CRUCIFERAE	herbs & forbs	W01479	*Stenopetalum sphaerocarpum*	Round-fruit Thread-petal			2005	228	7	3.07	RA	3	0	0.3	3.3
836	91.139	CRUCIFERAE	herbs & forbs	Y01480	*Stenopetalum velutinum*	Velvet Thread-petal			2010	203	123	60.59	NT	2	0	0.3	2.3
464	91.435	COMPOSITAE	daisies	A03336	*Streptoglossa adscendens*	Desert Daisy			2011	320	294	91.88	LC	1	0	0.3	1.3
465	91.435	COMPOSITAE	daisies	C03337	*Streptoglossa cylindriceps*				2001	48	42	87.50	LC	1	0	0.3	1.3
465.1	91.435	COMPOSITAE	daisies	M32258	*Streptoglossa decurrens*				2011	2	2	100.00	RA	3	DD	0.0	3.0
466	91.435	COMPOSITAE	daisies	E03338	*Streptoglossa liatroides*	Wertaloona Daisy			2010	166	147	88.55	LC	1	0	0.3	1.3
467	91.435	COMPOSITAE	daisies	S04045	*Stuartina hamata*	Prickly Cudweed			1995	28	20	71.43	NT	2	0	0.3	2.3
468	91.435	COMPOSITAE	daisies	G03339	*Stuartina muelleri*	Spoon Cudweed			1996	321	16	4.98	RA	3	0	0.3	3.3
1090	91.432	STYLIDIACEAE	herbs & forbs	G05511	*Stylidium desertorum*			V	2011	7	7	100.00	VU	4	0	0.3	4.3
1091	91.432	STYLIDIACEAE	herbs & forbs	A05828	*Stylidium despectum*	Hundreds And Thousands			1989	132	1	0.76	VU	4	-	0.4	4.4
1092	91.432	STYLIDIACEAE	herbs & forbs	K05581	*Stylidium inaequipetalum*			V	2011	5	5	100.00	RA	3	DD	0.0	3.0
210	91.047	CHENOPODIACEAE	chenopods	A01268	*Suaeda australis*	Austral Seablite			1995	610	1	0.16	RA	3	DD	0.0	3.0
1269	91.182	LEGUMINOSAE	legumes	K01781	*Swainsona acuticarinata*	Burke's Swainson-pea			2001	44	32	72.73	NT	2	0	0.3	2.3
1270	91.182	LEGUMINOSAE	legumes	K03789	*Swainsona adenophylla*	Violet Swainson-pea			2011	79	57	72.15	NT	2	0	0.3	2.3
1271	91.182	LEGUMINOSAE	legumes	Q03828	*Swainsona affinis*	Small-leaf Swainson-pea			2010	59	46	77.97	NT	2	0	0.3	2.3
1273	91.182	LEGUMINOSAE	legumes	M01782	*Swainsona burkittii*	Woolly Darling Pea			2010	37	32	86.49	RA	3	-	0.4	3.4
1274	91.182	LEGUMINOSAE	legumes	Q01784	*Swainsona campylantha*				2010	293	270	92.15	LC	1	0	0.3	1.3
1275	91.182	LEGUMINOSAE	legumes	A20188	*Swainsona canescens*	Grey Swainson-pea			2010	110	61	55.45	NT	2	0	0.3	2.3
1276	91.182	LEGUMINOSAE	legumes	U01786	*Swainsona colutoides*	Bladder Swainson-pea			1987	17	2	11.76	VU	4	DD	0.0	4.0
1278	91.182	LEGUMINOSAE	legumes	E05538	*Swainsona disjuncta*				1995	13	10	76.92	LC	1	0	0.3	1.3
1279	91.182	LEGUMINOSAE	legumes	W05551	*Swainsona eremaea*				2010	31	24	77.42	NT	2	0	0.3	2.3
1280	91.182	LEGUMINOSAE	legumes	S05321	*Swainsona extrajacens*				2008	16	15	93.75	RA	3	0	0.3	3.3
1281	91.182	LEGUMINOSAE	legumes	A01788	*Swainsona fissimontana*	Broken Hill Pea			2010	78	50	64.10	RA	3	-	0.4	3.4
1282	91.182	LEGUMINOSAE	legumes	C01789	*Swainsona flavicarinata*	Yellow-keel Swainson-pea			2011	74	54	72.97	NT	2	0	0.3	2.3
1283	91.182	LEGUMINOSAE	legumes	U01654	*Swainsona formosa*	Sturt Pea			2010	219	83	37.90	NT	2	0	0.3	2.3
1285	91.182	LEGUMINOSAE	legumes	E05554	*Swainsona laxa*				2007	69	62	89.86	NT	2	0	0.3	2.3
1286	91.182	LEGUMINOSAE	legumes	Z04491	*Swainsona leeana*	Lee's Swainson-pea		R	2010	11	11	100.00	RA	3	DD	0.0	3.0
1287	91.182	LEGUMINOSAE	legumes	S01793	*Swainsona microcalyx*	Wild Violet		R	2010	43	15	34.88	NT	2	0	0.3	2.3
1288	91.182	LEGUMINOSAE	legumes	A05552	*Swainsona microphylla*	Small-leaf Swainson-pea			2007	171	46	26.90	LC	1	0	0.3	1.3
1289	91.182	LEGUMINOSAE	legumes	W01795	*Swainsona minutiflora*	Small-flower Swainson-pea		V	2010	14	13	92.86	VU	4	0	0.3	4.3
1290	91.182	LEGUMINOSAE	legumes	C01797	*Swainsona oligophylla*			R	2011	94	79	84.04	NT	2	0	0.3	2.3
1291	91.182	LEGUMINOSAE	legumes	E01798	*Swainsona oliveri*				2010	88	30	34.09	NT	2	0	0.3	2.3
1292	91.182	LEGUMINOSAE	legumes	G05319	*Swainsona oroboides*	Variable Swainson-pea			2011	110	80	72.73	NT	2	0	0.3	2.3
1293	91.182	LEGUMINOSAE	legumes	Y01800	*Swainsona phacoides*	Dwarf Swainson-pea			2010	387	305	78.81	LC	1	0	0.3	1.3
1295	91.182	LEGUMINOSAE	legumes	G05247	*Swainsona purpurea*	Purple Swainson-pea			2010	104	68	65.38	RA	3	0	0.3	3.3
1298	91.182	LEGUMINOSAE	legumes	E05246	*Swainsona stipularis*	Orange Swainson-pea			2010	297	131	44.11	NT	2	0	0.3	2.3
1299	91.182	LEGUMINOSAE	legumes	Q01804	*Swainsona swainsonioides*	Downy Swainson-pea			2010	33	16	48.48	NT	2	0	0.3	2.3
1300	91.182	LEGUMINOSAE	legumes	U05542	*Swainsona tenuis*				2010	72	42	58.33	NT	2	0	0.3	2.3
1301	91.182	LEGUMINOSAE	legumes	S01805	*Swainsona tephrotricha*	Ashy-haired Swainson-pea			2010	131	81	61.83	RA	3	0	0.3	3.3
1302	91.182	LEGUMINOSAE	legumes	U01806	*Swainsona unifoliolata*				2001	14	3	21.43	RA	3	DD	0.0	3.0
1303	91.182	LEGUMINOSAE	legumes	K05557	*Swainsona vestita*			V	2010	2	2	100.00	VU	4	-	0.4	4.4
1304	91.182	LEGUMINOSAE	legumes	W01807	*Swainsona villosa*	Villous Swainson-pea			2010	137	109	79.56	NT	2	0	0.3	2.3
1305	91.182	LEGUMINOSAE	legumes	A01808	*Swainsona viridis*	Creeping Darling Pea		V	2010	47	23	48.94	VU	4	0	0.3	4.3
973	91.373	RUBIACEAE	herbs & forbs	Z06171	*Synaptantha tillaeacea var. hispidula*				2010	31	20	64.52	NT	2	0	0.3	2.3
974	91.373	RUBIACEAE	herbs & forbs	M06170	*Synaptantha tillaeacea var. tillaeacea*				2010	62	47	75.81	LC	1	0	0.3	1.3
211	91.047	CHENOPODIACEAE	chenopods	S01117	*Tecticornia arbuscula*	Shrubby Samphire			1995	271	5	1.85	RA	3	DD	0.0	3.0
212	91.047	CHENOPODIACEAE	chenopods	G01527	*Tecticornia cupuliformis*			V	2007	13	9	69.23	RA	3	DD	0.0	3.0
213	91.047	CHENOPODIACEAE	chenopods	Q03120	*Tecticornia disarticulata*				2010	185	50	27.03	NT	2	0	0.3	2.3
214	91.047	CHENOPODIACEAE	chenopods	C02025	*Tecticornia fontinalis*	Mound Spring Samphire			1990	9	6	66.67	VU	4	DD	0.0	4.0
215	91.047	CHENOPODIACEAE	chenopods	U01118	*Tecticornia halocnemoides ssp. halocnemoides*	Grey Samphire			2007	366	27	7.38	RA	3	DD	0.0	3.0
216	91.047	CHENOPODIACEAE	chenopods	U03482	*Tecticornia halocnemoides ssp. longispicata*	Grey Samphire			2009	103	78	75.73	NT	2	0	0.3	2.3
217	91.047	CHENOPODIACEAE	chenopods	W03483	*Tecticornia halocnemoides ssp. tenuis*				2006	15	12	80.00	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
218	91.047	CHENOPODIACEAE	chenopods	W01119	*Tecticornia indica ssp. bidens*	Brown-head Samphire			2010	65	15	23.08	RA	3	0	0.3	3.3
219	91.047	CHENOPODIACEAE	chenopods	S03481	*Tecticornia indica ssp. leiostachya*	Brown-head Samphire			2008	485	239	49.28	NT	2	0	0.3	2.3
221	91.047	CHENOPODIACEAE	chenopods	S03121	*Tecticornia medullosa*				2010	121	88	72.73	LC	1	0	0.3	1.3
222	91.047	CHENOPODIACEAE	chenopods	S03113	*Tecticornia nitida*	Shining Glasswort			1976	3	2	66.67	RA	3	DD	0.0	3.0
223	91.047	CHENOPODIACEAE	chenopods	U03114	*Tecticornia pergranulata ssp. divaricata*	Black-seed Samphire			2006	58	40	68.97	NT	2	0	0.3	2.3
224	91.047	CHENOPODIACEAE	chenopods	C03485	*Tecticornia pergranulata ssp. elongata*	Black-seed Samphire			2008	13	12	92.31	RA	3	0	0.3	3.3
225	91.047	CHENOPODIACEAE	chenopods	Y03488	*Tecticornia pergranulata ssp. pergranulata*	Black-seed Samphire			2010	461	31	6.72	NT	2	0	0.3	2.3
226	91.047	CHENOPODIACEAE	chenopods	W03115	*Tecticornia pruniflora*				2002	45	38	84.44	LC	1	0	0.3	1.3
227	91.047	CHENOPODIACEAE	chenopods	A03116	*Tecticornia pruinosa*	Bluish Samphire			2010	80	13	16.25	NT	2	0	0.3	2.3
228	91.047	CHENOPODIACEAE	chenopods	C03117	*Tecticornia pterygosperma ssp. pterygosperma*	Winged-seed Samphire			1977	44	2	4.55	RA	3	DD	0.0	3.0
229	91.047	CHENOPODIACEAE	chenopods	E01218	*Tecticornia tenuis*	Slender Samphire			2010	299	198	66.22	LC	1	0	0.3	1.3
230	91.047	CHENOPODIACEAE	chenopods	G01219	*Tecticornia triandra*	Desert Glasswort			1953	48	1	2.08	VU	4	DD	0.0	4.0
231	91.047	CHENOPODIACEAE	chenopods	G03119	*Tecticornia undulata*				1965	1	1	100.00	VU	4	DD	0.0	4.0
232	91.047	CHENOPODIACEAE	chenopods	C02465	*Tecticornia verrucosa*	"Putulyu"			1996	3	3	100.00	VU	4	DD	0.0	4.0
1306	91.182	LEGUMINOSAE	legumes	Q01812	*Templetonia aculeata*	Spiny Mallee-pea			2009	150	50	33.33	NT	2	0	0.3	2.3
1307	91.182	LEGUMINOSAE	legumes	U01814	*Templetonia egena*	Broombush Templetonia			2010	411	64	15.57	RA	3	0	0.3	3.3
1308	91.182	LEGUMINOSAE	legumes	W01815	*Templetonia retusa*	Cockies Tongue			2009	791	38	4.80	RA	3	0	0.3	3.3
1309	91.182	LEGUMINOSAE	legumes	G01819	*Tephrosia sphaerospora*	Mulga Trefoil			2011	290	283	97.59	LC	1	0	0.3	1.3
1310	91.182	LEGUMINOSAE	legumes	C01809	*Tephrosia supina*				2011	26	26	100.00	NT	2	0	0.3	2.3
31	91.04	AIZOACEAE	chenopods	U01038	*Tetragonia eremaea*	Desert Spinach			2010	1186	403	33.98	LC	1	0	0.3	1.3
32	91.04	AIZOACEAE	chenopods	Y06312	*Tetragonia moorei*	New Zealand Spinach			2009	76	52	68.42	LC	1	0	0.3	1.3
33	91.04	AIZOACEAE	chenopods	G06311	*Tetragonia tetragonioides*	New Zealand Spinach			2007	27	3	11.11	NT	2	DD	0.0	2.0
1735	91.392	LABIATAE	shrubs	S04813	*Teucrium albicaule*	Scurfy Germander			2011	30	18	60.00	NT	2	0	0.3	2.3
1736	91.392	LABIATAE	shrubs	Z32063	*Teucrium corymbosum*	Rock Germander			2009	110	42	38.18	RA	3	-	0.4	3.4
1737	91.392	LABIATAE	shrubs	U04998	*Teucrium grandiusculum ssp. grandiusculum*			V	2009	6	6	100.00	VU	4	DD	0.0	4.0
1738	91.392	LABIATAE	shrubs	C04701	*Teucrium racemosum*	Grey Germander			2011	835	362	43.35	LC	1	0	0.3	1.3
1739	91.392	LABIATAE	shrubs	Q32064	*Teucrium reidii*	Rock Germander			2010	14	14	100.00	RA	3	DD	0.0	3.0
1411	91.514	ORCHIDACEAE	orchids	U05198	*Thelymitra grandiflora*	Great Sun-orchid		R	1995	159	3	1.89	EN	5	-	0.4	5.4
1412	91.514	ORCHIDACEAE	orchids	G06047	*Thelymitra megcalyptra*	Scented Sun-orchid			1981	127	7	5.51	RA	3	-	0.4	3.4
673	91.495	GRAMINEAE	grass	U00458	*Themeda avenacea*	Tall Oat-grass			2005	18	17	94.44	NT	2	-	0.4	2.4
674	91.495	GRAMINEAE	grass	C02405	*Themeda triandra*	Kangaroo Grass			2010	1513	251	16.59	NT	2	0	0.3	2.3
233	91.047	CHENOPODIACEAE	chenopods	Z01271	*Threlkeldia inchoata*	Tall Bonefruit			2010	73	58	79.45	NT	2	0	0.3	2.3
1385	91.306	MYRTACEAE	myrtles	W02307	*Thryptomene elliottii*				1978	82	1	1.22	RA	3	DD	0.0	3.0
1386	91.306	MYRTACEAE	myrtles	U04290	*Thryptomene longifolia*				2003	19	10	52.63	NT	2	DD	0.0	2.0
675	91.495	GRAMINEAE	grass	Z00439	*Thyridolepis mitchelliana*	Window Mulga-grass			2010	126	101	80.16	LC	1	0	0.3	1.3
676	91.495	GRAMINEAE	grass	U03430	*Thyridolepis multiculmis*				2010	57	32	56.14	NT	2	0	0.3	2.3
677	91.495	GRAMINEAE	grass	A00440	*Thyridolepis xerophila*				2001	15	7	46.67	RA	3	DD	0.0	3.0
1906	91.451	LILIACEAE	shrubs	M00702	*Thysanotus baueri*	Mallee Fringe-lily			2010	853	50	5.86	NT	2	0	0.3	2.3
1907	91.451	LILIACEAE	shrubs	Q03916	*Thysanotus exiliflorus*	Inland Fringe-lily			2010	39	16	41.03	RA	3	0	0.3	3.3
1908	91.451	LILIACEAE	shrubs	Q04936	*Thysanotus patersonii*	Twining Fringe-lily			1995	2860	10	0.35	VU	4	-	0.4	4.4
1909	91.451	LILIACEAE	shrubs	A00708	*Thysanotus tenellus*	Grassy Fringe-lily		R	1996	50	3	6.00	RA	3	DD	0.0	3.0
469	91.435	COMPOSITAE	daisies	E05050	*Tietkensia corrickiae*				1997	10	10	100.00	RA	3	DD	0.0	3.0
948	91.339	UMBELLIFERAE	herbs & forbs	G02395	*Trachymene cyanopetala*	Purple Trachymene			1988	301	2	0.66	RA	3	DD	0.0	3.0
949	91.339	UMBELLIFERAE	herbs & forbs	S06421	*Trachymene glaucifolia*	Blue Parsnip			2010	282	197	69.86	LC	1	0	0.3	1.3
950	91.339	UMBELLIFERAE	herbs & forbs	A06424	*Trachymene ornata*	Cotton-ball Trachymene			1960	106	1	0.94	VU	4	DD	0.0	4.0
678	91.495	GRAMINEAE	grass	Y00380	*Tragus australianus*	Small Burr-grass			2010	379	243	64.12	LC	1	0	0.3	1.3
34	91.04	AIZOACEAE	chenopods	Y01032	*Trianthema pilosa*				2008	65	57	87.69	LC	1	0	0.3	1.3
35	91.04	AIZOACEAE	chenopods	M01034	*Trianthema triquetra*	Red Spinach			2011	815	712	87.36	LC	1	0	0.3	1.3
859	91.197	ZYGOPHYLLACEAE	herbs & forbs	E01886	*Tribulus astrocarpus*	Star-fruit Caltrop			2010	27	18	66.67	NT	2	0	0.3	2.3
860	91.197	ZYGOPHYLLACEAE	herbs & forbs	K01889	*Tribulus eichlerianus*	Eichler's Caltrop			2010	295	241	81.69	LC	1	0	0.3	1.3
861	91.197	ZYGOPHYLLACEAE	herbs & forbs	G01887	*Tribulus hystrix*	Spiky Caltrop			2009	217	189	87.10	LC	1	0	0.3	1.3
862	91.197	ZYGOPHYLLACEAE	herbs & forbs	Y01888	*Tribulus macrocarpus*				2001	4	3	75.00	VU	4	DD	0.0	4.0
863	91.197	ZYGOPHYLLACEAE	herbs & forbs	M05530	*Tribulus micrococcus*				1997	5	5	100.00	RA	3	DD	0.0	3.0
864	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q05532	*Tribulus minutus*				2010	24	8	33.33	NT	2	0	0.3	2.3
470	91.435	COMPOSITAE	daisies	A03096	*Trichanthodium skirrophorum*	Woolly Yellow-heads			2010	688	250	36.34	LC	1	0	0.3	1.3
1019	91.381	BORAGINACEAE	herbs & forbs	Z02567	*Trichodesma zeylanicum var. zeylanicum*	Camel Bush			2010	734	634	86.38	LC	1	0	0.3	1.3
1413	91.442	JUNCAGINACEAE	sedges	M00102	*Triglochin hexagona*	Six-point Arrowgrass			2006	6	1	16.67	NT	2	0	0.3	2.3
1414	91.442	JUNCAGINACEAE	sedges	S06201	*Triglochin isingiana*	Spurred Arrowgrass			2010	142	28	19.72	NT	2	0	0.3	2.3
1415	91.442	JUNCAGINACEAE	sedges	C05421	*Triglochin multifructa*	Water Ribbons			2005	2	2	100.00	VU	4	DD	0.0	4.0
1416	91.442	JUNCAGINACEAE	sedges	W06203	*Triglochin nana*	Dwarf Arrowgrass			1998	18	2	11.11	LC	1	0	0.3	1.3
1418	91.442	JUNCAGINACEAE	sedges	U06202	*Triglochin sp. A (N.N.Donner 3596)*	Spurred Arrowgrass			2010	5	3	60.00	NT	2	DD	0.0	2.0
1418.1	91.442	JUNCAGINACEAE	sedges	W00107	*Triglochin striata*	Streaked Arrowgrass							RA	3	DD	0.0	3.0
1311	91.182	LEGUMINOSAE	legumes	G01843	*Trigonella suavissima*	Sweet Fenugreek			2011	302	260	86.09	LC	1	0	0.3	1.3
679	91.495	GRAMINEAE	grass	U00190	*Triodia basedowii*	Hard Spinifex			2008	642	572	89.10	LC	1	0	0.3	1.3
680	91.495	GRAMINEAE	grass	E05378	*Triodia bunicola*	Flinders Ranges Spinifex			2010	256	33	12.89	LC	1	0	0.3	1.3
681	91.495	GRAMINEAE	grass	G00187	*Triodia helmsii*	Helm's Spinifex			2002	26	23	88.46	LC	1	0	0.3	1.3
682	91.495	GRAMINEAE	grass	C03717	*Triodia irritans*	Spinifex			2009	1191	273	22.92	NT	2	0	0.3	2.3
683	91.495	GRAMINEAE	grass	E00194	*Triodia longiceps*	Giant Grey Spinifex			2009	21	17	80.95	NT	2	DD	0.0	2.0
684	91.495	GRAMINEAE	grass	A04796	*Triodia pungens*	Gummy Spinifex		R	2009	12	11	91.67	NT	2	DD	0.0	2.0
685	91.495	GRAMINEAE	grass	G00195	*Triodia scariosa*	Spinifex			2005	922	151	16.38	NT	2	0	0.3	2.3
686	91.495	GRAMINEAE	grass	E05838	*Triodia schinzii*				2009	5	4	80.00	RA	3	DD	0.0	3.0
687	91.495	GRAMINEAE	grass	C00361	*Tripogon loliiformis*	Five-minute Grass			2010	728	631	86.68	LC	1	0	0.3	1.3
471	91.435	COMPOSITAE	daisies	Q04424	*Triptilodiscus pygmaeus*	Small Yellow-heads			1998	425	21	4.94	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
688	91.495	GRAMINEAE	grass	E00362	*Triraphis mollis*	Purple Plume Grass			2011	707	569	80.48	LC	1	0	0.3	1.3
1439	91.503	TYPHACEAE	sedges	Z00075	*Typha domingensis*	Narrow-leaf Bulrush			2010	440	85	19.32	RA	3	0	0.3	3.3
1438	91.499	ARACEAE	sedges	U05606	*Typhonium alismifolium*			R	2010	13	11	84.62	RA	3	0	0.3	3.3
689	91.495	GRAMINEAE	grass	Q04248	*Uranthoecium truncatum*	Flat-stem Grass			2007	18	17	94.44	NT	2	0	0.3	2.3
1063	91.414	LENTIBULARIACEAE	herbs & forbs	G02759	*Utricularia australis*	Yellow Bladderwort		R	1995	22	7	31.82	EN	5	-	0.4	5.4
1064	91.414	LENTIBULARIACEAE	herbs & forbs	Z05399	*Utricularia dichotoma*	Purple Bladderwort			2011	156	6	3.85	EN	5	-	0.4	5.4
1882	91.43	GOODENIACEAE	shrubs	S02921	*Velleia arguta*	Toothed Velleia			2010	434	42	9.68	NT	2	0	0.3	2.3
1883	91.43	GOODENIACEAE	shrubs	U02922	*Velleia connata*	Cup Velleia			2009	106	16	15.09	RA	3	0	0.3	3.3
1884	91.43	GOODENIACEAE	shrubs	A02924	*Velleia glabrata*	Smooth Velleia			2001	65	26	40.00	NT	2	0	0.3	2.3
1053	91.4	SCROPHULARIACEAE	herbs & forbs	M04678	*Veronica decorosa*	Showy Speedwell		R	1995	39	3	7.69	RA	3	-	0.4	3.4
1312	91.182	LEGUMINOSAE	legumes	E01850	*Vigna lanceolata var. latifolia*	Maloga Bean			2011	15	15	100.00	RA	3	0	0.3	3.3
472	91.435	COMPOSITAE	daisies	Z03251	*Vittadinia arida*				2008	87	76	87.36	RA	3	0	0.3	3.3
474	91.435	COMPOSITAE	daisies	Q03236	*Vittadinia blackii*	Narrow-leaf New Holland Daisy			2009	316	25	7.91	LC	1	0	0.3	1.3
475	91.435	COMPOSITAE	daisies	G03347	*Vittadinia cervicularis var. cervicularis*	Waisted New Holland Daisy			2005	617	14	2.27	NE	-1			-1.0
476	91.435	COMPOSITAE	daisies	U03490	*Vittadinia condyloides*	Club-hair New Holland Daisy			2010	37	4	10.81	NE	-1			-1.0
477	91.435	COMPOSITAE	daisies	Y03348	*Vittadinia cuneata var. cuneata forma cuneata*	Fuzzy New Holland Daisy			2000	786	131	16.67	LC	1	0	0.3	1.3
478	91.435	COMPOSITAE	daisies	W03491	*Vittadinia cuneata var. morrisii*	New Holland Daisy			2010	68	14	20.59	NE	-1			-1.0
479	91.435	COMPOSITAE	daisies	K03497	*Vittadinia dissecta var. hirta*	Dissected New Holland Daisy			2000	549	52	9.47	NT	2	0	0.3	2.3
480	91.435	COMPOSITAE	daisies	Y03284	*Vittadinia eremaea*	Desert New Holland Daisy			2010	420	206	49.05	LC	1	0	0.3	1.3
481	91.435	COMPOSITAE	daisies	E03494	*Vittadinia gracilis*	Woolly New Holland Daisy			2010	1342	107	7.97	LC	1	0	0.3	1.3
483	91.435	COMPOSITAE	daisies	U03350	*Vittadinia pterochaeta*	Rough New Holland Daisy			2007	66	35	53.03	NT	2	0	0.3	2.3
484	91.435	COMPOSITAE	daisies	A03328	*Vittadinia pustulata*	Ridged New Holland Daisy			2001	24	22	91.67	RA	3	DD	0.0	3.0
485	91.435	COMPOSITAE	daisies	Y03312	*Vittadinia sulcata*	Furrowed New Holland Daisy			2010	187	150	80.21	NT	2	0	0.3	2.3
1078	91.427	CAMPANULACEAE	herbs & forbs	A04524	*Wahlenbergia aridicola*	Dryland Bluebell			2009	65	55	84.62	RA	3	0	0.3	3.3
1079	91.427	CAMPANULACEAE	herbs & forbs	G02847	*Wahlenbergia communis*	Tufted Bluebell			2010	663	265	39.97	LC	1	0	0.3	1.3
1081	91.427	CAMPANULACEAE	herbs & forbs	K02849	*Wahlenbergia gracilenta*	Annual Bluebell			2010	1218	118	9.69	RA	3	0	0.3	3.3
1083	91.427	CAMPANULACEAE	herbs & forbs	C04525	*Wahlenbergia luteola*	Yellow-wash Bluebell			2010	914	40	4.38	LC	1	0	0.3	1.3
1085	91.427	CAMPANULACEAE	herbs & forbs	C02853	*Wahlenbergia preissii*				2001	56	2	3.57	VU	4	-	0.4	4.4
1086	91.427	CAMPANULACEAE	herbs & forbs	E04526	*Wahlenbergia queenslandica*				2009	60	50	83.33	LC	1	0	0.3	1.3
1087	91.427	CAMPANULACEAE	herbs & forbs	U04522	*Wahlenbergia stricta ssp. stricta*	Tall Bluebell			2008	1342	24	1.79	NT	2	0	0.3	2.3
1088	91.427	CAMPANULACEAE	herbs & forbs	G04527	*Wahlenbergia tumidifructa*	Swollen-fruit Bluebell			2011	455	335	73.63	LC	1	0	0.3	1.3
486	91.435	COMPOSITAE	daisies	C03353	*Waitzia acuminata var. acuminata*	Orange Immortelle			2010	390	105	26.92	LC	1	0	0.3	1.3
690	91.495	GRAMINEAE	grass	M00410	*Walwhalleya proluta*	Rigid Panic			1995	135	3	2.22	NT	2	DD	0.0	2.0
487	91.435	COMPOSITAE	daisies	Y03356	*Wedelia stirlingii*	Sunflower Daisy-bush			2001	41	41	100.00	NT	2	0	0.3	2.3
1740	91.392	LABIATAE	shrubs	K02645	*Westringia rigida*	Stiff Westringia			1999	1817	77	4.24	NT	2	0	0.3	2.3
1911	91.451	LILIACEAE	shrubs	Y05512	*Wurmbea australis*	Inland Nancy			2003	123	28	22.76	NT	2	0	0.3	2.3
1912	91.451	LILIACEAE	shrubs	K05513	*Wurmbea centralis*	Inland Nancy			2005	8	2	25.00	EN	5	-	0.4	5.4
1913	91.451	LILIACEAE	shrubs	E05474	*Wurmbea citrina*	Green-flower Nancy			2010	54	21	38.89	NT	2	0	0.3	2.3
1914	91.451	LILIACEAE	shrubs	S05517	*Wurmbea deserticola*	Desert Nancy		R	2001	4	3	75.00	RA	3	0	0.3	3.3
1915	91.451	LILIACEAE	shrubs	A05976	*Wurmbea dioica ssp. brevifolia*	Early Nancy			2003	200	17	8.50	NT	2	-	0.4	2.4
1917	91.451	LILIACEAE	shrubs	U05974	*Wurmbea nilpinna*			V	2001	5	5	100.00	VU	4	0	0.3	4.3
1918	91.451	LILIACEAE	shrubs	A05472	*Wurmbea stellata*	Star Nancy		R	2004	20	5	25.00	RA	3	0	0.3	3.3
1919	91.451	LILIACEAE	shrubs	U00714	*Xanthorrhoea quadrangulata*	Rock Grass-tree			2009	876	135	15.41	LC	1	0	0.3	1.3
1921	91.451	LILIACEAE	shrubs	U01302	*Xanthorrhoea thorntonii*	Desert Grass-tree		R	2009	9	7	77.78	VU	4	0	0.3	4.3
488	91.435	COMPOSITAE	daisies	W03107	*Xerochrysum bracteatum*	Golden Everlasting			2010	221	122	55.20	LC	1	0	0.3	1.3
1060	91.405	ACANTHACEAE	herbs & forbs	Z05355	*Xerothamnella parvifolia*		VU	E	2010	69	69	100.00	CR	6	-	0.4	6.4
691	91.495	GRAMINEAE	grass	A04892	*Yakirra australiensis var. australiensis*	Bunch Panic			2007	19	19	100.00	NT	2	0	0.3	2.3
36	91.04	AIZOACEAE	chenopods	Z01035	*Zaleya galericulata ssp. australis*	Hogweed			2008	54	50	92.59	LC	1	0	0.3	1.3
692	91.495	GRAMINEAE	grass	E00434	*Zygochloa paradoxa*	Sandhill Cane-grass			2011	808	771	95.42	LC	1	0	0.3	1.3
867	91.197	ZYGOPHYLLACEAE	herbs & forbs	K30065	*Zygophyllum ammophilum*	Sand Twinleaf			2009	277	107	38.63	LC	1	0	0.3	1.3
868	91.197	ZYGOPHYLLACEAE	herbs & forbs	A05288	*Zygophyllum angustifolium*	Scrambling Twinleaf			1993	307	1	0.33	DD	0	DD	0.0	0.0
869	91.197	ZYGOPHYLLACEAE	herbs & forbs	A01892	*Zygophyllum apiculatum*	Pointed Twinleaf			2010	1513	198	13.09	NT	2	0	0.3	2.3
870	91.197	ZYGOPHYLLACEAE	herbs & forbs	M06322	*Zygophyllum aurantiacum ssp. aurantiacum*	Shrubby Twinleaf			2011	745	102	13.69	LC	1	0	0.3	1.3
871	91.197	ZYGOPHYLLACEAE	herbs & forbs	Z05523	*Zygophyllum aurantiacum ssp. cuneatum*				2000	52	26	50.00	NT	2	0	0.3	2.3
872	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q05524	*Zygophyllum aurantiacum ssp. simplicifolium*				2011	51	15	29.41	RA	3	DD	0.0	3.0
873	91.197	ZYGOPHYLLACEAE	herbs & forbs	M05522	*Zygophyllum aurantiacum ssp. verticillatum*	Shrubby Twinleaf			2010	120	96	80.00	NT	2	0	0.3	2.3
875	91.197	ZYGOPHYLLACEAE	herbs & forbs	G01895	*Zygophyllum compressum*	Rabbit-ears Twinleaf			2004	102	31	30.39	NT	2	0	0.3	2.3
876	91.197	ZYGOPHYLLACEAE	herbs & forbs	W05287	*Zygophyllum confluens*	Forked Twinleaf			2005	345	69	20.00	NT	2	0	0.3	2.3
877	91.197	ZYGOPHYLLACEAE	herbs & forbs	Y01896	*Zygophyllum crassissimum*	Thick Twinleaf		R	2010	46	40	86.96	RA	3	0	0.3	3.3
878	91.197	ZYGOPHYLLACEAE	herbs & forbs	K01897	*Zygophyllum crenatum*	Notched Twinleaf			1996	425	148	34.82	NT	2	0	0.3	2.3
879	91.197	ZYGOPHYLLACEAE	herbs & forbs	M05638	*Zygophyllum eichleri*				2009	41	39	95.12	NT	2	0	0.3	2.3
880	91.197	ZYGOPHYLLACEAE	herbs & forbs	C05289	*Zygophyllum emarginatum*	Notched Twinleaf			2010	113	73	64.60	NT	2	0	0.3	2.3
881	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q06324	*Zygophyllum eremaeum*				2010	420	74	17.62	NT	2	0	0.3	2.3
882	91.197	ZYGOPHYLLACEAE	herbs & forbs	Z01899	*Zygophyllum glaucum*	Pale Twinleaf			1998	520	19	3.65	RA	3	0	0.3	3.3
883	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q01900	*Zygophyllum howittii*	Clasping Twinleaf			2010	381	314	82.41	LC	1	0	0.3	1.3
884	91.197	ZYGOPHYLLACEAE	herbs & forbs	S01901	*Zygophyllum humillimum*	Small-fruit Twinleaf		R	2010	87	71	81.61	NT	2	0	0.3	2.3
885	91.197	ZYGOPHYLLACEAE	herbs & forbs	U01902	*Zygophyllum hybridum*			R	2010	26	25	96.15	RA	3	0	0.3	3.3
886	91.197	ZYGOPHYLLACEAE	herbs & forbs	A06212	*Zygophyllum iodocarpum*	Violet Twinleaf			2010	326	117	35.89	NT	2	0	0.3	2.3
887	91.197	ZYGOPHYLLACEAE	herbs & forbs	A01904	*Zygophyllum kochii*	Koch's Twinleaf			2010	23	16	69.57	RA	3	0	0.3	3.3
888	91.197	ZYGOPHYLLACEAE	herbs & forbs	G06207	*Zygophyllum marliesiae*	Square-fruit Twinleaf			2010	29	23	79.31	RA	3	0	0.3	3.3
889	91.197	ZYGOPHYLLACEAE	herbs & forbs	C01905	*Zygophyllum ovatum*	Dwarf Twinleaf			2010	922	47	5.10	NT	2	0	0.3	2.3
890	91.197	ZYGOPHYLLACEAE	herbs & forbs	E06206	*Zygophyllum prismatothecum*	Square-fruit Twinleaf			2010	229	169	73.80	LC	1	0	0.3	1.3
891	91.197	ZYGOPHYLLACEAE	herbs & forbs	C06213	*Zygophyllum rowelliae*	Violet Twinleaf			2010	32	24	75.00	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES NAME	COMMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LASTOBSERVED_in_OU	TOTAL_in_SA	TOTAL_in_OU	% in OU	OUTBACK Regional Status	OUTBACK Regional Status Score	OUTBACK Regional Trend	OUTBACK Regional Trend Score	OUTBACK Regional Status+Trend Score
892	91.197	ZYGOPHYLLACEAE	herbs & forbs	Z05291	*Zygophyllum simile*	White Twinleaf			2010	437	195	44.62	LC	1	0	0.3	1.3
893	91.197	ZYGOPHYLLACEAE	herbs & forbs	K05637	*Zygophyllum tesquorum*				1997	8	6	75.00	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Abutilon cryptopetalum ssp. cryptopetalum		0.00								0.00								0.00						
Abutilon fraseri ssp. diplotrichum	11	13.75	LC	LC	1	0	0.3		23	28.75	LC	LC	1	0	0.3			0.00						
Abutilon fraseri ssp. fraseri		0.00								0.00							1	1.43	NT	NT	2	0	0.3	
Abutilon halophilum	8	1.49	LC	LC	1	0	0.3		45	8.36	LC	LC	1	0	0.3		3	0.56	NT	NT	2	0	0.3	
Abutilon leucopetalum	40	4.83	LC	LC	1	0	0.3		375	45.24	LC	LC	1	0	0.3		1	0.12	NT	NT	2	0	0.3	
Abutilon macrum		0.00							2	4.35	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Abutilon malvaefolium	2	2.60	NT	NT	2	0	0.3		8	10.39	LC	LC	1	0	0.3			0.00						
Abutilon otocarpum	3	0.58	LC	LC	1	0	0.3		8	1.55	LC	LC	1	0	0.3		65	12.57	LC	LC	1	0	0.3	
Abutilon oxycarpum var. oxycarpum		0.00								0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00								0.00						
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura	15	3.11	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species;	43	8.90	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species;	7	1.45	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia	3	1.89	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	4	2.57	LC	LC	1	0	0.3			0.00						
Acacia aneura var. major		0.00							2	5.71	LC	LC	1	0	0.3	taxonomic changes		0.00						
Acacia aneura var. microcarpa		0.00								0.00								0.00						
Acacia aneura var. tenuis		0.00							15	39.47	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	1	2.63	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia araneosa		0.00							91	91.92	VU D2	VU	4	0	0.3	highly localised; recruitment is occurring; goats a threat		0.00						
Acacia argyrophylla	9	4.95	RA d(i,ii)	RA	3	0	0.3	northern edge of range; could be declining		0.00								0.00						
Acacia ayersiana		0.00							2	6.25	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura		0.00						
Acacia barattensis	42	95.45	RA d(i,ii)	RA	3	0	0.3	long-lived seedbank		0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megaspherica		0.00							1	100.00	LC	LC	1	0	0.3	1 record for SA, new sp., all Non Currents are this sp; tough s		0.00						
Acacia brachystachya	2	1.55	LC	LC	1	0	0.3		7	5.43	LC	LC	1	0	0.3		5	3.88	NT	NT	2	0	0.3	
Acacia burkittii	17	3.27	NT	NT	2	0	0.3	uncommon in Flinders	13	2.50	NT	NT	2	0	0.3	uncommon in Flinders		0.00						
Acacia calamifolia	78	22.03	LC	LC	1	0	0.3		15	4.24	LC	LC	1	0	0.3			0.00						
Acacia calcicola		0.00								0.00								0.00						
Acacia cambagei		0.00								0.00								0.00						
Acacia carneorum	1	0.69	VU D2	VU	4	DD	0	isolated, edge of range, prob stable	1	0.69	VU D2	VU	4	0	0.3		8	5.56	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazed, lack of recruitment
Acacia clelandii	2	3.85	LC	LC	1	0	0.3	taxonomic issues	3	5.77	LC	LC	1	0	0.3	taxonomic issues		0.00						
Acacia confluens		0.00							77	90.59	RA d(ii)	RA	3	DD	0	up on the ridges at Arkaroola		0.00						
Acacia continua	78	9.12	LC	LC	1	0	0.3		31	3.63	NT	NT	2	0	0.3	only occurs on ridge-tops & rocky slopes		0.00						
Acacia cyperophylla var. cyperophylla		0.00								0.00								0.00						
Acacia dictyophleba		0.00								0.00							3	4.17	RA d(ii)	RA	3	0	0.3	
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata		0.00								0.00								0.00						
Acacia georginae		0.00								0.00								0.00						
Acacia hakeoides	5	0.72	RA d(i,ii)	RA	3	0	0.3	northern edge of range		0.00								0.00						
Acacia havilandiorum	47	30.92	LC	LC	1	0	0.3	stronghold	69	45.39	LC	LC	1	0	0.3	stronghold		0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana		0.00							21	4.83	NT	NT	2	0	0.3	long-lived, problem with ID; intermediate between A sibirica		0.00						
Acacia latzii		0.00								0.00								0.00						
Acacia ligulata	73	2.48	LC	LC	1	0	0.3		73	2.48	LC	LC	1	0	0.3		127	4.32	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00								0.00						
Acacia melleodora		0.00								0.00								0.00						
Acacia menzelii	7	2.93	VU D1 + D2	VU	4	DD	0	in Brachinna Gorge; could be Endangered	7	2.93	EN D	EN	5	DD	0	very few plants		0.00						
Acacia minyura		0.00								0.00								0.00						
Acacia murrayana		0.00							1	0.21	DD	DD	0	DD	0	imprecise location	40	8.26	LC	LC	1	0	0.3	
Acacia notabilis	18	2.97	NT	NT	2	0	0.3	northern edge of range; likes fire		0.00								0.00						
Acacia nyssophylla		0.00								0.00								0.00						
Acacia olgana		0.00								0.00								0.00						
Acacia oswaldii	36	1.74	LC	LC	1	0	0.3		164	7.93	LC	LC	1	0	0.3		23	1.11	LC	LC	1	0	0.3	grazed by camels
Acacia pachyacra		0.00								0.00								0.00						
Acacia papyrocarpa	2	0.17	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Acacia paradoxa	12	0.63	RA d(ii)	RA	3	0	0.3	northern edge of range		0.00								0.00						
Acacia paraneura		0.00								0.00								0.00						
Acacia pickardii		0.00								0.00							2	5.13	VU D2	VU	4	0	0.3	clonal, long-lived
Acacia prainii		0.00								0.00								0.00						
Acacia pravifolia	27	28.42	LC	LC	1	0	0.3		5	5.26	RA d(ii)	RA	3	0	0.3			0.00						
Acacia pruinocarpa		0.00								0.00								0.00						
Acacia pycnantha	28	0.68	RA d(ii)	RA	3	0	0.3	northern edge of range		0.00								0.00						
Acacia quornensis	20	40.00	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Acacia ramulosa var. linophylla		0.00								0.00							2	0.76	NE	NE	-1			some taxonomic issues; common on dunes
Acacia ramulosa var. ramulosa		0.00								0.00							1	1.03	NE	NE	-1			taxonomic issues
Acacia rhodophloia		0.00								0.00								0.00						
Acacia rigens	29	2.93	RA d(ii)	RA	3	0	0.3		11	1.11	RA d(ii)	RA	3	0	0.3			0.00						
Acacia rivalis	81	18.00	LC	LC	1	0	0.3		351	78.00	LC	LC	1	0	0.3			0.00						
Acacia salicina	11	1.91	LC	LC	1	0	0.3		53	9.20	LC	LC	1	0	0.3		24	4.17	LC	LC	1	0	0.3	
Acacia sericophylla		0.00								0.00								0.00						
Acacia sibirica	1	0.43	RA d(ii)	RA	3	DD	0		10	4.26	RA d(ii)	RA	3	DD	0	taxonomic issues, A kempliana; edge of range	1	0.43	DD	DD	0	DD	0	imprecise location
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, - 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, - 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, - 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Acacia spooneri	5	25.00	VU D2	VU	4	DD	0	comes up after fire; localised to range-tops		0.00								0.00						
Acacia stenophylla		0.00								0.00							4	0.52	RA d(ii)	RA	3	0	0.3	edge of range, limited habitat
Acacia strongylophylla		0.00								0.00								0.00						
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00								0.00								0.00						
Acacia tetragonophylla	76	3.71	LC	LC	1	0	0.3		738	36.02	LC	LC	1	0	0.3		16	0.78	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00								0.00						
Acacia victoriae ssp. arida	1	1.19	NE	NE	-1			taxonomic issues	2	2.38	NE	NE	-1			taxonomic issues	6	7.14	NE	NE	-1			taxonomic issues
Acacia victoriae ssp. victoriae	231	15.65	LC	LC	1	0	0.3		713	48.31	LC	LC	1	0	0.3		6	0.41	LC	LC	1	0	0.3	
Acacia wilhelmiana	12	2.64	RA d(i,ii)	RA	3	0	0.3	restricted to Wilpena Pound		0.00								0.00						
Acaena echinata	3	0.38	RA d(i,ii)	RA	3	0	0.3	only in Wilpena		0.00								0.00						
Acaena novae-zelandiae		#DIV/0!	VU D2	VU	4	DD	0	(no records), climate sensitive, R Bates		0.00								0.00						
Actinobole uliginosum	29	2.22	LC	LC	1	0	0.3		78	5.96	LC	LC	1	0	0.3			0.00						
Adriana tomentosa var. hookeri		0.00								0.00								0.00						
Aeschynomene indica		0.00								0.00								0.00						
Ajuga australis forma A (A.G.Spooner 9058)	33	15.42	LC	LC	1	0	0.3		33	15.42	LC	LC	1	0	0.3			0.00						
Alectryon oleifolius ssp. canescens	131	6.47	LC	LC	1	0	0.3		579	28.61	LC	LC	1	0	0.3		16	0.79	LC	LC	1	0	0.3	
Allocasuarina decaisneana		0.00								0.00								0.00						
Allocasuarina helmsii		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. alticola	26	32.91	NT	NT	2	-	0.4	sheep grazing a threat	39	49.37	LC	LC	1	0	0.3			0.00						
Allocasuarina muelleriana ssp. muelleriana	6	0.29	RA d(i,ii)	RA	3	-	0.4	grazed		0.00								0.00						
Allocasuarina verticillata	35	1.16	LC	LC	1	0	0.3		17	0.56	LC	LC	1	0	0.3			0.00						
Alternanthera angustifolia		0.00								0.00							2	2.11	NT	NT	2	0	0.3	ephemeral in SA
Alternanthera denticulata		0.00							8	2.21	LC	LC	1	0	0.3		8	2.21	LC	LC	1	0	0.3	
Alternanthera nana		0.00								0.00								0.00						
Alternanthera nodiflora	1	0.47	RA d(ii)	RA	3	DD	0	southern edge of range		0.00							10	4.67	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. auriculata		0.00								0.00								0.00						
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00								0.00						
Alyogyne hakeifolia	12	15.00	NT	NT	2	0	0.3	fire responsive	20	25.00	NT	NT	2	0	0.3	fire responsive		0.00						
Alyogyne pinoniana var. pinoniana		0.00							1	1.09						introduced		0.00						
Amaranthus centralis		0.00							1	14.29	DD	DD	0	DD	0	records on loan & not databased; undercollected also		0.00						
Amaranthus cuspidifolius		0.00								0.00								0.00						
Amaranthus grandiflorus	2	2.08	RA d(ii)	RA	3	DD	0	limited habitat	2	2.08	RA d(ii)	RA	3	DD	0	limited habitat	6	6.25	LC	LC	1	0	0.3	
Amaranthus interruptus		0.00							2	8.00	RA d(i,ii)	RA	3	0	0.3	rocky areas		0.00						
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii		0.00							3	3.03	LC	LC	1	0	0.3	dislikes saline ground	1	1.01	LC	LC	1	0	0.3	dislikes saline ground
Ammannia multiflora		0.00								0.00							1	0.93	NT	NT	2	0	0.3	
Amphibromus nervosus	4	2.63	RA d(i,ii)	RA	3	-	0.4	comes up after floods; vlunerable to disturbance; sensitive to v		0.00								0.00						
Amphipogon caricinus var. caricinus	2	0.34	RA d(i,ii)	RA	3	-	0.4	limited habitat	4	0.69	RA d(ii)	RA	3	-	0.4			0.00						
Amyema fitzgeraldii		0.00								0.00								0.00						
Amyema gibberula var. gibberula		0.00								0.00								0.00						
Amyema hilliana		0.00								0.00								0.00						
Amyema linophylla ssp. orientale	8	18.60	NT	NT	2	0	0.3	host Casuarina pauper; very cryptic spp	10	23.26	NT	NT	2	0	0.3	host Casuarina pauper; very cryptic spp	1	2.33	RA d(i,ii)	RA	3	DD	0	edge of range; host Casuarina pauper; very cryptic spp
Amyema maidenii ssp. maidenii	6	1.00	NT	NT	2	0	0.3		219	36.38	LC	LC	1	0	0.3		11	1.83	LC	LC	1	0	0.3	
Amyema miquelii	18	1.15	LC	LC	1	0	0.3	favours Eucalypts	106	6.79	LC	LC	1	0	0.3	favours Eucalypts		0.00						
Amyema miraculosa ssp. boormanii	5	1.68	LC	LC	1	0	0.3	undercollected; hosts Santalaceae, myoporums	63	21.14	LC	LC	1	0	0.3	undercollected; hosts Santalaceae, myoporums	1	0.34	RA d(i,ii)	RA	3	0	0.3	edge of range
Amyema preissii	7	0.73	LC	LC	1	0	0.3		121	12.56	LC	LC	1	0	0.3		18	1.87	LC	LC	1	0	0.3	
Amyema quandang var. quandang	2	0.53	RA d(ii)	RA	3	DD	0		1	0.26	RA d(ii)	RA	3	DD	0	host Acacia pyrocarpa & others	2	0.53	RA d(i,ii)	RA	3	DD	0	host Acacia pyrocarpa & others
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana	5	12.20	RA d(ii)	RA	3	0	0.3	occurs in rocky crevices	12	29.27	NT	NT	2	0	0.3	occurs in rocky crevices		0.00						
Anemocarpa podolepidium	4	1.32	LC	LC	1	0	0.3	grows on low table hills	34	11.22	LC	LC	1	0	0.3	grows on low table hills	8	2.64	RA d(ii)	RA	3	0	0.3	edge of range
Anemocarpa saxatilis		0.00								0.00								0.00						
Angianthus brachypappus		0.00								0.00							2	4.00	RA d(ii)	RA	3	DD	0	ephemeral, likes heavy soils
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus		0.00							6	1.05	NT	NT	2	DD	0	localised		0.00						
Anogramma leptophylla		0.00							4	3.64	EN B2ab(i,ii,iii,iv,v)	EN	5	-	0.4	needs annual rainfall, likes moss, rocks		0.00						
Anthocercis angustifolia	16	18.18	RA d(ii)	RA	3	0	0.3	ephemeral; comes up after fire; localised spp		0.00								0.00						
Apium prostratum var. filiforme	2	1.23	VU B2ab(i,ii,iii); D2	VU	4	-	0.4		2	1.23	VU D2	VU	4	0	0.3			0.00						
Arabidella eremigena		0.00								0.00							7	7.29	LC	LC	1	0	0.3	comes and goes
Arabidella filifolia	26	24.76	NT	NT	2	0	0.3	grows on rocky cliffs	18	17.14	NT	NT	2	0	0.3	grows on rocky cliffs		0.00						
Arabidella glaucescens	1	0.48	RA d(i,ii)	RA	3	DD	0	limited habitat	18	8.70	NT	NT	2	0	0.3		4	1.93	LC	LC	1	0	0.3	
Arabidella nasturtium	16	6.25	LC	LC	1	0	0.3		29	11.33	LC	LC	1	0	0.3			0.00						
Arabidella procumbens		0.00							4	8.16	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground
Arabidella trisecta	59	10.05	LC	LC	1	0	0.3	likes rocky outcrops	104	17.72	LC	LC	1	0	0.3	likes rocky outcrops		0.00						
Aristida anthoxanthoides		0.00							8	4.57	RA d(ii)	RA	3	0	0.3	limited habitat	10	5.71	LC	LC	1	0	0.3	short-lived; seasonal
Aristida arida	2	4.35	RA d(i,ii)	RA	3	0	0.3		22	47.83	NT	NT	2	0	0.3	localised		0.00						
Aristida behriana	5	0.68	RA d(i,ii)	RA	3	DD	0	historical decline; edge of range; limited habitat	5	0.68	RA d(i,ii)	RA	3	DD	0	historical decline; edge of range; limited habitat		0.00						
Aristida biglandulosa	1	50.00	DD	DD	0	DD	0	questionable ID	1	50.00	DD	DD	0	DD	0	questionable ID		0.00						
Aristida capillifolia	3	6.12	RA d(i,ii)	RA	3	DD	0	edge of range	31	63.27	LC	LC	1	0	0.3	perennial; grows on rocky ground		0.00						
Aristida contorta	9	0.45	LC	LC	1	0	0.3		85	4.26	LC	LC	1	0	0.3		69	3.46	LC	LC	1	0	0.3	
Aristida holathera var. holathera	1	0.11	NT	NT	2	0	0.3	tolerates grazing	6	0.66	NT	NT	2	0	0.3	tolerates grazing	80	8.79	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Aristida inaequiglumis		0.00								0.00								0.00						
Aristida jerichoensis var. subspinulifera		0.00								0.00								0.00						
Aristida latifolia		0.00							2	1.82	RA d(ii)	RA	3	DD	0	stony, gibber habitat	2	1.82	NT	NT	2	0	0.3	restricted to north
Aristida nitidula	58	9.28	LC	LC	1	0	0.3	likes stony ranges	378	60.48	LC	LC	1	0	0.3	likes stony ranges		0.00						
Aristida obscura		0.00								0.00								0.00						
Aristida personata		0.00							3	9.09	NT	NT	2	+	0.2	could be introduced via stock from East coast		0.00						
Aristida strigosa		0.00							6	10.00	NT	NT	2	DD	0	probably artificially spread - stock/vehicles		0.00						
Arthropodium minus	6	2.15	NT	NT	2	0	0.3		12	4.30	LC	LC	1	0	0.3			0.00						
Arthropodium strictum	58	2.43	LC	LC	1	0	0.3		69	2.90	NT	NT	2	0	0.3			0.00						
Asperula conferta	24	4.20	LC	LC	1	0	0.3		7	1.23	RA d(ii)	RA	3	0	0.3	limited habitat; climate sensitive		0.00						
Asperula gemella		0.00							1	0.84	VU D2	VU	4	DD	0	river/creek sp; very limited habitat		0.00						
Asteridea athrixioides forma athrixioides	4	0.99	LC	LC	1	0	0.3	edge of range; higher rainfall sp.	9	2.23	LC	LC	1	0	0.3	edge of range; higher rainfall sp.		0.00						
Astrebla lappacea		0.00							15	14.71	LC	LC	1	0	0.3		2	1.96	LC	LC	1	0	0.3	
Astrebla pectinata		0.00							31	4.24	LC	LC	1	0	0.3		25	3.42	LC	LC	1	0	0.3	
Astroloma humifusum	35	0.99	NT	NT	2	0	0.3		25	0.71	RA d(ii)	RA	3	0	0.3			0.00						
Atalaya hemiglauca		0.00								0.00							43	19.91	LC	LC	1	0	0.3	
Atriplex acutibractea ssp. acutibractea	4	1.38	LC	LC	1	0	0.3	grows along roadsides	7	2.42	LC	LC	1	0	0.3	grows along roadsides		0.00						
Atriplex acutibractea ssp. karoniensis		0.00							1	0.83	RA d(i,ii)	RA	3	DD	0	edge of range; questionable ID		0.00						
Atriplex acutiloba	3	15.79	NT	NT	2	DD	0	sparse distribution	2	10.53	NT	NT	2	DD	0	sparse distribution	1	5.26	RA d(ii)	RA	3	DD	0	
Atriplex angulata	15	2.63	LC	LC	1	0	0.3		58	10.18	LC	LC	1	0	0.3		16	2.81	LC	LC	1	0	0.3	
Atriplex cordifolia		0.00								0.00							10	23.26	NT	NT	2	0	0.3	not common; endemic
Atriplex crassipes var. crassipes		0.00							1	1.72	NT	NT	2	0	0.3		2	3.45	LC	LC	1	0	0.3	
Atriplex eardleyae	34	12.14	LC	LC	1	0	0.3	likes roadsides & grazed sheep paddocks	14	5.00	LC	LC	1	0	0.3	likes roadsides & grazed sheep paddocks	3	1.07	LC	LC	1	0	0.3	likes roadsides & grazed sheep paddocks
Atriplex eichleri	8	14.81	NT	NT	2	0	0.3	likes roadsides	15	27.78	NT	NT	2	0	0.3	likes roadsides	5	9.26	NT	NT	2	0	0.3	lack of habitat
Atriplex elachophylla		0.00								0.00								0.00						
Atriplex fissivalvis		0.00							14	7.29	LC	LC	1	0	0.3	ephemeral		0.00						
Atriplex holocarpa	31	3.23	LC	LC	1	0	0.3		27	2.82	LC	LC	1	0	0.3		81	8.45	LC	LC	1	0	0.3	
Atriplex humifusa		0.00								0.00								0.00						
Atriplex incrassata		0.00							3	5.08	RA d(ii)	RA	3	DD	0	edge of range; almost SA endemic; sparse distribution	1	1.69	RA d(ii)	RA	3	DD	0	
Atriplex intermedia		0.00								0.00							3	4.55	LC	LC	1	0	0.3	common, on roadsides
Atriplex kochiana		0.00							11	32.35	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazed by sheep; habitat degradation		0.00						
Atriplex leptocarpa	3	1.03	RA d(ii)	RA	3	-	0.4	grazed		0.00							5	1.72	NT	NT	2	0	0.3	
Atriplex limbata	11	2.57	LC	LC	1	0	0.3		30	7.01	LC	LC	1	0	0.3		44	10.28	LC	LC	1	0	0.3	
Atriplex lindleyi ssp. conduplicata	1	0.71	RA d(ii)	RA	3	DD	0	southern edge of range	11	7.86	LC	LC	1	0	0.3	endemic to SA	1	0.71	NT	NT	2	0	0.3	endemic to SA
Atriplex lindleyi ssp. inflata	2	1.44	NT	NT	2	-	0.4	grazed ; on salt scalds; endemic to SA	3	2.16	NT	NT	2	0	0.3	endemic to SA; undercollected	1	0.72	NT	NT	2	0	0.3	endemic to SA; undercollected
Atriplex lindleyi ssp. lindleyi	3	1.41	LC	LC	1	0	0.3	endemic to SA	7	3.29	LC	LC	1	0	0.3	endemic to SA	5	2.35	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. quadripartita		0.00							1	5.26	NT	NT	2	DD	0	all A lindleyi records not sorted into ssp.	1	5.26	NT	NT	2	DD	0	all A lindleyi records not sorted into ssp.
Atriplex lobativalvis		0.00								0.00							2	3.45	RA d(ii)	RA	3	DD	0	edge of range
Atriplex macropterocarpa		0.00								0.00								0.00						
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri		0.00								0.00								0.00						
Atriplex nummularia ssp. nummularia		0.00							4	2.14	RA d(ii)	RA	3	DD	0	edge of range, limited habitat	4	2.14	LC	LC	1	0	0.3	
Atriplex nummularia ssp. omissa		0.00								0.00							1	0.60	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common
Atriplex obconica		0.00							5	10.20	NT	NT	2	DD	0	endemic to SA		0.00						
Atriplex papillata		0.00								0.00							1	20.00	VU D2	VU	4	DD	0	limited to salt lakes; could be declining; only 1 record
Atriplex pseudocampanulata	2	2.33	RA d(ii)	RA	3	DD	0	limited habitat; southern edge of range	1	1.16	RA d(ii)	RA	3	DD	0	limited habitat	8	9.30	NT	NT	2	DD	0	could be more common
Atriplex pumilio		0.00								0.00								0.00	NT	NT	2	0	0.3	(no records)
Atriplex quadrivalvata var. quadrivalvata		0.00								0.00								0.00						
Atriplex quadrivalvata var. sessilifolia		0.00								0.00								0.00						
Atriplex quinii		0.00								0.00								0.00						
Atriplex semibaccata	1	0.16	LC	LC	1	0	0.3		7	1.14	LC	LC	1	0	0.3			0.00						
Atriplex spongiosa	16	2.30	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	13	1.87	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	30	4.32	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land
Atriplex stipitata	63	5.37	LC	LC	1	0	0.3	mallee sp.	81	6.90	LC	LC	1	0	0.3	mallee sp.	9	0.77	LC	LC	1	0	0.3	
Atriplex suberecta		0.00							1	0.31	NT	NT	2	0	0.3	grows in flooded claypans		0.00						
Atriplex turbinata		0.00								0.00							1	4.17	RA d(ii)	RA	3	DD	0	could have declined
Atriplex velutinella	7	1.35	LC	LC	1	0	0.3		27	5.19	LC	LC	1	0	0.3		58	11.15	LC	LC	1	0	0.3	
Atriplex vesicaria ssp. calcicola		0.00								0.00							2	8.00	LC	LC	1	0	0.3	lots of records not id'd to ssp
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha		0.00								0.00							3	9.09	LC	LC	1	0	0.3	
Austrodanthonia auriculata	1	0.30	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazed		0.00								0.00						
Austrodanthonia caespitosa	121	2.80	LC	LC	1	0	0.3	likes road run-off	201	4.65	LC	LC	1	0	0.3	likes road run-off		0.00						
Austrodanthonia erianthа	7	2.72	RA d(i,ii)	RA	3	DD	0	localised	1	0.39	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazing - threat; 1 old record		0.00						
Austrodanthonia setacea	10	0.47	NT	NT	2	0	0.3	localised	6	0.28	NT	NT	2	0	0.3	localised		0.00						
Austrostipa acrociliata	6	0.69	NT	NT	2	0	0.3	sparse distribution; limestone sp	4	0.46	NT	NT	2	0	0.3	sparse distribution; limestone sp		0.00						
Austrostipa blackii	6	0.77	RA d(ii)	RA	3	DD	0	scarce here; suspected decline	9	1.15	RA d(ii)	RA	3	DD	0	scarce here; suspected decline		0.00						
Austrostipa breviglumis	8	5.80	NT	NT	2	0	0.3	likes tops of ranges; locally common	5	3.62	RA d(i,ii)	RA	3	0	0.3	less rainfall than CFL		0.00						
Austrostipa densiflora	1	1.85	VU D2	VU	4	DD	0			0.00								0.00						
Austrostipa drummondii	22	2.17	LC	LC	1	0	0.3		12	1.19	NT	NT	2	-	0.4	grazed by goats		0.00						
Austrostipa elegantissima	31	1.36	LC	LC	1	0	0.3		30	1.32	LC	LC	1	0	0.3			0.00						
Austrostipa eremophila	13	0.88	LC	LC	1	0	0.3	typical sp here	7	0.47	NT	NT	2	0	0.3			0.00						
Austrostipa flavescens		0.00							2	0.16	VU D2	VU	4	DD	0	highly localised ; limited habitat; edge of range		0.00						
Austrostipa hemipogon	3	0.44	RA d(i,ii)	RA	3	DD	0		6	0.89	RA d(ii)	RA	3	DD	0			0.00						
Austrostipa nitida	99	3.13	LC	LC	1	0	0.3		246	7.78	LC	LC	1	0	0.3		11	0.35	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Austrostipa nodosa	67	4.71	LC	LC	1	0	0.3		98	6.89	LC	LC	1	0	0.3			0.00						
Austrostipa nullanulla		0.00								0.00								0.00						
Austrostipa petraea	11	25.58	NT	NT	2	0	0.3		5	11.63	RA d(ii)	RA	3	0	0.3	could be declining; long-lived perennial		0.00						
Austrostipa pilata	19	12.03	NT	NT	2	0	0.3		45	28.48	LC	LC	1	0	0.3			0.00						
Austrostipa platychaeta	5	0.91	LC	LC	1	0	0.3	undercollected	6	1.09	NT	NT	2	0	0.3	undercollected; edge of range		0.00						
Austrostipa plumigera		0.00								0.00								0.00						
Austrostipa scabra ssp. falcata	10	0.97	LC	LC	1	0	0.3	on roadsides/tracks where water runs off	13	1.26	LC	LC	1	0	0.3	on roadsides/tracks where water runs off		0.00						
Austrostipa scabra ssp. scabra	6	1.36	NT	NT	2	DD	0		6	1.36	NT	NT	2	0	0.3			0.00						
Austrostipa setacea	5	1.51	LC	LC	1	0	0.3		20	6.04	LC	LC	1	0	0.3			0.00						
Austrostipa trichophylla	22	4.80	LC	LC	1	0	0.3		134	29.26	LC	LC	1	0	0.3			0.00						
Austrostipa tuckeri	2	20.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	can be confused with A elegantissima	5	50.00	VU B2ab(i,ii,iii), D2	VU	4	-	0.4	can be confused with A elegantissima		0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides		0.00								0.00								0.00						
Baeckea tuberculata		0.00								0.00								0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva		0.00								0.00							9	7.56	NT	NT	2	0	0.3	
Baumea arthrophylla	5	2.05	VU D2	VU	4	DD	0	Wilpena Ck; needs permanent water	2	0.82	EN B2ab(i,ii,iii)	EN	5	-	0.4	Goats & lack of rain - threats		0.00						
Baumea articulata	10	11.24	VU D2	VU	4	DD	0	northern limit; highly localised; climate sensitive		0.00								0.00						
Baumea juncea		0.00								0.00								0.00						
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00							3	60.00	NT	NT	2	0	0.3	
Bergia occultipetala		0.00								0.00							5	27.78	NT	NT	2	0	0.3	
Bergia pedicellaris		0.00								0.00							2	33.33	NT	NT	2	0	0.3	flood sp
Bergia perennis ssp. exigua		0.00								0.00								0.00						
Bergia trimera	1	0.85	RA d(i,ii)	RA	3	DD	0	comes & goes		0.00							15	12.71	LC	LC	1	0	0.3	comes & goes
Beyeria lechenaultii	17	0.80	LC	LC	1	0	0.3		39	1.83	LC	LC	1	0	0.3			0.00						
Billardiera versicolor	12	3.72	RA d(i,ii)	RA	3	0	0.3	restricted to rocky ridge-tops		0.00								0.00						
Blennodia canescens		0.00								0.00							5	7.69	LC	LC	1	0	0.3	
Blennodia pterosperma		0.00								0.00							22	18.64	LC	LC	1	0	0.3	
Blennospora drummondii	3	0.38	RA d(i,ii)	RA	3	DD	0	northern edge of range		0.00								0.00						
Boerhavia coccinea	1	0.59	LC	LC	1	0	0.3		19	11.18	LC	LC	1	0	0.3		3	1.76	LC	LC	1	0	0.3	
Boerhavia dominii	32	4.55	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	209	29.69	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	68	9.66	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance
Boerhavia repleta		0.00								0.00								0.00						
Boerhavia schomburgkiana	12	3.80	LC	LC	1	0	0.3	undercollected; grows in summer	57	18.04	LC	LC	1	0	0.3	undercollected; grows in summer	25	7.91	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii	2	0.53	RA d(i,ii)	RA	3	DD	0	copes with grazing	2	0.53	VU D2	VU	4	DD	0		1	0.26	VU D2	VU	4	DD	0	
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta		0.00								0.00								0.00						
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana		0.00							3	6.00	LC	LC	1	0	0.3		1	2.00	RA d(ii)	RA	3	0	0.3	
Bothriochloa macra		0.00								0.00								0.00						
Brachiaria gilesii		0.00								0.00							1	7.69	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent
Brachiaria notochthona		0.00								0.00								0.00						
Brachiaria piligera		0.00								0.00							1	1.96	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral
Brachiaria praetervisa	1	0.70	LC	LC	1	0	0.3	likes flooded areas; ephemeral	38	26.76	LC	LC	1	0	0.3	likes flooded areas; ephemeral		0.00						
Brachyachne ciliaris		0.00								0.00							5	7.35	LC	LC	1	0	0.3	
Brachychiton gregorii		0.00								0.00								0.00						
Brachyscome blackii		0.00								0.00								0.00						
Brachyscome campylocarpa		0.00								0.00								0.00						
Brachyscome ciliaris var. ciliaris	23	2.12	LC	LC	1	0	0.3	under represented; taxonomic issues	103	9.50	LC	LC	1	0	0.3		14	1.29	LC	LC	1	0	0.3	under represented; taxonomic issues
Brachyscome ciliaris var. lanuginosa	21	3.56	LC	LC	1	0	0.3		73	12.37	LC	LC	1	0	0.3		6	1.02	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lyrifolia	12	11.43	LC	LC	1	0	0.3		82	78.10	LC	LC	1	0	0.3			0.00						
Brachyscome ciliaris var. subintegrifolia	2	6.90	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Brachyscome debilis	1	7.14	RA d(i,ii)	RA	3	DD	0	edge of range, check ID, outlier		0.00								0.00						
Brachyscome dentata		0.00							28	50.00	LC	LC	1	0	0.3			0.00						
Brachyscome dichromosomatica var. dichromosomatica	4	10.53	RA d(i,ii)	RA	3	-	0.4	habitat degraded; grows red loamy soils	3	7.89	RA d(i,ii)	RA	3	DD	0	can be confused with other spp		0.00						
Brachyscome eriogona		0.00							1	1.43	RA d(i,ii)	RA	3	DD	0	not all records databased; endemic to SA		0.00						
Brachyscome iberidifolia		0.00							1	0.72	DD	DD	0	DD	0	outlier, grows on red sand		0.00						
Brachyscome lineariloba	47	3.19	LC	LC	1	0	0.3		62	4.21	LC	LC	1	0	0.3		9	0.61	LC	LC	1	0	0.3	under represented
Brachyscome perpusilla	2	0.68	NT	NT	2	0	0.3	northern edge of range; grows rocky outcrops; underco	1	0.34	NT	NT	2	0	0.3	northern edge of range; grows rocky outcrops; undercollected		0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum		0.00								0.00								0.00						
Brachyscome trachycarpa		0.00								0.00								0.00						
Bromus arenarius	11	2.89	RA d(ii)	RA	3	-	0.4	not often seen; outcompeted by weed grasses	11	2.89	RA d(ii)	RA	3	-	0.4	not often seen; outcompeted by weed grasses	9	2.36	NT	NT	2	0	0.3	
Brunonia australis		0.00								0.00								0.00						
Bulbine alata	6	1.96	RA d(ii)	RA	3	0	0.3		26	8.50	LC	LC	1	0	0.3		31	10.13	LC	LC	1	0	0.3	
Bulbine bulbosa	3	0.37	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Bulbine semibarbata	14	1.31	LC	LC	1	0	0.3		57	5.32	LC	LC	1	0	0.3	higher rainfall spp	40	3.73	LC	LC	1	0	0.3	higher rainfall spp
Bulbostylis barbata		0.00								0.00							2	6.67	NT	NT	2	0	0.3	common after summer rain; ephemeral
Bulbostylis pyriformis																								
Bulbostylis turbinata		0.00								0.00								0.00						
Bursaria spinosa ssp. lasiophylla	1	0.99	RA d(i,ii)	RA	3	-	0.4	localised; goats a threat	10	9.90	RA d(ii)	RA	3	-	0.4	goats a threat		0.00						
Bursaria spinosa ssp. spinosa	54	1.98	LC	LC	1	0	0.3	goats a threat	49	1.80	LC	LC	1	0	0.3	goats a threat		0.00						
Caladenia capillata	12	3.50	LC	LC	1	DD	0	rocky ranges	2	0.58	EN B2ab(ii)	EN	5	-	0.4	rocky ranges; goats a threat		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Caladenia toxochila	14	17.07	RA abd(ii)	RA	3	-	0.4	needs good soils; impacted by drought	1	1.22	EN B2ab(ii)	EN	5	-	0.4	goats a threat; impacted by drought; needs good soils		0.00						
Calandrinia balonensis		0.00								0.00							31	29.52	NT	NT	2	0	0.3	
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma		0.00								0.00								0.00						
Calandrinia eremaea	15	1.15	LC	LC	1	0	0.3		20	1.53	LC	LC	1	0	0.3		1	0.08	NT	NT	2	0	0.3	
Calandrinia granulifera	1	0.34	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	limited habitat; northern outlier		0.00								0.00						
Calandrinia polyandra var. polyandra		0.00							3	2.80	RA d(i,ii)	RA	3	DD	0	check ID		0.00						
Calandrinia ptychosperma		0.00							19	17.43	RA d(ii)	RA	3	DD	0	southern edge of range	22	20.18	NT	NT	2	0	0.3	
Calandrinia pumila		0.00								0.00							1	2.86	RA d(i,ii)	RA	3	DD	0	
Calandrinia remota	2	2.04	RA d(ii)	RA	3	DD	0	southern edge of range	10	10.20	NT	NT	2	DD	0		2	2.04	NT	NT	2	DD	0	could be more records on loan & not databased
Calandrinia reticulata		0.00								0.00								0.00						
Calandrinia stagnensis		0.00								0.00								0.00						
Calandrinia volubilis	1	1.37	RA d(i,ii)	RA	3	DD	0	northern edge of range		0.00								0.00						
Callistemon teretifolius	34	16.83	LC	LC	1	0	0.3		37	18.32	LC	LC	1	0	0.3			0.00						
Callitriche sonderi		0.00								0.00								0.00						
Callitris glaucophylla	246	21.32	LC	LC	1	0	0.3	doing well	384	33.28	LC	LC	1	0	0.3	doing well	21	1.82	LC	LC	1	0	0.3	
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus	4	1.34	RA d(i,ii)	RA	3	0	0.3	highly localised; limited habitat		0.00								0.00						
Calocephalus knappii		0.00								0.00								0.00						
Calocephalus platycephalus	2	0.58	LC	LC	1	0	0.3		3	0.86	LC	LC	1	0	0.3		86	24.78	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00								0.00								0.00						
Calostemma luteum		0.00							3	10.71	RA d(i,ii)	RA	3	DD	0	needs good rain	2	7.14	NT	NT	2	0	0.3	
Calostemma purpureum	8	1.32	NT	NT	2	0	0.3			0.00								0.00						
Calotis ancyrocarpa		0.00								0.00							3	7.69	NT	NT	2	0	0.3	restricted
Calotis cymbacantha	10	2.99	LC	LC	1	0	0.3		13	3.88	LC	LC	1	0	0.3		13	3.88	LC	LC	1	0	0.3	
Calotis erinacea	3	0.68	LC	LC	1	0	0.3		7	1.59	LC	LC	1	0	0.3		9	2.05	LC	LC	1	0	0.3	
Calotis hispidula	76	3.58	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	229	10.80	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	90	4.24	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei		0.00								0.00								0.00						
Calotis lappulacea	13	34.21	NT	NT	2	-	0.4		9	23.68	RA d(ii)	RA	3	-	0.4	localised		0.00						
Calotis latiuscula	2	1.27	RA d(i,ii)	RA	3	DD	0		34	21.66	LC	LC	1	0	0.3			0.00						
Calotis multicaulis		0.00								0.00								0.00						
Calotis plumulifera	2	0.48	RA d(i,ii)	RA	3	-	0.4	limit of range; goats, sheep grazing	20	4.83	LC	LC	1	0	0.3		28	6.76	LC	LC	1	0	0.3	
Calotis porphyroglossa		0.00								0.00							9	8.04	LC	LC	1	0	0.3	
Calotis scabiosifolia var. scabiosifolia	2	9.09	VU B2ab(i,ii,iii)	VU	4	-	0.4	seen on roadsides, likes heavy soils	3	13.64	VU B2ab(i,ii,iii)	VU	4	-	0.4	seen on roadsides, likes heavy soils		0.00						
Calytrix carinata		0.00								0.00								0.00						
Calytrix gypsophila		0.00								0.00								0.00						
Calytrix tetragona	46	1.33	LC	LC	1	0	0.3		55	1.60	LC	LC	1	0	0.3			0.00						
Capparis mitchellii		0.00							113	68.48	LC	LC	1	0	0.3			0.00						
Carex appressa	7	2.46	VU D2	VU	4	DD	0	northern limit	2	0.70	VU D2	VU	4	DD	0	northern limit		0.00						
Carex bichenoviana	1	0.60	VU D2	VU	4	0	0.3	northern edge of range		0.00								0.00						
Carex breviculmis	2	0.49	VU B2ab(ii,iii); D2	VU	4	-	0.4	needs reliable winter rains		0.00								0.00						
Carex gaudichaudiana	12	13.79	VU D2	VU	4	DD	0			0.00								0.00						
Carex inversa var. major	5	5.21	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Carex tereticaulis	5	1.87	VU D2	VU	4	DD	0	needs damp soil; restricted	3	1.12	VU D2	VU	4	DD	0	needs damp soil; restricted		0.00						
Carinavalva glauca		0.00								0.00								0.00						
Cassinia arcuata		0.00							1	0.95	RA d(i,ii)	RA	3	DD	0	could be wrong ID		0.00						
Cassinia complanata	7	2.32	RA d(i,ii)	RA	3	0	0.3	likes wetter areas, localised Wilpena		0.00								0.00						
Cassinia laevis	100	11.85	LC	LC	1	0	0.3		260	30.81	LC	LC	1	0	0.3			0.00						
Cassytha filandersii	24	21.05	LC	LC	1	0	0.3		36	31.58	LC	LC	1	0	0.3			0.00						
Casuarina pauper	66	4.05	LC	LC	1	0	0.3		339	20.81	LC	LC	1	0	0.3		28	1.72	LC	LC	1	0	0.3	
Centella asiatica	3	3.06	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive		0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00							1	1.23	NE	NE	-1			taxonomic issues; highly unlikely
Centipeda crateriformis ssp. crateriformis		0.00							1	1.15	LC	LC	1	0	0.3		4	4.60	LC	LC	1	0	0.3	
Centipeda cunninghamii	1	0.53	LC	LC	1	0	0.3	abundant in wetter areas		0.00							3	1.59	LC	LC	1	0	0.3	
Centipeda minima ssp. minima	1	1.67	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala		0.00								0.00								0.00						
Centipeda thespidioides		0.00							6	3.11	LC	LC	1	0	0.3		6	3.11	LC	LC	1	0	0.3	
Centrolepis aristata	2	0.35	VU D2	VU	4	DD	0	very limited habitat, Wilpena Pd, depends on moisture		0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis	5	7.04	VU D2	VU	4	DD	0	likes sandy soil; Wilpena Pd; edge of range		0.00								0.00						
Centrolepis eremica		0.00								0.00							2	5.41	NT	NT	2	0	0.3	
Centrolepis polygyna	2	0.47	RA d(i,ii)	RA	3	DD	0	localised	2	0.47	RA d(i,ii)	RA	3	DD	0	localised		0.00						
Centrolepis strigosa ssp. strigosa	4	0.65	RA d(ii)	RA	3	DD	0	needs wet habitat	3	0.49	RA d(ii)	RA	3	DD	0	needs wet habitat		0.00						
Cephalipterum drummondii		0.00								0.00								0.00						
Cheilanthes austrotenuifolia	20	1.05	LC	LC	1	0	0.3		16	0.84	LC	LC	1	0	0.3			0.00						
Cheilanthes distans	8	5.06	LC	LC	1	0	0.3		3	1.90	LC	LC	1	0	0.3			0.00						
Cheilanthes lasiophylla	72	6.86	LC	LC	1	0	0.3	common on rock faces	403	38.38	LC	LC	1	0	0.3	common on rock faces		0.00						
Cheilanthes sieberi ssp. pseudovellea		0.00							3	17.65	RA d(i,ii)	RA	3	DD	0			0.00						
Cheilanthes sieberi ssp. sieberi	35	5.01	LC	LC	1	0	0.3		210	30.09	LC	LC	1	0	0.3			0.00						
Chenopodium auricomum	1	0.31	RA d(ii)	RA	3	DD	0	southern edge of range; grazed	2	0.63	RA d(ii)	RA	3	DD	0	grazed	24	7.52	LC	LC	1	0	0.3	
Chenopodium curvispicatum	3	0.39	LC	LC	1	0	0.3	likes mallee	10	1.30	LC	LC	1	0	0.3	likes mallee		0.00						
Chenopodium desertorum ssp. anidiophyllum	2	1.38	NT	NT	2	0	0.3	on creeklines	7	4.83	LC	LC	1	0	0.3	on creeklines	1	0.69	LC	LC	1	0	0.3	on creeklines
Chenopodium desertorum ssp. desertorum	3	0.42	LC	LC	1	0	0.3		6	0.83	LC	LC	1	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, - 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, - 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, - 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Chenopodium desertorum ssp. microphyllum	6	1.22	NT	NT	2	0	0.3	grassy woodland sp	15	3.05	NT	NT	2	0	0.3	grassy woodland sp		0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00								0.00						
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum	4	1.37	NT	NT	2	0	0.3	limited habitat	3	1.03	NT	NT	2	0	0.3	limited habitat	7	2.40	LC	LC	1	0	0.3	
Chloris pectinata		0.00							22	16.18	LC	LC	1	0	0.3	likes disturbance	5	3.68	LC	LC	1	0	0.3	likes disturbance
Chloris truncata		0.00							2	0.77	RA d(ii)	RA	3	DD	0		5	1.92	RA d(ii)	RA	3	DD	0	
Chrysocephalum apiculatum	14	1.22	LC	LC	1	0	0.3		17	1.48	LC	LC	1	0	0.3		9	0.78	RA d(i,ii)	RA	3	DD	0	limited habitat
Chrysocephalum eremaeum		0.00								0.00								0.00						
Chrysocephalum pterochaetum	16	4.62	LC	LC	1	0	0.3		38	10.98	LC	LC	1	0	0.3			0.00						
Chrysocephalum semipapposum	73	8.17	LC	LC	1	0	0.3		96	10.75	LC	LC	1	0	0.3			0.00						
Chrysopogon fallax		0.00								0.00							3	13.04	NT	NT	2	0	0.3	
Chthonocephalus pseudevax	6	2.87	LC	LC	1	0	0.3		2	0.96	LC	LC	1	0	0.3			0.00						
Citrus glauca	2	4.76	EN D	EN	5	DD	0	very limited; suckering habit		0.00								0.00						
Cladium procerum		0.00							4	3.96	EN D	EN	5	DD	0	northern limit; highly localised; Moro Gorge: climate sensitive		0.00						
Clematis decipiens	10	37.04	LC	LC	1	0	0.3		2	7.41	RA d(ii)	RA	3	0	0.3	more NC records, has been split off microphylla		0.00						
Clematis leptophylla	1	1.64	RA d(ii)	RA	3	0	0.3	likes gorges with limestone; should be more records	1	1.64	RA d(ii)	RA	3	0	0.3	likes gorges with limestone; should be more records		0.00						
Clematis microphylla	22	3.18	NE	NE	-1			taxonomic issues	16	2.32	NE	NE	-1			taxonomic issues		0.00						
Cleome viscosa		0.00							15	12.30	LC	LC	1	0	0.3	common roadside spp		0.00						
Codonocarpus cotinifolius		0.00								0.00								0.00						
Codonocarpus pyramidalis	39	17.81	RA d(ii)	RA	3	0	0.3	fast-growing, short-lived, soft wood, goats climb & wrec	87	39.73	RA d(ii)	RA	3	0	0.3	fast-growing, short-lived, soft wood, goats climb & wreck; neec		0.00						
Comesperma viscidulum		0.00								0.00								0.00						
Commelina ensifolia		0.00								0.00								0.00						
Commicarpus australis	26	18.98	NT	NT	2	0	0.3	prefers rocky ground	46	33.58	LC	LC	1	0	0.3	prefers rocky ground		0.00						
Convolvulus clementii	4	2.07	LC	LC	1	0	0.3	more NC records	4	2.07	LC	LC	1	0	0.3	more NC records	2	1.04	LC	LC	1	0	0.3	more NC records
Convolvulus crispifolius		0.00	NT	NT	2	0	0.3	(no records) in Wilpena, comes up after fire		0.00								0.00						
Convolvulus eyreanus	4	4.71	LC	LC	1	0	0.3			0.00							9	10.59	LC	LC	1	0	0.3	
Convolvulus microsepalus	10	15.15	LC	LC	1	0	0.3	needs good winter rainfall	3	4.55	NT	NT	2	0	0.3	needs good winter rainfall	1	1.52	RA d(i,ii)	RA	3	DD	0	
Convolvulus recurvatus ssp. nullarborensis		0.00							2	5.71	RA d(ii)	RA	3	0	0.3	undercollected		0.00						
Convolvulus recurvatus ssp. recurvatus		0.00							2	10.53	NT	NT	2	0	0.3	undercollected; comes up after rain		0.00						
Convolvulus remotus	57	3.26	LC	LC	1	0	0.3		450	25.76	LC	LC	1	0	0.3		7	0.40	LC	LC	1	0	0.3	
Convolvulus tedmoorei		#DIV/0!								#DIV/0!								#DIV/0!						
Correa glabra var. turnbullii	8	3.46	NT	NT	2	-	0.4	northern edge of range; goats/grazing/lack of regeneration		0.00								0.00						
Corymbia eremaea ssp. eremaea		0.00								0.00								0.00						
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis		0.00								0.00							4	9.09	NT	NT	2	0	0.3	
Corynotheca micrantha var. divaricata		0.00								0.00								0.00						
Craspedia haplorrhiza	2	5.88	EN 2ab(i,ii,iii)	EN	5	-	0.4	grazed; restricted to good soils; outlier; no recent records		0.00								0.00						
Craspedia variabilis	1	0.52	VU D2	VU	4	DD	0	outlier; in Wilpena only		0.00								0.00						
Crassula colligata ssp. lamprosperma	2	0.44	LC	LC	1	0	0.3	ID issues, more common	4	0.88	NT	NT	2	0	0.3	ID issues, more common		0.00						
Crassula colorata var. acuminata	35	2.97	LC	LC	1	0	0.3		13	1.10	LC	LC	1	0	0.3		2	0.17	DD	DD	0	DD	0	query ID
Crassula colorata var. colorata	3	0.52	NT	NT	2	0	0.3	along road sides, in crevices	1	0.17	NT	NT	2	0	0.3	along road sides, in crevices		0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis	2	2.99	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	only in Wilpena, climate sensitive, disturbance & weeds - threa		0.00								0.00						
Crassula tetramera	9	5.39	LC	LC	1	0	0.3	records missing due to taxo changes	6	3.59	LC	LC	1	0	0.3	records missing due to taxo changes	1	0.60	NT	NT	2	0	0.3	records missing due to taxo changes
Cratystylis conocephala		0.00								0.00								0.00						
Cremnothamnus thomsonii		0.00								0.00								0.00						
Cressa australis	1	0.39	RA d(ii)	RA	3	0	0.3	likes clay, low-lying areas		0.00							7	2.70	LC	LC	1	0	0.3	likes clay, low-lying areas
Crinum flaccidum		0.00							4	2.15	RA d(i,ii)	RA	3	0	0.3	localised pop.	7	3.76	LC	LC	1	0	0.3	
Crotalaria cunninghamii ssp. sturtii		0.00								0.00							30	20.83	LC	LC	1	0	0.3	
Crotalaria eremaea ssp. eremaea	8	2.11	LC	LC	1	0	0.3		11	2.89	LC	LC	1	0	0.3		55	14.47	LC	LC	1	0	0.3	
Crotalaria eremaea ssp. strehlowii		0.00							1	0.43	DD	DD	0	DD	0	imprecise location		0.00						
Crotalaria medicaginea var. neglecta		0.00								0.00								0.00						
Crotalaria novae-hollandiae ssp. lasiophylla		0.00								0.00								0.00						
Crotalaria smithiana		0.00								0.00							3	4.69	NT	NT	2	0	0.3	
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus		0.00							58	18.35	LC	LC	1	0	0.3	now known as C argenteus	30	9.49	LC	LC	1	0	0.3	now known as C argenteus
Cucumis melo		0.00								0.00							3	4.29	LC	LC	1	0	0.3	
Cullen australasicum	27	3.39	LC	LC	1	0	0.3		62	7.78	LC	LC	1	0	0.3		8	1.00	LC	LC	1	0	0.3	
Cullen cinereum	1	0.40	DD	DD	0	DD	0	questionable ID	10	3.97	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.	14	5.56	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.
Cullen discolor	4	2.94	RA d(ii)	RA	3	DD	0	edge of range	5	3.68	RA d(ii)	RA	3	DD	0	edge of range	9	6.62	LC	LC	1	0	0.3	
Cullen graveolens		0.00							11	4.98	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas	5	2.26	NT	NT	2	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas
Cullen pallidum		0.00								0.00							27	11.95	LC	LC	1	0	0.3	
Cullen parvum	1	1.18	DD	DD	0	DD	0	imprecise location		0.00								0.00						
Cullen patens	1	1.72	RA d(i,ii)	RA	3	DD	0	limited habitat, edge of range		0.00							7	12.07	NT	NT	2	DD	0	often confused with C pallidum
Cuphonotus andraeanus		0.00								0.00								0.00						
Cuphonotus humistratus		0.00								0.00								0.00						
Cuscuta victoriana	1	2.94	RA d(ii)	RA	3	0	0.3	parasitic sp; very cryptic	6	17.65	LC	LC	1	0	0.3	parasitic sp; very cryptic		0.00						
Cymbopogon ambiguus	131	12.97	LC	LC	1	0	0.3		543	53.76	LC	LC	1	0	0.3			0.00						
Cymbopogon obtectus	2	0.70	RA d(ii)	RA	3	-	0.4	grazing, ferals, weeds	12	4.21	RA d(ii)	RA	3	-	0.4	grazing, ferals, weeds		0.00						
Cynanchum floribundum	12	4.84	LC	LC	1	0	0.3		39	15.73	LC	LC	1	0	0.3		54	21.77	LC	LC	1	0	0.3	
Cynoglossum australe	2	0.46	RA d(ii)	RA	3	DD	0		17	3.86	LC	LC	1	0	0.3			0.00						
Cynoglossum suaveolens	2	0.57	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive		0.00								0.00						
Cyperus alterniflorus	15	7.98	NT	NT	2	0	0.3	in creeks with seepage	41	21.81	NT	NT	2	0	0.3	in creeks with seepage		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	% Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	% Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	% Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00								0.00						
Cyperus bifax		0.00								0.00								0.00						
Cyperus bulbosus		0.00							7	4.17	NT	NT	2	0	0.3	needs drainage lines	9	5.36	LC	LC	1	0	0.3	needs drainage lines
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis		0.00								0.00								0.00						
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00								0.00								0.00						
Cyperus difformis	1	0.99	VU D2	VU	4	DD	0	needs sandy soil		0.00							3	2.97	LC	LC	1	0	0.3	
Cyperus exaltatus		0.00								0.00								0.00						
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii		0.00								0.00								0.00						
Cyperus gymnocaulos	30	3.25	LC	LC	1	0	0.3		71	7.69	LC	LC	1	0	0.3		5	0.54	LC	LC	1	0	0.3	
Cyperus iria		0.00								0.00							2	2.41	LC	LC	1	0	0.3	
Cyperus laevigatus	1	0.27	VU D2	VU	4	DD	0		4	1.08	VU D2	VU	4	DD	0		8	2.16	NT	NT	2	0	0.3	
Cyperus nervulosus		0.00								0.00								0.00						
Cyperus pygmaeus		0.00								0.00								0.00						
Cyperus rigidellus		0.00							2	1.71	DD	DD	0	DD	0	lack of records; probably not here	8	6.84	LC	LC	1	0	0.3	
Cyperus squarrosus		0.00							1	1.25	RA d(i,ii)	RA	3	0	0.3		3	3.75	LC	LC	1	0	0.3	
Cyperus vaginatus	32	6.56	NT	NT	2	-	0.4	declining due to decline in rainfall	33	6.76	NT	NT	2	-	0.4	declining due to decline in rainfall		0.00						
Cyperus victoriensis	1	0.51	RA d(ii)	RA	3	DD	0	southern edge of range		0.00							3	1.52	NT	NT	2	0	0.3	
Dactyloctenium radulans	4	0.56	LC	LC	1	0	0.3		30	4.19	LC	LC	1	0	0.3		32	4.47	LC	LC	1	0	0.3	
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha	5	1.38	VU D2	VU	4	DD	0	Wilpena Pd, restricted; northern outlier pop.		0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus	66	1.75	LC	LC	1	0	0.3		235	6.25	LC	LC	1	0	0.3		24	0.64	LC	LC	1	0	0.3	
Daviesia arenaria	3	1.75	VU D2	VU	4	DD	0	sand spp, northern edge of range; lack of habitat		0.00								0.00						
Daviesia benthamii ssp. humilis	3	1.40	DD	DD	0	DD	0	dodgy ID's; easy to confuse with D genistifolia		0.00								0.00						
Daviesia genistifolia	19	11.11	NT	NT	2	0	0.3		22	12.87	NT	NT	2	0	0.3			0.00						
Daviesia leptophylla	11	1.26	RA d(i,ii)	RA	3	0	0.3	northern limit; restricted to Wilpena Pd,; higher rainfall relict		0.00								0.00						
Daviesia stricta	19	37.25	RA d(ii)	RA	3	0	0.3	localised	31	60.78	RA d(ii)	RA	3	0	0.3			0.00						
Daviesia ulicifolia ssp. aridicola	1	0.76	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	outlier; sand spp; localised; grazing a threat		0.00								0.00						
Dentella pulvinata		0.00								0.00							12	11.21	LC	LC	1	0	0.3	grows on interdune swales
Deyeuxia quadriseta	2	0.44	EN B2ab(i,ii,iii)	EN	5	-	0.4	northern edge of range; highly localised, occurs on peaks; wee		0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta	10	0.31	LC	LC	1	0	0.3		18	0.57	LC	LC	1	0	0.3			0.00						
Dichanthium sericeum ssp. humilius		0.00							13	11.30	NT	NT	2	0	0.3	ephemeral; tolerates disturbance	13	11.30	LC	LC	1	0	0.3	ephemeral; tolerates disturbance
Dichanthium sericeum ssp. sericeum		0.00							13	7.60	LC	LC	1	0	0.3	perennial ; widespread	1	0.58	RA d(i,ii)	RA	3	DD	0	
Dichelachne crinita	4	0.79	RA d(ii)	RA	3	0	0.3	northern edge of range		0.00								0.00						
Dichelachne micrantha	3	2.80	EN D	EN	5	DD	0	very localised; pop too small to be viable; northern edge of ran		0.00								0.00						
Dichondra repens	6	0.51	NT	NT	2	0	0.3		9	0.76	NT	NT	2	0	0.3	northern outliers		0.00						
Dichromochlamys dentatifolia		0.00							13	9.49	LC	LC	1	0	0.3			0.00						
Dicrastylis beveridgei var. beveridgei		0.00								0.00								0.00						
Dicrastylis beveridgei var. lanata		0.00								0.00								0.00						
Dicrastylis costelloi var. costelloi		0.00								0.00								0.00	RA d(ii)	RA	3	DD	0	(no records) edge of range
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00								0.00								0.00						
Dicrastylis costelloi var. violacea		0.00								0.00								0.00						
Dicrastylis exsuccosa var. tomentosa		0.00								0.00								0.00						
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila		0.00								0.00								0.00						
Digitaria brownii	11	1.36	LC	LC	1	0	0.3		282	34.94	LC	LC	1	0	0.3		2	0.25	LC	LC	1	0	0.3	
Digitaria coenicola		0.00							26	16.99	LC	LC	1	0	0.3	likes rocky areas		0.00						
Digitaria ctenantha		0.00								0.00							2	66.67	VU D2	VU	4	DD	0	highly localised; Northern Territory sp, no known threat
Dimorphocoma minutula	1	2.44	NT	NT	2	DD	0	undercollected	11	26.83	LC	LC	1	0	0.3		1	2.44	RA d(i,ii)	RA	3	DD	0	outlier
Diplatia grandibractea		0.00								0.00							5	5.56	LC	LC	1	0	0.3	lots of hosts
Dipteracanthus australasicus ssp. australasicus		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum		0.00								0.00								0.00						
Dissocarpus biflorus var. biflorus	3	0.53	LC	LC	1	0	0.3		20	3.56	LC	LC	1	0	0.3		8	1.42	LC	LC	1	0	0.3	
Dissocarpus biflorus var. villosus		0.00								0.00								0.00						
Dissocarpus fontinalis		0.00							2	5.88	RA d(ii)	RA	3	0	0.3	edge of range, limited habitat		0.00						
Dissocarpus latifolius		0.00								0.00							2	10.53	LC	LC	1	0	0.3	
Dissocarpus paradoxus	49	3.60	LC	LC	1	0	0.3	prickly	336	24.69	LC	LC	1	0	0.3	prickly	27	1.98	LC	LC	1	0	0.3	prickly
Distichlis distichophylla	2	0.51	NT	NT	2	0	0.3	undercollected; salt-spring grass		0.00								0.00						
Dodonaea baueri	56	6.91	LC	LC	1	0	0.3		40	4.93	LC	LC	1	0	0.3			0.00						
Dodonaea lobulata	165	15.05	LC	LC	1	0	0.3		400	36.50	LC	LC	1	0	0.3			0.00						
Dodonaea microzyga var. microzyga	11	2.02	LC	LC	1	0	0.3		263	48.35	LC	LC	1	0	0.3		1	0.18	RA d(i,ii)	RA	3	0	0.3	grows on rocks on edge of salt pans
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga	2	0.29	RA d(i,ii)	RA	3	0	0.3	limestone mallee spp; limited habitat in Wilpena Pd; edge of ra		0.00								0.00						
Dodonaea viscosa ssp. angustissima	159	5.70	LC	LC	1	0	0.3		213	7.63	LC	LC	1	0	0.3		99	3.55	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Dodonaea viscosa ssp. mucronata		0.00								0.00								0.00						
Dodonaea viscosa ssp. spatulata	1	0.07	RA d(ii)	RA	3	DD	0	undercollected	41	2.81	LC	LC	1	0	0.3			0.00						
Doodia caudata		0.00							8	80.00	EN D	EN	5	DD	0	highly localised		0.00						
Drosera auriculata	3	0.31	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	limited habitat; climate sensitive; in Wilpena		0.00								0.00						
Drosera glanduligera	4	0.77	VU D2	VU	4	DD	0	climate sensitive; in Wilpena		0.00								0.00						
Drosera indica		0.00								0.00								0.00						
Drosera macrantha ssp. planchonii	2	0.11	VU D2	VU	4	DD	0	Bibliando St		0.00								0.00						
Drosera peltata	3	1.59	EN B2ab(i,ii,iii)	EN	5	-	0.4	climate sensitive; in Wilpena		0.00								0.00						
Duboisia hopwoodii		0.00								0.00								0.00						
Dysphania cristata	27	7.26	LC	LC	1	0	0.3		46	12.37	LC	LC	1	0	0.3		35	9.41	LC	LC	1	0	0.3	
Dysphania glomulifera ssp. eremaea		0.00							1	4.00	LC	LC	1	0	0.3	undercollected; ephemeral		0.00						
Dysphania glomulifera ssp. glomulifera	1	2.50	NT	NT	2	0	0.3	undercollected; ephemeral		0.00								0.00						
Dysphania kalpari		0.00								0.00								0.00						
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa	4	2.86	LC	LC	1	0	0.3		25	17.86	LC	LC	1	0	0.3			0.00						
Dysphania plantaginella		0.00							2	3.77	NT	NT	2	0	0.3		2	3.77	LC	LC	1	0	0.3	
Dysphania platycarpa		0.00								0.00							6	13.33	LC	LC	1	0	0.3	
Dysphania pumilio	3	0.95	LC	LC	1	0	0.3	undercollected	4	1.26	LC	LC	1	0	0.3	undercollected		0.00						
Dysphania rhadinostachya ssp. rhadinostachya		0.00								0.00								0.00						
Dysphania simulans		0.00								0.00								0.00						
Dysphania truncata	2	4.35	LC	LC	1	0	0.3			0.00							3	6.52	LC	LC	1	0	0.3	
Echinochloa inundata		0.00								0.00								0.00						
Echinochloa turneriana		0.00								0.00								0.00						
Echinopogon caespitosus var. caespitosus		#DIV/0!	VU D1 + D2	VU	4	0	0.3	(no records) W side of Wilpena Pound; R Bates		0.00								0.00						
Echinopogon ovatus	1	3.13	VU D2	VU	4	DD	0	in Wilpena, occupies rock crevices, northern edge of range		0.00								0.00						
Eclipta alatocarpa		0.00								0.00								0.00						
Eclipta platyglossa		0.00							1	0.69	VU D2	VU	4	DD	0	disjunct pop, localised		0.00						
Einadia nutans ssp. eremaea		0.00							2	0.94	RA d(ii)	RA	3	0	0.3	edge of range	15	7.08	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans	27	2.01	LC	LC	1	0	0.3	southern agricultural sp.	68	5.06	LC	LC	1	0	0.3	southern agricultural sp.		0.00						
Einadia nutans ssp. oxycarpa		0.00								0.00								0.00						
Elachanthus pusillus	4	2.11	NT	NT	2	DD	0	very small sp	5	2.63	NT	NT	2	DD	0	very small sp		0.00						
Elatine gratioloides	7	7.95	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive	2	2.27	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive		0.00						
Eleocharis acuta	5	1.12	VU D2	VU	4	DD	0	northern edge of range; climate sensitive; Wilpena Pd		0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens	1	0.62	VU D2	VU	4	DD	0		1	0.62	DD	DD	0	DD	0	imprecise location	3	1.86	LC	LC	1	0	0.3	
Eleocharis papillosa		0.00								0.00								0.00						
Eleocharis plana		0.00								0.00								0.00						
Eleocharis pusilla		0.00								0.00							1	1.79	RA d(ii)	RA	3	DD	0	short-lived; undercollected
Eleocharis sphacelata	7	6.67	EN B2ab(i,ii,iii); D	EN	5	-	0.4	clonal; Wilpena Pd; needs deep water		0.00								0.00						
Elymus multiflorus var. multiflorus	4	50.00	RA d(ii)	RA	3	0	0.3		1	12.50	VU D2	VU	4	DD	0	restricted; could be declining		0.00						
Elymus scaber var. scaber	6	1.85	RA d(ii)	RA	3	0	0.3		1	0.31	VU D2	VU	4	DD	0	restricted; could be declining		0.00						
Elytrophorus spicatus		0.00								0.00								0.00						
Embadium johnstonii		0.00								0.00								0.00						
Embadium uncinatum	2	4.00	RA d(i,ii)	RA	3	0	0.3	limited to granite areas		0.00								0.00						
Enchylaena tomentosa var. glabra		0.00							2	1.54	NT	NT	2	0	0.3	southern edge of range; resilient	3	2.31	LC	LC	1	0	0.3	
Enchylaena tomentosa var. tomentosa	126	2.11	LC	LC	1	0	0.3		528	8.84	LC	LC	1	0	0.3		64	1.07	LC	LC	1	0	0.3	
Enneapogon avenaceus	118	6.75	LC	LC	1	0	0.3		322	18.41	LC	LC	1	0	0.3		98	5.60	LC	LC	1	0	0.3	
Enneapogon caerulescens	9	4.46	LC	LC	1	0	0.3		40	19.80	LC	LC	1	0	0.3			0.00						
Enneapogon cylindricus	38	3.67	LC	LC	1	0	0.3		387	37.36	LC	LC	1	0	0.3		18	1.74	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius		0.00							3	6.00	NT	NT	2	0	0.3			0.00						
Enneapogon lindleyanus		0.00							49	94.23	LC	LC	1	0	0.3			0.00						
Enneapogon nigricans	15	2.15	LC	LC	1	0	0.3	on roadsides	8	1.14	NT	NT	2	0	0.3	on roadsides		0.00						
Enneapogon polyphyllus	22	1.73	LC	LC	1	0	0.3		240	18.85	LC	LC	1	0	0.3		19	1.49	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00								0.00						
Enteropogon acicularis	3	1.21	NT	NT	2	0	0.3		10	4.05	LC	LC	1	0	0.3		4	1.62	NT	NT	2	DD	0	on creeklines
Enteropogon ramosus		0.00							32	9.91	LC	LC	1	0	0.3		4	1.24	NT	NT	2	DD	0	
Epaltes australis		0.00								0.00							13	5.44	LC	LC	1	0	0.3	floodplain sp.
Epaltes cunninghamii		0.00								0.00							1	0.68	LC	LC	1	0	0.3	
Epilobium billardierianum ssp. intermedium	2	2.78	VU D2	VU	4	DD	0	climate sensitive		0.00								0.00						
Epilobium hirtigerum	3	1.91	RA d(i,ii)	RA	3	#REF!	0.3	red-gum woodland in Wilpena Pd		0.00								0.00						
Eragrostis australasica	5	1.52	RA d(ii)	RA	3	0	0.3	not typical habitat	5	1.52	RA d(ii)	RA	3	0	0.3	not typical habitat	13	3.94	LC	LC	1	0	0.3	
Eragrostis basedowii		0.00								0.00							10	8.55	LC	LC	1	0	0.3	ephemeral; interdunal swales
Eragrostis confertiflora		0.00								0.00								0.00						
Eragrostis cumingii		0.00								0.00								0.00						
Eragrostis dielsii var. dielsii	3	0.46	RA d(ii)	RA	3	DD	0	tolerates salinity; grows on flat open ground; could be i	39	5.96	NT	NT	2	0	0.3	limited habitat	48	7.34	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda		0.00							8	1.03	LC	LC	1	0	0.3		12	1.54	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata	3	1.67	RA d(i,ii)	RA	3	DD	0	restricted habitat	6	3.33	NT	NT	2	DD	0		6	3.33	LC	LC	1	0	0.3	likes saline areas
Eragrostis infecunda	1	1.04	VU D2	VU	4	DD	0	northern edge of range; limited habitat		0.00								0.00						
Eragrostis kennedyae		0.00								0.00							1	4.35	LC	LC	1	0	0.3	
Eragrostis lacunaria		0.00							8	11.59	VU D2	VU	4	DD	0	highly localised, around lagoons, creeks, river systems		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	% Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	% Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	% Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Eragrostis laniflora		0.00							1	0.39	RA d(ii)	RA	3	DD	0		2	0.78	RA d(ii)	RA	3	DD	0	check ID
Eragrostis lanipes		0.00								0.00								0.00						
Eragrostis leptocarpa		0.00							9	3.59	LC	LC	1	0	0.3		10	3.98	LC	LC	1	0	0.3	
Eragrostis parviflora		0.00							4	2.07	LC	LC	1	0	0.3		2	1.04	LC	LC	1	0	0.3	
Eragrostis pergracilis		0.00							1	1.79	NT	NT	2	DD	0			0.00						
Eragrostis setifolia	7	0.58	LC	LC	1	0	0.3		47	3.92	LC	LC	1	0	0.3		74	6.17	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00								0.00								0.00						
Eragrostis speciosa		0.00								0.00								0.00						
Eragrostis tenellula		0.00								0.00							3	5.17	LC	LC	1	0	0.3	
Eragrostis xerophila	2	0.54	NT	NT	2	-	0.4	grazed out; edge of range	20	5.41	LC	LC	1	0	0.3		29	7.84	LC	LC	1	0	0.3	
Eremophea spinosa		0.00								0.00								0.00						
Eremophila alternifolia	107	8.68	LC	LC	1	0	0.3		338	27.41	LC	LC	1	0	0.3			0.00						
Eremophila arachnoides ssp. tenera		0.00								0.00								0.00						
Eremophila arenaria		0.00								0.00								0.00						
Eremophila battii		0.00								0.00								0.00						
Eremophila bignoniiflora		0.00								0.00							11	6.51	LC	LC	1	0	0.3	
Eremophila clarkei		0.00								0.00								0.00						
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti	13	1.87	LC	LC	1	0	0.3		27	3.89	LC	LC	1	0	0.3		1	0.14	RA d(i,ii)	RA	3	DD	0	edge of range, limited habitat
Eremophila duttonii	40	6.83	LC	LC	1	0	0.3		159	27.13	LC	LC	1	0	0.3		4	0.68	RA d(ii)	RA	3	DD	0	
Eremophila elderi		0.00								0.00								0.00						
Eremophila fallax	20	37.04	NT	NT	2	DD	0		11	20.37	NT	NT	2	DD	0			0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii	71	4.83	LC	LC	1	0	0.3		674	45.88	LC	LC	1	0	0.3			0.00						
Eremophila gibsonii		0.00								0.00								0.00						
Eremophila gilesii ssp. gilesii		0.00								0.00								0.00						
Eremophila glabra ssp. glabra	4	0.25	LC	LC	1	0	0.3		32	1.98	LC	LC	1	0	0.3		2	0.12	RA d(ii)	RA	3	DD	0	
Eremophila latrobei ssp. glabra		0.00							20	2.63	LC	LC	1	0	0.3		2	0.26	RA d(ii)	RA	3	DD	0	limited habitat
Eremophila latrobei ssp. latrobei		0.00							1	0.66	DD	DD	0	DD	0	outlier		0.00						
Eremophila longifolia	66	5.34	LC	LC	1	0	0.3		142	11.49	LC	LC	1	0	0.3		42	3.40	LC	LC	1	0	0.3	
Eremophila macdonnellii		0.00							2	0.80	RA d(ii)	RA	3	DD	0		1	0.40	RA d(ii)	RA	3	DD	0	
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata	2	0.65	VU D2	VU	4	0	0.3	Wilpena Pound; very limited habitat; likes occasional fi	10	3.23	RA d(ii)	RA	3	0	0.3	limited habitat	6	1.94	NT	NT	2	0	0.3	grazed; limited
Eremophila neglecta		0.00								0.00								0.00						
Eremophila obovata ssp. obovata		0.00								0.00							1	5.26	RA d(i,ii)	RA	3	DD	0	edge of range
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia	22	4.71	LC	LC	1	0	0.3		79	16.92	LC	LC	1	0	0.3			0.00						
Eremophila paisleyi ssp. glandulosa		0.00								0.00								0.00						
Eremophila paisleyi ssp. paisleyi		0.00								0.00								0.00						
Eremophila pentaptera		0.00								0.00								0.00						
Eremophila platythamnos ssp. exotrachys		0.00								0.00								0.00						
Eremophila polyclada		0.00								0.00							1	7.69	VU D2	VU	4	DD	0	edge of range
Eremophila rotundifolia		0.00								0.00								0.00						
Eremophila santalina	21	24.42	NT	NT	2	0	0.3	likes creeklines	5	5.81	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive		0.00						
Eremophila scoparia	24	1.93	LC	LC	1	0	0.3		85	6.82	LC	LC	1	0	0.3			0.00						
Eremophila serrulata	14	2.67	LC	LC	1	0	0.3		84	16.00	LC	LC	1	0	0.3			0.00						
Eremophila sturtii	6	1.32	RA d(ii)	RA	3	DD	0	edge of range; query ID	45	9.93	NT	NT	2	0	0.3		13	2.87	NT	NT	2	0	0.3	
Eremophila subfloccosa ssp. glandulosa	2	4.55	VU D2	VU	4	0	0.3	highly localised	5	11.36	VU D2	VU	4	0	0.3	highly localised; in Gammons		0.00						
Eremophila subfloccosa ssp. lanata	1	0.83	VU D2	VU	4	DD	0	Wilpena Pd only; only appears after fire; checked Bob Chinno		0.00								0.00						
Eremophila verrucosa ssp. verrucosa		0.00								0.00								0.00						
Eremophila willsii ssp. integrifolia		0.00								0.00								0.00						
Eremophila willsii ssp. willsii		0.00								0.00								0.00						
Eriachne aristidea		0.00							1	0.41	DD	DD	0	DD	0	doubtful ID	40	16.46	LC	LC	1	0	0.3	
Eriachne helmsii		0.00								0.00								0.00						
Eriachne mucronata	2	0.79	RA d(ii)	RA	3	0	0.3		53	21.03	LC	LC	1	0	0.3			0.00						
Eriachne ovata		0.00								0.00								0.00						
Eriachne pulchella ssp. pulchella		0.00								0.00								0.00						
Erigeron sessilifolius		0.00								0.00								0.00						
Eriocaulon carsonii ssp. carsonii		0.00							33	21.85	EN D	EN	5	DD	0	clonal spp; very limited habitat, in mound springs		0.00						
Eriochiton sclerolaenoides	47	2.81	LC	LC	1	0	0.3		103	6.15	LC	LC	1	0	0.3		2	0.12	LC	LC	1	0	0.3	
Eriochlamys behrii	1	0.91	RA d(i,ii)	RA	3	DD	0	in Wilpena		0.00								0.00						
Eriochlamys eremaea		0.00							1	1.39	RA d(i,ii)	RA	3	DD	0		1	1.39	RA d(i,ii)	RA	3	DD	0	
Eriochloa australiensis		0.00							4	2.38	LC	LC	1	0	0.3		18	10.71	LC	LC	1	0	0.3	
Eriochloa crebra		0.00							1	4.35	RA d(ii)	RA	3	DD	0	ephemeral; short-lived; along creek lines; comes up aft	1	4.35	NT	NT	2	DD	0	edge of range
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha		0.00								0.00							3	2.73	LC	LC	1	0	0.3	
Erodiophyllum elderi	1	0.69	RA d(i,ii)	RA	3	DD	0	edge of range	4	2.78	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Erodium carolinianum	3	1.19	LC	LC	1	0	0.3		22	8.73	LC	LC	1	0	0.3		6	2.38	LC	LC	1	0	0.3	
Erodium crinitum	52	4.71	LC	LC	1	0	0.3		126	11.40	LC	LC	1	0	0.3		11	1.00	LC	LC	1	0	0.3	
Erodium cygnorum		0.00								0.00							2	1.22	NT	NT	2	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, - 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, - 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, - 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Erodium janszii	1	8.33	NE	NE	-1			taxonomic issues; lots of NC records	1	8.33	NE	NE	-1			taxonomic issues; lots of NC records		0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum		0.00								0.00								0.00						
Eucalyptus camaldulensis ssp. arida		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus camaldulensis ssp. minima		0.00							16	45.71	NT	NT	2	-	0.4	ssp restricted to Flinders; probably declining; climate sensitive		0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00								0.00						
Eucalyptus coolabah		0.00								0.00							20	3.67	LC	LC	1	0	0.3	
Eucalyptus dumosa	69	3.70	LC	LC	1	0	0.3		121	6.49	LC	LC	1	0	0.3			0.00						
Eucalyptus flindersii	79	34.05	LC	LC	1	0	0.3		132	56.90	LC	LC	1	0	0.3			0.00						
Eucalyptus gamophylla		0.00								0.00								0.00						
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii	18	6.29	RA d(ii)	RA	3	0	0.3	limited habitat	211	73.78	LC	LC	1	0	0.3			0.00						
Eucalyptus glomerosa		0.00								0.00								0.00						
Eucalyptus gongylocarpa		0.00								0.00								0.00						
Eucalyptus goniocalyx ssp. exposa	23	100.00	VU D2	VU	4	0	0.3	only population in SA; on top of ridges		0.00								0.00						
Eucalyptus gracilis	37	1.36	LC	LC	1	0	0.3		3	0.11	VU D2	VU	4	0	0.3	highly localised; on Mawson Plateau		0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta	145	22.80	LC	LC	1	0	0.3		248	38.99	LC	LC	1	0	0.3		2	0.31	RA d(i,ii)	RA	3	DD	0	
Eucalyptus largiflorens		0.00								0.00							16	1.40	RA d(ii)	RA	3	DD	0	cattle graze seedlings
Eucalyptus leptophylla	19	0.97	VU D2	VU	4	0	0.3	highly localised		0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00								0.00								0.00						
Eucalyptus minniritchi		0.00								0.00								0.00						
Eucalyptus odorata	29	1.67	LC	LC	1	0	0.3	taxonomic issues with this spp - could be 3 or 4 entities	27	1.56	LC	LC	1	0	0.3	taxonomic issues with this spp - could be 3 or 4 entities for the		0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!	RA d(ii)	RA	3	0	0.3	(no records) assessed by D Nicolle & P Lang		#DIV/0!	RA d(ii)	RA	3	0	0.3	(no records) assessed by D Nicolle & P Lang		#DIV/0!						
Eucalyptus oxymitra		0.00								0.00								0.00						
Eucalyptus peeneri		0.00								0.00								0.00						
Eucalyptus percostata	3	4.23	NE	NE	-1			taxonomic issues; confused with E dumosa, could be an integ		0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea	2	20.00	NE	NE	-1			taxonomic issues; see E odorata & viridis	7	70.00	NE	NE	-1			taxonomic issues; see E odorata & viridis		0.00						
Eucalyptus porosa	64	3.37	LC	LC	1	0	0.3		14	0.74	NT	NT	2	0	0.3			0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica		0.00								0.00								0.00						
Eucalyptus socialis ssp. socialis	48	6.54	NE	NE	-1			taxonomic issues	79	10.76	NE	NE	-1			taxonomic issues		0.00						
Eucalyptus socialis ssp. victoriensis		0.00								0.00								0.00						
Eucalyptus sparsa		0.00								0.00								0.00						
Eucalyptus trivalvis		0.00								0.00								0.00						
Eucalyptus viridis ssp. viridis	36	28.35	NE	NE	-1			taxonomic issues, could be E polybracteata or odorata	28	22.05	NE	NE	-1			taxonomic issues, could be E polybracteata or odorata		0.00						
Eucalyptus youngiana		0.00								0.00								0.00						
Euchiton collinus	2	0.98	NE	NE	-1			taxonomic issues		0.00								0.00						
Euchiton involucratus	4	4.60	RA d(i,ii)	RA	3	DD	0	edge of range; no recent records		0.00								0.00						
Euchiton sphaericus	6	1.32	LC	LC	1	0	0.3		40	8.83	LC	LC	1	0	0.3			0.00						
Eulalia aurea		0.00							10	4.27	LC	LC	1	0	0.3		1	0.43	NT	NT	2	0	0.3	
Euphorbia alsiniflora		0.00								0.00								0.00						
Euphorbia australis	1	1.82	RA d(ii)	RA	3	DD	0		24	43.64	LC	LC	1	0	0.3			0.00						
Euphorbia centralis		0.00	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00	LC	LC	1	0	0.3	(no records) name change from Chamaesyce		0.00						
Euphorbia drummondii	3	0.94	LC	LC	1	0	0.3	very common; small, tough; undercollected	15	4.72	LC	LC	1	0	0.3	very common; small, tough; undercollected	37	11.64	LC	LC	1	0	0.3	very common; small, tough; undercollected
Euphorbia inappendiculata		0.00								0.00	NT	NT	2	0	0.3	(no records) name change from Chamaesyce		0.00						
Euphorbia mitchelliana		0.00								0.00							1	5.00	RA d(ii)	RA	3	DD	0	
Euphorbia parvicaruncula	1	0.91	RA d(i,ii)	RA	3	0	0.3	southern edge of range	6	5.45	NT	NT	2	0	0.3		8	7.27	NT	NT	2	0	0.3	
Euphorbia stevenii	2	1.30	RA d(ii)	RA	3	0	0.3	southern edge of range	22	14.29	LC	LC	1	0	0.3			0.00						
Euphorbia tannensis ssp. eremophila	35	3.05	LC	LC	1	0	0.3		94	8.20	LC	LC	1	0	0.3		19	1.66	LC	LC	1	0	0.3	
Euphorbia wheeleri		0.00							1	1.33	RA d(i,ii)	RA	3	0	0.3		10	13.33	LC	LC	1	0	0.3	
Eutaxia diffusa	2	0.81	RA d(i,ii)	RA	3	0	0.3	northern edge of range; limited habitat		0.00								0.00						
Eutaxia microphylla	35	1.58	LC	LC	1	0	0.3		6	0.27	LC	LC	1	0	0.3			0.00						
Evolvulus alsinoides var. decumbens		0.00							15	53.57	LC	LC	1	0	0.3			0.00						
Evolvulus alsinoides var. villosicalyx		0.00							11	13.41	LC	LC	1	0	0.3		2	2.44	LC	LC	1	0	0.3	
Exocarpos aphyllus	61	2.28	LC	LC	1	0	0.3		274	10.26	LC	LC	1	0	0.3			0.00						
Exocarpos sparteus		0.00								0.00								0.00						
Festuca benthamiana	1	4.55	VU D2	VU	4	0	0.3	limited habitat; northern edge of range		0.00								0.00						
Ficus brachypoda		0.00								0.00								0.00						
Fimbristylis dichotoma		0.00							3	1.74	RA d(ii)	RA	3	0	0.3		21	12.21	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00							2	10.00	DD	DD	0	DD	0	imprecise location		0.00						
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia		0.00							11	47.83	LC	LC	1	0	0.3	likes roadsides, heavy clay soils, native?		0.00						
Frankenia cinerea		0.00							1	6.67	DD	DD	0	DD	0			0.00						
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa		0.00							4	18.18	DD	DD	0	DD	0			0.00						
Frankenia cupularis		0.00							3	3.53	DD	DD	0	DD	0		1	1.18	DD	DD	0	DD	0	
Frankenia foliosa		0.00							24	9.84	NT	NT	2	0	0.3	less records than shown	2	0.82	NT	NT	2	0	0.3	
Frankenia pauciflora var. gunnii		0.00								0.00							1	0.60	DD	DD	0	DD	0	query ID
Frankenia plicata		0.00							2	2.56	DD	DD	0	DD	0	lots of wrong ID's		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Frankenia serpyllifolia	2	0.27	LC	LC	1	0	0.3		40	5.31	LC	LC	1	0	0.3			0.00						
Frankenia subteres		0.00							31	67.39	NT	NT	2	0	0.3			0.00						
Gahnia trifida		0.00								0.00								0.00						
Galium bulliformis	2	11.11	RA d(i,ii)	RA	3	DD	0	in rock crevices	3	16.67	RA d(i,ii)	RA	3	0	0.3	in rock crevices		0.00						
Galium gaudichaudii ssp. gaudichaudii	4	2.76	VU D2	VU	4	DD	0	Wilpena Pd		0.00								0.00						
Galium gaudichaudii ssp. parviflorum	5	45.45	VU D2	VU	4	DD	0	climate sensitive; limited habitat	1	9.09	VU D2	VU	4	DD	0	climate sensitive; limited habitat		0.00						
Galium leptogonium		0.00							1	1.04	VU D2	VU	4	DD	0	outlier, limited habitat		0.00						
Galium microlobum	2	4.76	RA d(ii)	RA	3	0	0.3	comes up after rain; undercollected	3	7.14	RA d(ii)	RA	3	0	0.3	comes up after rain; undercollected		0.00						
Galium migrans ssp. inversum	17	60.71	NT	NT	2	0	0.3	likes rocky crevices	5	17.86	RA d(i,ii)	RA	3	DD	0	outliers		0.00						
Galium migrans ssp. migrans		0.00							2	2.20	VU D2	VU	4	DD	0	perennial, requires good winter rainfall, climate sensitive, outlie		0.00						
Galium migrans ssp. trichogynum		0.00							5	100.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	in Chambers Gorge; weeds, goats threats		0.00						
Geijera parviflora		0.00							9	24.32	RA d(ii)	RA	3	0	0.3	outliers		0.00						
Geococcus pusillus	14	9.03	LC	LC	1	0	0.3	very small cryptic spp; edge of range	6	3.87	NT	NT	2	0	0.3	very small cryptic spp; edge of range		0.00						
Geranium retrorsum	9	1.16	RA d(ii)	RA	3	-	0.4	climate sensitive, weeds a threat	4	0.52	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive, weeds a threat		0.00						
Geranium solanderi var. solanderi	13	2.33	NT	NT	2	0	0.3	in rock crevices	10	1.79	NT	NT	2	0	0.3	in rock crevices		0.00						
Gilesia biniflora	1	3.13	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected	2	6.25	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected	5	15.63	LC	LC	1	0	0.3	ephemeral, comes up after floods, undercollected
Glinus lotoides	1	0.38	LC	LC	1	0	0.3	limited habitat; edge of range	5	1.92	LC	LC	1	0	0.3		4	1.54	LC	LC	1	0	0.3	
Glinus oppositifolius		0.00								0.00								0.00						
Glinus orygioides		0.00								0.00								0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00								0.00						
Glischrocaryon flavescens	13	9.15	RA d(i,ii)	RA	3	0	0.3	flowers after fire	1	0.70	VU D2	VU	4	DD	0	flowers after fire		0.00						
Glossocardia bidens	1	1.59	NT	NT	2	DD	0	undercollected; likes rich soil over rocks; prob stable	45	71.43	LC	LC	1	0	0.3			0.00						
Glossostigma cleistanthum	1	9.09	RA d(ii)	RA	3	0	0.3	extreme flood ephemeral, undercollected		0.00								0.00						
Glossostigma diandrum	1	3.03	NT	NT	2	0	0.3	extreme flood ephemeral, undercollected	3	9.09	NT	NT	2	0	0.3	extreme flood ephemeral, undercollected		0.00						
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)	1	100.00	VU D2	VU	4	DD	0			0.00								0.00						
Glycine canescens		0.00							25	8.56	LC	LC	1	0	0.3		13	4.45	LC	LC	1	0	0.3	
Glycine rubiginosa	57	7.15	LC	LC	1	0	0.3		171	21.46	LC	LC	1	0	0.3			0.00						
Glycyrrhiza acanthocarpa		0.00								0.00							1	0.98	RA d(ii)	RA	3	DD	0	lack of information
Gnaphalium diamantinense		0.00								0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00							1	0.34	NE	NE	-1			taxonomic issues; may not be in region	2	0.67	NE	NE	-1			taxonomic issues; may not be in region
Gnephosis arachnoidea	18	3.28	LC	LC	1	0	0.3		102	18.56	LC	LC	1	0	0.3		13	2.37	LC	LC	1	0	0.3	
Gnephosis eriocarpa	1	0.36	RA d(i,ii)	RA	3	DD	0	southern edge of range	3	1.06	LC	LC	1	0	0.3		33	11.91	LC	LC	1	0	0.3	
Gnephosis tenuissima	1	0.26	RA d(i,ii)	RA	3	0	0.3		6	1.55	LC	LC	1	0	0.3	undercollected	6	1.55	LC	LC	1	0	0.3	undercollected
Gomphrena lanata		0.00								0.00								0.00						
Gonocarpus elatus	27	1.88	LC	LC	1	0	0.3		38	2.65	LC	LC	1	0	0.3			0.00						
Goodenia albiflora	16	5.16	LC	LC	1	0	0.3		18	5.81	RA d(ii)	RA	3	DD	0	climate sensitive		0.00						
Goodenia anfracta	1	4.00	DD	DD	0	DD	0	old record		0.00								0.00						
Goodenia berardiana	2	1.14	RA d(i,ii)	RA	3	0	0.3		11	6.25	RA d(ii)	RA	3	0	0.3			0.00						
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata	7	4.70	NT	NT	2	0	0.3		52	34.90	LC	LC	1	0	0.3			0.00						
Goodenia centralis		0.00								0.00								0.00						
Goodenia chambersii		0.00								0.00								0.00						
Goodenia cycloptera	8	2.16	RA d(ii)	RA	3	DD	0	edge of range	6	1.62	RA d(ii)	RA	3	DD	0	edge of range	21	5.68	LC	LC	1	0	0.3	
Goodenia fascicularis	45	4.24	LC	LC	1	0	0.3		195	18.36	LC	LC	1	0	0.3		21	1.98	LC	LC	1	0	0.3	
Goodenia gibbosa		0.00								0.00								0.00						
Goodenia glabra		0.00								0.00								0.00						
Goodenia glandulosa		0.00								0.00								0.00						
Goodenia glauca		0.00							7	5.19	RA d(ii)	RA	3	0	0.3	perennial; common in floodouts	3	2.22	RA d(ii)	RA	3	0	0.3	limited habitat
Goodenia grandiflora		#DIV/0!								#DIV/0!								#DIV/0!						
Goodenia havilandii	1	0.61	VU D2	VU	4	DD	0	Wilpena only	12	7.27	NT	NT	2	0	0.3			0.00						
Goodenia heterochila		0.00								0.00								0.00						
Goodenia heteromera		0.00								0.00								0.00						
Goodenia lobata		0.00								0.00								0.00						
Goodenia lunata	5	1.22	LC	LC	1	0	0.3		10	2.43	LC	LC	1	0	0.3		8	1.95	LC	LC	1	0	0.3	
Goodenia modesta		0.00								0.00								0.00						
Goodenia mueckeana		0.00								0.00								0.00						
Goodenia occidentalis		0.00								0.00								0.00						
Goodenia ovata	14	2.13	NT	NT	2	0	0.3	grows on dry, rocky areas	3	0.46	RA d(ii)	RA	3	0	0.3	grows on dry, rocky areas		0.00						
Goodenia pinnatifida	30	2.26	LC	LC	1	0	0.3		20	1.51	LC	LC	1	0	0.3		6	0.45	RA d(ii)	RA	3	DD	0	
Goodenia pusilliflora	55	5.79	LC	LC	1	0	0.3		9	0.95	NT	NT	2	0	0.3		1	0.11	RA d(i,ii)	RA	3	DD	0	edge of range
Goodenia ramelii		0.00								0.00								0.00						
Goodenia saccata	6	14.63	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	grazed	12	29.27	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazed		0.00						
Goodenia triodiophila		0.00								0.00								0.00						
Goodenia vernicosa	29	17.90	RA d(ii)	RA	3	0	0.3	endemic to Flinders; specialised to gorges	115	70.99	NT	NT	2	0	0.3	endemic to Flinders; specialised to gorges		0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea	10	2.65	LC	LC	1	0	0.3		16	4.24	LC	LC	1	0	0.3			0.00						
Gossypium sturtianum var. sturtianum	12	7.84	LC	LC	1	0	0.3		52	33.99	LC	LC	1	0	0.3			0.00						
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora		0.00								0.00								0.00						
Grevillea aspera	40	11.56	LC	LC	1	0	0.3	likes rocky outcrops	48	13.87	LC	LC	1	0	0.3	likes rocky outcrops		0.00						
Grevillea eriostachya		0.00								0.00								0.00						
Grevillea huegelii	2	0.26	VU B2ab(i,ii,iii)	VU	4	-	0.4	qualify of habitat declined	1	0.13	VU B2ab(i,ii,iii)	VU	4	-	0.4	qualify of habitat declined		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Grevillea juncifolia ssp. juncifolia		0.00								0.00							5	1.63	LC	LC	1	0	0.3	likes sandy, dune habitat
Grevillea lavandulacea ssp. lavandulacea	11	1.79	RA d(i,ii)	RA	3	0	0.3	restricted habitat; goats a threat		0.00								0.00						
Grevillea nematophylla ssp. nematophylla	1	0.35	DD	DD	0	DD	0	questionable record	6	2.11	RA d(i,ii)	RA	3	DD	0			0.00						
Grevillea pterosperma		0.00								0.00								0.00						
Grevillea stenobotrya		0.00								0.00							36	11.43	LC	LC	1	0	0.3	
Grevillea striata		0.00								0.00							4	6.56	NT	NT	2	-	0.4	very little recruitment occurring
Gunniopsis calcarea		0.00							2	6.90	VU D2	VU	4	DD	0	outlier; Nullarbor sp.		0.00						
Gunniopsis calva		0.00								0.00								0.00						
Gunniopsis kochii		0.00							2	6.06	NT	NT	2	0	0.3	localised around Leigh Ck; endemic to SA		0.00						
Gunniopsis papillata		0.00							11	7.97	LC	LC	1	0	0.3	likes mineralised breakaways		0.00						
Gunniopsis quadrifida	2	0.45	LC	LC	1	0	0.3		7	1.59	LC	LC	1	0	0.3		17	3.85	LC	LC	1	0	0.3	
Gunniopsis septifraga		0.00							2	5.41	NT	NT	2	0	0.3			0.00						
Gunniopsis tenuifolia		0.00							2	5.00	RA d(i,ii)	RA	3	DD	0	localised around Leigh Ck; specific habitat' breakaway country		0.00						
Gunniopsis zygophylloides		0.00								0.00								0.00						
Gyrostemon australasicus	1	0.39	RA d(i,ii)	RA	3	DD	0	outlier; needs fire		0.00								0.00						
Gyrostemon ramulosus		0.00								0.00								0.00						
Gyrostemon tepperi		0.00								0.00								0.00						
Gyrostemon thesioides	3	2.16	RA d(i,ii)	RA	3	DD	0	rain & fire dependent		0.00								0.00						
Haeckeria punctulata	32	39.02	NT	NT	2	0	0.3	not common, localised	12	14.63	NT	NT	2	0	0.3	not common, localised		0.00						
Hakea divaricata		0.00								0.00								0.00						
Hakea ednieana	43	11.75	LC	LC	1	0	0.3		291	79.51	LC	LC	1	0	0.3			0.00						
Hakea eyreana		0.00								0.00							9	10.00	LC	LC	1	0	0.3	
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	19	2.33	LC	LC	1	0	0.3		77	9.44	LC	LC	1	0	0.3		51	6.25	LC	LC	1	0	0.3	
Hakea lorea ssp. lorea		0.00								0.00								0.00						
Hakea minyma		0.00								0.00								0.00						
Halgania cyanea	17	2.20	LC	LC	1	0	0.3		13	1.68	LC	LC	1	0	0.3		1	0.13	RA d(i,ii)	RA	3	0	0.3	
Halgania erecta		0.00								0.00								0.00						
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera	46	6.22	LC	LC	1	0	0.3		34	4.60	LC	LC	1	0	0.3		24	3.25	LC	LC	1	0	0.3	
Haloragis glauca forma glauca		0.00								0.00								0.00						
Haloragis glauca forma sclopetifera		0.00								0.00								0.00						
Haloragis gossei		0.00								0.00							2	4.88	RA d(ii)	RA	3	0	0.3	
Haloragis odontocarpa forma octoforma		0.00								0.00								0.00						
Haloragis odontocarpa forma pterocarpa		0.00								0.00								0.00						
Haloragis odontocarpa forma rugosa		0.00								0.00								0.00						
Haloragis uncatipila		0.00								0.00								0.00						
Hannafordia bissillii ssp. bissillii		0.00								0.00								0.00						
Harmsiodoxa blennodioides	3	1.49	VU D2	VU	4	DD	0	sandhill sp; long curly pods		0.00							55	27.23	LC	LC	1	0	0.3	sandhill sp; long curly pods
Harmsiodoxa brevipes var. brevipes	12	9.84	NT	NT	2	-	0.4	weeds; lack of winter rain, threats	5	4.10	RA d(ii)	RA	3	-	0.4	weeds; lack of winter rain, threats	15	12.30	RA d(i,ii)	RA	3	DD	0	weeds; lack of winter rain, threats
Harmsiodoxa brevipes var. major		0.00								0.00								0.00						
Harmsiodoxa puberula		0.00							5	11.63	NT	NT	2	DD	0	In Paralana Hot Springs	3	6.98	NT	NT	2	DD	0	
Helichrysum luteoalbum	1	0.32	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	16	5.18	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	3	0.97	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing
Heliotropium ammophilum		0.00								0.00								0.00						
Heliotropium asperrimum	17	5.78	LC	LC	1	0	0.3		58	19.73	LC	LC	1	0	0.3			0.00						
Heliotropium cunninghamii		0.00							7	41.18	RA d(ii)	RA	3	DD	0		1	5.88	RA d(ii)	RA	3	DD	0	
Heliotropium europaeum	40	9.11	LC	LC	1	0	0.3	confused with weedy sp, but likely to be native here	53	12.07	LC	LC	1	0	0.3	confused with weedy sp, but likely to be native here		0.00						
Heliotropium filaginoides		0.00							1	2.63	RA d(i,ii)	RA	3	0	0.3			0.00						
Heliotropium moorei		0.00								0.00							1	5.56	NT	NT	2	0	0.3	
Heliotropium tanythrix		0.00							2	6.67	RA d(i,ii)	RA	3	0	0.3			0.00						
Hemichroa diandra		0.00							2	0.80	RA d(i,ii)	RA	3	DD	0	likes sandy, salty claypans		0.00						
Hemichroa mesembryanthema		0.00								0.00								0.00						
Hibbertia crinita	7	1.69	RA d(i,ii)	RA	3	0	0.3	retricted to hill tops	6	1.45	RA d(i,ii)	RA	3	0	0.3	retricted to hill tops		0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius		0.00							23	21.90	LC	LC	1	0	0.3		1	0.95	NT	NT	2	0	0.3	
Hibiscus krichauffianus	2	0.72	RA d(ii)	RA	3	0	0.3		14	5.07	LC	LC	1	0	0.3		28	10.14	LC	LC	1	0	0.3	
Hibiscus solanifolius		0.00								0.00								0.00						
Hibiscus sturtii var. grandiflorus	4	2.01	NT	NT	2	0	0.3		128	64.32	LC	LC	1	0	0.3			0.00						
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii		0.00								0.00								0.00						
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa	2	13.33	CR B2ab(i,ii,iii,iv,v)	CR	6	-	0.4	limited habitat, populations mostly inaccessible, needs water,		0.00	CR B2ab(i,ii,iii,iv,v)	CR	6	-	0.4	(no records) likely to be here, to be confirmed		0.00						
Hovea purpurea	3	4.29	EN D	EN	5	DD	0	Mt Aleck & St Marys Peak; highly localised on summits; seed		0.00								0.00						
Hyalosperma demissum	2	0.37	RA d(i,ii)	RA	3	-	0.4	disturbance, weeds - threats	2	0.37	RA d(i,ii)	RA	3	-	0.4	disturbance, weeds - threats	2	0.37	RA d(i,ii)	RA	3	0	0.3	edge of range
Hyalosperma glutinosum ssp. glutinosum	12	3.44	NT	NT	2	-	0.4	edge of range		0.00								0.00						
Hyalosperma semisterile	33	6.89	LC	LC	1	0	0.3		19	3.97	LC	LC	1	0	0.3		4	0.84	RA d(i,ii)	RA	3	DD	0	edge of range
Hybanthus auranticacus		0.00								0.00								0.00						
Hybanthus floribundus ssp. floribundus	18	1.78	NT	NT	2	0	0.3		2	0.20	RA d(ii)	RA	3	0	0.3			0.00						
Hybanthus monopetalus	11	6.08	LC	LC	1	0	0.3	small, ephemeral	22	12.15	LC	LC	1	0	0.3	small, ephemeral		0.00						
Hydrocotyle callicarpa	1	0.15	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Hydrocotyle laxiflora	7	0.84	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	in Wilpena, 1 pop, climate sensitive		0.00								0.00						
Hydrocotyle trachycarpa	10	6.06	LC	LC	1	0	0.3	in rock crevices	24	14.55	LC	LC	1	0	0.3	in rock crevices		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Hydrocotyle verticillata	6	3.66	EN B2ab(i,ii,iii); D2	EN	5	-	0.4	Sliding Rocks, 1 pop, climate sensitive		0.00								0.00						
Hypericum gramineum	1	0.23	RA d(ii)	RA	3	DD	0	could be split into 2 spp	3	0.70	RA d(ii)	RA	3	DD	0	could be split into 2 spp		0.00						
Hypoxis glabella var. glabella	19	2.79	LC	LC	1	0	0.3		8	1.17	LC	LC	1	0	0.3	northern edge of range; climate sensitive		0.00						
Hypoxis vaginata var. vaginata	1	0.40	EN B2ab(i,ii,iii)	EN	5	-	0.4	northern outlier; climate sensitive; needs dampness		0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00								0.00						
Indigofera australis ssp. australis		0.00							10	16.95	RA d(ii)	RA	3	0	0.3	should be more records		0.00						
Indigofera australis ssp. hesperia	5	13.51	RA d(ii)	RA	3	0	0.3	plus more NC records		0.00								0.00						
Indigofera basedowii		0.00							2	11.11	DD	DD	0	DD	0	questionable ID		0.00						
Indigofera colutea		0.00							2	4.76						introduced, spread by stock, weedy spp, not sure if nat	4	9.52	LC	LC	1	+	0.2	spread by stock, weedy spp
Indigofera cornuligera ssp cornuligera		0.00								0.00								0.00						
Indigofera cornuligera ssp flindersensis		0.00							5	100.00	NT	NT	2	0	0.3	(no records) new subspecies, recorded as leucotricha; Gamm		0.00						
Indigofera georgei		0.00							4	8.70	DD	DD	0	DD	0	questionable ID, wrong habitat		0.00						
Indigofera helmsii	4	5.97	RA d(ii)	RA	3	0	0.3	should be more records	8	11.94	RA d(ii)	RA	3	0	0.3			0.00						
Indigofera leucotricha		0.00							17	36.17	NE	NE	-1			taxonomic issues		0.00						
Indigofera linifolia		0.00								0.00								0.00						
Indigofera linnaei		0.00								0.00							5	9.26	LC	LC	1	0	0.3	questionable introduction
Indigofera longibractea	5	23.81	NE	NE	-1			taxonomic issues; records on loan	13	61.90	NE	NE	-1			taxonomic issues; records on loan		0.00						
Indigofera psammophila		0.00								0.00							5	6.02	LC	LC	1	0	0.3	
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla		0.00								0.00								0.00						
Ipomoea muelleri		0.00								0.00								0.00						
Ipomoea polymorpha		0.00								0.00							5	9.62	NT	NT	2	0	0.3	
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum		0.00								0.00							5	5.62	LC	LC	1	0	0.3	
Iseilema membranaceum		0.00							9	5.70	NT	NT	2	0	0.3	annual	3	1.90	LC	LC	1	0	0.3	
Iseilema vaginiflorum		0.00								0.00							12	11.76	LC	LC	1	0	0.3	
Isoetes muelleri		0.00							2	5.88	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly epheme		0.00						
Isoetopsis graminifolia	18	2.57	LC	LC	1	0	0.3		20	2.85	LC	LC	1	0	0.3			0.00						
Isolepis australiensis		0.00							1	1.23	VU D2	VU	4	DD	0	localised; very tiny	5	6.17	RA d(ii)	RA	3	DD	0	very tiny
Isolepis cernua	5	1.34	NT	NT	2	DD	0	northern edge of range; grows in springs	3	0.80	RA d(ii)	RA	3	DD	0	northern edge of range; grows in springs		0.00						
Isolepis congrua	2	3.08	RA d(i,ii)	RA	3	DD	0	winter rainfall sp.; probably declining	4	6.15	RA d(i,ii)	RA	3	DD	0	winter rainfall sp.; probably declining		0.00						
Isolepis hookeriana	4	4.49	RA d(i,ii)	RA	3	DD	0		1	1.12	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	northern edge of range; climate sensitive; habitat quality declir		0.00						
Isolepis inundata	9	2.95	EN B2ab(i,ii,iii)	VU	4	-	0.4	localised in Wilpena		0.00								0.00						
Isolepis platycarpa	5	2.49	RA d(ii)	RA	3	-	0.4	climate sensitive; perennial; around springs		0.00								0.00						
Isotoma petraea	17	4.39	LC	LC	1	0	0.3		53	13.70	LC	LC	1	0	0.3			0.00						
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri		0.00								0.00							6	13.95	RA d(ii)	RA	3	DD	0	
Ixiochlamys cuneifolia	28	10.11	LC	LC	1	0	0.3	likes sandy creek banks	156	56.32	LC	LC	1	0	0.3	likes sandy creek banks		0.00						
Ixiochlamys filicifolia	1	1.33	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana	3	4.29	RA d(ii)	RA	3	DD	0	no recent records	10	14.29	LC	LC	1	0	0.3			0.00						
Ixodia flindersica		0.00							71	97.26	RA d(i)	RA	3	DD	0	endemic only in northern Flinders; should be rated at State lev		0.00						
Jasminum didymum ssp. lineare	10	4.95	LC	LC	1	0	0.3		63	31.19	LC	LC	1	0	0.3			0.00						
Josephinia eugeniae		0.00								0.00							1	4.00	RA d(ii)	RA	3	DD	0	grows under shrubs
Juncus aridicola		0.00							13	9.22	LC	LC	1	0	0.3	in all gorges; easily spread	1	0.71	RA d(i,ii)	RA	3	DD	0	easily spread
Juncus bufonius	7	1.18	LC	LC	1	0	0.3		3	0.51	LC	LC	1	0	0.3			0.00						
Juncus caespiticius	4	1.71	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	in Wilpena Pd, limited habitat		0.00								0.00						
Juncus flavidus		0.00							2	1.75	RA d(i,ii)	RA	3	DD	0	on Mawson Plateau		0.00						
Juncus holoschoenus	4	1.61	EN B2ab(i,ii,ii)	EN	5	-	0.4	far edge of range; spread by birds		0.00								0.00						
Juncus kraussii	14	2.06	LC	LC	1	0	0.3	around mound springs	13	1.91	LC	LC	1	0	0.3	around mound springs	1	0.15	RA d(i,ii)	RA	3	DD	0	around mound springs
Juncus subsecundus	19	2.31	NT	NT	2	0	0.3	northern limit; grassy woodland spp.	17	2.07	NT	NT	2	0	0.3	northern limit; grassy woodland spp.		0.00						
Kennedia prorepens		0.00								0.00								0.00						
Keraudrenia nephrosperma		0.00								0.00							1	3.03	RA d(i,ii)	RA	3	0	0.3	
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								0.00								0.00						
Kippistia suaedifolia		0.00							4	3.81	VU D2	VU	4	0	0.3	restricted habitat; mining is biggest threat; no recent re	1	0.95	RA d(i,ii)	RA	3	DD	0	restricted habitat
Korthalsella japonica forma japonica		0.00							1	50.00	DD	DD	0	DD	0	undercollected; cryptic, could be Rare - now K leucothrix?		0.00						
Lachnagrostis filiformis	3	0.81	LC	LC	1	0	0.3	in drainage lines, likes fresh water, dams	3	0.81	LC	LC	1	0	0.3	in drainage lines, likes fresh water, dams	1	0.27	RA d(i,ii)	RA	3	0	0.3	limited habitat
Lachnagrostis perennis		0.00	VU B2ab(i,ii,iii)	VU	4	-	0.4	(no records) only in Wilpena Pd; collections have been id'd in		0.00								0.00						
Lasiopetalum behrii	1	0.09	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Lawrencella davenportii		0.00								0.00								0.00						
Lawrencia glomerata	1	0.22	NT	NT	2	0	0.3	taxon now has 3 ssp	27	5.99	LC	LC	1	0	0.3	taxon now has 3 ssp	12	2.66	LC	LC	1	0	0.3	taxon now has 3 ssp
Lawrencia squamata	6	0.76	LC	LC	1	0	0.3		5	0.63	LC	LC	1	0	0.3			0.00						
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata		0.00								0.00							22	9.44	LC	LC	1	0	0.3	
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta		0.00								0.00							1	2.13	NT	NT	2	0	0.3	not core area; grows red dunes
Leiocarpa leptolepis	2	0.44	NT	NT	2	0	0.3		13	2.86	LC	LC	1	0	0.3	widespread, on roadsides	5	1.10	LC	LC	1	0	0.3	widespread, on roadsides
Leiocarpa semicalva ssp. semicalva	57	7.44	LC	LC	1	0	0.3	likes small rocky outcrops	435	56.79	LC	LC	1	0	0.3	likes small rocky outcrops		0.00						
Leiocarpa semicalva ssp. vinacea		0.00								0.00								0.00						
Leiocarpa tomentosa	15	8.29	LC	LC	1	0	0.3		29	16.02	LC	LC	1	0	0.3			0.00						
Leiocarpa websteri	40	5.77	LC	LC	1	0	0.3		118	17.03	LC	LC	1	0	0.3		15	2.16	LC	LC	1	0	0.3	
Lemna disperma		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Lemooria burkittii	5	2.72	NT	NT	2	0	0.3		3	1.63	NT	NT	2	0	0.3	in outwashes	4	2.17	NT	NT	2	DD	0	trampling & grazing - threats
Lepidium fasciculatum	3	3.61	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	no recent records	3	3.61	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	no recent records	1	1.20	DD	DD	0	DD	0	query ID
Lepidium leptopetalum	1	0.99	VU D2	VU	4	DD	0		6	5.94	RA d(ii)	RA	3	0	0.3			0.00						
Lepidium muelleri-ferdinandi		0.00							5	1.76	LC	LC	1	0	0.3		5	1.76	LC	LC	1	0	0.3	
Lepidium oxytrichum	21	3.18	LC	LC	1	0	0.3		126	19.09	LC	LC	1	0	0.3		2	0.30	NT	NT	2	0	0.3	
Lepidium papillosum	27	7.71	LC	LC	1	0	0.3		20	5.71	LC	LC	1	0	0.3			0.00						
Lepidium phlebopetalum	11	1.40	LC	LC	1	0	0.3		72	9.20	LC	LC	1	0	0.3		15	1.92	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00							2	14.29	EN B2ab(i,ii,iii,iv,v)	EN	5	-	0.4	possibly extinct		0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum		0.00								0.00							3	4.41	NT	NT	2	0	0.3	
Lepidium strongylophyllum		0.00							5	18.52	RA d(i,ii)	RA	3	0	0.3	restricted habitat, locally common, on rocky slopes		0.00						
Lepidosperma avium		0.00								0.00								0.00						
Lepidosperma viscidum	20	0.78	NT	NT	2	0	0.3	northern edge of range		0.00								0.00						
Lepilaena australis	1	1.79	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	limited fresh water habitat; only found Wilpena Pd		0.00								0.00						
Lepilaena bilocularis		0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata		0.00								0.00								0.00						
Leptochloa fusca ssp. fusca		0.00								0.00								0.00						
Leptochloa fusca ssp. muelleri		0.00							5	2.62	LC	LC	1	0	0.3		10	5.24	LC	LC	1	0	0.3	
Leptorhynchos baileyi		0.00							3	5.66	RA d(ii)	RA	3	-	0.4	ephemeral; not often seen; highly localised		0.00						
Leptorhynchos tetrachaetus	3	1.27	RA d(i,ii)	RA	3	-	0.4	northern edge of range; weeds & climate change - thre	2	0.85	DD	DD	0	DD	0	check ID, doughtful		0.00						
Leptorhynchos waitzia	2	0.71	RA d(i,ii)	RA	3	-	0.4	northern edge of range; weeds & climate change - thre	1	0.36	RA d(i,ii)	RA	3	-	0.4	northern edge of range; weeds & climate change - threats		0.00						
Leptosema chambersii		0.00								0.00								0.00						
Leucochrysum fitzgibbonii		0.00							1	0.54	RE	RE	7			old record, if correct presumed extinct		0.00						
Leucochrysum molle	2	2.38	RA d(i,ii)	RA	3	-	0.4	ephemeral; grazed	5	5.95	RA d(i,ii)	RA	3	-	0.4	ephemeral; grazed		0.00						
Leucochrysum stipitatum		0.00								0.00								0.00						
Levenhookia dubia	4	0.75	VU D2	VU	4	DD	0			0.00								0.00						
Limosella australis	3	3.85	VU D2	VU	4	-	0.4	on moist mud at edge of water; climate sensitive; habitat quali		0.00								0.00						
Limosella curdieana var. curdieana		0.00							1	12.50	DD	DD	0	DD	0	only 1 reserve record; lots of records not databased		0.00						
Linum marginale	10	1.64	LC	LC	1	0	0.3	climate sensitive	15	2.46	LC	LC	1	0	0.3	climate sensitive		0.00						
Lipocarpha microcephala		0.00								0.00								0.00						
Lobelia anceps	2	0.55	VU D2	VU	4	DD	0	climate sensitive; in Wilpena; edge of range		0.00								0.00						
Lobelia heterophylla		0.00								0.00								0.00						
Logania centralis		0.00								0.00								0.00						
Logania saxatilis	4	2.53	RA d(ii)	RA	3	0	0.3		3	1.90	RA d(ii)	RA	3	0	0.3			0.00						
Lomandra densiflora	2	0.15	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive		0.00								0.00						
Lomandra effusa	9	0.58	VU D2	VU	4	0	0.3	in Wilpena Pd		0.00								0.00						
Lomandra leucocephala ssp. robusta		0.00								0.00								0.00						
Lomandra multiflora ssp. dura	61	2.76	LC	LC	1	0	0.3		138	6.24	LC	LC	1	0	0.3			0.00						
Lotus australis	2	0.42	NT	NT	2	0	0.3	long-lived seedbank	4	0.85	RA d(ii)	RA	3	0	0.3	long-lived seedbank		0.00						
Lotus cruentus	90	7.68	LC	LC	1	0	0.3		286	24.40	LC	LC	1	0	0.3		29	2.47	LC	LC	1	0	0.3	
Lycium australe	5	0.45	NT	NT	2	0	0.3		5	0.45	DD	DD	0	DD	0	no vouchered records		0.00						
Lysiana exocarpi ssp. exocarpi	46	2.31	LC	LC	1	0	0.3		396	19.92	LC	LC	1	0	0.3		14	0.70	LC	LC	1	0	0.3	
Lysiana murrayi		0.00								0.00								0.00						
Lysiana subfalcata		0.00								0.00							5	6.58	NT	NT	2	DD	0	
Lythrum hyssopifolia	2	0.40	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes		0.00							1	0.20	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes
Lythrum paradoxum	1	5.88	VU B2ab(i,ii,iii); D2	VU	4	-	0.4		7	41.18	RA d(ii)	RA	3	DD	0			0.00						
Lythrum salicaria		0.00							1	1.92	DD	DD	0	DD	0	only appeared after a wet year, temporary		0.00						
Lythrum wilsonii		0.00							1	1.45	RA d(i,ii)	RA	3	0	0.3		4	5.80	LC	LC	1	0	0.3	
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	15	1.63	LC	LC	1	0	0.3		41	4.46	LC	LC	1	0	0.3		21	2.29	LC	LC	1	0	0.3	
Maireana appressa	3	0.68	NT	NT	2	0	0.3		29	6.53	LC	LC	1	0	0.3		20	4.50	LC	LC	1	0	0.3	
Maireana astrotricha	69	6.10	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a thre	314	27.76	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a thre	40	3.54	LC	LC	1	0	0.3	
Maireana brevifolia	45	3.40	LC	LC	1	0	0.3	likes mallee, open areas; doesn't set seed well	71	5.36	LC	LC	1	0	0.3	likes mallee, open areas; doesn't set seed well		0.00						
Maireana campanulata	8	8.42	LC	LC	1	0	0.3		29	30.53	LC	LC	1	0	0.3			0.00						
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa		0.00								0.00								0.00						
Maireana ciliata	2	1.00	LC	LC	1	0	0.3		10	5.00	LC	LC	1	0	0.3		4	2.00	LC	LC	1	0	0.3	
Maireana coronata	3	1.44	LC	LC	1	0	0.3		8	3.83	LC	LC	1	0	0.3		9	4.31	LC	LC	1	0	0.3	
Maireana enchylaenoides	29	2.60	LC	LC	1	0	0.3	edge of range; grazed; grassy, open mallee	24	2.15	LC	LC	1	0	0.3	edge of range; grazed; grassy, open mallee		0.00						
Maireana eriantha		0.00							17	8.25	LC	LC	1	0	0.3			0.00						
Maireana erioclada	7	0.49	LC	LC	1	0	0.3		23	1.60	LC	LC	1	0	0.3			0.00						
Maireana excavata	4	2.65	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	needs open country; grazing, erosion threats		0.00								0.00						
Maireana georgei	20	2.34	LC	LC	1	0	0.3		57	6.66	LC	LC	1	0	0.3		12	1.40	LC	LC	1	0	0.3	
Maireana integra	5	1.47	LC	LC	1	0	0.3		27	7.94	LC	LC	1	0	0.3		2	0.59	LC	LC	1	0	0.3	
Maireana lanosa		0.00							1	50.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	1 old record		0.00						
Maireana lobiflora	13	10.40	LC	LC	1	0	0.3		7	5.60	NT	NT	2	0	0.3			0.00						
Maireana luehmannii		0.00								0.00								0.00						
Maireana melanocarpa		0.00							32	74.42	NT	NT	2	0	0.3	endemic to SA, grazing a threat; limited habitat		0.00						
Maireana microcarpa		0.00							2	2.17	RA d(ii)	RA	3	DD	0	edge of range	5	5.43	NT	NT	2	0	0.3	
Maireana oppositifolia		0.00								0.00								0.00						
Maireana ovata		0.00							23	32.39	LC	LC	1	0	0.3		1	1.41	NT	NT	2	DD	0	undercollected
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Maireana pentatropis	17	1.39	LC	LC	1	0	0.3		115	9.43	LC	LC	1	0	0.3			0.00						
Maireana planifolia		0.00								0.00								0.00						
Maireana pyramidata	135	6.64	LC	LC	1	0	0.3		281	13.82	LC	LC	1	0	0.3		15	0.74	LC	LC	1	0	0.3	
Maireana radiata	6	0.83	NT	NT	2	0	0.3		7	0.97	NT	NT	2	0	0.3			0.00						
Maireana schistocarpa		0.00								0.00								0.00						
Maireana scleroptera		0.00								0.00								0.00						
Maireana sedifolia	38	1.47	LC	LC	1	0	0.3	grazed	107	4.15	LC	LC	1	0	0.3	grazed	1	0.04	RA d(ii)	RA	3	DD	0	
Maireana spongiocarpa	11	7.80	LC	LC	1	0	0.3	tolerates disturbance	15	10.64	LC	LC	1	0	0.3	tolerates disturbance		0.00						
Maireana tomentosa ssp. urceolata	3	3.57	NT	NT	2	DD	0	grazed	39	46.43	LC	LC	1	0	0.3			0.00						
Maireana trichoptera	26	2.01	LC	LC	1	0	0.3		68	5.26	LC	LC	1	0	0.3			0.00						
Maireana triptera	2	0.57	RA d(ii)	RA	3	-	0.4	edge of range, grazed	11	3.13	LC	LC	1	0	0.3			0.00						
Maireana turbinata	37	5.64	LC	LC	1	0	0.3		38	5.79	LC	LC	1	0	0.3		1	0.15	NT	NT	2	DD	0	
Maireana villosa		0.00								0.00							1	0.74	RA d(i,ii)	RA	3	DD	0	limited habitat
Malacocera albolanata		0.00								0.00							7	10.29	LC	LC	1	0	0.3	
Malacocera biflora		0.00								0.00								0.00						
Malacocera gracilis		0.00								0.00							5	16.67	NT	NT	2	0	0.3	endemic to SA; likes low-lying calcareous soils
Malacocera tricornis		0.00	RA d(ii)	RA	3	DD	0	(no records)	8	5.06	NT	NT	2	0	0.3	limited to edge of ranges	10	6.33	LC	LC	1	0	0.3	
Malva preissiana	15	1.78	LC	LC	1	0	0.3		42	4.98	LC	LC	1	0	0.3		4	0.47	LC	LC	1	0	0.3	
Malvastrum americanum var. americanum	11	1.65	LC	LC	1	0	0.3	spreading	262	39.22	LC	LC	1	0	0.3	spreading	2	0.30	LC	LC	1	0	0.3	spreading
Marsdenia australis	33	5.89	LC	LC	1	0	0.3		329	58.75	LC	LC	1	0	0.3		2	0.36	RA d(i,ii)	RA	3	0	0.3	outlier
Marsilea costulifera	1	1.67	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	limited habitat; in Wilpena; climate sensitive, changed h	5	8.33	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	limited habitat; climate sensitive, changed hydrology, goats - th		0.00						
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii		0.00							2	0.69	NT	NT	2	0	0.3		9	3.13	LC	LC	1	0	0.3	
Marsilea exarata		0.00								0.00							2	2.67	NT	NT	2	0	0.3	
Marsilea hirsuta	1	0.43	RA d(i,ii)	RA	3	0	0.3		1	0.43	RA d(i,ii)	RA	3	0	0.3		6	2.56	LC	LC	1	0	0.3	
Melaleuca bracteata		0.00							4	8.00	RA d(i,ii)	RA	3	0	0.3	disjunct population, highly localised; long-lived		0.00						
Melaleuca dissitiflora		0.00							80	72.73	RA d(ii)	RA	3	0	0.3			0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata	18	4.05	RA d(ii)	RA	3	0	0.3	restricted to water courses	219	49.32	NT	NT	2	0	0.3		3	0.68	RA d(ii)	RA	3	DD	0	
Melaleuca interioris		0.00							2	3.28	RA d(i,ii)	RA	3	DD	0	edge of range; outlier; limited habitat; along watercourses		0.00						
Melaleuca lanceolata	13	0.82	LC	LC	1	0	0.3		38	2.40	LC	LC	1	0	0.3			0.00						
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00							12	4.33	NT	NT	2	0	0.3	Gammon Ranges, limited habitat		0.00						
Melaleuca xerophila		0.00								0.00								0.00						
Melhania oblongifolia		0.00							19	39.58	LC	LC	1	0	0.3		4	8.33	RA d(i,ii)	RA	3	DD	0	only one with voucher
Melicytus dentatus		0.00							1	0.69	DD	DD	0	DD	0	query ID, possibly Scaevola spinescens		0.00						
Menkea australis	1	1.06	NT	NT	2	0	0.3	annual; easily dispersed	7	7.45	NT	NT	2	0	0.3	annual; easily dispersed	1	1.06	NT	NT	2	0	0.3	annual; easily dispersed
Menkea crassa		0.00							5	4.42	NT	NT	2	0	0.3	annual, grows on stony ground	2	1.77	NT	NT	2	0	0.3	annual, grows on stony ground
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa		0.00								0.00								0.00						
Menkea villosula		0.00								0.00								0.00						
Mentha australis		0.00							4	3.01	RA d(ii)	RA	3	0	0.3		2	1.50	RA d(ii)	RA	3	0	0.3	
Mentha satureioides	6	9.52	EN B2ab(i,ii,iii)	EN	5	-	0.4	climate sensitive	1	1.59	EN B2ab(i,ii,iii); D	EN	5	-	0.4	climate sensitive		0.00						
Microcorys macredieana		0.00								0.00								0.00						
Microlaena stipoides var. stipoides	2	0.38	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	sensitive to climate change; northern edge of range		0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00								0.00						
Micromyrtus flaviflora		0.00								0.00								0.00						
Microseris lanceolata	30	2.59	NT	NT	2	0	0.3	northern edge of range; historical decline; likes growing	18	1.56	NT	NT	2	0	0.3	northern edge of range; historical decline; likes growing with T		0.00						
Microtis arenaria	1	0.15	RA d(i,ii)	RA	3	DD	0	only in Bunyaroo; northern extent of range; only 1 historic reco		0.00								0.00						
Microtis eremaea		0.00							1	20.00	EN C2a(i)	EN	5	-	0.4	only 1 record; grows in granite outcrops; goats a threat; Mawso		0.00						
Microtis frutetorum	2	1.09	RA d(i,ii)	RA	3	-	0.4	northern edge of range; affected by drought		0.00								0.00						
Microtis parviflora	1	0.79	RA d(i,ii)	RA	3	0	0.3	this record is now M. flindersica (undescribed)		0.00								0.00						
Millotia greevesii ssp. greevesii		0.00								0.00							4	28.57	NT	NT	2	0	0.3	have been taxonomic splits; should be more records; c
Millotia greevesii ssp. helmsii		0.00							1	2.86	NT	NT	2	0	0.3	have been taxonomic splits; should be more records		0.00						
Millotia incurva		0.00								0.00								0.00						
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia	18	2.64	LC	LC	1	0	0.3		12	1.76	LC	LC	1	0	0.3			0.00						
Millotia perpusilla	6	5.22	LC	LC	1	0	0.3	highly localised		0.00								0.00						
Millotia tenuifolia var. tenuifolia	3	0.43	NT	NT	2	-	0.4	edge of range; likes higher, rocky areas	2	0.28	NT	NT	2	-	0.4	edge of range; likes higher, rocky areas		0.00						
Mimulus gracilis		0.00								0.00								0.00						
Mimulus prostratus		0.00								0.00							2	8.70	RA d(i,ii)	RA	3	0	0.3	limited habitat
Mimulus repens		0.00								0.00								0.00						
Minuria annua	1	1.27	RA d(i,ii)	RA	3	-	0.4	restricted habitat, calcareous/gypseous soils	4	5.06	RA d(ii)	RA	3	DD	0		2	2.53	NT	NT	2	0	0.3	
Minuria cunninghamii	27	3.95	LC	LC	1	0	0.3		67	9.80	LC	LC	1	0	0.3		15	2.19	LC	LC	1	0	0.3	
Minuria denticulata	1	0.16	RA d(ii)	RA	3	-	0.4	southern edge of range	14	2.28	LC	LC	1	0	0.3		26	4.23	LC	LC	1	0	0.3	
Minuria integerrima		0.00							10	4.63	NT	NT	2	0	0.3		6	2.78	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts
Minuria leptophylla	12	1.04	LC	LC	1	0	0.3		6	0.52	LC	LC	1	0	0.3		10	0.87	LC	LC	1	0	0.3	
Minuria rigida		0.00							3	1.07	RA d(i,ii)	RA	3	DD	0	likes gypseous soils	6	2.14	NT	NT	2	DD	0	edge of range
Mollugo cerviana		0.00							5	4.72	LC	LC	1	0	0.3	undercollected; very small	9	8.49	LC	LC	1	0	0.3	
Momordica balsamina		0.00								0.00								0.00						
Monachather paradoxus		0.00								0.00								0.00						
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides		0.00								0.00							19	20.43	LC	LC	1	0	0.3	SA endemic

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Muehlenbeckia florulenta	5	0.41	LC	LC	1	0	0.3		5	0.41	LC	LC	1	0	0.3		33	2.74	LC	LC	1	0	0.3	
Muelleranthus stipularis		0.00								0.00								0.00						
Murchisonia volubilis		0.00								0.00								0.00						
Myoporum brevipes		0.00							3	1.41	DD	DD	0	DD	0	imprecise location		0.00						
Myoporum montanum	49	7.04	LC	LC	1	0	0.3		85	12.21	LC	LC	1	0	0.3		1	0.14	DD	DD	0	DD	0	
Myoporum platycarpum ssp. platycarpum	6	0.73	NT	NT	2	0	0.3	struggling to regenerate from grazing	28	3.41	LC	LC	1	0	0.3			0.00						
Myosurus minimus var. australis		0.00							3	3.49	VU D2	VU	4	DD	0	goats a threat; grows on flooded ground	2	2.33	RA d(ii)	RA	3	0	0.3	limited habitat
Myriocephalus pluriflorus		0.00							3	7.32	NT	NT	2	DD	0	could be common; appears after good rains; lack of rec	1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of rec
Myriocephalus rhizocephalus	2	2.33	RA d(i,ii)	RA	3	-	0.4	in Wilpena; weeds & climate change - threats		0.00								0.00						
Myriocephalus rudallii		0.00								0.00							1	2.08	NT	NT	2	DD	0	undercollected
Myriocephalus squamatus		0.00								0.00								0.00						
Myriophyllum verrucosum	1	0.47	NT	NT	2	0	0.3		2	0.94	NT	NT	2	0	0.3			0.00						
Neobassia proceriflora		0.00							19	7.45	LC	LC	1	0	0.3		2	0.78	LC	LC	1	0	0.3	
Neptunia dimorphantha		0.00								0.00								0.00						
Neurachne lanigera		0.00								0.00								0.00						
Neurachne munroi		0.00							2	3.08	RA d(ii)	RA	3	0	0.3	long-lived, tough perennial		0.00						
Newcastelia bracteosa		0.00								0.00								0.00						
Newcastelia cephalantha var. cephalantha		0.00								0.00								0.00						
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00								0.00						
Newcastelia spodiotricha		0.00								0.00								0.00						
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior		0.00							1	1.09	DD	DD	0	DD	0	old record		0.00						
Nicotiana goodspeedii	2	0.44	NT	NT	2	0	0.3			0.00								0.00						
Nicotiana gossei		0.00								0.00								0.00						
Nicotiana occidentalis ssp. obliqua		0.00							17	13.39	NT	NT	2	0	0.3			0.00						
Nicotiana rosulata ssp. ingulba		0.00								0.00								0.00						
Nicotiana rosulata ssp. rosulata		0.00								0.00								0.00						
Nicotiana simulans	1	0.40	DD	DD	0	DD	0	questionable ID	36	14.34	LC	LC	1	0	0.3		1	0.40	RA d(ii)	RA	3	DD	0	
Nicotiana truncata		0.00								0.00								0.00						
Nicotiana velutina	32	3.06	LC	LC	1	0	0.3		200	19.12	LC	LC	1	0	0.3		59	5.64	LC	LC	1	0	0.3	
Nitraria billardierei	15	0.87	LC	LC	1	+	0.2		32	1.85	LC	LC	1	+	0.2		40	2.32	LC	LC	1	+	0.2	
Nymphoides crenata		0.00								0.00								0.00						
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida		0.00								0.00								0.00						
Olearia calcarea	1	0.55	RA d(i,ii)	RA	3	-	0.4	southern edge of range		0.00								0.00						
Olearia decurrens	119	12.53	LC	LC	1	0	0.3		228	24.00	LC	LC	1	0	0.3			0.00						
Olearia ferresii		0.00								0.00								0.00						
Olearia incana		0.00							1	5.26	NE	NE	-1			taxonomic issues; confused with O pimeleoides		0.00						
Olearia minor	1	0.27	NE	NE	-1			taxonomic issues		0.00								0.00						
Olearia muelleri	14	1.08	LC	LC	1	0	0.3		19	1.46	LC	LC	1	0	0.3			0.00						
Olearia picridifolia	1	0.62	VU B2ab(i,ii,iii); D1+2	VU	4	-	0.4	grazed, trampled		0.00								0.00						
Olearia pimeleoides	59	8.79	LC	LC	1	0	0.3		26	3.87	LC	LC	1	0	0.3			0.00						
Olearia ramulosa	24	1.08	NT	NT	2	DD	0	some taxonomic issues	13	0.59	RA d(ii)	RA	3	DD	0	some taxonomic issues		0.00						
Olearia stuartii		0.00								0.00								0.00						
Olearia subspicata	2	1.46	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava	55	5.78	LC	LC	1	0	0.3		277	29.10	LC	LC	1	0	0.3		24	2.52	LC	LC	1	0	0.3	
Opercularia turpis	2	0.21	RA d(i,ii)	RA	3	0	0.3	northern edge of range; in Wilpena		0.00								0.00						
Ophioglossum lusitanicum	10	3.07	NT	NT	2	0	0.3	very small spp, likes shady, rocky areas, very localised	5	1.53	NT	NT	2	0	0.3	very small spp, likes shady, rocky areas, very localised		0.00						
Ophioglossum polyphyllum		0.00								0.00							1	6.25	RA d(i,ii)	RA	3	DD	0	likes loam over rocks
Orobanche cernua var. australiana	1	0.99	RA d(i,ii)	RA	3	DD	0	parasitic sp; in dry sandy creek beds	7	6.93	NT	NT	2	0	0.3	parasitic sp; in dry sandy creek beds	3	2.97	NT	NT	2	0	0.3	parasitic sp; in dry sandy creek beds
Osteocarpum acropterum var. acropterum	21	6.89	LC	LC	1	0	0.3		16	5.25	LC	LC	1	0	0.3		24	7.87	LC	LC	1	0	0.3	
Osteocarpum acropterum var. deminutum		0.00							1	6.67	RA d(ii)	RA	3	DD	0			0.00						
Osteocarpum dipterocarpum	1	0.22	RA d(ii)	RA	3	0	0.3	edge of range	23	5.10	LC	LC	1	0	0.3		7	1.55	LC	LC	1	0	0.3	
Osteocarpum pentapterum		0.00							2	16.67	EN B2ab(i,ii,iii)	EN	5	-	0.4	2 old records, has been looked for, ephemeral, could be extinc		0.00						
Osteocarpum salsuginosum	4	3.92	NT	NT	2	0	0.3	northern edge of range; on degraded flats		0.00								0.00						
Ottelia ovalifolia ssp. ovalifolia	1	10.00	VU D2	VU	4	DD	0	localised, in Wilpena Pd; northern edge of range		0.00								0.00						
Owenia acidula		0.00								0.00							8	11.27	RA d(i,ii)	RA	3	0	0.3	edge of range
Oxalis perennans	23	2.29	LC	LC	1	0	0.3	Bio-survey records missing, ID issues with other oxalis	37	3.68	LC	LC	1	0	0.3	Bio-survey records missing, ID issues with other oxalis spp.		0.00						
Oxalis radicosa		0.00							1	1.14	DD	DD	0	DD	0	records prob not databased; grows in rocky ranges		0.00						
Oxychloris scariosa		0.00								0.00								0.00						
Ozothamnus retusus	2	0.40	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Ozothamnus scaber	12	26.09	VU B2ab(i)	VU	4	-	0.4		10	21.74	VU B2ab(i)	VU	4	-	0.4			0.00						
Pandorea pandorana		0.00								0.00								0.00						
Panicum decompositum var. decompositum		0.00							31	8.64	LC	LC	1	0	0.3		21	5.85	LC	LC	1	0	0.3	
Panicum effusum var. effusum	1	0.39	NT	NT	2	-	0.4	grazed; NB the var. is not recognised on the Aus Plant	9	3.49	LC	LC	1	0	0.3	ID issues		0.00						
Panicum laevinode		0.00							6	6.74	RA d(ii)	RA	3	DD	0	likes heavy clay soils; ID issues	8	8.99	LC	LC	1	0	0.3	
Paraceterach reynoldsii	3	2.78	RA d(i,ii)	RA	3	0	0.3		70	64.81	LC	LC	1	0	0.3			0.00						
Paractaenum novae-hollandiae ssp. reversum	1	0.51	RA d(ii)	RA	3	DD	0	edge of range; limited habitat	2	1.02	RA d(ii)	RA	3	DD	0	edge of range; limited habitat	25	12.76	LC	LC	1	0	0.3	
Paractaenum refractum	1	0.44	RA d(ii)	RA	3	DD	0	lack of habitat	2	0.89	RA d(ii)	RA	3	DD	0	lack of habitat	17	7.56	LC	LC	1	0	0.3	
Paraneurachne muelleri		0.00								0.00							2	5.26	NT	NT	2	DD	0	restricted
Parietaria australis		0.00							3	7.14	LC	LC	1	0	0.3	undercollected; in rock crevices		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Parietaria cardiostegia	7	2.77	LC	LC	1	0	0.3		11	4.35	LC	LC	1	0	0.3			0.00						
Parietaria debilis	11	3.11	LC	LC	1	0	0.3		25	7.06	LC	LC	1	0	0.3			0.00						
Pelargonium littorale	3	0.78	VU D2	VU	4	DD	0	fire ephemeral, restricted, could be declining		0.00								0.00						
Peplidium aithocheilum		0.00								0.00								0.00						
Peplidium foecundum		0.00								0.00							3	13.04	NT	NT	2	0	0.3	likes gibber plains & crabholes; records not databased
Peplidium sp. Marla (W.R.Barker 3535)		0.00								0.00								0.00						
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens	3	1.97	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	limited habitat; in Wilpena; climate sensitive, changed hydrolo		0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides		0.00								0.00								0.00						
Petalostylis labicheoides	38	24.36	LC	LC	1	0	0.3		84	53.85	LC	LC	1	0	0.3			0.00						
Philotheca angustifolia ssp. angustifolia	10	3.42	RA d(i,ii)	RA	3	-	0.4	localised; grazed	42	14.36	NT	NT	2	-	0.4	localised; grazed		0.00						
Philotheca difformis ssp. difformis	4	80.00	EN D	EN	5	DD	0	on rocky hills		0.00								0.00						
Philotheca linearis	21	10.14	RA d(ii)	RA	3	0	0.3	grows on hill tops	3	1.45	RA d(i,ii)	RA	3	DD	0	grows on hill tops		0.00						
Phlegmatospermum cochlearinum	3	1.70	EN B2ab(i,ii,iii)	EN	5	-	0.4	annual, weeds a threat; could be extinct	23	13.07	NT	NT	2	0	0.3	forms large patches	8	4.55	LC	LC	1	0	0.3	
Phlegmatospermum eremaeum		0.00								0.00								0.00						
Phragmites australis	8	1.09	NT	NT	2	0	0.3		1	0.14	RA d(ii)	RA	3	0	0.3	limited habitat		0.00						
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum	2	12.50	VU D2	VU	4	DD	0	localised; comes up after fire, ephemeral		0.00								0.00						
Phyllanthus calycinus		0.00							2	4.65	VU D2	VU	4	DD	0	on limestone; Mawson Plateau; restricted habitat; northern out		0.00						
Phyllanthus fuernrohrii		0.00							4	2.63	RA d(i,ii)	RA	3	0	0.3	limited habitat	9	5.92	LC	LC	1	0	0.3	
Phyllanthus lacunarius		0.00							4	3.67	RA d(i,ii)	RA	3	0	0.3	limited habitat; in seepages, creek beds; tough spp	11	10.09	NT	NT	2	0	0.3	
Phyllanthus lacunellus		0.00							2	40.00	RA d(i,ii)	RA	3	DD	0			0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00							2	25.00	RA d(i,ii)	RA	3	DD	0	southern edge of range; northern Aust spp; recent taxonomic c		0.00						
Phyllanthus oblanceolatus		0.00							5	100.00	RA d(i,ii)	RA	3	DD	0	taxonomic issues, used to be P australis; outlier population		0.00						
Phyllanthus saxosus	11	8.53	NT	NT	2	0	0.3		18	13.95	NT	NT	2	0	0.3			0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae	2	8.33	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	disjunct population; needs flooding; in Wilpena		0.00								0.00						
Pimelea elongata		0.00							14	77.78	NT	NT	2	0	0.3	annual, could be undercollected; can only be ID'd when in flow		0.00						
Pimelea flava ssp. dichotoma	2	0.25	RA d(i,ii)	RA	3	0	0.3	localised near Wilpena Pd		0.00								0.00						
Pimelea imbricata var. petraea	13	13.13	LC	LC	1	0	0.3	long-lived; regenerates after fire	7	7.07	LC	LC	1	0	0.3	long-lived; regenerates after fire		0.00						
Pimelea micrantha	8	2.23	NT	NT	2	0	0.3			0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala	67	6.78	LC	LC	1	0	0.3		149	15.08	LC	LC	1	0	0.3			0.00						
Pimelea octophylla	2	0.23	VU D2	VU	4	DD	0	responds to fire & disturbance	1	0.11	VU D2	VU	4	DD	0	occurs Gammon Plateau		0.00						
Pimelea penicillaris		0.00								0.00								0.00						
Pimelea petrophila	72	32.43	NT	NT	2	0	0.3		6	2.70	RA d(ii)	RA	3	0	0.3			0.00						
Pimelea simplex ssp. continua		0.00							14	10.53	LC	LC	1	0	0.3		4	3.01	LC	LC	1	0	0.3	
Pimelea simplex ssp. simplex	20	4.39	LC	LC	1	0	0.3	ephemeral	150	32.89	LC	LC	1	0	0.3	ephemeral	11	2.41	LC	LC	1	0	0.3	ephemeral
Pimelea stricta	7	0.77	NT	NT	2	0	0.3		3	0.33	RA d(ii)	RA	3	0	0.3			0.00						
Pimelea trichostachya	2	0.93	NT	NT	2	0	0.3		7	3.24	LC	LC	1	0	0.3		15	6.94	LC	LC	1	0	0.3	
Pittosporum angustifolium	74	2.26	LC	LC	1	0	0.3		212	6.47	LC	LC	1	0	0.3		10	0.31	LC	LC	1	0	0.3	
Plagiobothrys elachanthus	2	28.57	RA d(i,ii)	RA	3	0	0.3	in Wilpena		0.00								0.00						
Plagiobothrys plurisepaleus	18	8.14	LC	LC	1	0	0.3		12	5.43	LC	LC	1	0	0.3		7	3.17	LC	LC	1	0	0.3	
Plantago cunninghamii	2	1.87	NT	NT	2	0	0.3	comes up after rain		0.00								0.00						
Plantago debilis	4	10.81	RA d(i,ii)	RA	3	0	0.3		4	10.81	RA d(ii)	RA	3	0	0.3			0.00						
Plantago drummondii	26	2.39	LC	LC	1	0	0.3		100	9.20	LC	LC	1	0	0.3		39	3.59	LC	LC	1	0	0.3	
Plantago hispida	10	3.24	LC	LC	1	0	0.3	common	11	3.56	LC	LC	1	0	0.3	common		0.00						
Plantago multiscapa		0.00								0.00								0.00						
Plantago turrifera	1	1.82	VU B2ab(i,ii,iii)	VU	4	-	0.4		10	18.18	RA d(ii)	RA	3	0	0.3			0.00						
Plantago varia	4	2.37	RA d(i,ii)	RA	3	0	0.3	grows rocky outcrops & hilltops; climate sensitive, edge of ran		0.00								0.00						
Plectranthus intraterraneus	2	1.98	RA d(i,ii)	RA	3	0	0.3	likes shade, gorges & creeks	50	49.50	LC	LC	1	0	0.3			0.00						
Pleurosorus rutifolius	48	9.43	LC	LC	1	0	0.3		89	17.49	LC	LC	1	0	0.3			0.00						
Pleurosorus subglandulosus		0.00							2	5.26	RA d(i,ii)	RA	3	DD	0			0.00						
Pluchea dentex		0.00							58	55.77	LC	LC	1	0	0.3			0.00						
Pluchea dunlopii		0.00								0.00							7	14.00	LC	LC	1	0	0.3	
Pluchea rubelliflora		0.00							17	22.67	LC	LC	1	0	0.3	grows in creek lines	2	2.67	NT	NT	2	0	0.3	grows in creek lines
Poa crassicaudex	2	0.25	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazing; disturbance of habitat; edge of range	11	1.36	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazing; disturbance of habitat; edge of range		0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana		0.00							1	1.64	VU D2	VU	4	DD	0			0.00						
Poa labillardieri var. labillardieri	6	1.30	VU B2ab(i,ii,iii)	VU	4	-	0.4	stock, goats - threats; limited range		0.00								0.00						
Podolepis canescens	4	1.02	NT	NT	2	0	0.3		5	1.28	NT	NT	2	0	0.3		1	0.26	RA d(i,ii)	RA	3	DD	0	taxonomic issues
Podolepis capillaris	59	4.57	LC	LC	1	0	0.3		55	4.26	LC	LC	1	0	0.3		8	0.62	LC	LC	1	0	0.3	
Podolepis davisiana		0.00							3	5.36	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazing, trampling		0.00						
Podolepis jaceoides	1	0.65	VU B2ab(iii); D2	VU	4	-	0.4	rabbits, goats, weeds, historical decline; comes up fron	8	5.19	VU B2ab(iii)	VU	4	-	0.4	rabbits, goats, weeds, historical decline; comes up from root s		0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri	7	11.29	VU B2ab(iii)	VU	4	-	0.4	habitat severely degraded		0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi	1	0.21	RA d(i,ii)	RA	3	0	0.3	outlier		0.00								0.00						
Pogonolepis muelleriana	5	0.83	NT	NT	2	0	0.3	edge of range		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Polycalymma stuartii	2	0.20	LC	LC	1	0	0.3		7	0.71	LC	LC	1	0	0.3		145	14.69	LC	LC	1	0	0.3	
Polycarpaea arida		0.00							1	1.32	RA d(i,ii)	RA	3	DD	0		3	3.95	NT	NT	2	0	0.3	
Polycarpaea breviflora		0.00								0.00								0.00						
Polygala isingii		0.00								0.00								0.00						
Polygonum plebeium		0.00							7	4.00	LC	LC	1	0	0.3	responds to rainfall events	2	1.14	LC	LC	1	0	0.3	responds to rainfall events
Pomaderris paniculosa ssp. paniculosa		0.00							2	0.26	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	grazing pressure a threat		0.00						
Pomax umbellata	38	12.58	LC	LC	1	0	0.3	grows in rocky crevices	42	13.91	LC	LC	1	0	0.3	grows in rocky crevices		0.00						
Poranthera leiosperma		0.00								0.00								0.00						
Poranthera microphylla		0.00	RA d(ii)	RA	3	0	0.3	(no records)	1	0.32	RA d(ii)	RA	3	0	0.3	outlier; annual; needs rainfall		0.00						
Portulaca filifolia		0.00								0.00							1	1.96	RA d(ii)	RA	3	0	0.3	southern edge of range
Portulaca intraterranea		0.00								0.00							75	25.25	LC	LC	1	0	0.3	sand dune spp
Portulaca oleracea	6	0.71	LC	LC	1	0	0.3		80	9.40	LC	LC	1	0	0.3		56	6.58	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus	2	2.90	VU B2ab(i,ii,iii,iv,v); D2	VU	4	-	0.4	limited fresh water habitat; in springs in Wilpena Pd		0.00								0.00						
Potamogeton pectinatus		0.00								0.00							1	0.93	RA d(i,ii)	RA	3	DD	0	occurs in artesian bores & water tanks; tolerates some
Potamogeton tricarinatus	1	2.33	VU D2	VU	4	DD	0	(no records)		0.00														
Prasophyllum elatum	3	1.80	RA d(i,ii)	RA	3	DD	0	northern edge of range; Wilpena; affected by drought; respond		0.00								0.00						
Prasophyllum occidentale	1	0.66	RA d(i,ii)	RA	3	-	0.4	northern edge of range	1	0.66	RA d(i,ii)	RA	3	-	0.4	northern edge of range		0.00						
Prasophyllum odoratum	1	0.60	RA d(ii)	RA	3	-	0.4	undercollected; arid-lands orchid; goats, lack of rainfall threats		0.00	RA d(i,ii)	RA	3	-	0.4	(no records) undercollected; arid-lands orchid; goats, lack of ra		0.00						
Prostanthera althoferi ssp. longifolia		0.00								0.00								0.00						
Prostanthera nudula		0.00								0.00								0.00						
Prostanthera spinosa	21	6.60	NT	NT	2	-	0.4	climate sensitive; grazed		0.00								0.00						
Prostanthera striatiflora	74	10.98	LC	LC	1	0	0.3		262	38.87	LC	LC	1	0	0.3			0.00						
Prostanthera wilkieana		0.00								0.00								0.00						
Pseudoraphis spinescens		0.00								0.00								0.00						
Psydrax ammophila		0.00								0.00								0.00						
Psydrax latifolia		0.00								0.00								0.00						
Psydrax suaveolens		0.00								0.00								0.00						
Pteris tremula		0.00							11	17.74	VU B2ab(i,ii)	VU	4	-	0.4	very limited habitat, highly localised		0.00						
Pterocaulon serrulatum		0.00							1	12.50	VU D2	VU	4	DD	0	fire-related sp.; restricted		0.00						
Pterocaulon sphacelatum	16	2.42	LC	LC	1	0	0.3		208	31.42	LC	LC	1	0	0.3		23	3.47	LC	LC	1	0	0.3	
Pterostylis biseta	8	8.99	RA d(i,ii)	RA	3	DD	0	biseta' refers to more than 1 spp, taxonomy needs to be reviev		0.00								0.00						
Pterostylis boormanii	4	6.90	RA d(i,ii)	RA	3	-	0.4		4	6.90	EN B2ab(i,ii)	EN	5	-	0.4	goats, lack of rainfall - threats		0.00						
Pterostylis excelsa		0.00							1	1.37	VU D2	VU	4	-	0.4	edge of range		0.00						
Pterostylis lingua	1	100.00	EN B2ab(i,ii); D	EN	5	-	0.4	undercollected because very rare & always in small nos.; likes		0.00								0.00						
Pterostylis mutica	5	1.48	NT	NT	2	-	0.4	now called Hymenochilus pagophilus; most common o	4	1.19	RA d(ii)	RA	3	-	0.4	now called Hymenochilus pagophilus; drought tolerant; should		0.00						
Pterostylis nana	4	0.42	RA d(i,ii)	RA	3	DD	0	around Wilpena; edge of range; likes granite rocks; more toler		0.00								0.00						
Pterostylis plumosa	1	0.40	RA d(i,ii)	RA	3	DD	0	northern edge of range		0.00								0.00						
Pterostylis pusilla	4	1.87	NT	NT	2	-	0.4	prefers limestone areas		0.00								0.00						
Pterostylis robusta	1	0.34	NT	NT	2	-	0.4		1	0.34	VU D2	VU	4	-	0.4	northern edge of range		0.00						
Pterostylis sanguinea	5	0.95	RA d(i,ii)	RA	3	-	0.4	around Wilpena; needs rainfall		0.00								0.00						
Pterostylis viriosa	2	9.09	RA d(i,ii)	RA	3	-	0.4	northern edge of range		0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri		0.00								0.00								0.00						
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens	7	7.78	NT	NT	2	0	0.3		26	28.89	LC	LC	1	0	0.3			0.00						
Ptilotus disparilis		0.00							2	50.00	VU D2	VU	4	DD	0	highly localised; Leigh Ck mine expansion a threat; endemic t		0.00						
Ptilotus gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. parviflorus		0.00							1	100.00	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Ptilotus helipteroides		0.00								0.00								0.00						
Ptilotus incanus		0.00								0.00								0.00						
Ptilotus latifolius		0.00								0.00							3	5.66	LC	LC	1	0	0.3	
Ptilotus macrocephalus		0.00								0.00							1	0.77	RA d(i,ii)	RA	3	DD	0	
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00							1	20.00	LC	LC	1	0	0.3			0.00	LC	LC	1	0	0.3	(no records)
Ptilotus obovatus	1	1.22	LC	LC	1	0	0.3	lots of NC records	9	10.98	LC	LC	1	0	0.3		6	7.32	LC	LC	1	0	0.3	lots of NC records
Ptilotus parvifolius		0.00							1	3.33	RA d(ii)	RA	3	DD	0	has been split into 4 entities		0.00						
Ptilotus polystachyus		0.00							2	0.58	RA d(i,ii)	RA	3	0	0.3	limited habitat	19	5.52	LC	LC	1	0	0.3	likes sand
Ptilotus propinquus		0.00							14	100.00	RA d(ii)	RA	3	0	0.3	limited habitat, endemic to SA		0.00						
Ptilotus pseudohelipteroides		0.00								0.00								0.00						
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii		0.00								0.00								0.00						
Ptilotus sessilifolius		0.00	RA d(i,ii)	RA	3	DD	0	(no records)	2	0.67	RA d(i,ii)	RA	3	DD	0		7	2.36	LC	LC	1	0	0.3	
Ptilotus spathulatus	2	3.57	LC	LC	1	0	0.3	should be more records		0.00	RA d(ii)	RA	3	0	0.3	(no records), northern edge of range		0.00						
Ptilotus whitei		0.00							1	4.17	RA d(ii)	RA	3	DD	0	has been split from P parviflorus into 4 entities		0.00						
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens	32	2.80	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	grazed by roos, sheep, goats		0.00								0.00						
Pycnosorus eremaeus		0.00								0.00							2	2.22	LC	LC	1	0	0.3	undercollected; likes low-lying cracking clay soil
Pycnosorus globosus	2	5.71	VU D2	VU	4	DD	0	edge of range; not well protected, grazed		0.00								0.00						
Pycnosorus melleus		0.00								0.00								0.00						
Pycnosorus pleiocephalus	53	8.24	LC	LC	1	0	0.3		31	4.82	LC	LC	1	0	0.3		29	4.51	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Radyera farragei	1	0.96	RA d(ii)	RA	3	DD	0		3	2.88	RA d(ii)	RA	3	DD	0			0.00						
Ranunculus amphitrichus	7	3.95	EN B2ab(i,ii,iii)	EN	5	-	0.4	climate sensitive; in Wilpena		0.00								0.00						
Ranunculus hamatosetosus	25	10.82	LC	LC	1	0	0.3		63	27.27	LC	LC	1	0	0.3			0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus	4	2.61	NT	NT	2	0	0.3	grows on interdune swales after rain		0.00							4	2.61	NT	NT	2	0	0.3	grows on interdune swales after rain
Ranunculus pumilio var. politus	1	10.00	VU D2	VU	4	DD	0			0.00								0.00						
Ranunculus pumilio var. pumilio		0.00								0.00							1	1.06	RA d(ii)	RA	3	DD	0	
Ranunculus sessiliflorus var. pilulifer	4	16.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	localised		0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus	5	1.78	VU D2	VU	4	DD	0	flowers after fire; localised	3	1.07	VU D2	VU	4	DD	0	flowers after fire; localised		0.00						
Rhagodia crassifolia		0.00							1	0.06	RA d(i,ii)	RA	3	DD	0	unusual record		0.00						
Rhagodia eremaea		0.00								0.00								0.00						
Rhagodia parabolica	104	6.52	LC	LC	1	0	0.3		141	8.83	LC	LC	1	0	0.3		2	0.13	DD	DD	0	DD	0	odd records
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	78	3.14	LC	LC	1	0	0.3		402	16.18	LC	LC	1	0	0.3		44	1.77	LC	LC	1	0	0.3	
Rhagodia ulicina	7	1.18	LC	LC	1	0	0.3		102	17.14	LC	LC	1	0	0.3			0.00						
Rhodanthe charsleyae		0.00								0.00								0.00						
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina		0.00								0.00								0.00						
Rhodanthe corymbiflora	58	14.22	LC	LC	1	0	0.3		18	4.41	LC	LC	1	0	0.3			0.00						
Rhodanthe floribunda	6	0.44	LC	LC	1	0	0.3		42	3.06	LC	LC	1	0	0.3		92	6.71	LC	LC	1	0	0.3	
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis	1	0.53	LC	LC	1	0	0.3	undercollected	11	5.82	LC	LC	1	0	0.3	undercollected		0.00						
Rhodanthe microglossa	27	4.46	LC	LC	1	0	0.3	undercollected	105	17.33	LC	LC	1	0	0.3		10	1.65	LC	LC	1	0	0.3	
Rhodanthe moschata	12	1.31	LC	LC	1	0	0.3		99	10.84	LC	LC	1	0	0.3		61	6.68	LC	LC	1	0	0.3	
Rhodanthe polygalifolia	30	7.26	LC	LC	1	0	0.3		22	5.33	LC	LC	1	0	0.3			0.00						
Rhodanthe pygmaea	122	8.75	LC	LC	1	0	0.3	on rocky hillsides	275	19.71	LC	LC	1	0	0.3	on rocky hillsides		0.00						
Rhodanthe stricta	21	2.75	LC	LC	1	0	0.3		52	6.82	LC	LC	1	0	0.3		16	2.10	LC	LC	1	0	0.3	
Rhodanthe stuartiana		0.00							1	0.45	RA d(ii)	RA	3	DD	0		2	0.90	RA d(ii)	RA	3	DD	0	
Rhodanthe tietkensii		0.00								0.00								0.00						
Rhodanthe troedelii	49	45.79	LC	LC	1	0	0.3		5	4.67	NT	NT	2	DD	0	edge of range		0.00						
Rhodanthe uniflora		0.00							14	7.29	LC	LC	1	0	0.3		6	3.13	LC	LC	1	0	0.3	
Rhyncharrhena linearis	1	0.37	RA d(ii)	RA	3	DD	0		8	2.96	RA d(ii)	RA	3	0	0.3			0.00						
Rhynchosia australis	1	7.69	NE	NE	-1			taxonomic issues - difficult to ID from minima	5	38.46	NE	NE	-1			taxonomic issues - difficult to ID from minima		0.00						
Rhynchosia minima		0.00							10	50.00	NE	NE	-1			taxonomic issues		0.00						
Rorippa eustylis		0.00								0.00							1	2.78	RA d(ii)	RA	3	0	0.3	confined to creeks
Rostellularia adscendens var. clementii		0.00								0.00								0.00						
Rostellularia adscendens var. latifolia		0.00							1	50.00	RA d(i,ii)	RA	3	DD	0			0.00						
Rostellularia adscendens var. pogonanthera	5	2.56	NT	NT	2	0	0.3		50	25.64	LC	LC	1	0	0.3		1	0.51	RA d(i,ii)	RA	3	DD	0	limited habitat
Rulingia loxophylla		0.00								0.00								0.00						
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii	5	1.14	RA d(ii)	RA	3	0	0.3		16	3.65	RA d(ii)	RA	3	0	0.3			0.00						
Rumex crystallinus		0.00								0.00							6	4.58	LC	LC	1	0	0.3	
Ruppia maritima		0.00								0.00							3	6.98	RA d(i,ii)	RA	3	DD	0	ephemeral, relies on floods; at Montecollina Bore
Ruppia megacarpa		0.00							1	0.84	DD	DD	0	DD	0	undercollected		0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides		0.00							6	1.54	RA d(i,ii)	RA	3	DD	0	edge of range	2	0.51	NT	NT	2	0	0.3	
Salsola tragus	92	2.10	LC	LC	1	0	0.3		479	10.93	LC	LC	1	0	0.3		193	4.40	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens	5	0.52	LC	LC	1	0	0.3	restricted to creeks, wet areas	3	0.31	NT	NT	2	0	0.3	restricted to creeks, wet areas		0.00						
Santalum acuminatum	25	1.18	LC	LC	1	0	0.3		97	4.59	LC	LC	1	0	0.3			0.00						
Santalum lanceolatum	24	2.74	LC	LC	1	0	0.3		222	25.31	LC	LC	1	0	0.3		5	0.57	LC	LC	1	0	0.3	
Santalum spicatum	15	4.70	LC	LC	1	-	0.4		33	10.34	LC	LC	1	-	0.4			0.00						
Sarcocornia blackiana		0.00								0.00							1	0.49	NT	NT	2	0	0.3	limited habitat; undercollected
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe	4	1.85	NT	NT	2	0	0.3		26	12.04	LC	LC	1	0	0.3		2	0.93	NT	NT	2	0	0.3	
Sarcozona praecox	5	2.20	NT	NT	2	0	0.3	localised	3	1.32	LC	LC	1	0	0.3	more suitable habitat		0.00						
Sauropus ramosissimus		0.00								0.00								0.00						
Sauropus rigens	15	8.20	NT	NT	2	0	0.3	on hill tops	158	86.34	LC	LC	1	0	0.3	on hill tops		0.00						
Sauropus trachyspermus		0.00							26	10.36	LC	LC	1	0	0.3		87	34.66	LC	LC	1	0	0.3	
Scaevola albida	3	0.25	RA d(i,ii)	RA	3	DD	0	outlier; climate sensitive; could be VU; Wilpena Pd		0.00								0.00						
Scaevola amblyanthera var. centralis		0.00								0.00								0.00						
Scaevola basedowii		0.00								0.00								0.00						
Scaevola collaris		0.00							3	1.15	RA d(i,ii)	RA	3	DD	0	likes damp sand; undercollected	23	8.81	LC	LC	1	0	0.3	likes damp sand; undercollected
Scaevola collina		0.00								0.00								0.00						
Scaevola depauperata		0.00								0.00							4	3.01	LC	LC	1	0	0.3	
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis	23	6.71	LC	LC	1	0	0.3		43	12.54	LC	LC	1	0	0.3			0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata		0.00							12	2.96	RA d(ii)	RA	3	DD	0	edge of range	43	10.59	LC	LC	1	0	0.3	
Scaevola parvifolia ssp. parvifolia		0.00								0.00								0.00						
Scaevola spinescens	12	0.91	LC	LC	1	0	0.3		180	13.72	LC	LC	1	0	0.3		12	0.91	LC	LC	1	0	0.3	
Schenkia australis		0.00							4	2.03	LC	LC	1	0	0.3		11	5.58	LC	LC	1	0	0.3	
Schoenia ayersii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Schoenia cassiniana		0.00								0.00								0.00						
Schoenia ramosissima	1	0.60	RE	RE	7			presumed extinct; habitat degraded, very old records	6	3.57	RA d(ii)	RA	3	DD	0	habitat degraded, could be VU	5	2.98	LC	LC	1	0	0.3	
Schoenoplectus dissachanthus		0.00								0.00							1	2.38	RA d(i,ii)	RA	3	DD	0	responds to good years of rain; in niche habitats
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens	6	2.91	RA d(ii)	RA	3	DD	0	could be declining		0.00								0.00						
Schoenoplectus subulatus	1	6.67	NT	NT	2	DD	0	name change from S litoralis, could be more records	4	26.67	NT	NT	2	DD	0	name change from S litoralis, could be more records		0.00						
Schoenoplectus validus	10	3.79	VU D2	VU	4	0	0.3	only in Wilpena; climate sensitive		0.00								0.00						
Schoenus apogon	3	0.23	RA d(ii)	RA	3	DD	0	northern edge of range; climate sensitive		0.00								0.00						
Scleranthus minusculus	1	3.13	VU D2	VU	4	DD	0	grows only on sand hills; needs winter rainfall; in Wilpena Pou		0.00								0.00						
Scleranthus pungens	33	14.04	LC	LC	1	0	0.3	rocky areas; climate sensitive	19	8.09	NT	NT	2	0	0.3	rocky areas; climate sensitive		0.00						
Scleroblitum atriplicinum	5	7.94	VU B2ab(i,ii,iii)	VU	4	-	0.4	ephemeral; grows on degraded areas		0.00							1	1.59	RA d(ii)	RA	3	DD	0	ephemeral; grows on degraded areas
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata	1	5.26	RA d(ii)	RA	3	DD	0		4	21.05	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena bicornis var. bicornis	1	0.22	RA d(ii)	RA	3	DD	0	southern edge of range	3	0.66	LC	LC	1	0	0.3		32	7.00	LC	LC	1	0	0.3	
Sclerolaena bicuspis	3	27.27	RA d(ii)	RA	3	DD	0			0.00							1	9.09	RA d(ii)	RA	3	DD	0	
Sclerolaena birchii		0.00								0.00								0.00						
Sclerolaena blackiana		0.00								0.00								0.00						
Sclerolaena brachyptera	61	5.75	LC	LC	1	0	0.3		162	15.28	LC	LC	1	0	0.3		20	1.89	LC	LC	1	0	0.3	
Sclerolaena calcarata		0.00								0.00							3	2.83	LC	LC	1	0	0.3	
Sclerolaena clelandii		0.00								0.00								0.00						
Sclerolaena constricta	4	2.68	NT	NT	2	0	0.3		16	10.74	LC	LC	1	0	0.3		9	6.04	LC	LC	1	0	0.3	
Sclerolaena convexula	12	3.31	LC	LC	1	0	0.3		67	18.51	LC	LC	1	0	0.3			0.00						
Sclerolaena cornishiana		0.00								0.00								0.00						
Sclerolaena costata		0.00							1	3.13	RA d(ii)	RA	3	DD	0		1	3.13	NT	NT	2	0	0.3	
Sclerolaena cristata		0.00							1	100.00	DD	DD	0	DD	0	highly unlikely		0.00						
Sclerolaena cuneata	1	0.27	NT	NT	2	0	0.3		39	10.66	LC	LC	1	0	0.3		25	6.83	LC	LC	1	0	0.3	
Sclerolaena decurrens	2	0.69	LC	LC	1	0	0.3		7	2.41	LC	LC	1	0	0.3		22	7.59	LC	LC	1	0	0.3	
Sclerolaena deserticola	3	8.33	NT	NT	2	0	0.3		11	30.56	LC	LC	1	0	0.3			0.00						
Sclerolaena diacantha	38	1.27	LC	LC	1	0	0.3	good stock food	170	5.66	LC	LC	1	0	0.3	good stock food	97	3.23	LC	LC	1	0	0.3	
Sclerolaena divaricata	39	4.18	LC	LC	1	0	0.3		250	26.80	LC	LC	1	0	0.3		29	3.11	LC	LC	1	0	0.3	
Sclerolaena eriacantha	1	0.33	NT	NT	2	0	0.3		8	2.64	LC	LC	1	0	0.3		9	2.97	LC	LC	1	0	0.3	
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra		0.00							4	3.48	RA d(ii)	RA	3	DD	0	edge of range	4	3.48	NT	NT	2	DD	0	
Sclerolaena holtiana	2	0.87	LC	LC	1	0	0.3		6	2.62	LC	LC	1	0	0.3		8	3.49	LC	LC	1	0	0.3	
Sclerolaena intricata	2	0.22	LC	LC	1	0	0.3		12	1.35	LC	LC	1	0	0.3		60	6.75	LC	LC	1	0	0.3	
Sclerolaena johnsonii		0.00								0.00								0.00						
Sclerolaena lanicuspis	43	4.89	LC	LC	1	0	0.3		170	19.32	LC	LC	1	0	0.3		38	4.32	LC	LC	1	0	0.3	
Sclerolaena limbata	48	12.60	LC	LC	1	0	0.3		138	36.22	LC	LC	1	0	0.3		2	0.52	LC	LC	1	0	0.3	
Sclerolaena longicuspis	31	8.91	LC	LC	1	0	0.3		180	51.72	LC	LC	1	0	0.3		4	1.15	LC	LC	1	0	0.3	
Sclerolaena muricata var. muricata		0.00	RA d(ii)	RA	3	DD	0	(no records) heavy clays on rivers or cane grass swam	1	0.74	DD	DD	0	DD	0		1	0.74	NT	NT	2	0	0.3	heavy clays on rivers or cane grass swamps
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis	145	5.40	LC	LC	1	0	0.3		681	25.36	LC	LC	1	0	0.3		13	0.48	LC	LC	1	0	0.3	
Sclerolaena parallelicuspis	11	3.37	LC	LC	1	0	0.3		48	14.72	LC	LC	1	0	0.3		2	0.61	LC	LC	1	0	0.3	
Sclerolaena parviflora		0.00								0.00								0.00						
Sclerolaena patenticuspis	115	10.11	LC	LC	1	0	0.3		203	17.84	LC	LC	1	0	0.3		8	0.70	LC	LC	1	0	0.3	
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei		0.00							15	16.48	NT	NT	2	0	0.3	endemic to SA; long-lived	1	1.10	NT	NT	2	0	0.3	
Sclerolaena tricuspis		0.00								0.00								0.00						
Sclerolaena uniflora	8	0.82	LC	LC	1	0	0.3	grows on bare limestone	27	2.76	LC	LC	1	0	0.3	grows on bare limestone	47	4.81	LC	LC	1	0	0.3	grows on bare limestone
Sclerolaena ventricosa	31	4.14	LC	LC	1	0	0.3		85	11.35	LC	LC	1	0	0.3		21	2.80	LC	LC	1	0	0.3	
Scutellaria humilis	2	2.13	EN D	EN	5	DD	0	highly localised; long-lived, tough; climate sensitive; only a har		0.00								0.00						
Senecio anethifolius ssp. anethifolius	14	19.18	LC	LC	1	0	0.3			0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus	15	25.00	LC	LC	1	0	0.3		10	16.67	LC	LC	1	0	0.3			0.00						
Senecio cunninghamii var. flindersensis	3	9.38	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	grazed; edge of range		0.00								0.00						
Senecio depressicola		0.00								0.00							1	1.56	NT	NT	2	DD	0	
Senecio dolichocephalus	1	1.82	NT	NT	2	DD	0	in Brachinna Gorge, undercollected, edge of range		0.00								0.00						
Senecio eremicola		0.00								0.00								0.00						
Senecio glomeratus ssp. longifructus	2	3.39	VU D2	VU	4	0	0.3	outlier		0.00								0.00						
Senecio glossanthus	13	1.66	LC	LC	1	0	0.3	in interdune swales	24	3.06	LC	LC	1	0	0.3	in interdune swales	1	0.13	LC	LC	1	0	0.3	in interdune swales
Senecio gregorii	5	0.64	LC	LC	1	0	0.3	on sand dunes, widespread	7	0.89	LC	LC	1	0	0.3	on sand dunes, widespread	89	11.32	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00								0.00						
Senecio laceratus	8	13.56	RA d(ii)	RA	3	DD	0		7	11.86	RA d(ii)	RA	3	DD	0			0.00						
Senecio lacustrinus	2	1.71	DD	DD	0	DD	0	check ID	11	9.40	LC	LC	1	0	0.3		3	2.56	LC	LC	1	0	0.3	
Senecio lanibracteus	3	0.92	LC	LC	1	0	0.3		20	6.15	LC	LC	1	0	0.3		25	7.69	LC	LC	1	0	0.3	
Senecio magnificus	99	11.62	LC	LC	1	0	0.3		431	50.59	LC	LC	1	0	0.3		7	0.82	LC	LC	1	0	0.3	
Senecio quadridentatus	38	2.85	LC	LC	1	0	0.3		24	1.80	LC	LC	1	0	0.3			0.00						
Senecio runcinifolius		0.00							2	1.85	RA d(i,ii)	RA	3	DD	0	scattered pops		0.00						
Senecio spanomerus	4	0.76	NT	NT	2	DD	0	edge of range	1	0.19	NE	NE	-1			taxonomic issues		0.00						
Senna artemisioides ssp. alicia		0.00							16	15.84	LC	LC	1	0	0.3		2	1.98	NT	NT	2	0	0.3	
Senna artemisioides ssp. artemisioides	67	8.50	LC	LC	1	0	0.3	hybrid origin	415	52.66	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3	
Senna artemisioides ssp. coriacea	81	5.55	LC	LC	1	0	0.3	hybrid origin	360	24.67	LC	LC	1	0	0.3		1	0.07	LC	LC	1	0	0.3	
Senna artemisioides ssp. filifolia	22	1.85	LC	LC	1	0	0.3		93	7.83	LC	LC	1	0	0.3		22	1.85	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Senna artemisioides ssp. helmsii	3	0.87	RA d(ii)	RA	3	DD	0	edge of range	72	20.99	LC	LC	1	0	0.3		8	2.33	LC	LC	1	0	0.3	
Senna artemisioides ssp. oligophylla		0.00							24	11.32	LC	LC	1	0	0.3		6	2.83	LC	LC	1	0	0.3	
Senna artemisioides ssp. petiolaris	6	0.59	LC	LC	1	0	0.3		4	0.40	LC	LC	1	0	0.3		5	0.50	LC	LC	1	0	0.3	
Senna artemisioides ssp. quadrifolia		0.00							24	12.90	LC	LC	1	0	0.3		3	1.61	NT	NT	2	0	0.3	
Senna artemisioides ssp. sturtii	3	1.95	NT	NT	2	0	0.3	southern edge of range	27	17.53	LC	LC	1	0	0.3		1	0.65	RA d(ii)	RA	3	DD	0	
Senna artemisioides ssp. zygophylla	3	4.29	NT	NT	2	DD	0		3	4.29	NT	NT	2	DD	0		3	4.29	NT	NT	2	DD	0	
Senna cardiosperma ssp. gawlerensis		0.00							1	0.24	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Senna cardiosperma ssp. microphylla		0.00							1	2.86	RA d(i,ii)	RA	3	DD	0			0.00						
Senna glutinosa ssp. glutinosa		0.00								0.00								0.00						
Senna glutinosa ssp. pruinosa		0.00							3	8.57	VU D2	VU	4	DD	0			0.00						
Senna notabilis		0.00								0.00								0.00						
Senna phyllodinea	6	3.73	LC	LC	1	0	0.3		9	5.59	LC	LC	1	0	0.3		5	3.11	LC	LC	1	0	0.3	
Senna planitiicola		0.00								0.00								0.00						
Senna pleurocarpa var. pleurocarpa		0.00								0.00							45	13.43	LC	LC	1	0	0.3	fire responsive
Sesbania cannabina var. cannabina		0.00								0.00							1	4.17	RA d(i,ii)	RA	3	0	0.3	edge or range
Setaria basiclada	5	5.05	LC	LC	1	0	0.3	likes rocky hills	14	14.14	LC	LC	1	0	0.3	likes rocky hills		0.00						
Setaria clementii		0.00							4	3.96	LC	LC	1	0	0.3			0.00						
Setaria constricta	15	2.79	LC	LC	1	0	0.3		84	15.64	LC	LC	1	0	0.3			0.00						
Setaria dielsii		0.00							20	16.00	LC	LC	1	0	0.3	in creeks, drainage lines; ephemeral		0.00						
Setaria jubiflora		0.00								0.00							1	0.41	RA d(ii)	RA	3	DD	0	comes down from Qld, in creek lines
Setaria reflexa		0.00								0.00							1	1.82	RA d(ii)	RA	3	DD	0	
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	3	0.48	LC	LC	1	0	0.3		2	0.32	LC	LC	1	0	0.3		70	11.18	LC	LC	1	0	0.3	
Sida argillacea		0.00								0.00							2	16.67	LC	LC	1	0	0.3	seasonally abundant
Sida calyxhymenia	1	0.51	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia	2	1.21	RA d(ii)	RA	3	0	0.3		1	0.61	RA d(ii)	RA	3	0	0.3			0.00						
Sida corrugata var. corrugata	12	6.45	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Sida cunninghamii		0.00								0.00							56	26.67	LC	LC	1	0	0.3	
Sida everistiana		0.00							2	40.00	NT	NT	2	0	0.3			0.00						
Sida fibulifera	44	2.88	LC	LC	1	0	0.3		518	33.86	LC	LC	1	0	0.3		75	4.90	LC	LC	1	0	0.3	
Sida filiformis	1	1.79	RA d(ii)	RA	3	0	0.3	persistent	3	5.36	RA d(ii)	RA	3	0	0.3	persistent		0.00						
Sida goniocarpa		0.00							2	6.67	NT	NT	2	DD	0		2	6.67	NT	NT	2	DD	0	
Sida intricata	35	5.65	LC	LC	1	0	0.3		144	23.26	LC	LC	1	0	0.3		9	1.29	LC	LC	1	0	0.3	
Sida petrophila	170	11.69	LC	LC	1	0	0.3		680	46.77	LC	LC	1	0	0.3		2	0.14	RA d(i,ii)	RA	3	DD	0	limited habitat
Sida phaeotricha	11	6.18	LC	LC	1	0	0.3		3	1.69	NT	NT	2	DD	0			0.00						
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae		0.00								0.00								0.00						
Sida sp. B (C.Dunlop 1739)		0.00							4	14.81	NE	NE	-1			taxonomic issues		0.00						
Sida sp. Everard Ranges (D.J.Whibley 1085)		0.00								0.00								0.00						
Sida sp. F (Latz 7459)		0.00								0.00								0.00						
Sida sp. L (A.M.Ashby 4202)		0.00								0.00								0.00						
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00								0.00						
Sida spodochroma	3	1.81	NT	NT	2	0	0.3	perennial	5	3.01	NT	NT	2	0	0.3	perennial		0.00						
Sida trichopoda	9	2.14	LC	LC	1	0	0.3		83	19.76	LC	LC	1	0	0.3		4	0.95	LC	LC	1	0	0.3	
Sigesbeckia australiensis	19	8.37	LC	LC	1	0	0.3	likes rocky hills	81	35.68	LC	LC	1	0	0.3	likes rocky hills		0.00						
Sigesbeckia orientalis ssp. orientalis		0.00							58	67.44	NE	NE	-1			taxonomic issues		0.00						
Siloxerus multiflorus	1	0.22	NT	NT	2	DD	0	edge of range, undercollected	1	0.22	NT	NT	2	DD	0	edge of range, undercollected		0.00						
Solanum centrale		0.00								0.00								0.00						
Solanum chenopodinum	3	5.66	RA d(ii)	RA	3	DD	0		8	15.09	NT	NT	2	0	0.3		1	1.89	RA d(ii)	RA	3	DD	0	
Solanum cleistogamum		0.00								0.00								0.00						
Solanum coactiliferum	2	0.32	RA d(ii)	RA	3	DD	0			0.00								0.00						
Solanum eardleyae		0.00								0.00								0.00						
Solanum ellipticum	80	5.42	LC	LC	1	0	0.3		248	16.79	LC	LC	1	0	0.3		43	2.91	LC	LC	1	0	0.3	
Solanum esuriale	9	2.28	LC	LC	1	0	0.3		46	11.65	LC	LC	1	0	0.3		22	5.57	LC	LC	1	0	0.3	
Solanum ferocissimum		0.00								0.00								0.00						
Solanum lacunarium	1	1.49	RA d(ii)	RA	3	0	0.3	edge of range	2	2.99	RA d(ii)	RA	3	0	0.3			0.00						
Solanum lasiophyllum		0.00								0.00								0.00						
Solanum oligacanthum		0.00							2	0.75	RA d(i,ii)	RA	3	0	0.3	edge of range, limited habitat	30	11.24	LC	LC	1	0	0.3	
Solanum orbiculatum ssp. orbiculatum		0.00								0.00								0.00						
Solanum petrophilum	94	9.12	LC	LC	1	0	0.3		293	28.42	LC	LC	1	0	0.3			0.00						
Solanum quadriloculatum	1	0.30	RA d(i,ii)	RA	3	DD	0		40	12.05	LC	LC	1	0	0.3			0.00						
Solanum simile	19	4.97	LC	LC	1	0	0.3	fire responsive	9	2.36	NT	NT	2	0	0.3	fire responsive		0.00						
Solanum sturtianum	60	9.22	LC	LC	1	0	0.3		348	53.46	LC	LC	1	0	0.3			0.00						
Sonchus hydrophilus	4	1.50	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.	1	0.38	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.		0.00						
Spartothamnella teucriiflora		0.00							1	1.20	VU D2	VU	4	DD	0			0.00						
Spergularia brevifolia	2	2.94	NT	NT	2	DD	0	records on loan	2	2.94	NT	NT	2	DD	0	records on loan		0.00						
Spergularia diandroides	1	2.56	DD	DD	0	DD	0	records on loan, probably common	5	12.82	DD	DD	0	DD	0	records on loan, probably common	2	5.13	DD	DD	0	DD	0	records on loan, probably common
Spergularia marina	1	0.38	RA d(ii)	RA	3	DD	0	limited habitat; in low-lying salty areas	6	2.26	NT	NT	2	0	0.3	in low-lying salty areas	1	0.38	NT	NT	2	0	0.3	in low-lying salty areas

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus		0.00							40	7.33	LC	LC	1	0	0.3		18	3.30	LC	LC	1	0	0.3	
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei		0.00								0.00								0.00						
Sporobolus caroli	2	3.17	NT	NT	2	0	0.3		22	34.92	LC	LC	1	0	0.3			0.00						
Sporobolus mitchellii		0.00								0.00							10	2.94	LC	LC	1	0	0.3	restricted to river systems
Sporobolus virginicus	2	0.44	RA d(i,ii)	RA	3	0	0.3	hardy sp, likes salt	2	0.44	RA d(ii)	RA	3	0	0.3	hardy sp, likes salt		0.00						
Spyridium phlebophyllum	79	37.26	LC	LC	1	0	0.3	rocky hill tops	49	23.11	LC	LC	1	0	0.3	rocky hill tops		0.00						
Stackhousia clementii		0.00								0.00							1	1.79	RA d(i,ii)	RA	3	0	0.3	
Stackhousia monogyna	47	5.14	LC	LC	1	0	0.3		4	0.44	RA d(i,ii)	RA	3	0	0.3			0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00								0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)	1	5.88	NE	NE	-1			taxonomic issues		0.00								0.00						
Stemodia florulenta	3	0.47	LC	LC	1	0	0.3		4	0.62	LC	LC	1	0	0.3		31	4.83	LC	LC	1	0	0.3	
Stemodia glabella		0.00								0.00							5	8.62	RA d(i,ii)	RA	3	0	0.3	
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00								0.00						
Stemodia viscosa		0.00								0.00								0.00						
Stenanthemum leucophractum	1	0.13	DD	DD	0	DD	0	1 undated record		0.00								0.00						
Stenopetalum anfractum		0.00								0.00								0.00						
Stenopetalum decipiens		0.00							2	50.00	DD	DD	0	DD	0	introduced? questionably native		0.00						
Stenopetalum lineare	11	1.78	LC	LC	1	0	0.3	a complex of species, could be split	28	4.52	LC	LC	1	0	0.3	a complex of species, could be split	4	0.65	LC	LC	1	0	0.3	
Stenopetalum nutans		0.00								0.00							3	3.49	LC	LC	1	0	0.3	
Stenopetalum sphaerocarpum	3	1.32	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	tiny annual, persists in degraded mallee		0.00								0.00						
Stenopetalum velutinum		0.00							2	0.99	RA d(i,ii)	RA	3	0	0.3		1	0.49	NT	NT	2	0	0.3	
Streptoglossa adscendens		0.00							23	7.19	LC	LC	1	0	0.3		12	3.75	LC	LC	1	0	0.3	
Streptoglossa cylindriceps		0.00								0.00								0.00						
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides	2	1.20	RA d(ii)	RA	3	DD	0	edge of range	33	19.88	LC	LC	1	0	0.3			0.00						
Stuartina hamata	3	10.71	RA d(ii)	RA	3	0	0.3		17	60.71	LC	LC	1	0	0.3			0.00						
Stuartina muelleri	5	1.56	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum	1	0.76	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive; threatened by weeds		0.00								0.00						
Stylidium inaequipetalum		0.00								0.00								0.00						
Suaeda australis		0.00								0.00							1	0.16	RA d(i,ii)	RA	3	DD	0	in permanent, salt spring; outlier; prob stable
Swainsona aculicarinata		0.00								0.00								0.00						
Swainsona adenophylla		0.00							5	6.33	RA d(ii)	RA	3	DD	0	edge of salt lakes	1	1.27	RA d(ii)	RA	3	DD	0	edge of salt lakes
Swainsona affinis		0.00								0.00							6	10.17	LC	LC	1	0	0.3	
Swainsona burkittii	16	43.24	RA d(i,ii)	RA	3	DD	0	likes loamy soils & limestone	7	18.92	RA d(ii)	RA	3	DD	0	likes loamy soils & limestone		0.00						
Swainsona campylantha		0.00							6	2.05	RA d(ii)	RA	3	0	0.3	edge of range	7	2.39	LC	LC	1	0	0.3	
Swainsona canescens		0.00								0.00								0.00						
Swainsona colutoides		0.00								0.00							1	5.88	DD	DD	0	DD	0	unlikely here
Swainsona disjuncta		0.00								0.00								0.00						
Swainsona eremaea		0.00								0.00								0.00						
Swainsona extrajacens		0.00								0.00							1	6.25	RA d(ii)	RA	3	DD	0	
Swainsona fissimontana	15	19.23	VU B2ab(i,ii,iii)	VU	4	-	0.4	weeds, grazed	29	37.18	RA d(ii)	RA	3	-	0.4			0.00						
Swainsona flavicarinata	1	1.35	VU B2ab(i,ii,iii)	VU	4	-	0.4	southern edge of range	9	12.16	RA d(ii)	RA	3	DD	0		3	4.05	RA d(i,ii)	RA	3	0	0.3	
Swainsona formosa	6	2.74	NT	NT	2	0	0.3		22	10.05	LC	LC	1	0	0.3			0.00						
Swainsona laxa		0.00								0.00							8	11.59	LC	LC	1	0	0.3	
Swainsona leeana		0.00							11	100.00	RA d(ii)	RA	3	DD	0	outliers; WA spp.		0.00						
Swainsona microcalyx		0.00								0.00								0.00						
Swainsona microphylla		0.00								0.00							9	5.26	LC	LC	1	0	0.3	
Swainsona minutiflora		0.00								0.00								0.00						
Swainsona oligophylla		0.00							3	3.19	RA d(ii)	RA	3	DD	0		5	5.32	LC	LC	1	0	0.3	
Swainsona oliveri		0.00							6	6.82	NT	NT	2	0	0.3			0.00						
Swainsona oroboides		0.00								0.00							4	3.64	NT	NT	2	0	0.3	
Swainsona phacoides	10	2.58	LC	LC	1	0	0.3	sand sp	18	4.65	LC	LC	1	0	0.3	sand sp	24	6.20	LC	LC	1	0	0.3	sand sp
Swainsona purpurea	1	0.96	DD	DD	0	DD	0	doubtful record	4	3.85	RA d(ii)	RA	3	DD	0	eastern records taxonomic uncertainty	7	6.73	RA d(ii)	RA	3	DD	0	
Swainsona stipularis	36	12.12	LC	LC	1	0	0.3		28	9.43	LC	LC	1	0	0.3		3	1.01	NT	NT	2	DD	0	taxonomic problems with S eremaea
Swainsona swainsonioides		0.00								0.00							1	3.03	DD	DD	0	DD	0	imprecise location
Swainsona tenuis		0.00								0.00								0.00						
Swainsona tephrotricha	5	3.82	VU D2	VU	4	DD	0	habitat degraded	73	55.73	NT	NT	2	0	0.3			0.00						
Swainsona unifoliolata		0.00								0.00								0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa		0.00								0.00								0.00						
Swainsona viridis		0.00							16	34.04	VU D2	VU	4	0	0.3	needs good rains, forms mats, likes flood plains, very localised		0.00						
Synaptantha tillaeacea var. hispidula		0.00								0.00								0.00						
Synaptantha tillaeacea var. tillaeacea		0.00								0.00								0.00						
Tecticornia arbuscula		0.00								0.00								0.00						
Tecticornia cupuliformis		0.00								0.00								0.00						
Tecticornia disarticulata		0.00							12	6.49	LC	LC	1	0	0.3			0.00						
Tecticornia fontinalis		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. halocnemoides		0.00							3	0.82	DD	DD	0	DD	0	no voucher specimen		0.00						
Tecticornia halocnemoides ssp. longispicata		0.00							1	0.97	NT	NT	2	0	0.3		3	2.91	LC	LC	1	0	0.3	
Tecticornia halocnemoides ssp. tenuis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Tecticornia indica ssp. bidens		0.00								0.00							1	1.54	RA d(ii)	RA	3	0	0.3	
Tecticornia indica ssp. leiostachya	1	0.21	RA d(i,ii)	RA	3	DD	0	edge of range	3	0.62	RA d(ii)	RA	3	DD	0	edge of range	12	2.47	LC	LC	1	0	0.3	common
Tecticornia medullosa		0.00								0.00								0.00						
Tecticornia nitida		0.00								0.00							1	33.33	RA d(ii)	RA	3	DD	0	undercollected
Tecticornia pergranulata ssp. divaricata		0.00								0.00							2	3.45	RA d(ii)	RA	3	0	0.3	
Tecticornia pergranulata ssp. elongata		0.00								0.00								0.00						
Tecticornia pergranulata ssp. pergranulata	2	0.43	NT	NT	2	0	0.3		4	0.87	NT	NT	2	0	0.3			0.00						
Tecticornia pruniflora		0.00								0.00							4	8.89	LC	LC	1	0	0.3	
Tecticornia pruinosa		0.00								0.00								0.00						
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00								0.00						
Tecticornia tenuis	2	0.67	LC	LC	1	0	0.3	arid sp.	9	3.01	LC	LC	1	0	0.3	arid sp.	6	2.01	LC	LC	1	0	0.3	arid sp.
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata	21	14.00	NT	NT	2	0	0.3	scattered	28	18.67	NT	NT	2	0	0.3	scattered		0.00						
Templetonia egena	11	2.68	RA d(ii)	RA	3	-	0.4	scattered, small patches; grazed by stock	25	6.08	RA d(ii)	RA	3	-	0.4	scattered, small patches; grazed by stock	2	0.49	RA d(ii)	RA	3	0	0.3	
Templetonia retusa	12	1.52	RA d(ii)	RA	3	0	0.3	sparse, scattered pop; well collected	26	3.29	RA d(ii)	RA	3	0	0.3	sparse, scattered pop; well collected; limited habitat		0.00						
Tephrosia sphaerospora		0.00							4	1.38	NE	NE	-1			taxonomic issues, has been split	50	17.24	LC	LC	1	0	0.3	
Tephrosia supina		0.00								0.00								0.00						
Tetragonia eremaea	33	2.78	LC	LC	1	0	0.3		135	11.38	LC	LC	1	0	0.3		44	3.71	LC	LC	1	0	0.3	
Tetragonia moorei		0.00							2	2.63	RA d(ii)	RA	3	0	0.3	edge of range; likes summer rain	6	7.89	LC	LC	1	0	0.3	likes summer rain; grows around bores
Tetragonia tetragonioides		0.00								0.00								0.00						
Teucrium albicaule		0.00								0.00							1	3.33	NT	NT	2	DD	0	needs regular water; rocky gorges; shade
Teucrium corymbosum	34	30.91	NT	NT	2	-	0.4	climate sensitive; grazed	4	3.64	RA d(i,ii)	RA	3	-	0.4	climate sensitive; grazed		0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum	16	1.92	LC	LC	1	0	0.3		20	2.40	LC	LC	1	0	0.3		18	2.16	LC	LC	1	0	0.3	
Teucrium reidii		0.00							3	21.43	VU D2	VU	4	DD	0			0.00						
Thelymitra grandiflora	3	1.89	EN B2ab(i,ii)	EN	5	-	0.4	northern edge of range; grows at base of rocks		0.00								0.00						
Thelymitra megcalyptra	5	3.94	NT	NT	2	-	0.4		2	1.57	VU D2	VU	4	-	0.4	edge of range		0.00						
Themeda avenacea		0.00								0.00								0.00						
Themeda triandra	12	0.79	LC	LC	1	0	0.3		87	5.75	LC	LC	1	0	0.3		1	0.07	RA d(ii)	RA	3	-	0.4	grazed by cattle
Threlkeldia inchoata		0.00								0.00								0.00						
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana		0.00							7	5.56	NT	NT	2	-	0.4	goats a threat		0.00						
Thyridolepis multiculmis		0.00							1	1.75	RA d(ii)	RA	3	DD	0	doubtful ID		0.00						
Thyridolepis xerophila		0.00								0.00								0.00						
Thysanotus baueri	19	2.23	LC	LC	1	0	0.3		21	2.46	LC	LC	1	0	0.3		1	0.12	DD	DD	0	DD	0	
Thysanotus exiliflorus		0.00								0.00								0.00						
Thysanotus patersonii	6	0.21	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	Wilpena Pd; climate sensitive	3	0.10	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	climate sensitive		0.00						
Thysanotus tenellus	3	6.00	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Tietkensia corrickiae		0.00								0.00								0.00						
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	8	2.84	LC	LC	1	0	0.3		37	13.12	LC	LC	1	0	0.3		15	5.32	LC	LC	1	0	0.3	
Trachymene ornata	1	0.94	VU D2	VU	4	DD	0			0.00								0.00						
Tragus australianus	1	0.26	LC	LC	1	0	0.3		13	3.43	LC	LC	1	0	0.3		19	5.01	LC	LC	1	0	0.3	
Trianthema pilosa		0.00								0.00							1	1.54	NT	NT	2	0	0.3	southern edge of range
Trianthema triquetra	3	0.37	LC	LC	1	0	0.3		48	5.89	LC	LC	1	0	0.3		34	4.17	LC	LC	1	0	0.3	
Tribulus astrocarpus		0.00								0.00								0.00						
Tribulus eichlerianus		0.00							21	7.12	LC	LC	1	0	0.3		7	2.37	LC	LC	1	0	0.3	
Tribulus hystrix		0.00							2	0.92	DD	DD	0	DD	0	unreliable records	21	9.68	LC	LC	1	0	0.3	likes big red sand hills
Tribulus macrocarpus		0.00								0.00								0.00						
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00							2	8.33	NT	NT	2	0	0.3	poorly collected		0.00						
Trichanthodium skirrophorum	4	0.58	LC	LC	1	0	0.3		15	2.18	LC	LC	1	0	0.3		5	0.73	LC	LC	1	0	0.3	
Trichodesma zeylanicum var. zeylanicum	10	1.36	LC	LC	1	0	0.3		142	19.35	LC	LC	1	0	0.3		86	11.72	LC	LC	1	0	0.3	
Triglochin hexagona		0.00								0.00	RA d(ii)	RA	3	DD	0	(no records) comes up after floods; most records are under he		0.00						
Triglochin isingiana	2	1.41	RA d(i,ii)	RA	3	DD	0	comes up in floods; localised; habitat specific		0.00								0.00						
Triglochin multifructa		0.00								0.00								0.00						
Triglochin nana		0.00								0.00	RA d(i,ii)	RA	3	DD	0	(no records) undercollected; ephemeral		0.00						
Triglochin sp. A (N.N.Donner 3596)		0.00								0.00								0.00						
Triglochin striata																			RA d(i,ii)	RA	3	DD	0	(no records), records under T striatum; limited habitat,
Trigonella suavissima	1	0.33	RA d(i,ii)	RA	3	0	0.3		9	2.98	NT	NT	2	0	0.3		20	6.62	LC	LC	1	0	0.3	
Triodia basedowii		0.00							2	0.31	RA d(ii)	RA	3	DD	0	doubtful ID	94	14.64	LC	LC	1	0	0.3	
Triodia bunicola	29	11.33	LC	LC	1	0	0.3		4	1.56	NT	NT	2	DD	0			0.00						
Triodia helmsii		0.00								0.00								0.00						
Triodia irritans	46	3.86	LC	LC	1	0	0.3		101	8.48	LC	LC	1	0	0.3			0.00						
Triodia longiceps		0.00								0.00								0.00						
Triodia pungens		0.00								0.00								0.00						
Triodia scariosa	9	0.98	NT	NT	2	0	0.3		11	1.19	LC	LC	1	0	0.3			0.00						
Triodia schinzii		0.00								0.00								0.00						
Tripogon loliiformis	5	0.69	LC	LC	1	0	0.3		55	7.55	LC	LC	1	0	0.3		38	5.22	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus	11	2.59	LC	LC	1	0	0.3		9	2.12	LC	LC	1	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, -, 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, -, 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, -, 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Triraphis mollis	2	0.28	LC	LC	1	0	0.3		32	4.53	LC	LC	1	0	0.3		63	8.91	LC	LC	1	0	0.3	
Typha domingensis	14	3.18	NT	NT	2	0	0.3		22	5.00	NT	NT	2	0	0.3		1	0.23	RA d(i,ii)	RA	3	DD	0	
Typhonium alismifolium		0.00								0.00								0.00						
Uranthoecium truncatum		0.00								0.00							1	5.56	LC	LC	1	0	0.3	undercollected
Utricularia australis	7	31.82	EN B2ab(i,ii,iii)	EN	5	-	0.4	climate sensitive; in Sliding Rock rock pool, Wilpena		0.00								0.00						
Utricularia dichotoma		0.00							3	1.92	DD	DD	0	DD	0	imprecise location		0.00						
Velleia arguta	12	2.76	NT	NT	2	0	0.3		24	5.53	NT	NT	2	0	0.3			0.00						
Velleia connata	3	2.83	VU D2	VU	4	DD	0	Wilpena Pd; limited habitat	6	5.66	VU D2	VU	4	DD	0	limited habitat		0.00						
Velleia glabrata		0.00								0.00								0.00						
Veronica decorosa	1	2.56	RA d(i,ii)	RA	3	DD	0	in Wilpena	2	5.13	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	goats, climate sensitive		0.00						
Vigna lanceolata var. latifolia		0.00							1	6.67	DD	DD	0	DD	0	outlier, query on ID		0.00						
Vittadinia arida	12	13.79	NT	NT	2	DD	0		47	54.02	LC	LC	1	0	0.3		1	1.15	RA d(ii)	RA	3	DD	0	
Vittadinia blackii	11	3.48	LC	LC	1	0	0.3		14	4.43	LC	LC	1	0	0.3			0.00						
Vittadinia cervicularis var. cervicularis	1	0.16	NE	NE	-1			taxonomic issues, could be V. sulcata	4	0.65	NE	NE	-1			taxonomic issues, could be V. sulcata		0.00						
Vittadinia condyloides	4	10.81	NE	NE	-1			taxonomic issues		0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata	49	6.23	LC	LC	1	0	0.3		79	10.05	LC	LC	1	0	0.3			0.00						
Vittadinia cuneata var. morrisii	4	5.88	NE	NE	-1			taxonomic issues	10	14.71	NE	NE	-1			taxonomic issues		0.00						
Vittadinia dissecta var. hirta	5	0.91	NT	NT	2	DD	0		3	0.55	NT	NT	2	DD	0			0.00						
Vittadinia eremaea	9	2.14	LC	LC	1	0	0.3		53	12.62	LC	LC	1	0	0.3		4	0.95	LC	LC	1	0	0.3	
Vittadinia gracilis	64	4.77	LC	LC	1	0	0.3		41	3.06	LC	LC	1	0	0.3			0.00						
Vittadinia pterochaeta	8	12.12	NT	NT	2	DD	0		17	25.76	LC	LC	1	0	0.3		3	4.55	NT	NT	2	DD	0	edge of range
Vittadinia pustulata		0.00								0.00								0.00						
Vittadinia sulcata	11	5.88	LC	LC	1	0	0.3		100	53.48	LC	LC	1	0	0.3		1	0.53	NT	NT	2	DD	0	undercollected
Wahlenbergia aridicola		0.00							33	50.77	RA d(ii)	RA	3	0	0.3	query ID		0.00						
Wahlenbergia communis	37	5.58	LC	LC	1	0	0.3	annual	157	23.68	LC	LC	1	0	0.3	annual	2	0.30	LC	LC	1	0	0.3	
Wahlenbergia gracilenta	26	2.13	LC	LC	1	0	0.3	responds to disturbance	64	5.25	LC	LC	1	0	0.3	responds to disturbance		0.00						
Wahlenbergia luteola	32	3.50	LC	LC	1	0	0.3	needs good winter rainfall	7	0.77	LC	LC	1	0	0.3	needs good winter rainfall		0.00						
Wahlenbergia preissii	1	1.79	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	1 old record		0.00								0.00						
Wahlenbergia queenslandica		0.00							11	18.33	NT	NT	2	0	0.3		3	5.00	LC	LC	1	0	0.3	undercollected
Wahlenbergia stricta ssp. stricta	10	0.75	LC	LC	1	0	0.3		4	0.30	NT	NT	2	0	0.3			0.00						
Wahlenbergia tumidifructa	3	0.66	RA d(i,ii)	RA	3	0	0.3		41	9.01	LC	LC	1	0	0.3		7	1.54	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata	1	0.26	RA d(i,ii)	RA	3	DD	0		5	1.26	RA d(i,ii)	RA	3	-	0.4			0.00						
Walwhalleya proluta	3	2.22	NT	NT	2	DD	0	grazed, edge of range		0.00								0.00						
Wedelia stirlingii		0.00								0.00								0.00						
Westringia rigida	34	1.87	LC	LC	1	0	0.3	likes limestone	34	1.87	LC	LC	1	0	0.3	likes limestone		0.00						
Wurmbea australis	23	18.70	LC	LC	1	0	0.3		4	3.25	RA d(ii)	RA	3	0	0.3			0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina		0.00								0.00								0.00						
Wurmbea deserticola		0.00								0.00								0.00						
Wurmbea dioica ssp. brevifolia	16	8.00	LC	LC	1	0	0.3		1	0.50	RA d(i,ii)	RA	3	-	0.4			0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00							1	5.00	VU D2	VU	4	DD	0			0.00						
Xanthorrhoea quadrangulata	50	5.71	LC	LC	1	0	0.3		85	9.70	LC	LC	1	0	0.3			0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum	2	0.90	RA d(ii)	RA	3	DD	0		18	8.14	NT	NT	2	DD	0			0.00						
Xerothamnella parvifolia		0.00							69	100.00	CR B2ab(i,ii,iii,iv,v)	CR	6	-	0.4	in Moro Gorge; goats, not protected		0.00						
Yakirra australiensis var. australiensis		0.00								0.00							1	5.26	RA d(ii)	RA	3	DD	0	records not databased
Zaleya galericulata ssp. australis		0.00							6	11.11	LC	LC	1	0	0.3			0.00						
Zygochloa paradoxa	2	0.25	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat	4	0.50	RA d(ii)	RA	3	DD	0	probable decline	53	6.56	LC	LC	1	0	0.3	
Zygophyllum ammophilum	6	2.17	LC	LC	1	0	0.3	has been split from Z billardierei	11	3.97	LC	LC	1	0	0.3	has been split from Z billardierei	5	1.81	LC	LC	1	0	0.3	has been split from Z billardierei
Zygophyllum angustifolium		0.00							1	0.33	DD	DD	0	DD	0	not typical habitat; outlier		0.00						
Zygophyllum apiculatum	30	1.98	LC	LC	1	0	0.3		129	8.53	LC	LC	1	0	0.3			0.00						
Zygophyllum aurantiacum ssp. aurantiacum	6	0.81	LC	LC	1	0	0.3		1	0.13	NT	NT	2	DD	0		3	0.40	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum	1	1.92	RA d(ii)	RA	3	0	0.3		5	9.62	NT	NT	2	0	0.3		1	1.92	NT	NT	2	DD	0	
Zygophyllum aurantiacum ssp. simplicifolium		0.00							2	3.92	RA d(ii)	RA	3	DD	0			0.00						
Zygophyllum aurantiacum ssp. verticillatum	38	31.67	LC	LC	1	0	0.3		30	25.00	LC	LC	1	0	0.3			0.00						
Zygophyllum compressum		0.00							4	3.92	RA d(ii)	RA	3	DD	0	limited habitat	1	0.98	NT	NT	2	0	0.3	edge of range
Zygophyllum confluens	36	10.43	LC	LC	1	0	0.3		30	8.70	LC	LC	1	0	0.3			0.00						
Zygophyllum crassissimum		0.00								0.00								0.00						
Zygophyllum crenatum	52	12.24	LC	LC	1	0	0.3		92	21.65	LC	LC	1	0	0.3			0.00						
Zygophyllum eichleri		0.00								0.00								0.00						
Zygophyllum emarginatum		0.00							1	0.88	RA d(ii)	RA	3	DD	0		2	1.77	NT	NT	2	0	0.3	
Zygophyllum eremaeum	2	0.48	RA d(ii)	RA	3	0	0.3		1	0.24	RA d(ii)	RA	3	DD	0			0.00						
Zygophyllum glaucum	4	0.77	NT	NT	2	0	0.3		11	2.12	NT	NT	2	0	0.3			0.00						
Zygophyllum howittii	1	0.26	RA d(ii)	RA	3	DD	0	likes sandy rises	5	1.31	RA d(ii)	RA	3	DD	0	likes sandy rises	56	14.70	LC	LC	1	0	0.3	likes sandy rises
Zygophyllum humillimum		0.00							3	3.45	RA d(i,ii)	RA	3	DD	0		2	2.30	NT	NT	2	0	0.3	
Zygophyllum hybridum		0.00								0.00								0.00						
Zygophyllum iodocarpum	24	7.36	LC	LC	1	0	0.3		23	7.06	LC	LC	1	0	0.3		1	0.31	LC	LC	1	0	0.3	
Zygophyllum kochii		0.00							12	52.17	NT	NT	2	0	0.3			0.00						
Zygophyllum marliesiae		0.00							1	3.45	RA d(ii)	RA	3	0	0.3	endemic to SA		0.00						
Zygophyllum ovatum	7	0.76	NT	NT	2	0	0.3		8	0.87	NT	NT	2	0	0.3			0.00						
Zygophyllum prismatothecum	9	3.93	LC	LC	1	0	0.3		77	33.62	LC	LC	1	0	0.3		3	1.31	LC	LC	1	0	0.3	
Zygophyllum rowelliae		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	01_Central Flinders_Records	%_Central Flinders	IUCN Status & Criteria (Central Flinders)	Regional Status (Central Flinders)	Regional Status Score (Central Flinders)	Trend (-, - 0, +, ++) Central Flinders	Trend Score (Central Flinders)	Comments (Central Flinders)	02_Northern Flinders_Records	%_Northern Flinders	IUCN Status & Criteria (Northern Flinders)	Regional Status (Northern Flinders)	Regional Status Score (Nth Flinders)	Trend (-, - 0, +, ++) Northern Flinders	Trend Score (Nth Flinders)	Comments (Northern Flinders)	03_Strzelecki Desert_Records	%_Strzelecki Desert	IUCN Status & Criteria (Strzelecki Desert)	Regional Status (Strzelecki Desert)	Regional Status Score (Strzelecki Dsrt)	Trend (-, - 0, +, ++) Strzelecki Desert	Trend Score (Strzeleki Dsrt)	Comments (Strzelecki Desert)
Zygophyllum simile	3	0.69	LC	LC	1	0	0.3		14	3.20	LC	LC	1	0	0.3		7	1.60	LC	LC	1	0	0.3	
Zygophyllum tesquorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Abutilon cryptopetalum ssp. cryptopetalum		0.00								0.00								0.00						
Abutilon fraseri ssp. diplotrichum		0.00								0.00								0.00						
Abutilon fraseri ssp. fraseri		0.00								0.00								0.00						
Abutilon halophilum	2	0.37	NT	NT	2	0	0.3			0.00							9	1.67	LC	LC	1	0	0.3	
Abutilon leucopetalum	8	0.97	LC	LC	1	0	0.3			0.00								0.00						
Abutilon macrum		0.00								0.00								0.00						
Abutilon malvaefolium		0.00								0.00							2	2.60	RA d(i,ii)	RA	3	DD	0	
Abutilon otocarpum	18	3.48	LC	LC	1	0	0.3		27	5.22	LC	LC	1	0	0.3		1	0.19	NT	NT	2	DD	0	
Abutilon oxycarpum var. oxycarpum		0.00								0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00								0.00						
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura	1	0.21	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00								0.00						
Acacia aneura var. intermedia		0.00								0.00								0.00						
Acacia aneura var. major		0.00								0.00								0.00						
Acacia aneura var. microcarpa		0.00								0.00								0.00						
Acacia aneura var. tenuis		0.00								0.00								0.00						
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana		0.00								0.00								0.00						
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megasphaerica		0.00								0.00								0.00						
Acacia brachystachya	1	0.78	NT	NT	2	0	0.3			0.00								0.00						
Acacia burkittii		0.00								0.00								0.00						
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola		0.00								0.00								0.00						
Acacia cambagei		0.00							2	0.78	RA d(i,ii)	RA	3	DD	0		3	1.17	NT	NT	2	0	0.3	southern edge of range
Acacia carneorum	1	0.69	VU D2	VU	4	DD	0	outlier		0.00								0.00						
Acacia clelandii		0.00								0.00								0.00						
Acacia confluens		0.00								0.00								0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla		0.00								0.00								0.00						
Acacia dictyophleba	5	6.94	NT	NT	2	0	0.3		19	26.39	LC	LC	1	0	0.3			0.00						
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata		0.00								0.00								0.00						
Acacia georginae	3	13.04	RA d(i,ii)	RA	3	0	0.3	edge of range	17	73.91	NT	NT	2	0	0.3	northern sp, long-lived		0.00						
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00								0.00								0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00							2	18.18	RA d(i,ii)	RA	3	DD	0	edge of range; suckering sp.		0.00						
Acacia kempeana		0.00								0.00							1	0.23	RA d(i,ii)	RA	3	DD	0	
Acacia latzii		0.00								0.00								0.00						
Acacia ligulata	99	3.36	LC	LC	1	0	0.3		82	2.79	LC	LC	1	0	0.3		19	0.65	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00								0.00						
Acacia melleodora		0.00								0.00								0.00						
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura		0.00								0.00								0.00						
Acacia murrayana	32	6.61	LC	LC	1	0	0.3		39	8.06	LC	LC	1	0	0.3			0.00						
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla		0.00								0.00								0.00						
Acacia olgana		0.00								0.00								0.00						
Acacia oswaldii	63	3.05	LC	LC	1	0	0.3	grazed by camels	15	0.73	LC	LC	1	0	0.3	grazed by camels	4	0.19	NT	NT	2	0	0.3	
Acacia pachyacra		0.00								0.00								0.00						
Acacia papyrocarpa		0.00								0.00								0.00						
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura		0.00							2	5.00	NE	NE	-1			taxonomic issues, will be split into 2		0.00						
Acacia pickardii		0.00								0.00								0.00						
Acacia prainii		0.00								0.00								0.00						
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa		0.00								0.00								0.00						
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla	1	0.38	NE	NE	-1			some taxonomic issues; common on dunes	4	1.52	NE	NE	-1			some taxonomic issues; common on dunes		0.00						
Acacia ramulosa var. ramulosa	2	2.06	NE	NE	-1			taxonomic issues	5	5.15	NE	NE	-1			taxonomic issues		0.00						
Acacia rhodophloia		0.00								0.00								0.00						
Acacia rigens		0.00								0.00								0.00						
Acacia rivalis		0.00								0.00								0.00						
Acacia salicina	59	10.24	LC	LC	1	0	0.3		3	0.52	RA d(i,ii)	RA	3	DD	0	limited habitat	1	0.17	RA d(i,ii)	RA	3	DD	0	
Acacia sericophylla		0.00							1	3.85	DD	DD	0	DD	0	questionable record		0.00						
Acacia sibirica		0.00								0.00								0.00						
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla	31	4.01	LC	LC	1	0	0.3			0.00							10	1.29	LC	LC	1	0	0.3	
Acacia strongylophylla		0.00								0.00								0.00						
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00								0.00								0.00						
Acacia tetragonophylla	14	0.68	LC	LC	1	0	0.3		8	0.39	LC	LC	1	0	0.3		6	0.29	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00								0.00						
Acacia victoriae ssp. arida	9	10.71	NE	NE	-1			taxonomic issues	3	3.57	NE	NE	-1			taxonomic issues	2	2.38	NE	NE	-1			taxonomic issues
Acacia victoriae ssp. victoriae	7	0.47	LC	LC	1	0	0.3		1	0.07	RA d(i,ii)	RA	3	DD	0		3	0.20	NT	NT	2	DD	0	could be undercollected
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum		0.00								0.00							1	0.08	RA d(i)	RA	3	DD	0	
Adriana tomentosa var. hookeri		0.00								0.00								0.00						
Aeschynomene indica		0.00								0.00								0.00						
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens		0.00								0.00							2	0.10	NT	NT	2	0	0.3	grazed
Allocasuarina decaisneana		0.00								0.00								0.00						
Allocasuarina helmsii		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia		0.00								0.00							3	3.16	NT	NT	2	0	0.3	ephemeral in SA
Alternanthera denticulata	3	0.83	LC	LC	1	0	0.3			0.00							1	0.28	LC	LC	1	0	0.3	
Alternanthera nana		0.00								0.00								0.00						
Alternanthera nodiflora	3	1.40	LC	LC	1	0	0.3			0.00							2	0.93	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. auriculata		0.00								0.00								0.00						
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00								0.00						
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana		0.00								0.00								0.00						
Amaranthus centralis		0.00								0.00								0.00						
Amaranthus cuspidifolius	1	3.03	DD	DD	0	DD	0	records on loan		0.00								0.00						
Amaranthus grandiflorus	4	4.17	LC	LC	1	0	0.3			0.00							3	3.13	LC	LC	1	0	0.3	
Amaranthus interruptus		0.00								0.00								0.00						
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii	1	1.01	LC	LC	1	0	0.3	dislikes saline ground		0.00							1	1.01	LC	LC	1	0	0.3	dislikes saline ground
Ammannia multiflora		0.00								0.00							2	1.87	NT	NT	2	0	0.3	
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus		0.00								0.00								0.00						
Amyema fitzgeraldii		0.00								0.00								0.00						
Amyema gibberula var. gibberula		0.00								0.00								0.00						
Amyema hilliana		0.00								0.00								0.00						
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii		0.00							1	0.17	RA d(i,ii)	RA	3	DD	0	lack of hosts	3	0.50	LC	LC	1	0	0.3	
Amyema miquelii		0.00								0.00								0.00						
Amyema miraculosa ssp. boormanii		0.00								0.00								0.00						
Amyema preissii	13	1.35	LC	LC	1	0	0.3		1	0.10	RA d(i,ii)	RA	3	0	0.3	lack of hosts	3	0.31	LC	LC	1	0	0.3	
Amyema quandang var. quandang		0.00							3	0.79	RA d(i,ii)	RA	3	0	0.3	host Acacia pyrocarpa & others		0.00						
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana		0.00								0.00								0.00						
Anemocarpa podolepidium	6	1.98	NT	NT	2	0	0.3	edge of range		0.00							7	2.31	LC	LC	1	0	0.3	habitat specific
Anemocarpa saxatilis		0.00								0.00								0.00						
Angianthus brachypappus		0.00								0.00								0.00						
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus		0.00								0.00								0.00						
Anogramma leptophylla		0.00								0.00								0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena	12	12.50	LC	LC	1	0	0.3			0.00								0.00						
Arabidella filifolia		0.00								0.00								0.00						
Arabidella glaucescens	3	1.45	LC	LC	1	0	0.3			0.00							1	0.48	RA d(ii)	RA	3	0	0.3	
Arabidella nasturtium		0.00								0.00							1	0.39	LC	LC	1	0	0.3	
Arabidella procumbens	2	4.08	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground
Arabidella trisecta		0.00								0.00								0.00						
Aristida anthoxanthoides	1	0.57	LC	LC	1	0	0.3	short-lived; seasonal		0.00								0.00						
Aristida arida		0.00								0.00								0.00						
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia		0.00								0.00								0.00						
Aristida contorta	43	2.16	LC	LC	1	0	0.3		19	0.95	LC	LC	1	0	0.3		29	1.45	LC	LC	1	0	0.3	
Aristida holathera var. holathera	56	6.15	LC	LC	1	0	0.3		48	5.27	LC	LC	1	0	0.3		11	1.21	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Aristida inaequiglumis		0.00								0.00								0.00						
Aristida jerichoensis var. subspinulifera		0.00								0.00								0.00						
Aristida latifolia		0.00							1	0.91	LC	LC	1	0	0.3	stony, gibber habitat		0.00						
Aristida nitidula	1	0.16	DD	DD	0	DD	0	1 odd record		0.00								0.00						
Aristida obscura		0.00								0.00								0.00						
Aristida personata		0.00								0.00								0.00						
Aristida strigosa		0.00								0.00								0.00						
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum		0.00								0.00								0.00						
Asperula conferta		0.00								0.00								0.00						
Asperula gemella		0.00								0.00								0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea		0.00								0.00							1	0.98	LC	LC	1	0	0.3	
Astrebla pectinata	12	1.64	LC	LC	1	0	0.3			0.00							2	0.27	LC	LC	1	0	0.3	
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca	1	0.46	NT	NT	2	DD	0		2	0.93	RA d(i,ii)	RA	3	DD	0	lack of habitat		0.00						
Atriplex acutibractea ssp. acutibractea		0.00								0.00								0.00						
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba		0.00								0.00								0.00						
Atriplex angulata	22	3.86	LC	LC	1	0	0.3		3	0.53	LC	LC	1	0	0.3		1	0.18	LC	LC	1	0	0.3	
Atriplex cordifolia	2	4.65	NT	NT	2	0	0.3	not common; endemic		0.00								0.00						
Atriplex crassipes var. crassipes	1	1.72	NT	NT	2	0	0.3			0.00								0.00						
Atriplex eardleyae	3	1.07	LC	LC	1	0	0.3		2	0.71	LC	LC	1	0	0.3			0.00						
Atriplex eichleri		0.00								0.00								0.00						
Atriplex elachophylla		0.00								0.00							1	0.83	RA d(ii)	RA	3	DD	0	could be extinct; lack of information
Atriplex fissivalvis	1	0.52	LC	LC	1	0	0.3	ephemeral		0.00							4	2.08	LC	LC	1	0	0.3	ephemeral
Atriplex holocarpa	48	5.01	LC	LC	1	0	0.3		2	0.21	LC	LC	1	0	0.3		12	1.25	LC	LC	1	0	0.3	
Atriplex humifusa		0.00								0.00								0.00						
Atriplex incrassata	1	1.69	NT	NT	2	DD	0			0.00							1	1.69	RA d(ii)	RA	3	DD	0	
Atriplex intermedia		0.00								0.00								0.00						
Atriplex kochiana		0.00								0.00								0.00						
Atriplex leptocarpa	10	3.44	LC	LC	1	0	0.3			0.00								0.00						
Atriplex limbata	63	14.72	LC	LC	1	0	0.3		24	5.61	LC	LC	1	0	0.3		3	0.70	LC	LC	1	0	0.3	
Atriplex lindleyi ssp. conduplicata		0.00								0.00							3	2.14	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. inflata	1	0.72	NT	NT	2	0	0.3	endemic to SA; undercollected	1	0.72	NT	NT	2	0	0.3	endemic to SA; undercollected		0.00						
Atriplex lindleyi ssp. lindleyi	4	1.88	LC	LC	1	0	0.3	endemic to SA		0.00							3	1.41	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. quadripartita		0.00								0.00								0.00						
Atriplex lobativalvis	1	1.72	LC	LC	1	0	0.3	undercollected		0.00							1	1.72	LC	LC	1	0	0.3	
Atriplex macropterocarpa		0.00								0.00								0.00						
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri		0.00								0.00								0.00						
Atriplex nummularia ssp. nummularia	18	9.63	LC	LC	1	0	0.3			0.00							8	4.28	LC	LC	1	0	0.3	
Atriplex nummularia ssp. omissa	9	5.36	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common where		0.00								0.00						
Atriplex obconica		0.00								0.00							1	2.04	RA d(ii)	RA	3	DD	0	endemic to SA
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata	1	1.16	NT	NT	2	DD	0		1	1.16	NT	NT	2	DD	0		1	1.16	RA d(ii)	RA	3	DD	0	grazed
Atriplex pumilio		0.00								0.00								0.00						
Atriplex quadrivalvata var. quadrivalvata		0.00								0.00								0.00						
Atriplex quadrivalvata var. sessilifolia		0.00								0.00								0.00						
Atriplex quinii		0.00								0.00								0.00						
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa	22	3.17	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	4	0.58	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	9	1.29	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land
Atriplex stipitata		0.00								0.00								0.00						
Atriplex suberecta	1	0.31	NT	NT	2	0	0.3	grows in flooded claypans		0.00								0.00						
Atriplex turbinata		0.00								0.00								0.00						
Atriplex velutinella	77	14.81	LC	LC	1	0	0.3		3	0.58	LC	LC	1	0	0.3		10	1.92	LC	LC	1	0	0.3	
Atriplex vesicaria ssp. calcicola		0.00								0.00								0.00						
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha	3	9.09	NT	NT	2	0	0.3			0.00								0.00						
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa		0.00								0.00								0.00						
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila		0.00								0.00								0.00						
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida	3	0.09	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		3	0.09	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Austrostipa nodosa		0.00								0.00								0.00						
Austrostipa nullanulla		0.00								0.00								0.00						
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta		0.00								0.00								0.00						
Austrostipa plumigera		0.00								0.00								0.00						
Austrostipa scabra ssp. falcata		0.00								0.00								0.00						
Austrostipa scabra ssp. scabra		0.00								0.00								0.00						
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla		0.00								0.00								0.00						
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides		0.00								0.00								0.00						
Baeckea tuberculata		0.00								0.00								0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva		0.00								0.00								0.00						
Baumea arthrophylla		0.00								0.00								0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00								0.00							3	0.36	VU D2	VU	4	DD	0	in mound springs; needs good quality water
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00								0.00						
Bergia occultipetala		0.00								0.00								0.00						
Bergia pedicellaris		0.00								0.00								0.00						
Bergia perennis ssp. exigua		0.00								0.00								0.00						
Bergia trimera		0.00								0.00							3	2.54	LC	LC	1	0	0.3	comes & goes
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens	4	6.15	LC	LC	1	0	0.3		1	1.54	RA d(ii)	RA	3	DD	0			0.00						
Blennodia pterosperma	44	37.29	LC	LC	1	0	0.3		11	9.32	LC	LC	1	0	0.3			0.00						
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea		0.00								0.00							5	2.94	LC	LC	1	0	0.3	
Boerhavia dominii	9	1.28	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	3	0.43	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	2	0.28	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance
Boerhavia repleta		0.00								0.00								0.00						
Boerhavia schomburgkiana	4	1.27	LC	LC	1	0	0.3	undercollected; grows in summer	1	0.32	LC	LC	1	0	0.3	undercollected; grows in summer	4	1.27	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii		0.00								0.00							4	1.05	RA d(ii)	RA	3	0	0.3	
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta		0.00								0.00								0.00						
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana		0.00								0.00								0.00						
Bothriochloa macra		0.00								0.00								0.00						
Brachiaria gilesii		0.00								0.00								0.00						
Brachiaria notochthona		0.00								0.00								0.00						
Brachiaria piligera		0.00								0.00							3	5.88	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral
Brachiaria praetervisa	2	1.41	LC	LC	1	0	0.3			0.00							2	1.41	LC	LC	1	0	0.3	likes flooded areas; ephemeral
Brachyachne ciliaris		0.00							1	1.47	LC	LC	1	0	0.3		2	2.94	LC	LC	1	0	0.3	
Brachychiton gregorii		0.00								0.00								0.00						
Brachyscome blackii		0.00								0.00								0.00						
Brachyscome campylocarpa	1	6.67	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Brachyscome ciliaris var. ciliaris		0.00								0.00								0.00						
Brachyscome ciliaris var. lanuginosa	9	1.53	LC	LC	1	0	0.3			0.00							3	0.51	LC	LC	1	0	0.3	under represented
Brachyscome ciliaris var. lyrifolia		0.00								0.00								0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00								0.00								0.00						
Brachyscome dichromosomatica var. dichromosomatica	1	2.63	NE	NE	-1			taxonomic issues		0.00								0.00						
Brachyscome eriogona		0.00								0.00								0.00						
Brachyscome iberidifolia	3	2.16	NT	NT	2	0	0.3	edge of range	8	5.76	LC	LC	1	0	0.3	undercollected		0.00						
Brachyscome lineariloba		0.00								0.00							1	0.07	LC	LC	1	0	0.3	under represented
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum		0.00								0.00								0.00						
Brachyscome trachycarpa		0.00								0.00								0.00						
Bromus arenarius		0.00								0.00								0.00						
Brunonia australis		0.00								0.00								0.00						
Bulbine alata	15	4.90	LC	LC	1	0	0.3		2	0.65	NT	NT	2	0	0.3	undercollected	2	0.65	LC	LC	1	0	0.3	
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata	3	0.28	NE	NE	-1			taxonomic issues, could be alata		0.00								0.00						
Bulbostylis barbata		0.00								0.00								0.00						
Bulbostylis pyriformis																		#DIV/0!						
Bulbostylis turbinata		0.00								0.00								0.00						
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis		0.00								0.00								0.00						
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma		0.00								0.00								0.00						
Calandrinia eremaea	2	0.15	NT	NT	2	0	0.3			0.00								0.00						
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra	1	0.93	RA d(ii)	RA	3	DD	0	edge of range	1	0.93	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Calandrinia ptychosperma	1	0.92	NT	NT	2	DD	0			0.00							1	0.92	NT	NT	2	DD	0	
Calandrinia pumila		0.00								0.00							2	5.71	NT	NT	2	0	0.3	
Calandrinia remota	2	2.04	NT	NT	2	DD	0	could be more records on loan & not databased		0.00								0.00						
Calandrinia reticulata		0.00								0.00								0.00						
Calandrinia stagnensis		0.00								0.00								0.00						
Calandrinia volubilis		0.00								0.00								0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi		0.00								0.00								0.00						
Callitris glaucophylla		0.00								0.00								0.00						
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii		0.00								0.00								0.00						
Calocephalus platycephalus	14	4.03	LC	LC	1	0	0.3			0.00							9	2.59	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00								0.00								0.00						
Calostemma luteum		0.00								0.00								0.00						
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa		0.00								0.00								0.00						
Calotis cymbacantha	4	1.19	LC	LC	1	0	0.3			0.00							1	0.30	LC	LC	1	0	0.3	
Calotis erinacea	11	2.51	LC	LC	1	0	0.3		12	2.73	LC	LC	1	0	0.3		1	0.23	LC	LC	1	0	0.3	
Calotis hispidula	18	0.85	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	10	0.47	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance		0.00						
Calotis kempei		0.00								0.00								0.00						
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula	3	1.91	DD	DD	0	DD	0			0.00							1	0.64	RA d(i,ii)	RA	3	DD	0	
Calotis multicaulis		0.00								0.00							1	0.62	RA d(i,ii)	RA	3	DD	0	
Calotis plumulifera		0.00							4	0.97	LC	LC	1	0	0.3		4	0.97	LC	LC	1	0	0.3	
Calotis porphyroglossa	2	1.79	LC	LC	1	0	0.3			0.00	LC	LC	1	0	0.3		2	1.79	RA d(ii)	RA	3	DD	0	
Calotis scabiosifolia var. scabiosifolia		0.00								0.00								0.00						
Calytrix carinata		0.00								0.00								0.00						
Calytrix gypsophila		0.00								0.00								0.00						
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii		0.00								0.00								0.00						
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca		0.00								0.00								0.00						
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis		0.00								0.00								0.00						
Cassytha flindersii		0.00								0.00								0.00						
Casuarina pauper	1	0.06	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00								0.00						
Centipeda crateriformis ssp. crateriformis	1	1.15	LC	LC	1	0	0.3			0.00							1	1.15	LC	LC	1	0	0.3	
Centipeda cunninghamii	1	0.53	LC	LC	1	0	0.3			0.00								0.00						
Centipeda minima ssp. minima	1	1.67	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala		0.00								0.00								0.00						
Centipeda thespidioides	1	0.52	LC	LC	1	0	0.3			0.00								0.00						
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica	1	2.70	NT	NT	2	0	0.3			0.00								0.00						
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii		0.00								0.00								0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla		0.00								0.00								0.00						
Cheilanthes sieberi ssp. pseudovellea		0.00								0.00								0.00						
Cheilanthes sieberi ssp. sieberi		0.00								0.00								0.00						
Chenopodium auricomum	3	0.94	LC	LC	1	0	0.3		2	0.63	LC	LC	1	0	0.3		1	0.31	LC	LC	1	0	0.3	
Chenopodium curvispicatum		0.00								0.00								0.00						
Chenopodium desertorum ssp. anidiophyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. desertorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Chenopodium desertorum ssp. microphyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00								0.00						
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum		0.00								0.00							2	0.68	LC	LC	1	0	0.3	
Chloris pectinata		0.00							1	0.74	NT	NT	2	DD	0		2	1.47	LC	LC	1	0	0.3	
Chloris truncata		0.00								0.00								0.00						
Chrysocephalum apiculatum		0.00								0.00							1	0.09	LC	LC	1	0	0.3	
Chrysocephalum eremaeum	2	0.71	LC	LC	1	0	0.3		10	3.53	LC	LC	1	0	0.3			0.00						
Chrysocephalum pterochaetum		0.00								0.00								0.00						
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax		0.00								0.00								0.00						
Chthonocephalus pseudevax		0.00								0.00								0.00						
Citrus glauca		0.00								0.00								0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens		0.00								0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa		0.00								0.00							2	1.64	LC	LC	1	0	0.3	
Codonocarpus cotinifolius		0.00								0.00								0.00						
Codonocarpus pyramidalis		0.00								0.00								0.00						
Comesperma viscidulum		0.00								0.00								0.00						
Commelina ensifolia		0.00								0.00								0.00						
Commicarpus australis		0.00								0.00								0.00						
Convolvulus clementii	7	3.63	LC	LC	1	0	0.3	more NC records		0.00							4	2.07	LC	LC	1	0	0.3	more NC records
Convolvulus crispifolius		0.00								0.00								0.00						
Convolvulus eyreanus	3	3.53	LC	LC	1	0	0.3			0.00							2	2.35	LC	LC	1	0	0.3	
Convolvulus microsepalus		0.00								0.00								0.00						
Convolvulus recurvatus ssp. nullarborensis		0.00								0.00								0.00						
Convolvulus recurvatus ssp. recurvatus		0.00								0.00								0.00						
Convolvulus remotus		0.00								0.00								0.00						
Convolvulus tedmoorei		#DIV/0!								#DIV/0!								#DIV/0!						
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea		0.00								0.00								0.00						
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis	1	2.27	DD	DD	0	DD	0	imprecise location		0.00								0.00						
Corynotheca micrantha var. divaricata	2	6.45	RA d(ii)	RA	3	DD	0			0.00								0.00						
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata		0.00							1	0.08	NT	NT	2	DD	0			0.00						
Crassula colorata var. colorata		0.00								0.00								0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera		0.00								0.00							1	0.60	NT	NT	2	0	0.3	records missing due to taxo changes
Cratystylis conocephala		0.00								0.00								0.00						
Cremnothamnus thomsonii		0.00								0.00								0.00						
Cressa australis	3	1.16	LC	LC	1	0	0.3	likes clay, low-lying areas		0.00							3	1.16	LC	LC	1	0	0.3	likes clay, low-lying areas
Crinum flaccidum		0.00								0.00								0.00						
Crotalaria cunninghamii ssp. sturtii	21	14.58	LC	LC	1	0	0.3		8	5.56	LC	LC	1	0	0.3		2	1.39	NT	NT	2	DD	0	more records under C cunninghamii
Crotalaria eremaea ssp. eremaea	52	13.68	LC	LC	1	0	0.3		27	7.11	LC	LC	1	0	0.3		3	0.79	NT	NT	2	0	0.3	
Crotalaria eremaea ssp. strehlowii	1	0.43	DD	DD	0	DD	0	imprecise location	2	0.85	DD	DD	0	DD	0	questionable records	13	5.53	NT	NT	2	0	0.3	
Crotalaria medicaginea var. neglecta		0.00								0.00								0.00						
Crotalaria novae-hollandiae ssp. lasiophylla	2	9.09	DD	DD	0	DD	0	questionable records	16	72.73	LC	LC	1	0	0.3			0.00						
Crotalaria smithiana	3	4.69	RA d(ii)	RA	3	DD	0	limited habitat	3	4.69	NT	NT	2	0	0.3			0.00						
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus	15	4.75	LC	LC	1	0	0.3	now known as C argenteus	17	5.38	LC	LC	1	0	0.3	now known as C argenteus	2	0.63	LC	LC	1	0	0.3	now known as C argenteus
Cucumis melo	1	1.43	DD	DD	0	DD	0	unreliable record		0.00								0.00						
Cullen australasicum	7	0.88	LC	LC	1	0	0.3			0.00							13	1.63	LC	LC	1	0	0.3	
Cullen cinereum	1	0.40	NT	NT	2	0	0.3	ephemeral, opportunistic, flood spp.	1	0.40	NT	NT	2	0	0.3	ephemeral, opportunistic, flood spp.		0.00						
Cullen discolor	47	34.56	LC	LC	1	0	0.3		7	5.15	LC	LC	1	0	0.3		1	0.74	RA d(ii)	RA	3	DD	0	
Cullen graveolens	1	0.45	RA d(ii)	RA	3	0	0.3	ephemeral, likes stony country, flood-outs, spreads easily		0.00							2	0.90	NT	NT	2	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas
Cullen pallidum	26	11.50	LC	LC	1	0	0.3		26	11.50	LC	LC	1	0	0.3		3	1.33	NT	NT	2	DD	0	
Cullen parvum		0.00								0.00								0.00						
Cullen patens	5	8.62	NT	NT	2	DD	0	often confused with C pallidum	4	6.90	NT	NT	2	DD	0	often confused with C pallidum	1	1.72	RA d(ii)	RA	3	DD	0	often confused with C pallidum
Cuphonotus andraeanus		0.00								0.00								0.00						
Cuphonotus humistratus		0.00								0.00								0.00						
Cuscuta victoriana		0.00								0.00							1	2.94	NT	NT	2	0	0.3	parasitic sp; very cryptic
Cymbopogon ambiguus		0.00								0.00								0.00						
Cymbopogon obtectus		0.00								0.00								0.00						
Cynanchum floribundum	25	10.08	LC	LC	1	0	0.3		2	0.81	LC	LC	1	0	0.3			0.00						
Cynoglossum australe		0.00								0.00								0.00						
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus		0.00								0.00							1	0.53	RA d(ii)	RA	3	0	0.3	in creeks with seepage

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00								0.00						
Cyperus bifax		0.00								0.00								0.00						
Cyperus bulbosus	8	4.76	LC	LC	1	0	0.3	needs drainage lines	2	1.19	LC	LC	1	0	0.3	needs drainage lines		0.00						
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis		0.00								0.00								0.00						
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00								0.00								0.00						
Cyperus difformis		0.00								0.00								0.00						
Cyperus exaltatus		0.00								0.00								0.00						
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii		0.00								0.00								0.00						
Cyperus gymnocaulos	33	3.58	LC	LC	1	0	0.3		7	0.76	LC	LC	1	0	0.3		10	1.08	LC	LC	1	0	0.3	
Cyperus iria	1	1.20	NT	NT	2	DD	0			0.00								0.00						
Cyperus laevigatus	1	0.27	RA d(ii)	RA	3	DD	0		12	3.24	RA d(i,ii)	RA	3	0	0.3	Purni Bore	12	3.24	LC	LC	1	0	0.3	needs permanent water
Cyperus nervulosus		0.00								0.00								0.00						
Cyperus pygmaeus		0.00								0.00								0.00						
Cyperus rigidellus	2	1.71	LC	LC	1	0	0.3			0.00							3	2.56	LC	LC	1	0	0.3	
Cyperus squarrosus		0.00							1	1.25	NT	NT	2	0	0.3		4	5.00	LC	LC	1	0	0.3	
Cyperus vaginatus		0.00								0.00							4	0.00						
Cyperus victoriensis		0.00								0.00							5	2.54	LC	LC	1	0	0.3	
Dactyloctenium radulans	44	6.15	LC	LC	1	0	0.3		6	0.84	LC	LC	1	0	0.3		18	2.51	LC	LC	1	0	0.3	
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus	10	0.27	LC	LC	1	0	0.3		1	0.03	NT	NT	2	0	0.3		2	0.05	LC	LC	1	0	0.3	
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata	12	11.21	LC	LC	1	0	0.3	grows on interdune swales		0.00							7	6.54	LC	LC	1	0	0.3	grows on interdune swales
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius	2	1.74	LC	LC	1	0	0.3	ephemeral; tolerates disturbance		0.00							1	0.87	LC	LC	1	0	0.3	ephemeral; tolerates disturbance
Dichanthium sericeum ssp. sericeum	3	1.75	RA d(ii)	RA	3	DD	0	perennial		0.00							1	0.58	NT	NT	2	DD	0	
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia	3	2.19	LC	LC	1	0	0.3			0.00							1	0.73	LC	LC	1	0	0.3	
Dicrastylis beveridgei var. beveridgei		0.00								0.00								0.00						
Dicrastylis beveridgei var. lanata		0.00								0.00								0.00						
Dicrastylis costelloi var. costelloi	2	4.44	NT	NT	2	DD	0		4	8.89	LC	LC	1	0	0.3		1	2.22	RA d(ii)	RA	3	DD	0	
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00							1	25.00	DD	DD	0	DD	0			0.00						
Dicrastylis costelloi var. violacea		0.00							4	19.05	NT	NT	2	DD	0			0.00						
Dicrastylis exsuccosa var. tomentosa		0.00								0.00								0.00						
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila		0.00								0.00								0.00						
Digitaria brownii		0.00								0.00								0.00						
Digitaria coenicola		0.00								0.00								0.00						
Digitaria ctenantha	s	0.00								0.00								0.00						
Dimorphocoma minutula		0.00								0.00								0.00						
Diplatia grandibractea	1	1.11	RA d(i,ii)	RA	3	0	0.3	edge of range	1	1.11	RA d(i,ii)	RA	3	0	0.3	edge of range	6	6.67	LC	LC	1	0	0.3	lots of hosts
Dipteracanthus australasicus ssp. australasicus		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum		0.00								0.00								0.00						
Dissocarpus biflorus var. biflorus	1	0.18	LC	LC	1	0	0.3			0.00							2	0.36	LC	LC	1	0	0.3	
Dissocarpus biflorus var. villosus		0.00								0.00								0.00						
Dissocarpus fontinalis		0.00								0.00								0.00						
Dissocarpus latifolius		0.00								0.00								0.00						
Dissocarpus paradoxus	4	0.29	LC	LC	1	0	0.3	prickly	6	0.44	LC	LC	1	0	0.3	prickly	7	0.51	LC	LC	1	0	0.3	
Distichlis distichophylla		0.00								0.00								0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00								0.00								0.00						
Dodonaea microzyga var. microzyga	2	0.37	RA d(i,ii)	RA	3	DD	0	grows on rocks on edge of salt pans		0.00								0.00						
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima	13	0.47	LC	LC	1	0	0.3		29	1.04	LC	LC	1	0	0.3		3	0.11	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Dodonaea viscosa ssp. mucronata		0.00								0.00								0.00						
Dodonaea viscosa ssp. spatulata		0.00								0.00								0.00						
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica		0.00								0.00								0.00						
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii		0.00								0.00								0.00						
Dysphania cristata	5	1.34	LC	LC	1	0	0.3		1	0.27	LC	LC	1	0	0.3			0.00						
Dysphania glomulifera ssp. eremaea		0.00								0.00								0.00						
Dysphania glomulifera ssp. glomulifera		0.00								0.00								0.00						
Dysphania kalpari		0.00								0.00								0.00						
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa		0.00								0.00								0.00						
Dysphania plantaginella	1	1.89	LC	LC	1	0	0.3		2	3.77	LC	LC	1	0	0.3		2	3.77	LC	LC	1	0	0.3	
Dysphania platycarpa		0.00								0.00								0.00						
Dysphania pumilio		0.00								0.00								0.00						
Dysphania rhadinostachya ssp. rhadinostachya		0.00								0.00								0.00						
Dysphania simulans	3	8.33	LC	LC	1	0	0.3	small, ephemeral, undercollected		0.00							1	2.78	LC	LC	1	0	0.3	small, ephemeral, undercollected
Dysphania truncata	10	21.74	LC	LC	1	0	0.3		6	13.04	LC	LC	1	0	0.3			0.00						
Echinochloa inundata		0.00								0.00								0.00						
Echinochloa turneriana		0.00								0.00								0.00						
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa		0.00								0.00								0.00						
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	1	0.47	LC	LC	1	0	0.3			0.00								0.00						
Einadia nutans ssp. nutans		0.00								0.00								0.00						
Einadia nutans ssp. oxycarpa		0.00								0.00								0.00						
Elachanthus pusillus		0.00								0.00								0.00						
Elatine gratioloides		0.00								0.00								0.00						
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens	1	0.62	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eleocharis papillosa		0.00								0.00								0.00						
Eleocharis plana		0.00								0.00								0.00						
Eleocharis pusilla		0.00								0.00								0.00						
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus	4	12.50	LC	LC	1	0	0.3	undercollected; flood ephemeral		0.00							1	3.13	LC	LC	1	0	0.3	undercollected; flood ephemeral
Embadium johnstonii		0.00								0.00								0.00						
Embadium uncinatum		0.00								0.00								0.00						
Enchylaena tomentosa var. glabra	1	0.77	LC	LC	1	0	0.3			0.00							1	0.77	LC	LC	1	0	0.3	
Enchylaena tomentosa var. tomentosa	10	0.17	LC	LC	1	0	0.3		5	0.08	LC	LC	1	0	0.3		9	0.15	LC	LC	1	0	0.3	
Enneapogon avenaceus	57	3.26	LC	LC	1	0	0.3		13	0.74	LC	LC	1	0	0.3		14	0.80	LC	LC	1	0	0.3	
Enneapogon caerulescens		0.00								0.00								0.00						
Enneapogon cylindricus	21	2.03	LC	LC	1	0	0.3		13	1.25	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius		0.00								0.00								0.00						
Enneapogon lindleyanus		0.00								0.00								0.00						
Enneapogon nigricans		0.00								0.00							1	0.14	NT	NT	2	DD	0	
Enneapogon polyphyllus	33	2.59	LC	LC	1	0	0.3		7	0.55	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00								0.00						
Enteropogon acicularis		0.00								0.00								0.00						
Enteropogon ramosus		0.00								0.00							3	0.93	NT	NT	2	DD	0	
Epaltes australis	9	3.77	LC	LC	1	0	0.3	floodplain sp.		0.00								0.00						
Epaltes cunninghamii	3	2.05	LC	LC	1	0	0.3			0.00								0.00						
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica	4	1.21	LC	LC	1	0	0.3			0.00							7	2.12	LC	LC	1	0	0.3	
Eragrostis basedowii	8	6.84	LC	LC	1	0	0.3	ephemeral; interdunal swales	1	0.85	DD	DD	0	DD	0		5	4.27	LC	LC	1	0	0.3	ephemeral; interdunal swales
Eragrostis confertiflora		0.00								0.00								0.00						
Eragrostis cumingii		0.00								0.00								0.00						
Eragrostis dielsii var. dielsii	80	12.23	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground	17	2.60	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground	12	1.83	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda		0.00							5	0.64	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata	2	1.11	LC	LC	1	0	0.3			0.00							6	3.33	LC	LC	1	0	0.3	
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae		0.00								0.00								0.00						
Eragrostis lacunaria	1	1.45	DD	DD	0	DD	0	questionable record		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Eragrostis laniflora		0.00							1	0.39	NT		2	DD	0	little known of it here		0.00						
Eragrostis lanipes		0.00								0.00								0.00						
Eragrostis leptocarpa	7	2.79	LC	LC	1	0	0.3		1	0.40	LC	LC	1	0	0.3		2	0.80	LC	LC	1	0	0.3	
Eragrostis parviflora	1	0.52	LC	LC	1	0	0.3	undercollected		0.00							1	0.52	LC	LC	1	0	0.3	
Eragrostis pergracilis	6	10.71	LC	LC	1	0	0.3		1	1.79	LC	LC	1	0	0.3			0.00						
Eragrostis setifolia	24	2.00	LC	LC	1	0	0.3		4	0.33	LC	LC	1	0	0.3		15	1.25	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00								0.00								0.00						
Eragrostis speciosa		0.00								0.00								0.00						
Eragrostis tenellula		0.00								0.00							1	1.72	RA d(ii)	RA	3	DD	0	
Eragrostis xerophila	2	0.54	LC	LC	1	0	0.3			0.00							1	0.27	LC	LC	1	0	0.3	
Eremophea spinosa		0.00							5	12.82	LC	LC	1	0	0.3	likes red sand		0.00						
Eremophila alternifolia		0.00								0.00								0.00						
Eremophila arachnoides ssp. tenera		0.00								0.00								0.00						
Eremophila arenaria		0.00								0.00								0.00						
Eremophila battii		0.00								0.00							1	1.89	RA d(ii)	RA	3	DD	0	
Eremophila bignoniiflora	5	2.96	NT	NT	2	0	0.3			0.00								0.00						
Eremophila clarkei		0.00								0.00								0.00						
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti		0.00								0.00								0.00						
Eremophila duttonii	1	0.17	RA d(i,ii)	RA	3	DD	0	edge of range		0.00							2	0.34	RA d(ii)	RA	3	DD	0	
Eremophila elderi		0.00								0.00								0.00						
Eremophila fallax		0.00								0.00								0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii	1	0.07	RA d(ii)	RA	3	DD	0	limited habitat		0.00							5	0.34	LC	LC	1	0	0.3	
Eremophila gibsonii		0.00								0.00								0.00						
Eremophila gilesii ssp. gilesii		0.00								0.00								0.00						
Eremophila glabra ssp. glabra		0.00								0.00							4	0.25	LC	LC	1	0	0.3	
Eremophila latrobei ssp. glabra	1	0.13	RA d(ii)	RA	3	DD	0	limited habitat	1	0.13	RA d(ii)	RA	3	DD	0	limited habitat	1	0.13	RA d(ii)	RA	3	DD	0	
Eremophila latrobei ssp. latrobei		0.00								0.00								0.00						
Eremophila longifolia	17	1.38	LC	LC	1	0	0.3		16	1.29	LC	LC	1	0	0.3			0.00						
Eremophila macdonnellii	46	18.40	LC	LC	1	0	0.3		32	12.80	LC	LC	1	0	0.3		6	2.40	LC	LC	1	0	0.3	
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata	1	0.32	DD	DD	0	DD	0	imprecise location		0.00							4	1.29	NT	NT	2	DD	0	grazed
Eremophila neglecta		0.00								0.00								0.00						
Eremophila obovata ssp. obovata		0.00								0.00								0.00						
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia		0.00								0.00								0.00						
Eremophila paisleyi ssp. glandulosa		0.00								0.00								0.00						
Eremophila paisleyi ssp. paisleyi		0.00								0.00								0.00						
Eremophila pentaptera		0.00								0.00								0.00						
Eremophila platythamnos ssp. exotrachys		0.00								0.00								0.00						
Eremophila polyclada		0.00								0.00								0.00						
Eremophila rotundifolia		0.00								0.00							1	0.40	RA d(ii)	RA	3	DD	0	endemic to SA
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia		0.00								0.00								0.00						
Eremophila serrulata		0.00								0.00							1	0.19	NT	NT	2	0	0.3	edge of range
Eremophila sturtii		0.00								0.00								0.00						
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata		0.00								0.00								0.00						
Eremophila verrucosa ssp. verrucosa		0.00								0.00								0.00						
Eremophila willsii ssp. integrifolia		0.00							2	1.21	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Eremophila willsii ssp. willsii		0.00								0.00								0.00						
Eriachne aristidea	47	19.34	LC	LC	1	0	0.3		24	9.88	LC	LC	1	0	0.3		2	0.82	NT	NT	2	0	0.3	
Eriachne helmsii		0.00								0.00								0.00						
Eriachne mucronata	2	0.79	DD	DD	0	DD	0	imprecise location		0.00								0.00						
Eriachne ovata		0.00								0.00							1	0.53	LC	LC	1	0	0.3	
Eriachne pulchella ssp. pulchella		0.00								0.00								0.00						
Erigeron sessilifolius		0.00								0.00								0.00						
Eriocaulon carsonii ssp. carsonii		0.00								0.00								0.00						
Eriochiton sclerolaenoides		0.00								0.00							2	0.12	LC	LC	1	0	0.3	
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea	3	4.17	NT	NT	2	DD	0		1	1.39	NT	NT	2	0	0.3		6	8.33	LC	LC	1	0	0.3	
Eriochloa australiensis	6	3.57	LC	LC	1	0	0.3		1	0.60	LC	LC	1	0	0.3		2	1.19	LC	LC	1	0	0.3	
Eriochloa crebra		0.00								0.00								0.00						
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha	2	1.82	LC	LC	1	0	0.3			0.00							1	0.91	LC	LC	1	0	0.3	
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum	11	4.37	LC	LC	1	0	0.3		1	0.40	LC	LC	1	0	0.3		3	1.19	LC	LC	1	0	0.3	
Erodium crinitum	14	1.27	LC	LC	1	0	0.3			0.00								0.00						
Erodium cygnorum		0.00							1	0.61	NT	NT	2	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum		0.00								0.00								0.00						
Eucalyptus camaldulensis ssp. arida		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus camaldulensis ssp. minima		0.00								0.00								0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00								0.00						
Eucalyptus coolabah	49	8.99	LC	LC	1	0	0.3		4	0.73	LC	LC	1	0	0.3		6	1.10	LC	LC	1	0	0.3	
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla		0.00								0.00								0.00						
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa		0.00								0.00								0.00						
Eucalyptus gongylocarpa		0.00								0.00								0.00						
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta		0.00								0.00								0.00						
Eucalyptus largiflorens		0.00								0.00								0.00						
Eucalyptus leptophylla		0.00								0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00								0.00								0.00						
Eucalyptus minnirritchi		0.00								0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra		0.00								0.00								0.00						
Eucalyptus peeneri		0.00								0.00								0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica		0.00								0.00								0.00						
Eucalyptus socialis ssp. socialis		0.00								0.00								0.00						
Eucalyptus socialis ssp. victoriensis		0.00								0.00								0.00						
Eucalyptus sparsa		0.00								0.00								0.00						
Eucalyptus trivalvis		0.00								0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana		0.00								0.00								0.00						
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus		0.00								0.00								0.00						
Eulalia aurea		0.00								0.00							3	1.28	NT	NT	2	DD	0	
Euphorbia alsiniflora		0.00								0.00								0.00						
Euphorbia australis		0.00								0.00								0.00						
Euphorbia centralis		0.00								0.00								0.00						
Euphorbia drummondii	5	1.57	LC	LC	1	0	0.3	very common; small, tough; undercollected		0.00							1	0.31	LC	LC	1	0	0.3	very common; small, tough; undercollected
Euphorbia inappendiculata		0.00								0.00								0.00						
Euphorbia mitchelliana		0.00							6	30.00	DD	DD	0	DD	0	possible wrong ID		0.00						
Euphorbia parvicaruncula		0.00								0.00								0.00						
Euphorbia stevenii	1	0.65	LC	LC	1	0	0.3		1	0.65	LC	LC	1	0	0.3		1	0.65	LC	LC	1	0	0.3	
Euphorbia tannensis ssp. eremophila	30	2.62	LC	LC	1	0	0.3		16	1.39	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3	
Euphorbia wheeleri	8	10.67	LC	LC	1	0	0.3			0.00							1	1.33	RA d(i,ii)	RA	3	DD	0	
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens		0.00								0.00								0.00						
Evolvulus alsinoides var. villosicalyx	3	3.66	RA d(i,ii)	RA	3	DD	0		2	2.44	LC	LC	1	0	0.3			0.00						
Exocarpos aphyllus		0.00								0.00								0.00						
Exocarpos sparteus		0.00								0.00								0.00						
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda		0.00								0.00								0.00						
Fimbristylis dichotoma	7	4.07	LC	LC	1	0	0.3		1	0.58	NT	NT	2	0	0.3		5	2.91	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00								0.00								0.00						
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia		0.00								0.00							1	4.35	NT	NT	2	0	0.3	likes roadsides, heavy clay soils, native?
Frankenia cinerea	1	6.67	DD	DD	0	DD	0			0.00								0.00						
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa		0.00								0.00								0.00						
Frankenia cupularis	9	10.59	DD	DD	0	DD	0			0.00								0.00						
Frankenia foliosa	26	10.66	LC	LC	1	0	0.3		1	0.41	DD	DD	0	DD	0		12	4.92	LC	LC	1	0	0.3	
Frankenia pauciflora var. gunnii		0.00								0.00								0.00						
Frankenia plicata	8	10.26	DD	DD	0	DD	0	lots of wrong ID's	1	1.26	DD	DD	0	DD	0	lots of wrong ID's		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Frankenia serpyllifolia	43	5.70	LC	LC	1	0	0.3		2	0.27	LC	LC	1	0	0.3		3	0.40	LC	LC	1	0	0.3	
Frankenia subteres		0.00								0.00								0.00						
Gahnia trifida		0.00								0.00							2	0.36	EN D	EN	5	DD	0	very small numbers; large plant; could be declining
Galium bulliformis		0.00								0.00								0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora		0.00								0.00								0.00						
Glinus lotoides	3	1.15	LC	LC	1	0	0.3		1	0.38	LC	LC	1	0	0.3		1	0.38	LC	LC	1	0	0.3	around waterways
Glinus oppositifolius		0.00								0.00								0.00						
Glinus orygioides		0.00								0.00								0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00								0.00						
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens		0.00								0.00								0.00						
Glossostigma cleistanthum		0.00								0.00								0.00						
Glossostigma diandrum		0.00								0.00								0.00						
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	15	5.14	LC	LC	1	0	0.3		4	1.37	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Glycine rubiginosa		0.00								0.00								0.00						
Glycyrrhiza acanthocarpa		0.00								0.00								0.00						
Gnaphalium diamantinense		0.00								0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00								0.00								0.00						
Gnephosis arachnoidea	1	0.18	LC	LC	1	0	0.3	undercollected		0.00							2	0.36	LC	LC	1	0	0.3	undercollected
Gnephosis eriocarpa	36	13.00	LC	LC	1	0	0.3		2	0.72	LC	LC	1	0	0.3		4	1.44	LC	LC	1	0	0.3	
Gnephosis tenuissima	1	0.26	LC	LC	1	0	0.3	undercollected	7	1.80	LC	LC	1	0	0.3	undercollected	2	0.52	LC	LC	1	0	0.3	undercollected
Gomphrena lanata		0.00								0.00								0.00						
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta		0.00								0.00							4	16.00	RA d(i,ii)	RA	3	0	0.3	could be increasing
Goodenia berardiana		0.00							1	0.57	RA d(i,ii)	RA	3	0	0.3		1	0.57	RA d(i,ii)	RA	3	DD	0	
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata		0.00								0.00								0.00						
Goodenia centralis		0.00								0.00								0.00						
Goodenia chambersii		0.00								0.00								0.00						
Goodenia cycloptera	56	15.14	LC	LC	1	0	0.3		42	11.35	LC	LC	1	0	0.3		5	1.35	LC	LC	1	0	0.3	
Goodenia fascicularis	5	0.47	LC	LC	1	0	0.3			0.00								0.00						
Goodenia gibbosa		0.00								0.00								0.00						
Goodenia glabra		0.00								0.00								0.00						
Goodenia glandulosa		0.00								0.00								0.00						
Goodenia glauca	1	0.74	RA d(ii)	RA	3	DD	0	lack of habitat		0.00							2	1.48	NT	NT	2	0	0.3	
Goodenia grandiflora										#DIV/0!														
Goodenia havilandii		0.00								0.00								0.00						
Goodenia heterochila		0.00								0.00								0.00						
Goodenia heteromera		0.00								0.00								0.00						
Goodenia lobata		0.00								0.00								0.00						
Goodenia lunata	18	4.38	LC	LC	1	0	0.3		6	1.46	LC	LC	1	0	0.3		4	0.97	LC	LC	1	0	0.3	
Goodenia modesta		0.00								0.00								0.00						
Goodenia mueckeana		0.00								0.00								0.00						
Goodenia occidentalis		0.00								0.00								0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida		0.00								0.00								0.00						
Goodenia pusilliflora		0.00								0.00								0.00						
Goodenia ramelii		0.00								0.00								0.00						
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila		0.00								0.00								0.00						
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum		0.00								0.00								0.00						
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora		0.00								0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya		0.00								0.00								0.00						
Grevillea huegelii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Grevillea juncifolia ssp. juncifolia	5	1.63	RA d(ii)	RA	3	DD	0	likes sandy, dune habitat	6	1.95	LC	LC	1	0	0.3	likes sandy, dune habitat		0.00						
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla	2	0.70	RA d(i,ii)	RA	3	DD	0	outliers		0.00							1	0.35	RA d(i,ii)	RA	3	DD	0	outlier
Grevillea pterosperma		0.00								0.00								0.00						
Grevillea stenobotrya	1	0.32	LC	LC	1	DD	0		7	2.22	LC	LC	1	0	0.3			0.00						
Grevillea striata		0.00								0.00								0.00						
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva		0.00								0.00								0.00						
Gunniopsis kochii		0.00								0.00							1	3.03	RA d(ii)	RA	3	DD	0	
Gunniopsis papillata	1	0.72	RA d(ii)	RA	3	DD	0	edge of range		0.00							4	2.90	LC	LC	1	0	0.3	likes mineralised breakaways
Gunniopsis quadrifida	43	9.75	LC	LC	1	0	0.3		1	0.23	LC	LC	1	0	0.3		14	3.17	LC	LC	1	0	0.3	
Gunniopsis septifraga		0.00								0.00								0.00						
Gunniopsis tenuifolia		0.00								0.00								0.00						
Gunniopsis zygophylloides		0.00								0.00							1	0.91	NT	NT	2	DD	0	
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus		0.00								0.00								0.00						
Gyrostemon tepperi		0.00								0.00								0.00						
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata		0.00							2	1.28	RA d(i,ii)	RA	3	DD	0	restricted access		0.00						
Hakea ednieana		0.00								0.00								0.00						
Hakea eyreana	6	6.67	LC	LC	1	0	0.3		7	7.78	LC	LC	1	0	0.3			0.00						
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	45	5.51	LC	LC	1	0	0.3		25	3.06	LC	LC	1	0	0.3		6	0.74	LC	LC	1	0	0.3	
Hakea lorea ssp. lorea		0.00								0.00								0.00						
Hakea minyma		0.00								0.00								0.00						
Halgania cyanea		0.00							2	0.26	RA d(ii)	RA	3	0	0.3			0.00						
Halgania erecta		0.00								0.00								0.00						
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera	26	3.52	LC	LC	1	0	0.3			0.00							4	0.54	LC	LC	1	0	0.3	
Haloragis glauca forma glauca		0.00								0.00								0.00						
Haloragis glauca forma sclopetifera		0.00								0.00								0.00						
Haloragis gossei	2	4.88	RA d(ii)	RA	3	0	0.3		2	4.88	RA d(ii)	RA	3	0	0.3			0.00						
Haloragis odontocarpa forma octoforma		0.00								0.00								0.00						
Haloragis odontocarpa forma pterocarpa		0.00								0.00								0.00						
Haloragis odontocarpa forma rugosa		0.00								0.00								0.00						
Haloragis uncatipila		0.00								0.00								0.00						
Hannafordia bissillii ssp. bissillii		0.00								0.00								0.00						
Harmsiodoxa blennodioides	1	0.50	NT	NT	2	DD	0	sandhill sp; long curly pods		0.00								0.00						
Harmsiodoxa brevipes var. brevipes		0.00								0.00								0.00						
Harmsiodoxa brevipes var. major		0.00								0.00								0.00						
Harmsiodoxa puberula		0.00								0.00								0.00						
Helichrysum luteoalbum	5	1.62	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing		0.00								0.00						
Heliotropium ammophilum	1	3.23	RA d(ii)	RA	3	DD	0			0.00							3	9.68	NT	NT	2	0	0.3	
Heliotropium asperrimum		0.00								0.00								0.00						
Heliotropium cunninghamii		0.00								0.00								0.00						
Heliotropium europaeum		0.00								0.00								0.00						
Heliotropium filaginoides	1	2.63	DD	DD	0	DD	0	imprecise location		0.00								0.00						
Heliotropium moorei		0.00							1	5.56	NT	NT	2	0	0.3			0.00						
Heliotropium tanythrix		0.00								0.00								0.00						
Hemichroa diandra		0.00								0.00								0.00						
Hemichroa mesembryanthema		0.00								0.00								0.00						
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius		0.00								0.00								0.00						
Hibiscus krichauffianus	23	8.33	LC	LC	1	0	0.3		10	3.62	LC	LC	1	0	0.3			0.00						
Hibiscus solanifolius		0.00								0.00								0.00						
Hibiscus sturtii var. grandiflorus		0.00								0.00								0.00						
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii		0.00								0.00								0.00						
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile		0.00								0.00								0.00						
Hybanthus aurantiacus		0.00								0.00								0.00						
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus		0.00								0.00								0.00						
Hydrocotyle callicarpa		0.00								0.00								0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Hydrocotyle verticillata		0.00								0.00								0.00						
Hypericum gramineum		0.00								0.00								0.00						
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00								0.00						
Indigofera australis ssp. australis		0.00								0.00								0.00						
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii		0.00								0.00								0.00						
Indigofera colutea	2	4.76	LC	LC	1	+	0.2	spread by stock, weedy spp	1	2.38						introduced, spread by stock, weedy spp, not sure if native to S		0.00						
Indigofera cornuligera ssp cornuligera		0.00								0.00								0.00						
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei		0.00							1	2.17	NT	NT	2	DD	0			0.00						
Indigofera helmsii		0.00								0.00								0.00						
Indigofera leucotricha		0.00								0.00								0.00						
Indigofera linifolia		0.00								0.00								0.00						
Indigofera linnaei	1	1.85	LC	LC	1	0	0.3	questionable introduction		0.00								0.00						
Indigofera longibractea		0.00								0.00								0.00						
Indigofera psammophila	8	9.64	LC	LC	1	0	0.3		4	4.82	LC	LC	1	0	0.3			0.00						
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla		0.00								0.00							1	2.44	RA d(i,ii)	RA	3	0	0.3	needs clay flats
Ipomoea muelleri		0.00							1	1.69	LC	LC	1	0	0.3			0.00						
Ipomoea polymorpha		0.00							3	5.77	LC	LC	1	0	0.3			0.00						
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum	9	10.11	LC	LC	1	0	0.3		1	1.12	LC	LC	1	0	0.3		3	3.37	LC	LC	1	0	0.3	
Iseilema membranaceum	6	3.80	LC	LC	1	0	0.3		1	0.63	LC	LC	1	0	0.3		2	1.27	LC	LC	1	0	0.3	
Iseilema vaginiflorum		0.00								0.00							1	0.98	NT	NT	2	0	0.3	
Isoetes muelleri		0.00								0.00								0.00						
Isoetopsis graminifolia		0.00								0.00								0.00						
Isolepis australiensis	4	4.94	RA d(ii)	RA	3	DD	0	very tiny		0.00							1	1.23	DD	DD	0	DD	0	very tiny; record location imprecise
Isolepis cernua		0.00								0.00								0.00						
Isolepis congrua		0.00								0.00								0.00						
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea		0.00								0.00								0.00						
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri	5	11.63	NT	NT	2	DD	0		2	4.65	NT	NT	2	DD	0			0.00						
Ixiochlamys cuneifolia	2	0.72	NT	NT	2	DD	0	likes sandy creek banks		0.00							1	0.36	NT	NT	2	DD	0	likes sandy creek banks
Ixiochlamys filicifolia		0.00								0.00							3	4.00	RA d(ii)	RA	3	DD	0	
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana		0.00							1	1.43	RA d(i,ii)	RA	3	DD	0			0.00						
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare		0.00								0.00								0.00						
Josephinia eugeniae	5	20.00	NT	NT	2	DD	0	grows under shrubs	2	8.00	RA d(ii)	RA	3	DD	0	grows under shrubs		0.00						
Juncus aridicola		0.00								0.00								0.00						
Juncus bufonius		0.00								0.00								0.00						
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00								0.00							5	0.74	NT	NT	2	0	0.3	around mound springs
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens		0.00								0.00								0.00						
Keraudrenia nephrosperma		0.00								0.00								0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								0.00								0.00						
Kippistia suaedifolia	4	3.81	RA d(i,ii)	RA	3	DD	0	restricted habitat	2	1.90	RA d(i,ii)	RA	3	DD	0	restricted habitat	1	0.95	RA d(i,ii)	RA	3	DD	0	restricted habitat
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis		0.00								0.00							1	0.27	NT	NT	2	DD	0	
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii		0.00								0.00								0.00						
Lawrencia glomerata	10	2.22	LC	LC	1	0	0.3	taxon now has 3 ssp	2	0.44	NT	NT	2	0	0.3	taxon now has 3 ssp	2	0.44	NT	NT	2	0	0.3	taxon now has 3 ssp
Lawrencia squamata	5	0.63	LC	LC	1	0	0.3		3	0.38	LC	LC	1	0	0.3		2	0.25	LC	LC	1	0	0.3	
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata	65	27.90	LC	LC	1	0	0.3		47	20.17	LC	LC	1	0	0.3		1	0.43	RA d(ii)	RA	3	0	0.3	
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta		0.00								0.00								0.00						
Leiocarpa leptolepis	3	0.66	LC	LC	1	0	0.3		1	0.22	LC	LC	1	0	0.3		5	1.10	LC	LC	1	0	0.3	
Leiocarpa semicalva ssp. semicalva		0.00								0.00								0.00						
Leiocarpa semicalva ssp. vinacea		0.00								0.00								0.00						
Leiocarpa tomentosa		0.00								0.00								0.00						
Leiocarpa websteri	4	0.58	LC	LC	1	0	0.3			0.00							5	0.72	LC	LC	1	0	0.3	
Lemna disperma		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Lemooria burkittii		0.00								0.00							1	0.54	RA d(i,ii)	RA	3	DD	0	in outwashes
Lepidium fasciculatum		0.00								0.00								0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi	3	1.06	LC	LC	1	0	0.3			0.00							3	1.06	LC	LC	1	0	0.3	
Lepidium oxytrichum		0.00								0.00							2	0.30	LC	LC	1	0	0.3	
Lepidium papillosum	2	0.57	RA d(ii)	RA	3	DD	0		1	0.29	RA d(ii)	RA	3	DD	0			0.00						
Lepidium phlebopetalum	27	3.45	LC	LC	1	0	0.3		3	0.38	LC	LC	1	0	0.3		6	0.77	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum		0.00								0.00								0.00						
Lepidium strongylophyllum		0.00								0.00								0.00						
Lepidosperma avium		0.00								0.00								0.00						
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis		0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00							1	2.50	RA d(ii)	RA	3	DD	0	Anna Ck Station bore; spread by birds
Leptochloa digitata		0.00								0.00							2	4.00	NT	NT	2	DD	0	
Leptochloa fusca ssp. fusca		0.00								0.00								0.00						
Leptochloa fusca ssp. muelleri	3	1.57	LC	LC	1	0	0.3		1	0.52	LC	LC	1	0	0.3		3	1.57	LC	LC	1	0	0.3	
Leptorhynchos baileyi		0.00								0.00								0.00						
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii		0.00								0.00								0.00						
Leucochrysum fitzgibbonii		0.00								0.00								0.00						
Leucochrysum molle		0.00								0.00								0.00						
Leucochrysum stipitatum		0.00								0.00								0.00						
Levenhookia dubia		0.00								0.00								0.00						
Limosella australis		0.00								0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00								0.00								0.00						
Lipocarpha microcephala		0.00								0.00								0.00						
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla		0.00								0.00								0.00						
Logania centralis		0.00								0.00								0.00						
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta		0.00								0.00								0.00						
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus	24	2.05	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3		5	0.43	LC	LC	1	0	0.3	
Lycium australe		0.00								0.00							1	0.09	RA d(ii)	RA	3	DD	0	
Lysiana exocarpi ssp. exocarpi	1	0.05	RA d(i,ii)	RA	3	DD	0		1	0.05	RA d(i,ii)	RA	3	DD	0		4	0.20	LC	LC	1	0	0.3	
Lysiana murrayi		0.00								0.00								0.00						
Lysiana subfalcata	1	1.32	NT	NT	2	DD	0		2	2.63	NT	NT	2	DD	0		2	2.63	NT	NT	2	DD	0	
Lythrum hyssopifolia	1	0.20	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes		0.00								0.00						
Lythrum paradoxum		0.00								0.00								0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii	2	2.90	LC	LC	1	0	0.3			0.00							2	2.90	LC	LC	1	0	0.3	
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	28	3.05	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3		4	0.44	LC	LC	1	0	0.3	
Maireana appressa	26	5.86	LC	LC	1	0	0.3		1	0.23	NT	NT	2	0	0.3	limited habitat	3	0.68	LC	LC	1	0	0.3	
Maireana astrotricha	9	0.80	LC	LC	1	0	0.3			0.00							3	0.27	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threa
Maireana brevifolia		0.00								0.00								0.00						
Maireana campanulata		0.00								0.00								0.00						
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa		0.00								0.00							4	10.00	RA d(i,ii)	RA	3	DD	0	
Maireana ciliata	7	3.50	LC	LC	1	0	0.3			0.00							3	1.50	LC	LC	1	0	0.3	
Maireana coronata	5	2.39	LC	LC	1	0	0.3		1	0.48	NT	NT	2	0	0.3	Habitat		0.00						
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha		0.00								0.00							2	0.97	NT	NT	2	DD	0	
Maireana erioclada		0.00								0.00								0.00						
Maireana excavata		0.00								0.00								0.00						
Maireana georgei	3	0.35	LC	LC	1	0	0.3		2	0.23	LC	LC	1	0	0.3		2	0.23	LC	LC	1	0	0.3	
Maireana integra		0.00								0.00								0.00						
Maireana lanosa		0.00								0.00								0.00						
Maireana lobiflora		0.00								0.00								0.00						
Maireana luehmannii		0.00								0.00								0.00						
Maireana melanocarpa		0.00								0.00								0.00						
Maireana microcarpa	1	1.09	NT	NT	2	0	0.3	undercollected		0.00							1	1.09	NT	NT	2	0	0.3	
Maireana oppositifolia		0.00								0.00								0.00						
Maireana ovata		0.00								0.00								0.00						
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	%_Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Maireana pentatropis		0.00								0.00								0.00						
Maireana planifolia		0.00								0.00								0.00						
Maireana pyramidata	8	0.39	LC	LC	1	0	0.3			0.00							6	0.29	LC	LC	1	0	0.3	
Maireana radiata		0.00								0.00								0.00						
Maireana schistocarpa		0.00								0.00								0.00						
Maireana scleroptera		0.00								0.00								0.00						
Maireana sedifolia		0.00								0.00							1	0.04	RA d(ii)	RA	3	DD	0	
Maireana spongiocarpa		0.00								0.00								0.00						
Maireana tomentosa ssp. urceolata		0.00								0.00								0.00						
Maireana trichoptera		0.00								0.00								0.00						
Maireana triptera		0.00								0.00								0.00						
Maireana turbinata		0.00								0.00							2	0.30	LC	LC	1	0	0.3	
Maireana villosa		0.00								0.00								0.00						
Malacocera albolanata		0.00								0.00							1	1.47	RA d(ii)	RA	3	DD	0	
Malacocera biflora		0.00								0.00								0.00						
Malacocera gracilis		0.00								0.00								0.00						
Malacocera tricornis	2	1.27	LC	LC	1	0	0.3			0.00								0.00						
Malva preissiana	6	0.71	LC	LC	1	0	0.3	now known as M weinmanniana		0.00							4	0.47	LC	LC	1	0	0.3	now known as M weinmanniana
Malvastrum americanum var. americanum	1	0.15	LC	LC	1	0	0.3	spreading		0.00							2	0.30	LC	LC	1	0	0.3	spreading
Marsdenia australis		0.00								0.00								0.00						
Marsilea costulifera		0.00								0.00								0.00						
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii	2	0.69	LC	LC	1	0	0.3			0.00							1	0.35	LC	LC	1	0	0.3	
Marsilea exarata		0.00								0.00								0.00						
Marsilea hirsuta		0.00							1	0.43	RA d(i,ii)	RA	3	DD	0		4	1.71	LC	LC	1	0	0.3	
Melaleuca bracteata		0.00								0.00								0.00						
Melaleuca dissitiflora		0.00								0.00								0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata	2	0.45	DD	DD	0	DD	0	odd records		0.00								0.00						
Melaleuca interioris		0.00								0.00								0.00						
Melaleuca lanceolata		0.00								0.00								0.00						
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila		0.00								0.00								0.00						
Melhania oblongifolia		0.00								0.00								0.00						
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis		0.00								0.00								0.00						
Menkea crassa	2	1.77	NT	NT	2	0	0.3	annual, grows on stony ground		0.00							1	0.88	NT	NT	2	0	0.3	annual, grows on stony ground
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa		0.00								0.00								0.00						
Menkea villosula		0.00								0.00								0.00						
Mentha australis		0.00								0.00							1	0.75	RA d(ii)	RA	3	DD	0	
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana		0.00								0.00								0.00						
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00								0.00						
Micromyrtus flaviflora		0.00								0.00								0.00						
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii	uld be	0.00								0.00								0.00						
Millotia greevesii ssp. helmsii		0.00								0.00								0.00						
Millotia incurva		0.00								0.00								0.00						
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia		0.00								0.00								0.00						
Millotia perpusilla		0.00								0.00								0.00						
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis		0.00								0.00								0.00						
Mimulus prostratus		0.00								0.00								0.00						
Mimulus repens	2	1.25	RA d(i,ii)	RA	3	0	0.3	likes saline conditions		0.00							2	1.25	RA d(i,ii)	RA	3	0	0.3	
Minuria annua	3	3.80	NT	NT	2	0	0.3			0.00							3	3.80	NT	NT	2	0	0.3	
Minuria cunninghamii	7	1.02	LC	LC	1	0	0.3			0.00							4	0.58	LC	LC	1	0	0.3	
Minuria denticulata	22	3.58	LC	LC	1	0	0.3		1	0.16	LC	LC	1	0	0.3		10	1.63	LC	LC	1	0	0.3	
Minuria integerrima	5	2.31	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts		0.00							1	0.46	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts
Minuria leptophylla		0.00							1	0.09	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3	
Minuria rigida	18	6.41	LC	LC	1	0	0.3	likes gypseous soils		0.00							8	2.85	LC	LC	1	0	0.3	likes gypseous soils
Mollugo cerviana	5	4.72	LC	LC	1	0	0.3		12	11.32	LC	LC	1	0	0.3		1	0.94	LC	LC	1	0	0.3	undercollected; very small
Momordica balsamina		0.00								0.00								0.00						
Monachather paradoxus		0.00								0.00								0.00						
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides	45	48.39	LC	LC	1	0	0.3			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Muehlenbeckia florulenta	28	2.32	LC	LC	1	0	0.3		2	0.17	RA d(ii)	RA	3	0	0.3		6	0.50	LC	LC	1	0	0.3	
Muelleranthus stipularis		0.00								0.00								0.00						
Murchisonia volubilis		0.00								0.00								0.00						
Myoporum brevipes		0.00								0.00								0.00						
Myoporum montanum		0.00								0.00							1	0.14	RA d(i,ii)	RA	3	DD	0	
Myoporum platycarpum ssp. platycarpum		0.00								0.00								0.00						
Myosurus minimus var. australis		0.00								0.00								0.00						
Myriocephalus pluriflorus	1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of recent rec		0.00							1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of rec
Myriocephalus rhizocephalus		0.00								0.00								0.00						
Myriocephalus rudallii	4	8.33	LC	LC	1	0	0.3			0.00								0.00						
Myriocephalus squamatus		0.00								0.00							2	16.67	RA d(i,ii)	RA	3	DD	0	
Myriophyllum verrucosum		0.00								0.00								0.00						
Neobassia proceriflora		0.00								0.00							1	0.39	LC	LC	1	0	0.3	
Neptunia dimorphantha	1	1.72	DD	DD	0	DD	0	imprecise location		0.00								0.00						
Neurachne lanigera		0.00								0.00								0.00						
Neurachne munroi		0.00								0.00								0.00						
Newcastelia bracteosa		0.00								0.00								0.00						
Newcastelia cephalantha var. cephalantha		0.00								0.00								0.00						
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00								0.00						
Newcastelia spodiotricha		0.00							5	22.73	NT	NT	2	DD	0			0.00						
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior		0.00								0.00								0.00						
Nicotiana goodspeedii	1	0.22	DD	DD	0	DD	0			0.00								0.00						
Nicotiana gossei		0.00								0.00								0.00						
Nicotiana occidentalis ssp. obliqua		0.00								0.00							1	0.79	NT	NT	2	0	0.3	
Nicotiana rosulata ssp. ingulba		0.00								0.00								0.00						
Nicotiana rosulata ssp. rosulata		0.00								0.00								0.00						
Nicotiana simulans	1	0.40	RA d(ii)	RA	3	DD	0			0.00								0.00						
Nicotiana truncata		0.00								0.00								0.00						
Nicotiana velutina	69	6.60	LC	LC	1	0	0.3		16	1.53	LC	LC	1	0	0.3		8	0.76	LC	LC	1	0	0.3	
Nitraria billardierei	86	4.98	LC	LC	1	+	0.2		2	0.12	RA d(ii)	RA	3	0	0.3		15	0.87	LC	LC	1	+	0.2	
Nymphoides crenata		0.00								0.00								0.00						
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida		0.00								0.00								0.00						
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00								0.00								0.00						
Olearia ferresii		0.00								0.00								0.00						
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri		0.00								0.00								0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii		0.00								0.00								0.00						
Olearia subspicata		0.00								0.00								0.00						
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava	15	1.58	LC	LC	1	0	0.3		5	0.53	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3	
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum		0.00								0.00								0.00						
Ophioglossum polyphyllum		0.00								0.00							1	6.25	RA d(i,ii)	RA	3	DD	0	likes loam over rocks
Orobanche cernua var. australiana		0.00								0.00								0.00						
Osteocarpum acropterum var. acropterum	17	5.57	LC	LC	1	0	0.3		1	0.33	LC	LC	1	0	0.3	undercollected	3	0.98	LC	LC	1	0	0.3	
Osteocarpum acropterum var. deminutum		0.00								0.00								0.00						
Osteocarpum dipterocarpum	10	2.22	LC	LC	1	0	0.3		1	0.22	LC	LC	1	0	0.3		9	2.00	LC	LC	1	0	0.3	
Osteocarpum pentapterum		0.00								0.00								0.00						
Osteocarpum salsuginosum		0.00								0.00								0.00						
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula		0.00								0.00								0.00						
Oxalis perennans		0.00								0.00								0.00						
Oxalis radicosa		0.00								0.00								0.00						
Oxychloris scariosa		0.00								0.00								0.00						
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana		0.00								0.00								0.00						
Panicum decompositum var. decompositum	8	2.23	LC	LC	1	0	0.3			0.00							4	1.11	LC	LC	1	0	0.3	
Panicum effusum var. effusum		0.00								0.00								0.00						
Panicum laevinode	1	1.12	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Paraceterach reynoldsii		0.00								0.00								0.00						
Paractaenum novae-hollandiae ssp. reversum	16	8.16	LC	LC	1	0	0.3		4	2.04	LC	LC	1	0	0.3		3	1.53	LC	LC	1	0	0.3	
Paractaenum refractum	10	4.44	LC	LC	1	0	0.3		18	8.00	LC	LC	1	0	0.3		1	0.44	LC	LC	1	0	0.3	
Paraneurachne muelleri		0.00								0.00								0.00						
Parietaria australis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Parietaria cardiostegia		0.00								0.00								0.00						
Parietaria debilis		0.00								0.00								0.00						
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum		0.00								0.00								0.00						
Peplidium foecundum		0.00								0.00								0.00						
Peplidium sp. Marla (W.R.Barker 3535)		0.00								0.00								0.00						
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides		0.00								0.00								0.00						
Petalostylis labicheoides		0.00								0.00								0.00						
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00								0.00								0.00						
Phlegmatospermum cochlearinum		0.00								0.00								0.00						
Phlegmatospermum eremaeum		0.00								0.00								0.00						
Phragmites australis	1	0.14	RA d(i,ii)	RA	3	-	0.4	limited habitat		0.00							4	0.55	RA d(i,ii)	RA	3	0	0.3	limited habitat
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii	16	10.53	LC	LC	1	0	0.3		15	9.87	LC	LC	1	0	0.3		12	7.89	LC	LC	1	0	0.3	
Phyllanthus lacunarius	12	11.01	LC	LC	1	0	0.3			0.00							2	1.83	RA d(ii)	RA	3	0	0.3	
Phyllanthus lacunellus	2	40.00	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00								0.00								0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata		0.00								0.00								0.00						
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00								0.00								0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala		0.00								0.00								0.00						
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris		0.00							16	48.48	RA d(ii)	RA	3	0	0.3	edge of range; core habitat		0.00						
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua		0.00								0.00								0.00						
Pimelea simplex ssp. simplex		0.00								0.00								0.00						
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya	14	6.48	LC	LC	1	0	0.3		8	3.70	LC	LC	1	0	0.3			0.00						
Pittosporum angustifolium	4	0.12	LC	LC	1	0	0.3			0.00							4	0.12	LC	LC	1	0	0.3	
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus	3	1.36	LC	LC	1	0	0.3			0.00								0.00						
Plantago cunninghamii		0.00								0.00								0.00						
Plantago debilis		0.00								0.00								0.00						
Plantago drummondii	26	2.39	LC	LC	1	0	0.3		10	0.92	LC	LC	1	0	0.3		3	0.28	LC	LC	1	0	0.3	
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa		0.00								0.00								0.00						
Plantago turrifera		0.00								0.00								0.00						
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus		0.00								0.00								0.00						
Pleurosorus rutifolius		0.00								0.00								0.00						
Pleurosorus subglandulosus		0.00								0.00								0.00						
Pluchea dentex	1	0.96	DD	DD	0	DD	0	questionable record		0.00								0.00						
Pluchea dunlopii	2	4.00	NT	NT	2	DD	0			0.00								0.00						
Pluchea rubelliflora	6	8.00	LC	LC	1	0	0.3	grows in creek lines		0.00								0.00						
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana		0.00								0.00								0.00						
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens	1	0.26	RA d(i,ii)	RA	3	DD	0	questionable record	3	0.77	RA d(i,ii)	RA	3	DD	0			0.00						
Podolepis capillaris	4	0.31	LC	LC	1	0	0.3			0.00							5	0.39	LC	LC	1	0	0.3	
Podolepis davisiana		0.00								0.00								0.00						
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Polycalymma stuartii	129	13.07	LC	LC	1	0	0.3		36	3.65	LC	LC	1	0	0.3		14	1.42	LC	LC	1	0	0.3	
Polycarpaea arida		0.00								0.00							1	1.32	NT	NT	2	0	0.3	
Polycarpaea breviflora		0.00								0.00								0.00						
Polygala isingii		0.00								0.00								0.00						
Polygonum plebeium		0.00								0.00							2	1.14	LC	LC	1	0	0.3	responds to rainfall events
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata		0.00							1	0.33	RA d(i,ii)	RA	3	DD	0	uncommon		0.00						
Poranthera leiosperma		0.00								0.00								0.00						
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia	2	3.92	LC	LC	1	0	0.3			0.00								0.00						
Portulaca intraterranea	47	15.82	LC	LC	1	0	0.3	sand dune spp	39	13.13	LC	LC	1	0	0.3	sand dune spp	3	1.01	LC	LC	1	0	0.3	sand dune spp
Portulaca oleracea	10	1.18	LC	LC	1	0	0.3		1	0.12	NT	NT	2	DD	0		11	1.29	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus	salinity	0.00							4	3.70	RA d(i,ii)	RA	3	DD	0	in artificial bores	1	0.93	RA d(i,ii)	RA	3	DD	0	in artificial bores
Potamogeton tricarinatus		0.00	NT	NT	2	DD	0	(no records) could be LC																
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia		0.00								0.00								0.00						
Prostanthera nudula		0.00								0.00								0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora		0.00								0.00								0.00						
Prostanthera wilkieana		0.00								0.00								0.00						
Pseudoraphis spinescens		0.00								0.00								0.00						
Psydrax ammophila		0.00								0.00								0.00						
Psydrax latifolia		0.00								0.00								0.00						
Psydrax suaveolens		0.00								0.00								0.00						
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum		0.00								0.00								0.00						
Pterocaulon sphacelatum	8	1.21	LC	LC	1	0	0.3			0.00							4	0.60	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri		0.00								0.00								0.00						
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens		0.00								0.00								0.00						
Ptilotus disparilis		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides		0.00								0.00								0.00						
Ptilotus incanus		0.00								0.00								0.00						
Ptilotus latifolius	5	9.43	LC	LC	1	0	0.3		17	32.08	LC	LC	1	0	0.3			0.00						
Ptilotus macrocephalus		0.00								0.00								0.00						
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00								0.00								0.00	LC	LC	1	0	0.3	(no records)
Ptilotus obovatus		0.00								0.00							1	1.22	LC	LC	1	0	0.3	lots of NC records
Ptilotus parvifolius		0.00								0.00								0.00						
Ptilotus polystachyus	3	0.87	LC	LC	1	0	0.3	likes sand	5	1.45	LC	LC	1	0	0.3	likes sand		0.00						
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides		0.00								0.00								0.00						
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii		0.00								0.00								0.00						
Ptilotus sessilifolius	63	21.21	LC	LC	1	0	0.3		27	9.09	LC	LC	1	0	0.3			0.00						
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei		0.00								0.00								0.00						
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus	7	7.78	LC	LC	1	0	0.3	likes low-lying cracking clay soil		0.00								0.00						
Pycnosorus globosus		0.00								0.00								0.00						
Pycnosorus mellieus	2	5.71	RA d(ii)	RA	3	DD	0			0.00								0.00						
Pycnosorus pleiocephalus	6	0.93	LC	LC	1	0	0.3			0.00							1	0.16	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Radyera farragei		0.00								0.00								0.00						
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00								0.00								0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus		0.00								0.00								0.00						
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio		0.00								0.00								0.00						
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00								0.00						
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea		0.00							2	0.63	NT	NT	2	0	0.3	edge of range		0.00						
Rhagodia parabolica		0.00								0.00								0.00						
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	53	2.13	LC	LC	1	0	0.3		56	2.25	LC	LC	1	0	0.3		9	0.36	LC	LC	1	0	0.3	
Rhagodia ulicina		0.00								0.00								0.00						
Rhodanthe charsleyae	1	0.45	DD	DD	0	DD	0	old record		0.00							3	1.35	LC	LC	1	0	0.3	
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina		0.00								0.00								0.00						
Rhodanthe corymbiflora	3	0.74	RA d(ii)	RA	3	DD	0			0.00								0.00						
Rhodanthe floribunda	26	1.90	LC	LC	1	0	0.3		14	1.02	LC	LC	1	0	0.3		4	0.29	LC	LC	1	0	0.3	
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa		0.00							2	0.33	LC	LC	1	0	0.3		5	0.83	LC	LC	1	0	0.3	
Rhodanthe moschata	51	5.59	LC	LC	1	0	0.3		19	2.08	LC	LC	1	0	0.3		7	0.77	LC	LC	1	0	0.3	
Rhodanthe polygalifolia		0.00								0.00								0.00						
Rhodanthe pygmaea	1	0.07	DD	DD	0	DD	0			0.00								0.00						
Rhodanthe stricta	11	1.44	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3		8	1.05	LC	LC	1	0	0.3	
Rhodanthe stuartiana	2	0.90	RA d(ii)	RA	3	DD	0			0.00								0.00						
Rhodanthe tietkensii		0.00								0.00								0.00						
Rhodanthe troedelii		0.00								0.00								0.00						
Rhodanthe uniflora		0.00								0.00							1	0.52	LC	LC	1	0	0.3	
Rhyncharrhena linearis		0.00								0.00								0.00						
Rhynchosia australis		0.00								0.00								0.00						
Rhynchosia minima	1	5.00	NE	NE	-1			taxonomic issues		0.00								0.00						
Ripippa eustylis		0.00								0.00								0.00						
Rostellularia adscendens var. clementii		0.00								0.00								0.00						
Rostellularia adscendens var. latifolia		0.00								0.00								0.00						
Rostellularia adscendens var. pogonanthera		0.00								0.00								0.00						
Rulingia loxophylla		0.00								0.00								0.00						
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus	8	6.11	LC	LC	1	0	0.3			0.00							1	0.76	LC	LC	1	0	0.3	
Ruppia maritima		0.00	RA d(i,ii)	RA	3	DD	0	(no records) ephemeral, relies on floods		0.00								0.00						
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides	8	2.06	LC	LC	1	0	0.3		2	0.51	LC	LC	1	0	0.3		1	0.26	LC	LC	1	0	0.3	
Salsola tragus	129	2.94	LC	LC	1	0	0.3		57	1.30	LC	LC	1	0	0.3		22	0.50	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens		0.00								0.00							6	0.63	NT	NT	2	0	0.3	
Santalum acuminatum		0.00								0.00							1	0.05	RA d(i,ii)	RA	3	DD	0	
Santalum lanceolatum	7	0.80	LC	LC	1	0	0.3		6	0.68	LC	LC	1	0	0.3		2	0.23	LC	LC	1	0	0.3	
Santalum spicatum		0.00								0.00								0.00						
Sarcocornia blackiana		0.00								0.00							3	1.46	NT	NT	2	0	0.3	limited habitat; around bores
Sarcocornia quinqueflora		0.00								0.00							1	0.15	RA d(i,ii)	RA	3	DD	0	spread by waterbirds, Anna Ck Station
Sarcostemma viminale ssp. australe		0.00								0.00								0.00						
Sarcozona praecox		0.00								0.00								0.00						
Sauropus ramosissimus		0.00								0.00								0.00						
Sauropus rigens		0.00								0.00								0.00						
Sauropus trachyspermus	18	7.17	LC	LC	1	0	0.3		6	2.39	LC	LC	1	0	0.3		5	1.99	LC	LC	1	0	0.3	
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis	1	1.69	RA d(ii)	RA	3	DD	0	odd record		0.00								0.00						
Scaevola basedowii		0.00								0.00								0.00						
Scaevola collaris	51	19.54	LC	LC	1	0	0.3		8	3.07	LC	LC	1	0	0.3	likes damp sand; undercollected	1	0.38	DD	DD	0	DD	0	unlikely
Scaevola collina		0.00								0.00								0.00						
Scaevola depauperata	8	6.02	LC	LC	1	0	0.3		17	12.78	LC	LC	1	0	0.3			0.00						
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata	80	19.70	LC	LC	1	0	0.3		34	8.37	LC	LC	1	0	0.3		10	2.46	LC	LC	1	0	0.3	
Scaevola parvifolia ssp. parvifolia		0.00								0.00								0.00						
Scaevola spinescens	5	0.38	LC	LC	1	0	0.3			0.00								0.00						
Schenkia australis	2	1.02	LC	LC	1	0	0.3			0.00								0.00						
Schoenia ayersii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Schoenia cassiniana		0.00								0.00								0.00						
Schoenia ramosissima	1	0.60	NT	NT	2	DD	0	uncollected, edge of range		0.00								0.00						
Schoenoplectus dissachanthus		0.00								0.00							1	2.38	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens		0.00								0.00								0.00						
Schoenoplectus subulatus		0.00								0.00							1	6.67	RA d(ii)	RA	3	DD	0	name change from S litoralis, could be more records
Schoenoplectus validus		0.00								0.00								0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00								0.00								0.00						
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata		0.00								0.00								0.00						
Sclerolaena bicornis var. bicornis	14	3.06	LC	LC	1	0	0.3		3	0.66	LC	LC	1	0	0.3		3	0.66	LC	LC	1	0	0.3	
Sclerolaena bicuspis		0.00								0.00								0.00						
Sclerolaena birchii		0.00								0.00								0.00						
Sclerolaena blackiana		0.00								0.00								0.00						
Sclerolaena brachyptera	2	0.19	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		4	0.38	LC	LC	1	0	0.3	
Sclerolaena calcarata	4	3.77	LC	LC	1	0	0.3			0.00								0.00						
Sclerolaena clelandii		0.00							2	18.18	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena constricta	2	1.34	LC	LC	1	0	0.3			0.00								0.00						
Sclerolaena convexula		0.00								0.00								0.00						
Sclerolaena cornishiana		0.00								0.00								0.00						
Sclerolaena costata		0.00								0.00								0.00						
Sclerolaena cristata		0.00								0.00								0.00						
Sclerolaena cuneata	3	0.82	LC	LC	1	0	0.3		2	0.55	LC	LC	1	0	0.3		1	0.27	LC	LC	1	0	0.3	
Sclerolaena decurrens	35	12.07	LC	LC	1	0	0.3		2	0.69	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Sclerolaena deserticola		0.00								0.00								0.00						
Sclerolaena diacantha	116	3.87	LC	LC	1	0	0.3		9	0.30	LC	LC	1	0	0.3		8	0.27	LC	LC	1	0	0.3	good stock food
Sclerolaena divaricata	2	0.21	LC	LC	1	0	0.3		2	0.21	LC	LC	1	0	0.3		4	0.43	LC	LC	1	0	0.3	
Sclerolaena eriacantha	1	0.33	LC	LC	1	0	0.3		1	0.33	LC	LC	1	0	0.3			0.00						
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra	1	0.87	NT	NT	2	DD	0			0.00								0.00						
Sclerolaena holtiana	14	6.11	LC	LC	1	0	0.3		8	3.49	LC	LC	1	0	0.3			0.00						
Sclerolaena intricata	47	5.29	LC	LC	1	0	0.3		4	0.45	LC	LC	1	0	0.3		13	1.46	LC	LC	1	0	0.3	
Sclerolaena johnsonii		0.00								0.00								0.00						
Sclerolaena lanicuspis	7	0.80	LC	LC	1	0	0.3		5	0.57	LC	LC	1	0	0.3		7	0.80	LC	LC	1	0	0.3	
Sclerolaena limbata	1	0.26	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Sclerolaena longicuspis	1	0.29	NT	NT	2	DD	0			0.00								0.00						
Sclerolaena muricata var. muricata		0.00								0.00								0.00						
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis		0.00								0.00								0.00						
Sclerolaena parallelicuspis		0.00							2	0.61	LC	LC	1	0	0.3		1	0.31	LC	LC	1	0	0.3	
Sclerolaena parviflora		0.00								0.00								0.00						
Sclerolaena patenticuspis	5	0.44	LC	LC	1	0	0.3			0.00								0.00						
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei	1	1.10	NT	NT	2	0	0.3			0.00							2	2.20	NT	NT	2	0	0.3	endemic to SA; long-lived
Sclerolaena tricuspis		0.00								0.00								0.00						
Sclerolaena uniflora	10	1.02	LC	LC	1	0	0.3	grows on bare limestone	8	0.82	LC	LC	1	0	0.3	grows on bare limestone		0.00						
Sclerolaena ventricosa	2	0.27	LC	LC	1	0	0.3			0.00							15	2.00	LC	LC	1	0	0.3	
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00								0.00								0.00						
Senecio depressicola	4	6.25	NT	NT	2	DD	0			0.00								0.00						
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola		0.00								0.00								0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus		0.00							1	0.13	LC	LC	1	0	0.3	in interdune swales	2	0.26	LC	LC	1	0	0.3	in interdune swales
Senecio gregorii	115	14.63	LC	LC	1	0	0.3	on sand dunes, widespread	34	4.33	LC	LC	1	0	0.3	on sand dunes, widespread	2	0.25	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00								0.00						
Senecio laceratus	3	5.08	DD	DD	0	DD	0	check ID		0.00								0.00						
Senecio lacustrinus	2	1.71	LC	LC	1	0	0.3			0.00								0.00						
Senecio lanibracteus	14	4.31	LC	LC	1	0	0.3			0.00								0.00						
Senecio magnificus	1	0.12	LC	LC	1	0	0.3			0.00								0.00						
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius		0.00								0.00								0.00						
Senecio spanomerus		0.00								0.00								0.00						
Senna artemisioides ssp. alicia	5	4.95	NT	NT	2	0	0.3		1	0.99	DD	DD	0	DD	0	imprecise location		0.00						
Senna artemisioides ssp. artemisioides		0.00								0.00								0.00						
Senna artemisioides ssp. coriacea	4	0.27	NT	NT	2	0	0.3			0.00								0.00						
Senna artemisioides ssp. filifolia	36	3.03	LC	LC	1	0	0.3		19	1.60	LC	LC	1	0	0.3		1	0.08	RA d(ii)	RA	3	DD	0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Senna artemisioides ssp. helmsii	11	3.21	LC	LC	1	0	0.3		1	0.29	RA d(ii)	RA	3	DD	0	edge of range	3	0.87	NT	NT	2	DD	0	
Senna artemisioides ssp. oligophylla	1	0.47	DD	DD	0	DD	0	no vouchered specimen		0.00								0.00						
Senna artemisioides ssp. petiolaris	1	0.10	RA d(ii)	RA	3	DD	0			0.00							1	0.10	RA d(ii)	RA	3	DD	0	
Senna artemisioides ssp. quadrifolia	1	0.54	RA d(ii)	RA	3	-	0.4	grazing a threat		0.00							1	0.54	RA d(ii)	RA	3	DD	0	
Senna artemisioides ssp. sturtii	3	1.95	LC	LC	1	0	0.3			0.00								0.00						
Senna artemisioides ssp. zygophylla	3	4.29	NT	NT	2	DD	0			0.00								0.00						
Senna cardiosperma ssp. gawlerensis		0.00								0.00								0.00						
Senna cardiosperma ssp. microphylla		0.00								0.00								0.00						
Senna glutinosa ssp. glutinosa		0.00								0.00								0.00						
Senna glutinosa ssp. pruinosa		0.00								0.00								0.00						
Senna notabilis		0.00								0.00								0.00						
Senna phyllodinea	2	1.24	NT	NT	2	0	0.3			0.00							1	0.62	NT	NT	2	DD	0	
Senna planitiicola		0.00								0.00								0.00						
Senna pleurocarpa var. pleurocarpa	5	1.49	LC	LC	1	0	0.3	fire responsive	15	4.48	LC	LC	1	0	0.3	fire responsive		0.00						
Sesbania cannabina var. cannabina		0.00								0.00								0.00						
Setaria basiclada		0.00								0.00								0.00						
Setaria clementii		0.00							1	0.99	RA d(ii)	RA	3	0	0.3	limited habitat		0.00						
Setaria constricta		0.00								0.00								0.00						
Setaria dielsii	1	0.80	NT	NT	2	DD	0	in creeks, drainage lines; ephemeral		0.00							7	5.60	NT	NT	2	DD	0	in creeks, drainage lines; ephemeral
Setaria jubiflora		0.00							1	0.41	RA d(i,ii)	RA	3	DD	0	comes down from Qld, in creek lines		0.00						
Setaria reflexa	1	1.82	RA d(ii)	RA	3	DD	0			0.00								0.00						
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	93	14.86	LC	LC	1	0	0.3		41	6.55	LC	LC	1	0	0.3		4	0.64	LC	LC	1	0	0.3	
Sida argillacea		0.00								0.00								0.00						
Sida calyxhymenia		0.00								0.00								0.00						
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata		0.00								0.00								0.00						
Sida cunninghamii	39	18.57	LC	LC	1	0	0.3		18	8.57	LC	LC	1	0	0.3		1	0.48	LC	LC	1	0	0.3	
Sida everistiana		0.00								0.00								0.00						
Sida fibulifera	9	0.59	LC	LC	1	0	0.3		8	0.52	LC	LC	1	0	0.3		6	0.39	LC	LC	1	0	0.3	
Sida filiformis		0.00								0.00								0.00						
Sida goniocarpa		0.00								0.00								0.00						
Sida intricata	6	0.97	LC	LC	1	0	0.3			0.00								0.00						
Sida petrophila		0.00								0.00							2	0.14	NT	NT	2	0	0.3	
Sida phaeotricha		0.00								0.00								0.00						
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae		0.00								0.00								0.00						
Sida sp. B (C.Dunlop 1739)		0.00								0.00								0.00						
Sida sp. Everard Ranges (D.J.Whibley 1085)		0.00								0.00								0.00						
Sida sp. F (Latz 7459)		0.00							1	2.63	NE	NE	-1			taxonomic issues		0.00						
Sida sp. L (A.M.Ashby 4202)		0.00								0.00								0.00						
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00								0.00						
Sida spodochroma		0.00								0.00								0.00						
Sida trichopoda	2	0.48	NT	NT	2	0	0.3			0.00							2	0.48	LC	LC	1	0	0.3	
Sigesbeckia australiensis		0.00								0.00								0.00						
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale		0.00							1	0.64	DD	DD	0	DD	0	edge of range, query location		0.00						
Solanum chenopodinum		0.00								0.00								0.00						
Solanum cleistogamum		0.00								0.00								0.00						
Solanum coactiliferum		0.00								0.00								0.00						
Solanum eardleyae		0.00								0.00								0.00						
Solanum ellipticum	11	0.74	LC	LC	1	0	0.3		23	1.56	LC	LC	1	0	0.3		3	0.20	LC	LC	1	0	0.3	
Solanum esuriale	1	0.25	LC	LC	1	0	0.3		1	0.25	LC	LC	1	0	0.3			0.00						
Solanum ferocissimum		0.00								0.00								0.00						
Solanum lacunarium		0.00								0.00							1	1.49	RA d(ii)	RA	3	0	0.3	
Solanum lasiophyllum		0.00								0.00								0.00						
Solanum oligacanthum	24	8.99	LC	LC	1	0	0.3			0.00								0.00						
Solanum orbiculatum ssp. orbiculatum		0.00								0.00								0.00						
Solanum petrophilum		0.00								0.00								0.00						
Solanum quadriloculatum		0.00								0.00								0.00						
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum		0.00								0.00								0.00						
Sonchus hydrophilus	2	0.75	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.		0.00								0.00						
Spartothamnella teucriiflora		0.00								0.00								0.00						
Spergularia brevifolia		0.00								0.00								0.00						
Spergularia diandroides	1	2.56	DD	DD	0	DD	0	records on loan, probably common		0.00							1	2.56	DD	DD	0	DD	0	records on loan, probably common
Spergularia marina		0.00								0.00							2	0.75	NT	NT	2	0	0.3	in low-lying salty areas

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	%_Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	%_Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus	8	1.47	LC	LC	1	0	0.3			0.00							6	1.10	LC	LC	1	0	0.3	
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei		0.00								0.00								0.00						
Sporobolus caroli	1	1.59	DD	DD	0	DD	0	1 old record		0.00								0.00						
Sporobolus mitchellii	3	0.88	NT	NT	2	DD	0	restricted to river systems		0.00								0.00						
Sporobolus virginicus	3	0.67	NT	NT	2	0	0.3	hardy sp, likes salt		0.00							2	0.44	RA d(ii)	RA	3	0	0.3	hardy sp, likes salt; limited habitat
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii	1	1.79	RA d(i,ii)	RA	3	0	0.3		2	3.57	RA d(i,ii)	RA	3	0	0.3			0.00						
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00								0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	30	4.67	LC	LC	1	0	0.3		5	0.78	LC	LC	1	0	0.3		18	2.80	LC	LC	1	0	0.3	
Stemodia glabella		0.00								0.00							2	3.45	RA d(i,ii)	RA	3	DD	0	could be Vulnerable
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00								0.00						
Stemodia viscosa		0.00								0.00								0.00						
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum		0.00								0.00								0.00						
Stenopetalum decipiens		0.00								0.00								0.00						
Stenopetalum lineare		0.00								0.00							2	0.32	LC	LC	1	0	0.3	
Stenopetalum nutans		0.00								0.00								0.00						
Stenopetalum sphaerocarpum		0.00								0.00								0.00						
Stenopetalum velutinum		0.00								0.00								0.00						
Streptoglossa adscendens	3	0.94	LC	LC	1	0	0.3		1	0.31	LC	LC	1	0	0.3			0.00						
Streptoglossa cylindriceps		0.00								0.00								0.00						
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides	8	4.82	LC	LC	1	0	0.3			0.00							4	2.41	LC	LC	1	0	0.3	
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum		0.00								0.00								0.00						
Suaeda australis		0.00								0.00								0.00						
Swainsona aculicarinata		0.00								0.00								0.00						
Swainsona adenophylla	6	7.59	NT	NT	2	DD	0	edge of salt lakes		0.00							2	2.53	RA d(ii)	RA	3	DD	0	edge of salt lakes
Swainsona affinis	1	1.69	RA d(ii)	RA	3	0	0.3	edge of range	18	30.51	LC	LC	1	0	0.3			0.00						
Swainsona burkittii		0.00								0.00								0.00						
Swainsona campylantha		0.00								0.00							3	1.02	LC	LC	1	0	0.3	
Swainsona canescens		0.00								0.00								0.00						
Swainsona colutoides		0.00								0.00								0.00						
Swainsona disjuncta		0.00								0.00								0.00						
Swainsona eremaea	3	9.68	NT	NT	2	0	0.3			0.00							3	9.68	LC	LC	1	0	0.3	taxonimic problems; endemic to SA
Swainsona extrajacens		0.00								0.00								0.00						
Swainsona fissimontana		0.00								0.00								0.00						
Swainsona flavicarinata	4	5.41	NT	NT	2	DD	0		3	4.05	NT	NT	2	DD	0			0.00						
Swainsona formosa		0.00								0.00								0.00						
Swainsona laxa	10	14.49	LC	LC	1	0	0.3		11	15.94	LC	LC	1	0	0.3		5	7.25	RA d(i,ii)	RA	3	DD	0	limited habitat
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx	8	18.60	LC	LC	1	0	0.3			0.00								0.00						
Swainsona microphylla	4	2.34	LC	LC	1	0	0.3			0.00								0.00						
Swainsona minutiflora		0.00								0.00								0.00						
Swainsona oligophylla	1	1.06	RA d(i,ii)	RA	3	DD	0			0.00							3	3.19	LC	LC	1	0	0.3	
Swainsona oliveri		0.00								0.00								0.00						
Swainsona oroboides		0.00								0.00							1	0.91	NT	NT	2	DD	0	
Swainsona phacoides	52	13.44	LC	LC	1	0	0.3	sand sp	12	3.10	LC	LC	1	0	0.3	sand sp	7	1.81	LC	LC	1	0	0.3	sand sp
Swainsona purpurea	4	3.85	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Swainsona stipularis	3	1.01	NT	NT	2	DD	0	taxonomic problems with S eremaea		0.00								0.00						
Swainsona swainsonioides		0.00								0.00								0.00						
Swainsona tenuis		0.00								0.00								0.00						
Swainsona tephrotricha		0.00								0.00								0.00						
Swainsona unifoliolata		0.00								0.00								0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa		0.00							1	0.73	RA d(ii)	RA	3	DD	0	outlier		0.00						
Swainsona viridis		0.00								0.00								0.00						
Synaptantha tillaeacea var. hispidula	1	3.23	NT	NT	2	0	0.3	perennial; comes up after good rain		0.00								0.00						
Synaptantha tillaeacea var. tillaeacea		0.00								0.00								0.00						
Tecticornia arbuscula		0.00								0.00								0.00						
Tecticornia cupuliformis	2	15.38	RA d(ii)	RA	3	DD	0	ephemeral; undercollected; hard to ID; likes heavy clay; no kn		0.00							1	7.69	RA d(ii)	RA	3	DD	0	ephemeral; undercollected; hard to ID; likes heavy clay
Tecticornia disarticulata		0.00								0.00							1	0.54	NT	NT	2	0	0.3	
Tecticornia fontinalis		0.00								0.00							2	22.22	VU D2	VU	4	DD	0	endemic to SA; habitat degraded
Tecticornia halocnemoides ssp. halocnemoides	6	1.64	RA d(ii)	RA	3	DD	0	endemic to SA		0.00							1	0.27	RA d(ii)	RA	3	DD	0	endemic to SA
Tecticornia halocnemoides ssp. longispicata	14	13.59	LC	LC	1	0	0.3		2	1.94	NT	NT	2	DD	0		5	4.85	LC	LC	1	0	0.3	
Tecticornia halocnemoides ssp. tenuis	4	26.67	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Tecticornia indica ssp. bidens	1	1.54	RA d(ii)	RA	3	0	0.3			0.00							1	1.54	RA d(ii)	RA	3	0	0.3	
Tecticornia indica ssp. leiostachya	24	4.95	LC	LC	1	0	0.3	common		0.00							15	3.09	LC	LC	1	0	0.3	common
Tecticornia medullosa		0.00								0.00								0.00						
Tecticornia nitida		0.00								0.00								0.00						
Tecticornia pergranulata ssp. divaricata	5	8.62	LC	LC	1	0	0.3			0.00							4	6.90	LC	LC	1	0	0.3	
Tecticornia pergranulata ssp. elongata	2	15.38	RA d(ii)	RA	3	0	0.3			0.00							2	15.38	RA d(ii)	RA	3	0	0.3	
Tecticornia pergranulata ssp. pergranulata	4	0.87	NT	NT	2	0	0.3			0.00							3	0.65	NT	NT	2	0	0.3	
Tecticornia pruinosa	2	4.44	DD	DD	0	DD	0			0.00							4	8.89	LC	LC	1	0	0.3	
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00							1	1.25	NT	NT	2	0	0.3	edge of range
Tecticornia tenuis	10	3.34	LC	LC	1	0	0.3	arid sp.	1	0.33	LC	LC	1	0	0.3		3	1.00	LC	LC	1	0	0.3	arid sp.
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena		0.00							2	0.49	RA d(ii)	RA	3	0	0.3			0.00						
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora	46	15.86	LC	LC	1	0	0.3		25	8.62	LC	LC	1	0	0.3		4	1.38	LC	LC	1	0	0.3	
Tephrosia supina		0.00								0.00								0.00						
Tetragonia eremaea	5	0.42	LC	LC	1	0	0.3			0.00							4	0.34	LC	LC	1	0	0.3	
Tetragonia moorei	3	3.95	LC	LC	1	0	0.3			0.00							2	2.63	LC	LC	1	0	0.3	likes summer rain; grows around bores
Tetragonia tetragonioides		0.00								0.00								0.00						
Teucrium albicaule	3	10.00	NT	NT	2	DD	0	needs regular water; rocky gorges; shade		0.00								0.00						
Teucrium corymbosum		0.00								0.00								0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum	10	1.20	LC	LC	1	0	0.3			0.00							3	0.36	LC	LC	1	0	0.3	
Teucrium reidii		0.00								0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea		0.00								0.00								0.00						
Themeda triandra	1	0.07	DD	DD	0	DD	0	imprecise location; 1 old record		0.00								0.00						
Threlkeldia inchoata		0.00								0.00								0.00						
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana		0.00								0.00								0.00						
Thyridolepis multiculmis		0.00								0.00								0.00						
Thyridolepis xerophila		0.00								0.00								0.00						
Thysanotus baueri		0.00								0.00								0.00						
Thysanotus exiliflorus		0.00								0.00								0.00						
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae		0.00								0.00								0.00						
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	2	0.71	LC	LC	1	0	0.3		4	1.42	LC	LC	1	0	0.3		3	1.06	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus	9	2.37	LC	LC	1	0	0.3		6	1.58	LC	LC	1	0	0.3		7	1.85	LC	LC	1	0	0.3	
Trianthema pilosa	2	3.08	LC	LC	1	0	0.3	northern Aust sp.	28	43.08	LC	LC	1	0	0.3	northern Aust sp.		0.00						
Trianthema triquetra	18	2.21	LC	LC	1	0	0.3		2	0.25	LC	LC	1	0	0.3		17	2.09	LC	LC	1	0	0.3	
Tribulus astrocarpus		0.00								0.00								0.00						
Tribulus eichlerianus	20	6.78	LC	LC	1	0	0.3		3	1.02	LC	LC	1	0	0.3		14	4.75	LC	LC	1	0	0.3	
Tribulus hystrix	35	16.13	LC	LC	1	0	0.3	likes big red sand hills	18	8.29	LC	LC	1	0	0.3	likes big red sand hills	7	3.23	LC	LC	1	0	0.3	likes big red sand hills
Tribulus macrocarpus		0.00								0.00								0.00						
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00								0.00								0.00						
Trichanthodium skirrophorum	23	3.34	LC	LC	1	0	0.3		6	0.87	LC	LC	1	0	0.3		3	0.44	LC	LC	1	0	0.3	
Trichodesma zeylanicum var. zeylanicum	65	8.86	LC	LC	1	0	0.3		37	5.04	LC	LC	1	0	0.3		9	1.23	LC	LC	1	0	0.3	
Triglochin hexagona	1	16.67	NT	NT	2	DD	0	comes up after floods; most records are under hexagonum		0.00								0.00						
Triglochin isingiana		0.00								0.00							1	0.70	NT	NT	2	DD	0	comes up in floods; localised; habitat specific
Triglochin multifructa		0.00								0.00								0.00	VU D2	VU	4	DD	0	(no records) in permanent waterholes; localised; prone
Triglochin nana		0.00								0.00								0.00	LC	LC	1	0	0.3	(no records) undercollected; ephemeral
Triglochin sp. A (N.N.Donner 3596)		0.00								0.00								0.00						
Triglochin striata	outlier																							
Trigonella suavissima	18	5.96	LC	LC	1	0	0.3		1	0.33	RA d(ii)	RA	3	0	0.3	limited habitat	2	0.66	NT	NT	2	0	0.3	
Triodia basedowii	5	0.78	LC	LC	1	0	0.3		88	13.71	LC	LC	1	0	0.3			0.00						
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii		0.00								0.00								0.00						
Triodia irritans		0.00								0.00								0.00						
Triodia longiceps		0.00								0.00								0.00						
Triodia pungens		0.00								0.00								0.00						
Triodia scariosa		0.00								0.00								0.00						
Triodia schinzii		0.00								0.00								0.00						
Tripogon loliiformis	11	1.51	LC	LC	1	0	0.3		2	0.27	LC	LC	1	0	0.3		3	0.41	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Triraphis mollis	64	9.05	LC	LC	1	0	0.3		20	2.83	LC	LC	1	0	0.3		16	2.26	LC	LC	1	0	0.3	
Typha domingensis		0.00							4	0.91	RA d(i,ii)	RA	3	0	0.3		1	0.23	RA d(i,ii)	RA	3	DD	0	
Typhonium alismifolium		0.00								0.00								0.00						
Uranthoecium truncatum		0.00								0.00								0.00						
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00								0.00								0.00						
Velleia arguta		0.00								0.00								0.00						
Velleia connata		0.00								0.00								0.00						
Velleia glabrata		0.00								0.00								0.00						
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia		0.00								0.00								0.00						
Vittadinia arida		0.00								0.00								0.00						
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis		0.00								0.00								0.00						
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata		0.00								0.00								0.00						
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta		0.00								0.00								0.00						
Vittadinia eremaea	3	0.71	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3			0.00						
Vittadinia gracilis		0.00								0.00								0.00						
Vittadinia pterochaeta		0.00								0.00								0.00						
Vittadinia pustulata		0.00								0.00								0.00						
Vittadinia sulcata		0.00								0.00								0.00						
Wahlenbergia aridicola		0.00							1	1.54	RA d(ii)	RA	3	0	0.3	annual		0.00						
Wahlenbergia communis	1	0.15	DD	DD	0	DD	0	odd record		0.00							4	0.60	LC	LC	1	0	0.3	annual
Wahlenbergia gracilenta		0.00								0.00								0.00						
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00								0.00						
Wahlenbergia queenslandica	3	5.00	NT	NT	2	0	0.3			0.00								0.00						
Wahlenbergia stricta ssp. stricta		0.00								0.00								0.00						
Wahlenbergia tumidifructa	6	1.32	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3		3	0.66	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata		0.00								0.00								0.00						
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii		0.00								0.00								0.00						
Westringia rigida		0.00								0.00								0.00						
Wurmbea australis		0.00								0.00								0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina	4	7.41	NT	NT	2	0	0.3	endemic to SA; likes fire		0.00							4	7.41	NT	NT	2	0	0.3	endemic to SA; likes fire
Wurmbea deserticola		0.00								0.00								0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00								0.00								0.00						
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum		0.00								0.00								0.00						
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00							11	57.89	LC	LC	1	0	0.3			0.00						
Zaleya galericulata ssp. australis	1	1.85	LC	LC	1	0	0.3			0.00								0.00						
Zygochloa paradoxa	314	38.86	LC	LC	1	0	0.3		139	17.20	LC	LC	1	0	0.3		14	1.73	LC	LC	1	0	0.3	
Zygophyllum ammophilum	16	5.78	LC	LC	1	0	0.3	has been split from Z billardierei		0.00								0.00						
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. aurantiacum	4	0.54	LC	LC	1	0	0.3			0.00							2	0.27	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. simplicifolium	1	1.96	RA d(ii)	RA	3	DD	0		4	7.84	RA d(ii)	RA	3	DD	0			0.00						
Zygophyllum aurantiacum ssp. verticillatum	2	1.67	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Zygophyllum compressum	2	1.96	NT	NT	2	0	0.3	undercollected		0.00							1	0.98	RA d(ii)	RA	3	DD	0	
Zygophyllum confluens		0.00								0.00								0.00						
Zygophyllum crassissimum		0.00							1	2.17	RA d(i,ii)	RA	3	DD	0	edge of range; restricted		0.00						
Zygophyllum crenatum		0.00								0.00								0.00						
Zygophyllum eichleri		0.00								0.00								0.00						
Zygophyllum emarginatum		0.00								0.00								0.00						
Zygophyllum eremaeum		0.00								0.00								0.00						
Zygophyllum glaucum		0.00								0.00								0.00						
Zygophyllum howittii	97	25.46	LC	LC	1	0	0.3	likes sandy rises	19	4.99	LC	LC	1	0	0.3	likes sandy rises	10	2.62	LC	LC	1	0	0.3	likes sandy rises
Zygophyllum humillimum	5	5.75	LC	LC	1	0	0.3			0.00								0.00						
Zygophyllum hybridum	1	3.85	RA d(i,ii)	RA	3	0	0.3	gypseous flats; endemic to SA		0.00								0.00						
Zygophyllum iodocarpum		0.00							1	0.31	RA d(i,ii)	RA	3	DD	0			0.00						
Zygophyllum kochii		0.00								0.00								0.00						
Zygophyllum marliesiae	2	6.90	RA d(ii)	RA	3	0	0.3	endemic to SA		0.00							2	6.90	RA d(ii)	RA	3	0	0.3	endemic to SA
Zygophyllum ovatum		0.00								0.00								0.00						
Zygophyllum prismatothecum		0.00								0.00							1	0.44	NT	NT	2	DD	0	
Zygophyllum rowelliae		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	04_Dieri_Records	% Dieri	IUCN Status & Criteria (Dieri)	Regional Status (Dieri)	Regional Status Score (Dieri)	Trend (-, -, 0, +, ++) Dieri	Trend Score (Dieri)	Comments (Dieri)	05_Simpson Desert_Records	% Simpson Desert	IUCN Status & Criteria (Simpson Desert)	Regional Status (Simpson Desert)	Regional Status Score (Simpson Dsrt)	Trend (-, -, 0, +, ++) Simpson Desert	Trend Score (Simpson Dsrt)	Comments (Simpson Desert)	06_Warriner_Records	% Warriner	IUCN Status & Criteria (Warriner)	Regional Status (Warriner)	Regional Status Score (Warriner)	Trend (-, -, 0, +, ++) Warriner	Trend Score (Warriner	Comments (Warriner)
Zygophyllum simile	7	1.60	LC	LC	1	0	0.3		1	0.23	NT	NT	2	0	0.3		6	1.37	LC	LC	1	0	0.3	
Zygophyllum tesquorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Abutilon cryptopetalum ssp. cryptopetalum		0.00								0.00								0.00						
Abutilon fraseri ssp. diplotrichum		0.00								0.00								0.00						
Abutilon fraseri ssp. fraseri	1	1.43	NT	NT	2	0	0.3			0.00							5	7.14	NT	NT	2	0	0.3	
Abutilon halophilum	3	0.56	NT	NT	2	0	0.3		1	0.19	RA d(ii)	RA	3	DD	0		34	6.32	LC	LC	1	0	0.3	
Abutilon leucopetalum	7	0.84	LC	LC	1	0	0.3		4	0.48	LC	LC	1	0	0.3		34	4.10	LC	LC	1	0	0.3	
Abutilon macrum		0.00								0.00								0.00						
Abutilon malvaefolium	6	7.79	LC	LC	1	0	0.3		3	3.90	LC	LC	1	0	0.3		8	10.39	LC	LC	1	0	0.3	
Abutilon otocarpum	37	7.16	LC	LC	1	0	0.3		24	4.64	LC	LC	1	0	0.3		24	4.64	LC	LC	1	0	0.3	
Abutilon oxycarpum var. oxycarpum		0.00								0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00								0.00						
Acacia adsurgens		0.00							9	100.00	VU D2	VU	4	0	0.3	outlier in SA		0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura		0.00							6	1.24	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	1	0.21	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia		0.00								0.00								0.00						
Acacia aneura var. major		0.00								0.00								0.00						
Acacia aneura var. microcarpa		0.00								0.00								0.00						
Acacia aneura var. tenuis		0.00								0.00								0.00						
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana		0.00								0.00								0.00						
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megaspherica		0.00								0.00								0.00						
Acacia brachystachya	3	2.33	NT	NT	2	0	0.3			0.00							2	1.55	NT	NT	2	0	0.3	
Acacia burkittii		0.00								0.00								0.00						
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola		0.00								0.00								0.00						
Acacia cambagei	8	3.11	LC	LC	1	0	0.3		1	0.39	NT	NT	2	0	0.3		31	12.06	LC	LC	1	0	0.3	
Acacia carneorum		0.00								0.00								0.00						
Acacia clelandii		0.00								0.00								0.00						
Acacia confluens		0.00								0.00								0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla	10	9.52	LC	LC	1	0	0.3		7	6.67	LC	LC	1	0	0.3		43	40.95	LC	LC	1	0	0.3	
Acacia dictyophleba	1	1.39	RA d(i,ii)	RA	3	DD	0		7	9.72	LC	LC	1	0	0.3		12	16.67	NT	NT	2	0	0.3	
Acacia elachantha		0.00							1	100.00	RA d(i,ii)	RA	3	DD	0	edge of range; northern sp; could be extinct		0.00						
Acacia estrophiolata		0.00								0.00								0.00						
Acacia georginae		0.00								0.00							1	4.35	RA d(ii)	RA	3	0	0.3	Martin O'Leary knows of more records
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00								0.00								0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana		0.00								0.00								0.00						
Acacia latzii		0.00								0.00								0.00						
Acacia ligulata	51	1.73	LC	LC	1	0	0.3		52	1.77	LC	LC	1	0	0.3		57	1.94	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00								0.00						
Acacia melleodora		0.00								0.00								0.00						
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura		0.00								0.00								0.00						
Acacia murrayana	47	9.71	LC	LC	1	0	0.3		23	4.75	LC	LC	1	0	0.3		16	3.31	LC	LC	1	0	0.3	
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla		0.00								0.00								0.00						
Acacia olgana		0.00								0.00								0.00						
Acacia oswaldii	35	1.69	LC	LC	1	0	0.3	grazed by camels	7	0.34	NT	NT	2	0	0.3		25	1.21	LC	LC	1	0	0.3	grazed by camels
Acacia pachyacra		0.00								0.00								0.00						
Acacia papyrocarpa		0.00								0.00								0.00						
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura		0.00							1	2.50	NE	NE	-1			taxonomic issues, will be split into 2		0.00						
Acacia pickardii		0.00								0.00							34	87.18	RA d(ii)	RA	3	0	0.3	clonal, long-lived
Acacia prainii		0.00								0.00								0.00						
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa		0.00								0.00								0.00						
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla		0.00								0.00								0.00						
Acacia ramulosa var. ramulosa	1	1.03	NE	NE	-1			taxonomic issues	4	4.12	NE	NE	-1			taxonomic issues	3	3.09	NE	NE	-1			taxonomic issues
Acacia rhodophloia		0.00								0.00								0.00						
Acacia rigens		0.00								0.00								0.00						
Acacia rivalis		0.00								0.00								0.00						
Acacia salicina	42	7.29	LC	LC	1	0	0.3		3	0.52	RA d(i,ii)	RA	3	DD	0		14	2.43	LC	LC	1	0	0.3	
Acacia sericophylla		0.00							13	50.00	VU D1 + D2	VU	4	DD	0	edge of range; long-lived		0.00						
Acacia sibirica		0.00								0.00							1	0.43	VU D2	VU	4	DD	0	
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla	66	8.54	LC	LC	1	0	0.3		11	1.42	LC	LC	1	0	0.3		14	1.81	LC	LC	1	0	0.3	
Acacia strongylophylla		0.00								0.00								0.00						
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00							5	45.45	VU D2	VU	4	DD	0	localised; could be D1 also (ie < 1000 plants)		0.00						
Acacia tetragonophylla	17	0.83	LC	LC	1	0	0.3		4	0.20	LC	LC	1	0	0.3		26	1.27	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00								0.00						
Acacia victoriae ssp. arida	15	17.86	NE	NE	-1					0.00							9	10.71	NE	NE	-1			taxonomic issues
Acacia victoriae ssp. victoriae	20	1.36	LC	LC	1	0	0.3		7	0.47	LC	LC	1	0	0.3		9	0.61	LC	LC	1	0	0.3	
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum		0.00								0.00								0.00						
Adriana tomentosa var. hookeri		0.00							8	23.53	RA d(ii)	RA	3	DD	0			0.00						
Aeschynomene indica	12	16.44	NT	NT	2	0	0.3	easily spread	3	4.11	RA d(ii)	RA	3	0	0.3		20	27.40	NT	NT	2	0	0.3	
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens	2	0.10	RA d(ii)	RA	3	DD	0	outlier		0.00								0.00						
Allocasuarina decaisneana		0.00								0.00								0.00						
Allocasuarina helmsii		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia	2	2.11	NT	NT	2	0	0.3	ephemeral in SA	2	2.11	NT	NT	2	0	0.3	ephemeral in SA	17	17.89	LC	LC	1	0	0.3	ephemeral in SA
Alternanthera denticulata	8	2.21	LC	LC	1	0	0.3		8	2.21	LC	LC	1	0	0.3		23	6.35	LC	LC	1	0	0.3	
Alternanthera nana	1	6.25	DD	DD	0	DD	0	lack of info.		0.00								0.00						
Alternanthera nodiflora	68	31.78	LC	LC	1	0	0.3		2	0.93	LC	LC	1	0	0.3		18	8.41	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. auriculata		0.00								0.00								0.00						
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00								0.00						
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana		0.00								0.00								0.00						
Amaranthus centralis		0.00								0.00							1	14.29	DD	DD	0	DD	0	records on loan & not databased; undercollected also
Amaranthus cuspidifolius	1	3.03	DD	DD	0	DD	0	records on loan		0.00								0.00						
Amaranthus grandiflorus	6	6.25	LC	LC	1	0	0.3			0.00							7	7.29	LC	LC	1	0	0.3	
Amaranthus interruptus		0.00								0.00							2	8.00	RA d(ii)	RA	3	0	0.3	probably increasing; likes disturbance
Amaranthus macrocarpus var. macrocarpus	2	40.00	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Amaranthus mitchellii	3	3.03	LC	LC	1	0	0.3	dislikes saline ground	1	1.01	LC	LC	1	0	0.3	dislikes saline ground	6	6.06	LC	LC	1	0	0.3	dislikes saline ground
Ammannia multiflora	7	6.54	LC	LC	1	0	0.3			0.00							7	6.54	LC	LC	1	0	0.3	
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus		0.00							3	0.51	NT	NT	2	DD	0	comes up after rain		0.00						
Amyema fitzgeraldii		0.00								0.00								0.00						
Amyema gibberula var. gibberula		0.00								0.00								0.00						
Amyema hilliana		0.00								0.00								0.00						
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii	2	0.33	NT	NT	2	0	0.3	eaten by camels		0.00							4	0.66	NT	NT	2	0	0.3	eaten by camels
Amyema miquelii		0.00							1	0.06	RA d(i,ii)	RA	3	DD	0			0.00						
Amyema miraculosa ssp. boormanii	1	0.34	RA d(i,ii)	RA	3	DD	0	outlier		0.00								0.00						
Amyema preissii	20	2.07	LC	LC	1	0	0.3			0.00							14	1.45	LC	LC	1	0	0.3	
Amyema quandang var. quandang		0.00								0.00							8	2.12	NT	NT	2	0	0.3	host Acacia pyrocarpa & others
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana		0.00								0.00								0.00						
Anemocarpa podolepidium	1	0.33	RA d(i,ii)	RA	3	0	0.3	restricted, outlier		0.00							32	10.56	LC	LC	1	0	0.3	
Anemocarpa saxatilis		0.00								0.00								0.00						
Angianthus brachypappus		0.00								0.00								0.00						
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus		0.00								0.00								0.00						
Anogramma leptophylla		0.00								0.00								0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena	18	18.75	LC	LC	1	0	0.3		14	14.58	LC	LC	1	0	0.3		13	13.54	LC	LC	1	0	0.3	
Arabidella filifolia		0.00								0.00								0.00						
Arabidella glaucescens		0.00							1	0.48	RA d(ii)	RA	3	0	0.3		17	8.21	LC	LC	1	0	0.3	
Arabidella nasturtium		0.00								0.00								0.00						
Arabidella procumbens	4	8.16	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground		0.00							3	6.12	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground
Arabidella trisecta		0.00								0.00							11	1.87	LC	LC	1	0	0.3	likes rocky outcrops
Aristida anthoxanthoides	9	5.14	LC	LC	1	0	0.3	short-lived; seasonal	2	1.14	LC	LC	1	0	0.3	short-lived; seasonal	16	9.14	LC	LC	1	0	0.3	short-lived; seasonal
Aristida arida		0.00								0.00								0.00						
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia		0.00								0.00								0.00						
Aristida contorta	26	1.30	LC	LC	1	0	0.3		51	2.56	LC	LC	1	0	0.3		97	4.86	LC	LC	1	0	0.3	
Aristida holathera var. holathera	32	3.52	LC	LC	1	0	0.3	tolerates grazing	49	5.38	LC	LC	1	0	0.3		35	3.85	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Aristida inaequiglumis		0.00							7	28.00	NT	NT	2	DD	0	disjunct pop; grows along creeks; likes good soils		0.00						
Aristida jerichoensis var. subspinulifera		0.00								0.00								0.00						
Aristida latifolia	7	6.36	LC	LC	1	0	0.3	stony, gibber habitat	1	0.91	LC	LC	1	0	0.3	stony, gibber habitat	25	22.73	LC	LC	1	0	0.3	stony, gibber habitat
Aristida nitidula	1	0.16	RA d(i,ii)	RA	3	DD	0	lack of habitat		0.00							3	0.48	RA d(ii)	RA	3	DD	0	lack of habitat
Aristida obscura		0.00								0.00								0.00						
Aristida personata		0.00								0.00							3	9.09	NT	NT	2	+	0.2	could be introduced via stock from East coast
Aristida strigosa		0.00								0.00							1	1.67	DD	DD	0	DD	0	1 old record
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum		0.00								0.00								0.00						
Asperula conferta		0.00								0.00								0.00						
Asperula gemella	8	6.72	RA d(ii)	RA	3	0	0.3	river/creek sp.		0.00								0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea	3	2.94	LC	LC	1	0	0.3			0.00							9	8.82	LC	LC	1	0	0.3	
Astrebla pectinata	13	1.78	LC	LC	1	0	0.3		5	0.68	LC	LC	1	0	0.3		126	17.24	LC	LC	1	0	0.3	
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca	45	20.83	LC	LC	1	0	0.3		41	18.98	LC	LC	1	0	0.3		45	20.83	LC	LC	1	0	0.3	
Atriplex acutibractea ssp. acutibractea		0.00								0.00								0.00						
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba		0.00								0.00								0.00						
Atriplex angulata	32	5.61	LC	LC	1	0	0.3		7	1.23	LC	LC	1	0	0.3		48	8.42	LC	LC	1	0	0.3	
Atriplex cordifolia	2	4.65	NT	NT	2	0	0.3	not common; endemic		0.00							8	18.60	NT	NT	2	0	0.3	not common; endemic
Atriplex crassipes var. crassipes	33	56.90	LC	LC	1	0	0.3		2	3.45	NT	NT	2	0	0.3			0.00						
Atriplex eardleyae	6	2.14	LC	LC	1	0	0.3			0.00								0.00						
Atriplex eichleri		0.00								0.00								0.00						
Atriplex elachophylla	2	1.67	RA d(ii)	RA	3	DD	0			0.00								0.00						
Atriplex fissivalvis	1	0.52	LC	LC	1	0	0.3	ephemeral		0.00							17	8.85	LC	LC	1	0	0.3	ephemeral
Atriplex holocarpa	22	2.29	LC	LC	1	0	0.3		6	0.63	LC	LC	1	0	0.3		35	3.65	LC	LC	1	0	0.3	
Atriplex humifusa		0.00								0.00								0.00						
Atriplex incrassata		0.00								0.00							3	5.08	RA d(ii)	RA	3	DD	0	
Atriplex intermedia	35	53.03	LC	LC	1	0	0.3			0.00								0.00						
Atriplex kochiana		0.00								0.00								0.00						
Atriplex leptocarpa	29	9.97	LC	LC	1	0	0.3			0.00							2	0.69	NT	NT	2	DD	0	
Atriplex limbata	20	4.67	LC	LC	1	0	0.3		4	0.93	LC	LC	1	0	0.3		15	3.50	LC	LC	1	0	0.3	
Atriplex lindleyi ssp. conduplicata	3	2.14	LC	LC	1	0	0.3	endemic to SA	1	0.71	LC	LC	1	0	0.3	endemic to SA	12	8.57	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. inflata	1	0.72	NT	NT	2	0	0.3	endemic to SA; undercollected		0.00								0.00						
Atriplex lindleyi ssp. lindleyi		0.00								0.00							6	2.82	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. quadripartita		0.00								0.00								0.00						
Atriplex lobativalvis	3	5.17	LC	LC	1	0	0.3		7	12.07	LC	LC	1	0	0.3		5	8.62	LC	LC	1	0	0.3	
Atriplex macropterocarpa		0.00								0.00							1	3.70	NT	NT	2	DD	0	undercollected
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri	17	32.69	LC	LC	1	0	0.3		3	5.77	LC	LC	1	0	0.3		5	9.62	LC	LC	1	0	0.3	
Atriplex nummularia ssp. nummularia	16	8.56	LC	LC	1	0	0.3		2	1.07	LC	LC	1	0	0.3		21	11.23	LC	LC	1	0	0.3	
Atriplex nummularia ssp. omissa		0.00								0.00								0.00						
Atriplex obconica		0.00								0.00								0.00						
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata	23	26.74	LC	LC	1	0	0.3			0.00							6	6.98	LC	LC	1	0	0.3	
Atriplex pumilio	3	5.17	NT	NT	2	0	0.3			0.00							1	1.72	NT	NT	2	0	0.3	
Atriplex quadrivalvata var. quadrivalvata		0.00								0.00								0.00						
Atriplex quadrivalvata var. sessilifolia		0.00								0.00								0.00						
Atriplex quinii	1	0.56	RA d(ii)	RA	3	0	0.3	restricted		0.00							7	3.95	LC	LC	1	0	0.3	
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa	93	13.38	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	18	2.59	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	92	13.24	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land
Atriplex stipitata		0.00								0.00								0.00						
Atriplex suberecta	1	0.31	NT	NT	2	0	0.3	grows in flooded claypans		0.00								0.00						
Atriplex turbinata		0.00								0.00								0.00						
Atriplex velutinella	75	14.42	LC	LC	1	0	0.3		9	1.73	LC	LC	1	0	0.3		14	2.69	LC	LC	1	0	0.3	
Atriplex vesicaria ssp. calcicola		0.00								0.00							1	4.00	LC	LC	1	0	0.3	lots of records not id'd to ssp
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha	15	45.45	LC	LC	1	0	0.3			0.00							2	6.06	NT	NT	2	0	0.3	
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa		0.00								0.00								0.00						
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila		0.00								0.00								0.00						
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida		0.00								0.00							1	0.03	NT	NT	2	DD	0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Austrostipa nodosa		0.00								0.00								0.00						
Austrostipa nullanulla		0.00								0.00								0.00						
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta		0.00								0.00								0.00						
Austrostipa plumigera		0.00								0.00								0.00						
Austrostipa scabra ssp. falcata		0.00								0.00								0.00						
Austrostipa scabra ssp. scabra		0.00								0.00								0.00						
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla		0.00								0.00								0.00						
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides	9	3.70	LC	LC	1	0	0.3	ephemeral; needs water; comes up in large numbers		0.00								0.00						
Baeckea tuberculata		0.00								0.00								0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva	57	47.90	LC	LC	1	0	0.3		9	7.56	LC	LC	1	0	0.3		21	17.65	LC	LC	1	0	0.3	
Baumea arthrophylla		0.00								0.00								0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00								0.00								0.00						
Bergia ammannioides	6	54.55	NT	NT	2	0	0.3			0.00							5	45.45	NT	NT	2	0	0.3	
Bergia diacheiron	1	20.00	NT	NT	2	0	0.3		1	20.00	NT	NT	2	0	0.3			0.00						
Bergia occultipetala		0.00							6	33.33	NT	NT	2	0	0.3			0.00						
Bergia pedicellaris		0.00	NT	NT	2	0	0.3	(no records), flood sp		0.00							3	50.00	NT	NT	2	0	0.3	flood sp
Bergia perennis ssp. exigua		0.00								0.00								0.00						
Bergia trimera	16	13.56	LC	LC	1	0	0.3	comes & goes	5	4.24	LC	LC	1	0	0.3	comes & goes	11	9.32	LC	LC	1	0	0.3	comes & goes
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens	3	4.62	LC	LC	1	0	0.3		7	10.77	LC	LC	1	0	0.3		2	3.08	LC	LC	1	0	0.3	
Blennodia pterosperma	17	14.41	LC	LC	1	0	0.3		4	3.39	LC	LC	1	0	0.3		6	5.08	LC	LC	1	0	0.3	
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea		0.00							2	1.18	LC	LC	1	0	0.3		15	8.82	LC	LC	1	0	0.3	
Boerhavia dominii	15	2.13	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	2	0.28	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	18	2.56	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance
Boerhavia repleta		0.00								0.00								0.00						
Boerhavia schomburgkiana	20	6.33	LC	LC	1	0	0.3	undercollected; grows in summer	12	3.80	LC	LC	1	0	0.3	undercollected; grows in summer	26	8.23	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii		0.00								0.00							11	2.89	NT	NT	2	0	0.3	
Bonamia deserticola		0.00							1	100.00	RA d(i,ii)	RA	3	DD	0	unusual outlier, Northern Territory sp		0.00						
Bonamia erecta		0.00								0.00								0.00						
Bonamia media		0.00							2	66.67	RA d(i,ii)	RA	3	DD	0	southern edge of range	1	33.33	RA d(i,ii)	RA	3	DD	0	southern edge of range
Bothriochloa ewartiana		0.00							3	6.00	LC	LC	1	0	0.3		3	6.00	LC	LC	1	0	0.3	
Bothriochloa macra		0.00								0.00								0.00						
Brachiaria gilesii	1	7.69	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent		0.00							2	15.38	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent
Brachiaria notochthona	1	7.69	NT	NT	2	0	0.3	undercollected, ephemeral, rain dependent		0.00								0.00						
Brachiaria piligera	1	1.96	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral	1	1.96	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral	7	13.73	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral
Brachiaria praetervisa	2	1.41	LC	LC	1	0	0.3	likes flooded areas; ephemeral		0.00							6	4.23	LC	LC	1	0	0.3	likes flooded areas; ephemeral
Brachyachne ciliaris		0.00								0.00							17	25.00	LC	LC	1	0	0.3	
Brachychiton gregorii		0.00								0.00								0.00						
Brachyscome blackii		0.00								0.00								0.00						
Brachyscome campylocarpa	2	13.33	LC	LC	1	0	0.3	undercollected		0.00							5	33.33	LC	LC	1	0	0.3	
Brachyscome ciliaris var. ciliaris		0.00								0.00								0.00						
Brachyscome ciliaris var. lanuginosa	4	0.68	LC	LC	1	0	0.3	under represented		0.00							8	1.36	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lyrifolia		0.00								0.00								0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00								0.00								0.00						
Brachyscome dichromosomatica var. dichromosomatica		0.00								0.00								0.00						
Brachyscome eriogona		0.00								0.00								0.00						
Brachyscome iberidifolia		0.00								0.00								0.00						
Brachyscome lineariloba		0.00								0.00							1	0.07	NE	NE	-1			taxonomic issues
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara	8	100.00	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Brachyscome tesquorum		0.00								0.00								0.00						
Brachyscome trachycarpa		0.00								0.00								0.00						
Bromus arenarius	1	0.26	NT	NT	2	0	0.3			0.00								0.00						
Brunonia australis		0.00								0.00								0.00						
Bulbine alata	19	6.21	LC	LC	1	0	0.3		6	1.96	LC	LC	1	0	0.3		5	1.63	LC	LC	1	0	0.3	
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata	9	0.84	NE	NE	-1			taxonomic issues, could be alata	4	0.37	NE	NE	-1			taxonomic issues, could be alata	13	1.21	NE	NE	-1			taxonomic issues, could be alata
Bulbostylis barbata	1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral	5	16.67	NT	NT	2	0	0.3	common after summer rain; ephemeral		0.00						
Bulbostylis pyriformis		#DIV/0!								#DIV/0!														
Bulbostylis turbinata		0.00								0.00								0.00						
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis		0.00							4	3.81	NT	NT	2	0	0.3			0.00						
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma		0.00								0.00								0.00						
Calandrinia eremaea	3	0.23	NT	NT	2	0	0.3		2	0.15	NT	NT	2	0	0.3			0.00						
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra		0.00								0.00								0.00						
Calandrinia ptychosperma	5	4.59	NT	NT	2	0	0.3		5	4.59	LC	LC	1	0	0.3		5	4.59	NT	NT	2	0	0.3	
Calandrinia pumila	3	8.57	RA d(i,ii)	RA	3	0	0.3		2	5.71	RA d(i,ii)	RA	3	0	0.3			0.00						
Calandrinia remota		0.00							15	15.31	LC	LC	1	0	0.3			0.00						
Calandrinia reticulata		0.00								0.00								0.00						
Calandrinia stagnensis	4	57.14	RA d(ii)	RA	3	DD	0			0.00							1	14.29	DD	DD	0	DD	0	check ID
Calandrinia volubilis		0.00								0.00								0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi	2	8.70	LC	LC	1	0	0.3	undercollected, very small, occurs in large numbers in	1	4.35	RA d(ii)	RA	3	0	0.3	undercollected, very small, occurs in large numbers in	1	4.35	NT	NT	2	0	0.3	undercollected, very small, occurs in large numbers in
Callitris glaucophylla		0.00								0.00								0.00						
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii		0.00								0.00								0.00						
Calocephalus platycephalus	24	6.92	LC	LC	1	0	0.3		20	5.76	LC	LC	1	0	0.3		14	4.03	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00								0.00								0.00						
Calostemma luteum	4	14.29	NT	NT	2	0	0.3			0.00							3	10.71	NT	NT	2	0	0.3	
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa	19	48.72	LC	LC	1	0	0.3			0.00							4	10.26	NT	NT	2	0	0.3	
Calotis cymbacantha		0.00							1	0.30	LC	LC	1	0	0.3			0.00						
Calotis erinacea	11	2.51	LC	LC	1	0	0.3		14	3.19	LC	LC	1	0	0.3		5	1.14	LC	LC	1	0	0.3	
Calotis hispidula	44	2.07	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	21	0.99	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	35	1.65	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei		0.00								0.00								0.00						
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula	1	0.64	DD	DD	0	DD	0		1	0.64	DD	DD	0	DD	0			0.00						
Calotis multicaulis	3	1.85	RA d(i,ii)	RA	3	DD	0		1	0.62	RA d(i,ii)	RA	3	DD	0		1	0.62	RA d(ii)	RA	3	DD	0	
Calotis plumulifera	22	5.31	LC	LC	1	0	0.3		16	3.86	LC	LC	1	0	0.3		39	9.42	LC	LC	1	DD	0	
Calotis porphyroglossa	39	34.82	LC	LC	1	0	0.3		14	12.50	LC	LC	1	0	0.3		9	8.04	LC	LC	1	0	0.3	
Calotis scabiosifolia var. scabiosifolia		0.00								0.00								0.00						
Calytrix carinata		0.00								0.00								0.00						
Calytrix gypsophila		0.00								0.00								0.00						
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii	10	6.06	LC	LC	1	0	0.3		6	3.64	LC	LC	1	0	0.3		19	11.52	LC	LC	1	0	0.3	
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca		0.00								0.00							2	6.25	RA d(ii)	RA	3	0	0.3	endemic to SA
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis		0.00								0.00								0.00						
Cassytha flindersii		0.00								0.00								0.00						
Casuarina pauper		0.00								0.00								0.00						
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00								0.00						
Centipeda crateriformis ssp. crateriformis	7	8.05	LC	LC	1	0	0.3		2	2.30	LC	LC	1	0	0.3			0.00						
Centipeda cunninghamii	6	3.17	LC	LC	1	0	0.3		2	1.06	LC	LC	1	0	0.3		4	2.12	LC	LC	1	0	0.3	
Centipeda minima ssp. minima	2	3.33	RA d(i,ii)	RA	3	DD	0		1	1.67	RA d(i,ii)	RA	3	DD	0		1	1.67	RA d(i,ii)	RA	3	DD	0	
Centipeda nidiformis	1	5.56	NT	NT	2	0	0.3	restricted to flood plains; common during good season		0.00							1	5.56	NT	NT	2	0	0.3	restricted to flood plains; common during good season
Centipeda pleiocephala		0.00							1	4.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral		0.00						
Centipeda thespidioides	3	1.55	LC	LC	1	0	0.3		3	1.55	LC	LC	1	0	0.3		8	4.15	LC	LC	1	0	0.3	
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica	2	5.41	NT	NT	2	0	0.3		1	2.70	NT	NT	2	0	0.3			0.00						
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii		0.00								0.00								0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla		0.00								0.00							4	0.38	RA d(ii)	RA	3	0	0.3	edge of range, limited habitat
Cheilanthes sieberi ssp. pseudovellea		0.00								0.00							1	5.88	RA d(i,ii)	RA	3	DD	0	likes rich soils
Cheilanthes sieberi ssp. sieberi		0.00								0.00								0.00						
Chenopodium auricomum	58	18.18	LC	LC	1	0	0.3		13	4.08	LC	LC	1	0	0.3		36	11.29	LC	LC	1	0	0.3	
Chenopodium curvispicatum		0.00							4	0.52	NT	NT	2	DD	0			0.00						
Chenopodium desertorum ssp. anidiophyllum		0.00							1	0.69	LC	LC	1	0	0.3	on creeklines		0.00						
Chenopodium desertorum ssp. desertorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Chenopodium desertorum ssp. microphyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00								0.00						
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum	35	11.99	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3		3	1.03	LC	LC	1	0	0.3	
Chloris pectinata	4	2.94	LC	LC	1	0	0.3		1	0.74	LC	LC	1	0	0.3		9	6.62	LC	LC	1	0	0.3	
Chloris truncata		0.00								0.00								0.00						
Chrysocephalum apiculatum		0.00							1	0.09	RA d(i,ii)	RA	3	DD	0	limited habitat	4	0.35	RA d(i,ii)	RA	3	DD	0	
Chrysocephalum eremaeum		0.00							24	8.48	LC	LC	1	0	0.3		4	1.41	LC	LC	1	0	0.3	
Chrysocephalum pterochaetum	3	0.87	NT	NT	2	0	0.3		1	0.29	NT	NT	2	0	0.3		8	2.31	NT	NT	2	0	0.3	
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax	2	8.70	NT	NT	2	0	0.3	grows in rocky creeklines; limited habitat	4	17.39	LC	LC	1	0	0.3	grows in rocky creeklines	9	39.13	LC	LC	1	0	0.3	grows in rocky creeklines
Chthonocephalus pseudevax		0.00								0.00								0.00						
Citrus glauca		0.00								0.00								0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens		0.00								0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa	3	2.46	LC	LC	1	0	0.3		3	2.46	LC	LC	1	0	0.3		5	4.10	LC	LC	1	0	0.3	
Codonocarpus cotinifolius		0.00							1	0.35	RA d(i,ii)	RA	3	-	0.4	grazed	2	0.70	RA d(i,ii)	RA	3	-	0.4	grazed
Codonocarpus pyramidalis		0.00								0.00								0.00						
Comesperma viscidulum		0.00								0.00								0.00						
Commelina ensifolia		0.00								0.00								0.00						
Commicarpus australis		0.00								0.00								0.00						
Convolvulus clementii	4	2.07	LC	LC	1	0	0.3	more NC records	21	10.88	LC	LC	1	0	0.3		6	3.11	LC	LC	1	0	0.3	
Convolvulus crispifolius		0.00								0.00								0.00						
Convolvulus eyreanus	6	7.06	LC	LC	1	0	0.3			0.00							7	8.24	LC	LC	1	0	0.3	
Convolvulus microsepalus		0.00								0.00								0.00						
Convolvulus recurvatus ssp. nullarborensis		0.00								0.00								0.00						
Convolvulus recurvatus ssp. recurvatus		0.00								0.00								0.00						
Convolvulus remotus	2	0.11	LC	LC	1	0	0.3		3	0.17	LC	LC	1	0	0.3		14	0.80	LC	LC	1	0	0.3	
Convolvulus tedmoorei	8	#DIV/0!	VU D2	VU	4	0	0.3	(no records in BDBSA), newly recognised for SA; only known from 1 location, 8 records in Census																
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea		0.00								0.00								0.00						
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis	2	4.55	NT	NT	2	0	0.3	undercollected; scattered throughout	29	65.91	LC	LC	1	0	0.3		6	13.64	LC	LC	1	0	0.3	
Corynotheca micrantha var. divaricata		0.00							13	41.94	NT	NT	2	0	0.3		2	6.45	RA d(ii)	RA	3	DD	0	
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata		0.00								0.00							1	0.08	DD	DD	0	DD	0	
Crassula colorata var. colorata		0.00								0.00								0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera	1	0.60	NT	NT	2	0	0.3	records missing due to taxo changes		0.00								0.00						
Cratystylis conocephala		0.00								0.00								0.00						
Cremnothamnus thomsonii		0.00								0.00								0.00						
Cressa australis	62	23.94	LC	LC	1	0	0.3	likes clay, low-lying areas		0.00							6	2.32	LC	LC	1	0	0.3	likes clay, low-lying areas
Crinum flaccidum	17	9.14	LC	LC	1	0	0.3		5	2.69	LC	LC	1	0	0.3		7	3.76	LC	LC	1	0	0.3	
Crotalaria cunninghamii ssp. sturtii	23	15.97	LC	LC	1	0	0.3		22	15.28	LC	LC	1	0	0.3		17	11.81	LC	LC	1	0	0.3	
Crotalaria eremaea ssp. eremaea	31	8.16	LC	LC	1	0	0.3		24	6.32	LC	LC	1	0	0.3		21	5.53	LC	LC	1	0	0.3	
Crotalaria eremaea ssp. strehlowii	1	0.43	RA d(ii)	RA	3	0	0.3		2	0.85	NT	NT	2	0	0.3		2	0.85	NT	NT	2	0	0.3	
Crotalaria medicaginea var. neglecta		0.00							5	62.50	NT	NT	2	0	0.3			0.00						
Crotalaria novae-hollandiae ssp. lasiophylla		0.00								0.00								0.00						
Crotalaria smithiana	12	18.75	LC	LC	1	0	0.3		3	4.69	LC	LC	1	0	0.3		12	18.75	LC	LC	1	0	0.3	
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus	10	3.16	LC	LC	1	0	0.3	now known as C argenteus	8	2.53	LC	LC	1	0	0.3	now known as C argenteus	24	7.59	LC	LC	1	0	0.3	now known as C argenteus
Cucumis melo	17	24.29	LC	LC	1	0	0.3		2	2.86	LC	LC	1	0	0.3		17	24.29	LC	LC	1	0	0.3	
Cullen australasicum	15	1.88	LC	LC	1	0	0.3		10	1.25	LC	LC	1	0	0.3		36	4.52	LC	LC	1	0	0.3	
Cullen cinereum	61	24.21	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.	12	4.76	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.	22	8.73	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.
Cullen discolor	9	6.62	LC	LC	1	0	0.3			0.00							2	1.47	NT	NT	2	DD	0	
Cullen graveolens	2	0.90	NT	NT	2	0	0.3	ephemeral, likes stony country, flood-outs, spreads easily		0.00							22	9.95	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas
Cullen pallidum	31	13.72	LC	LC	1	0	0.3		16	7.08	LC	LC	1	0	0.3		11	4.87	LC	LC	1	0	0.3	
Cullen parvum		0.00								0.00								0.00						
Cullen patens	1	1.72	NT	NT	2	DD	0	undercollected		0.00							6	10.34	LC	LC	1	0	0.3	
Cuphonotus andraeanus		0.00								0.00								0.00						
Cuphonotus humistratus		0.00								0.00								0.00						
Cuscuta victoriana	1	2.94	NT	NT	2	0	0.3	parasitic sp; very cryptic		0.00							1	2.94	NT	NT	2	0	0.3	parasitic sp; very cryptic
Cymbopogon ambiguus		0.00							1	0.10	RA d(ii)	RA	3	DD	0			0.00						
Cymbopogon obtectus	1	0.35	RA d(ii)	RA	3	DD	0		30	10.53	LC	LC	1	0	0.3		3	1.05	NT	NT	2	-	0.4	cattle
Cynanchum floribundum	48	19.35	LC	LC	1	0	0.3		7	2.82	LC	LC	1	0	0.3		31	12.50	LC	LC	1	0	0.3	
Cynoglossum australe		0.00								0.00								0.00						
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00								0.00						
Cyperus bifax	3	20.00	RA d(ii)	RA	3	DD	0			0.00								0.00						
Cyperus bulbosus	6	3.57	LC	LC	1	0	0.3	needs drainage lines	1	0.60	RA d(ii)	RA	3	0	0.3	needs drainage lines	12	7.14	LC	LC	1	0	0.3	needs drainage lines
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis		0.00								0.00								0.00						
Cyperus concinnus		0.00							3	100.00	RA d(ii)	RA	3	0	0.3			0.00						
Cyperus dactylotes		0.00							8	34.78	RA d(ii)	RA	3	0	0.3		6	26.09	RA d(ii)	RA	3	0	0.3	
Cyperus difformis	8	7.92	LC	LC	1	0	0.3		1	0.99	LC	LC	1	0	0.3		5	4.95	LC	LC	1	0	0.3	
Cyperus exaltatus	15	15.31	LC	LC	1	0	0.3	in creek lines		0.00							5	5.10	NT	NT	2	0	0.3	in creek lines
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii	1	2.44	NT	NT	2	0	0.3	undercollected	1	2.44	RA d(I,ii)	RA	3	0	0.3		2	4.88	NT	NT	2	0	0.3	
Cyperus gymnocaulos	43	4.66	LC	LC	1	0	0.3			0.00							10	1.08	LC	LC	1	0	0.3	
Cyperus iria	3	3.61	LC	LC	1	0	0.3		1	1.20	LC	LC	1	0	0.3		12	14.46	LC	LC	1	0	0.3	
Cyperus laevigatus	1	0.27	RA d(i,ii)	RA	3	DD	0	needs permanent water		0.00							10	2.70	LC	LC	1	0	0.3	needs permanent water
Cyperus nervulosus		0.00							1	12.50	NT	NT	2	DD	0	outlier		0.00						
Cyperus pygmaeus	6	9.23	LC	LC	1	0	0.3			0.00							3	4.62	NT	NT	2	0	0.3	
Cyperus rigidellus	3	2.56	LC	LC	1	0	0.3		1	0.85	LC	LC	1	0	0.3		11	9.40	LC	LC	1	0	0.3	
Cyperus squarrosus	4	5.00	LC	LC	1	0	0.3		6	7.50	LC	LC	1	0	0.3		8	10.00	LC	LC	1	0	0.3	
Cyperus vaginatus		0.00								0.00								0.00						
Cyperus victoriensis	11	5.58	LC	LC	1	0	0.3		3	1.52	LC	LC	1	0	0.3		16	8.12	LC	LC	1	0	0.3	
Dactyloctenium radulans	58	8.10	LC	LC	1	0	0.3		10	1.40	LC	LC	1	0	0.3		101	14.11	LC	LC	1	0	0.3	
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus	14	0.37	LC	LC	1	0	0.3		7	0.19	LC	LC	1	0	0.3		28	0.74	LC	LC	1	0	0.3	
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata	38	35.51	LC	LC	1	0	0.3	grows on interdune swales	5	4.67	LC	LC	1	0	0.3	grows on interdune swales	6	5.61	LC	LC	1	0	0.3	grows on interdune swales
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius	7	6.09	LC	LC	1	0	0.3	ephemeral; tolerates disturbance	1	0.87	LC	LC	1	0	0.3	ephemeral; tolerates disturbance	3	2.61	LC	LC	1	0	0.3	ephemeral; tolerates disturbance
Dichanthium sericeum ssp. sericeum		0.00								0.00							6	3.51	LC	LC	1	0	0.3	
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia	1	0.73	LC	LC	1	0	0.3			0.00							13	9.49	LC	LC	1	0	0.3	
Dicrastylis beveridgei var. beveridgei		0.00								0.00								0.00						
Dicrastylis beveridgei var. lanata		0.00								0.00								0.00						
Dicrastylis costelloi var. costelloi	1	2.22	RA d(ii)	RA	3	DD	0		3	6.67	RA d(ii)	RA	3	DD	0			0.00						
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00								0.00								0.00						
Dicrastylis costelloi var. violacea	1	4.76	RA d(ii)	RA	3	DD	0		1	4.76	RA d(ii)	RA	3	DD	0			0.00						
Dicrastylis exsuccosa var. tomentosa		0.00								0.00								0.00						
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00							24	53.33	LC	LC	1	0	0.3			0.00						
Digitaria ammophila		0.00							2	1.24	NT	NT	2	0	0.3		6	3.73	LC	LC	1	0	0.3	
Digitaria brownii	2	0.25	LC	LC	1	0	0.3		8	0.99	LC	LC	1	0	0.3		18	2.23	LC	LC	1	0	0.3	
Digitaria coenicola	3	1.96	RA d(ii)	RA	3	DD	0	lack of habitat		0.00							5	3.27	NT	NT	2	DD	0	could be declining
Digitaria ctenantha		0.00								0.00								0.00						
Dimorphocoma minutula		0.00								0.00								0.00						
Diplatia grandibractea	22	24.44	LC	LC	1	0	0.3	lots of hosts		0.00							3	3.33	LC	LC	1	0	0.3	lots of hosts
Dipteracanthus australasicus ssp. australasicus		0.00								0.00							2	13.33	RA d(ii)	RA	3	-	0.4	cattle grazing/trampling
Dipteracanthus australasicus ssp. glabratus		0.00								0.00							8	72.73	RA d(ii)	RA	3	-	0.4	cattle grazing/trampling
Disphyma crassifolium ssp. clavellatum		0.00								0.00								0.00						
Dissocarpus biflorus var. biflorus	6	1.07	LC	LC	1	0	0.3		1	0.18	LC	LC	1	0	0.3		18	3.20	LC	LC	1	0	0.3	
Dissocarpus biflorus var. villosus	1	3.85	RA d(ii)	RA	3	DD	0	problems with taxonomy		0.00								0.00						
Dissocarpus fontinalis		0.00								0.00								0.00						
Dissocarpus latifolius	7	36.84	LC	LC	1	0	0.3			0.00							2	10.53	NT	NT	2	DD	0	
Dissocarpus paradoxus	5	0.37	LC	LC	1	0	0.3		7	0.51	LC	LC	1	0	0.3		9	0.66	LC	LC	1	0	0.3	
Distichlis distichophylla		0.00								0.00								0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00								0.00								0.00						
Dodonaea microzyga var. microzyga		0.00								0.00							7	1.29	NT	NT	2	DD	0	grows on rocks on edge of salt pans
Dodonaea petiolaris		0.00								0.00							4	100.00	RA d(ii)	RA	3	0	0.3	new spp for SA; limited habitat around Cordillo Downs
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima	14	0.50	LC	LC	1	0	0.3		37	1.33	LC	LC	1	0	0.3		15	0.54	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Dodonaea viscosa ssp. mucronata		0.00								0.00								0.00						
Dodonaea viscosa ssp. spatulata		0.00								0.00								0.00						
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica		0.00							3	23.08	RA d(ii)	RA	3	0	0.3	edge of range	2	15.38	RA d(ii)	RA	3	0	0.3	edge of range
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii		0.00								0.00								0.00						
Dysphania cristata	9	2.42	LC	LC	1	0	0.3		1	0.27	LC	LC	1	0	0.3		5	1.34	LC	LC	1	0	0.3	
Dysphania glomulifera ssp. eremaea		0.00								0.00								0.00						
Dysphania glomulifera ssp. glomulifera		0.00							2	5.00	NT	NT	2	DD	0	undercollected; ephemeral		0.00						
Dysphania kalpari		0.00								0.00								0.00						
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa		0.00								0.00							1	0.71	NT	NT	2	DD	0	
Dysphania plantaginella		0.00								0.00							1	1.89	NT	NT	2	0	0.3	edge of range
Dysphania platycarpa	5	11.11	LC	LC	1	0	0.3			0.00							2	4.44	LC	LC	1	0	0.3	
Dysphania pumilio	1	0.32	LC	LC	1	0	0.3		1	0.32	LC	LC	1	0	0.3		1	0.32	LC	LC	1	0	0.3	
Dysphania rhadinostachya ssp. rhadinostachya		0.00							1	4.55	NT	NT	2	DD	0	edge of range	2	9.09	NT	NT	2	DD	0	edge of range
Dysphania simulans		0.00								0.00								0.00						
Dysphania truncata	1	2.17	LC	LC	1	0	0.3		1	2.17	LC	LC	1	0	0.3		1	2.17	LC	LC	1	0	0.3	
Echinochloa inundata	8	32.00	NT	NT	2	0	0.3	ephemeral; comes up after floods		0.00							4	16.00	RA d(i,ii)	RA	3	DD	0	ephemeral; comes up after floods
Echinochloa turneriana	3	25.00	NT	NT	2	0	0.3			0.00							1	8.33	NT	NT	2	0	0.3	
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa	1	5.00	NT	NT	2	0	0.3	undercollected		0.00								0.00						
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	25	11.79	LC	LC	1	0	0.3		16	7.55	LC	LC	1	0	0.3		9	4.25	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans	4	0.30	NT	NT	2	0	0.3			0.00							8	0.60	NT	NT	2	0	0.3	
Einadia nutans ssp. oxycarpa		0.00								0.00								0.00						
Elachanthus pusillus		0.00								0.00								0.00						
Elatine gratioloides		0.00								0.00								0.00						
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens	17	10.56	LC	LC	1	0	0.3		3	1.86	LC	LC	1	0	0.3		14	8.70	LC	LC	1	0	0.3	
Eleocharis papillosa		0.00								0.00								0.00						
Eleocharis plana	1	16.67	RA d(ii)	RA	3	0	0.3	undercollected		0.00							1	16.67	RA d(ii)	RA	3	0	0.3	undercollected
Eleocharis pusilla	1	1.79	RA d(ii)	RA	3	DD	0	short-lived; undercollected		0.00								0.00						
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus	3	9.38	LC	LC	1	0	0.3	undercollected; flood ephemeral		0.00							4	12.50	LC	LC	1	0	0.3	undercollected; flood ephemeral
Embadium johnstonii		0.00								0.00								0.00						
Embadium uncinatum		0.00								0.00								0.00						
Enchylaena tomentosa var. glabra	35	26.92	LC	LC	1	0	0.3			0.00							6	4.62	LC	LC	1	0	0.3	
Enchylaena tomentosa var. tomentosa	51	0.85	LC	LC	1	0	0.3		21	0.35	LC	LC	1	0	0.3		17	0.28	LC	LC	1	0	0.3	
Enneapogon avenaceus	28	1.60	LC	LC	1	0	0.3		12	0.69	LC	LC	1	0	0.3		58	3.32	LC	LC	1	0	0.3	
Enneapogon caerulescens		0.00								0.00								0.00						
Enneapogon cylindricus	3	0.29	LC	LC	1	0	0.3		5	0.48	LC	LC	1	0	0.3		20	1.93	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius		0.00								0.00								0.00						
Enneapogon lindleyanus		0.00								0.00								0.00						
Enneapogon nigricans		0.00								0.00							2	0.29	RA d(ii)	RA	3	DD	0	
Enneapogon polyphyllus	13	1.02	LC	LC	1	0	0.3		47	3.69	LC	LC	1	0	0.3		66	5.18	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00								0.00						
Enteropogon acicularis		0.00							2	0.81	NT	NT	2	DD	0		12	4.86	LC	LC	1	0	0.3	on creeklines
Enteropogon ramosus	4	1.24	RA d(ii)	RA	3	DD	0	cattle	13	4.02	LC	LC	1	0	0.3		21	6.50	LC	LC	1	0	0.3	
Epaltes australis	58	24.27	LC	LC	1	0	0.3	floodplain sp.		0.00							7	2.93	LC	LC	1	0	0.3	floodplain sp.
Epaltes cunninghamii	64	43.84	LC	LC	1	0	0.3		4	2.74	LC	LC	1	0	0.3		9	6.16	LC	LC	1	0	0.3	
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica	15	4.55	LC	LC	1	0	0.3		6	1.82	LC	LC	1	0	0.3		23	6.97	LC	LC	1	0	0.3	
Eragrostis basedowii	15	12.82	LC	LC	1	0	0.3	ephemeral; interdunal swales	9	7.69	LC	LC	1	0	0.3	ephemeral; interdunal swales	24	20.51	LC	LC	1	0	0.3	ephemeral; interdunal swales
Eragrostis confertiflora	3	21.43	NT	NT	2	0	0.3	abundant after the recent rains; could be LC; records not datat		0.00							5	35.71	NT	NT	2	0	0.3	abundant after the recent rains; could be LC; records n
Eragrostis cumingii		0.00								0.00								0.00						
Eragrostis dielsii var. dielsii	53	8.10	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground	23	3.52	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground	82	12.54	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda	6	0.77	LC	LC	1	0	0.3		31	3.98	LC	LC	1	0	0.3		5	0.64	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata	3	1.67	LC	LC	1	0	0.3		5	2.78	LC	LC	1	0	0.3			0.00						
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae	1	4.35	LC	LC	1	0	0.3	ephemeral; small grass, undercollected; plentiful after	1	4.35	LC	LC	1	0	0.3	ephemeral; small grass, undercollected; plentiful after rain		0.00						
Eragrostis lacunaria		0.00								0.00							1	1.45	NT	NT	2	0	0.3	around lagoons, creeks, river systems

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Eragrostis laniflora		0.00							6	2.33	LC	LC	1	0	0.3			0.00						
Eragrostis lanipes		0.00								0.00								0.00						
Eragrostis leptocarpa	20	7.97	LC	LC	1	0	0.3		2	0.80	LC	LC	1	0	0.3		32	12.75	LC	LC	1	0	0.3	
Eragrostis parviflora	28	14.51	LC	LC	1	0	0.3		2	1.04	LC	LC	1	0	0.3		9	4.66	LC	LC	1	0	0.3	
Eragrostis pergracilis		0.00								0.00								0.00						
Eragrostis setifolia	47	3.92	LC	LC	1	0	0.3		37	3.09	LC	LC	1	0	0.3		109	9.09	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00								0.00								0.00						
Eragrostis speciosa	1	5.56	RA d(ii)	RA	3	DD	0	southern edge of range	2	11.11	RA d(ii)	RA	3	DD	0	southern edge of range	1	5.56	RA d(ii)	RA	3	DD	0	southern edge of range
Eragrostis tenellula	6	10.34	LC	LC	1	0	0.3	likes floods	1	1.72	LC	LC	1	0	0.3		5	8.62	LC	LC	1	0	0.3	
Eragrostis xerophila	8	2.16	LC	LC	1	0	0.3		2	0.54	LC	LC	1	0	0.3		28	7.57	LC	LC	1	0	0.3	
Eremophea spinosa		0.00								0.00								0.00						
Eremophila alternifolia		0.00								0.00								0.00						
Eremophila arachnoides ssp. tenera		0.00								0.00								0.00						
Eremophila arenaria		0.00								0.00								0.00						
Eremophila battii		0.00								0.00								0.00						
Eremophila bignoniiflora	53	31.36	LC	LC	1	0	0.3		17	10.06	LC	LC	1	0	0.3		18	10.65	LC	LC	1	0	0.3	
Eremophila clarkei		0.00								0.00								0.00						
Eremophila dalyana	7	21.21	NT	NT	2	0	0.3			0.00							23	69.70	NT	NT	2	0	0.3	
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti		0.00								0.00								0.00						
Eremophila duttonii		0.00							2	0.34	RA d(ii)	RA	3	DD	0			0.00						
Eremophila elderi		0.00								0.00								0.00						
Eremophila fallax		0.00								0.00								0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii	3	0.20	LC	LC	1	0	0.3		3	0.20	LC	LC	1	0	0.3		37	2.52	LC	LC	1	0	0.3	
Eremophila gibsonii		0.00								0.00								0.00						
Eremophila gilesii ssp. gilesii		0.00								0.00								0.00						
Eremophila glabra ssp. glabra		0.00								0.00							1	0.06	RA d(ii)	RA	3	DD	0	grazed
Eremophila latrobei ssp. glabra	2	0.26	NT	NT	2	DD	0		4	0.53	LC	LC	1	0	0.3		13	1.71	LC	LC	1	0	0.3	
Eremophila latrobei ssp. latrobei	1	0.68	RA d(ii)	RA	3	DD	0			0.00							5	3.42	NT	NT	2	0	0.3	
Eremophila longifolia	24	1.94	LC	LC	1	0	0.3		26	2.10	LC	LC	1	0	0.3		27	2.18	LC	LC	1	0	0.3	
Eremophila macdonnellii	11	4.40	LC	LC	1	0	0.3		8	3.20	LC	LC	1	0	0.3		7	2.80	LC	LC	1	0	0.3	
Eremophila macgillivrayi	2	3.64	RA d(i,ii)	RA	3	0	0.3		6	10.91	NT	NT	2	0	0.3	localised	37	67.27	NT	NT	2	0	0.3	localised
Eremophila maculata ssp. maculata	11	3.55	LC	LC	1	0	0.3		7	2.26	LC	LC	1	0	0.3		8	2.58	LC	LC	1	0	0.3	
Eremophila neglecta		0.00								0.00								0.00						
Eremophila obovata ssp. obovata	2	10.53	DD	DD	0	DD	0	doubtful	11	57.89	NT	NT	2	0	0.3		2	10.53	RA d(ii)	RA	3	0	0.3	edge of range
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia		0.00								0.00								0.00						
Eremophila paisleyi ssp. glandulosa		0.00								0.00								0.00						
Eremophila paisleyi ssp. paisleyi		0.00								0.00								0.00						
Eremophila pentaptera		0.00								0.00								0.00						
Eremophila platythamnos ssp. exotrachys		0.00								0.00								0.00						
Eremophila polyclada	3	23.08	VU D2	VU	4	DD	0	edge of range		0.00							3	23.08	VU D2	VU	4	DD	0	edge of range
Eremophila rotundifolia		0.00								0.00								0.00						
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia		0.00								0.00								0.00						
Eremophila serrulata		0.00								0.00								0.00						
Eremophila sturtii		0.00								0.00								0.00						
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata		0.00								0.00								0.00						
Eremophila verrucosa ssp. verrucosa		0.00								0.00								0.00						
Eremophila willsii ssp. integrifolia		0.00								0.00								0.00						
Eremophila willsii ssp. willsii		0.00								0.00								0.00						
Eriachne aristidea	14	5.76	LC	LC	1	0	0.3		33	13.58	LC	LC	1	0	0.3		15	6.17	LC	LC	1	0	0.3	
Eriachne helmsii		0.00								0.00							1	0.39	NT	NT	2	DD	0	edge of range
Eriachne mucronata	1	0.40	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat		0.00							8	3.17	LC	LC	1	0	0.3	likes rocky outcrops
Eriachne ovata	1	0.53	RA d(ii)	RA	3	DD	0			0.00							21	11.23	LC	LC	1	0	0.3	
Eriachne pulchella ssp. pulchella		0.00							1	2.94	RA d(i,ii)	RA	3	DD	0	edge of range	3	8.82	LC	LC	1	0	0.3	
Erigeron sessilifolius	2	40.00	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eriocaulon carsonii ssp. carsonii		0.00								0.00								0.00						
Eriochiton sclerolaenoides		0.00								0.00							3	0.18	LC	LC	1	0	0.3	
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea		0.00								0.00								0.00						
Eriochloa australiensis	12	7.14	LC	LC	1	0	0.3			0.00							9	5.36	LC	LC	1	0	0.3	
Eriochloa crebra	4	17.39	LC	LC	1	0	0.3	ephemeral; short-lived; along creek lines; comes up after flood		0.00								0.00						
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha	11	10.00	LC	LC	1	0	0.3			0.00							3	2.73	LC	LC	1	0	0.3	
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum	5	1.98	LC	LC	1	0	0.3		2	0.79	LC	LC	1	0	0.3		1	0.40	LC	LC	1	0	0.3	
Erodium crinitum	9	0.81	LC	LC	1	0	0.3		6	0.54	LC	LC	1	0	0.3		15	1.36	LC	LC	1	0	0.3	
Erodium cygnorum		0.00							2	1.22	NT	NT	2	0	0.3		2	1.22	NT	NT	2	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum	3	50.00	RA d(ii)	RA	3	0	0.3	along creeks		0.00								0.00						
Eryngium supinum	6	37.50	NT	NT	2	0	0.3			0.00								0.00						
Eucalyptus camaldulensis ssp. arida		#DIV/0!	RA d(ii)	RA	3	0	0.3	(no records) E camaldulensis ssp arida		#DIV/0!								#DIV/0!	RA d(ii)	RA	3	0	0.3	(no records) E camaldulensis ssp arida
Eucalyptus camaldulensis ssp. minima		0.00								0.00								0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00								0.00						
Eucalyptus coolabah	46	8.44	LC	LC	1	0	0.3		18	3.30	LC	LC	1	0	0.3		43	7.89	LC	LC	1	0	0.3	
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla		0.00								0.00								0.00						
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa		0.00								0.00								0.00						
Eucalyptus gongylocarpa		0.00								0.00								0.00						
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta		0.00								0.00								0.00						
Eucalyptus largiflorens	4	0.35	VU D2	VU	4	DD	0	restricted		0.00								0.00						
Eucalyptus leptophylla		0.00								0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00								0.00								0.00						
Eucalyptus minnirritchi		0.00								0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra		0.00								0.00								0.00						
Eucalyptus peeneri		0.00								0.00								0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica		0.00								0.00								0.00						
Eucalyptus socialis ssp. socialis		0.00								0.00								0.00						
Eucalyptus socialis ssp. victoriensis		0.00								0.00								0.00						
Eucalyptus sparsa		0.00								0.00								0.00						
Eucalyptus trivalvis		0.00								0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana		0.00								0.00								0.00						
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus	1	0.22	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Eulalia aurea	9	3.85	LC	LC	1	0	0.3		3	1.28	LC	LC	1	0	0.3		22	9.40	LC	LC	1	0	0.3	
Euphorbia alsiniflora		0.00								0.00							1	100.00	RA d(ii)	RA	3	DD	0	more records under Chamaesyce coghlanii & Euphorbia
Euphorbia australis		0.00							1	1.82	RA d(ii)	RA	3	DD	0	outlier	1	1.82	RA d(ii)	RA	3	DD	0	outlier
Euphorbia centralis		0.00								0.00								0.00						
Euphorbia drummondii	1	0.31	LC	LC	1	0	0.3	very common; small, tough; undercollected	10	3.14	LC	LC	1	0	0.3	very common; small, tough; undercollected		0.00						
Euphorbia inappendiculata		0.00								0.00								0.00						
Euphorbia mitchelliana	1	5.00	RA d(ii)	RA	3	DD	0		8	40.00	NT	NT	2	DD	0			0.00						
Euphorbia parvicaruncula	2	1.82	NT	NT	2	0	0.3			0.00							40	36.36	LC	LC	1	0	0.3	
Euphorbia stevenii	5	3.25	LC	LC	1	0	0.3			0.00							24	15.58	LC	LC	1	0	0.3	
Euphorbia tannensis ssp. eremophila	24	2.09	LC	LC	1	0	0.3		35	3.05	LC	LC	1	0	0.3		25	2.18	LC	LC	1	0	0.3	
Euphorbia wheeleri	9	12.00	LC	LC	1	0	0.3		7	9.33	LC	LC	1	0	0.3		20	26.67	LC	LC	1	0	0.3	
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens		0.00								0.00								0.00						
Evolvulus alsinoides var. villosicalyx	5	6.10	LC	LC	1	0	0.3		13	15.85	LC	LC	1	0	0.3		4	4.88	NT	NT	2	0	0.3	
Exocarpos aphyllus		0.00								0.00								0.00						
Exocarpos sparteus		0.00								0.00								0.00						
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda		0.00								0.00								0.00						
Fimbristylis dichotoma	7	4.07	LC	LC	1	0	0.3		14	8.14	LC	LC	1	0	0.3		24	13.95	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00								0.00							2	10.00	DD	DD	0	DD	0	out of range
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata	2	3.17	RA d(ii)	RA	3	DD	0			0.00								0.00						
Flaveria trinervia		0.00								0.00								0.00						
Frankenia cinerea		0.00								0.00								0.00						
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa		0.00								0.00								0.00						
Frankenia cupularis	42	49.41	DD	DD	0	DD	0		2	2.35	DD	DD	0	DD	0			0.00						
Frankenia foliosa	2	0.82	DD	DD	0	DD	0			0.00							1	0.41	DD	DD	0	DD	0	
Frankenia pauciflora var. gunnii		0.00								0.00								0.00						
Frankenia plicata		0.00								0.00							5	6.41	DD	DD	0	DD	0	lots of wrong ID's

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Frankenia serpyllifolia	11	1.46	LC	LC	1	0	0.3		3	0.40	LC	LC	1	0	0.3		86	11.41	LC	LC	1	0	0.3	
Frankenia subteres		0.00								0.00								0.00						
Gahnia trifida		0.00								0.00								0.00						
Galium bulliformis		0.00								0.00								0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora	1	3.13	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected		0.00							2	6.25	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected
Glinus lotoides	70	26.92	LC	LC	1	0	0.3	around waterways	12	4.62	LC	LC	1	0	0.3	around waterways	8	3.08	LC	LC	1	0	0.3	around waterways
Glinus oppositifolius		0.00								0.00								0.00						
Glinus orygioides		0.00							3	20.00	RA d(ii)	RA	3	DD	0	cattle trampling a threat; perennial	6	40.00	RA d(ii)	RA	3	DD	0	
Glischrocaryon aureum var. angustifolium		0.00								0.00								0.00						
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens		0.00								0.00								0.00						
Glossostigma cleistanthum		0.00								0.00								0.00						
Glossostigma diandrum		0.00								0.00							2	6.06	NT	NT	2	0	0.3	extreme flood ephemeral, undercollected
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	15	5.14	LC	LC	1	0	0.3		7	2.40	LC	LC	1	0	0.3		20	6.85	LC	LC	1	0	0.3	
Glycine rubiginosa		0.00								0.00								0.00						
Glycyrrhiza acanthocarpa		0.00								0.00								0.00						
Gnaphalium diamantinense	5	20.00	NT	NT	2	0	0.3	tiny annual, weeds potential threat	4	16.00	NT	NT	2	0	0.3	tiny annual, weeds potential threat	2	8.00	RA d(i,ii)	RA	3	0	0.3	tiny annual, weeds potential threat
Gnaphalium indutum ssp. indutum		0.00								0.00								0.00						
Gnephosis arachnoidea	5	0.91	LC	LC	1	0	0.3		1	0.18	LC	LC	1	0	0.3	undercollected	48	8.74	LC	LC	1	0	0.3	
Gnephosis eriocarpa	27	9.75	LC	LC	1	0	0.3		14	5.05	LC	LC	1	0	0.3		46	16.61	LC	LC	1	0	0.3	
Gnephosis tenuissima	2	0.52	LC	LC	1	0	0.3	undercollected		0.00							3	0.77	LC	LC	1	0	0.3	undercollected
Gomphrena lanata		0.00								0.00								0.00						
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta		0.00								0.00								0.00						
Goodenia berardiana		0.00							4	2.27	NT	NT	2	0	0.3		3	1.70	RA d(ii)	RA	3	0	0.3	
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata		0.00								0.00							3	2.01	RA d(ii)	RA	3	0	0.3	
Goodenia centralis		0.00								0.00								0.00						
Goodenia chambersii		0.00								0.00								0.00						
Goodenia cycloptera	13	3.51	LC	LC	1	0	0.3		1	0.27	LC	LC	1	0	0.3		15	4.05	LC	LC	1	0	0.3	
Goodenia fasciculatis	22	2.07	LC	LC	1	0	0.3		9	0.85	LC	LC	1	0	0.3		96	9.04	LC	LC	1	0	0.3	
Goodenia gibbosa		0.00								0.00								0.00						
Goodenia glabra		0.00								0.00								0.00						
Goodenia glandulosa		0.00								0.00								0.00						
Goodenia glauca	11	8.15	LC	LC	1	0	0.3	perennial; common in floodouts	1	0.74	RA d(ii)	RA	3	0	0.3		1	0.74	RA d(ii)	RA	3	0	0.3	
Goodenia grandiflora																								
Goodenia havilandii		0.00								0.00								0.00						
Goodenia heterochila		0.00								0.00								0.00						
Goodenia heteromera		0.00								0.00								0.00						
Goodenia lobata		0.00								0.00								0.00						
Goodenia lunata	2	0.49	LC	LC	1	0	0.3		12	2.92	LC	LC	1	0	0.3		44	10.71	LC	LC	1	0	0.3	
Goodenia modesta		0.00								0.00								0.00						
Goodenia mueckeana		0.00								0.00								0.00						
Goodenia occidentalis		0.00								0.00								0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida		0.00								0.00								0.00						
Goodenia pusilliflora		0.00								0.00								0.00						
Goodenia ramelii		0.00								0.00								0.00						
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila		0.00								0.00								0.00						
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum		0.00								0.00								0.00						
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora		0.00								0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya		0.00								0.00								0.00						
Grevillea huegelii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Grevillea juncifolia ssp. juncifolia	4	1.30	NT	NT	2	0	0.3	likes sandy, dune habitat	20	6.51	LC	LC	1	0	0.3	likes sandy, dune habitat		0.00						
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla		0.00								0.00							2	0.70	RA d(i,ii)	RA	3	DD	0	outliers
Grevillea pterosperma		0.00								0.00								0.00						
Grevillea stenobotrya	7	2.22	NT	NT	2	0	0.3		37	11.75	LC	LC	1	0	0.3		14	4.44	LC	LC	1	0	0.3	
Grevillea striata	15	24.59	LC	LC	1	0	0.3		6	9.84	LC	LC	1	0	0.3		15	24.59	LC	LC	1	0	0.3	
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva		0.00								0.00								0.00						
Gunniopsis kochii		0.00								0.00								0.00						
Gunniopsis papillata		0.00								0.00							1	0.72	RA d(ii)	RA	3	DD	0	edge of range
Gunniopsis quadrifida	9	2.04	LC	LC	1	0	0.3		5	1.13	LC	LC	1	0	0.3		15	3.40	LC	LC	1	0	0.3	
Gunniopsis septifraga		0.00								0.00								0.00						
Gunniopsis tenuifolia		0.00								0.00								0.00						
Gunniopsis zygophylloides		0.00								0.00								0.00						
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus		0.00							4	1.34	RA d(i,ii)	RA	3	0	0.3		1	0.33	RA d(i,ii)	RA	3	0	0.3	limited habitat
Gyrostemon tepperi		0.00								0.00							1	16.67	RA d(i,ii)	RA	3	DD	0	outlier
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata		0.00								0.00							1	0.64	RA d(i,ii)	RA	3	DD	0	
Hakea ednieana		0.00								0.00								0.00						
Hakea eyreana	4	4.44	NT	NT	2	0	0.3	grazed	44	48.89	LC	LC	1	0	0.3		11	12.22	LC	LC	1	0	0.3	
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	28	3.43	LC	LC	1	0	0.3		13	1.59	LC	LC	1	0	0.3		26	3.19	LC	LC	1	0	0.3	
Hakea lorea ssp. lorea		0.00								0.00								0.00						
Hakea minyma		0.00								0.00								0.00						
Halgania cyanea		0.00							22	2.85	NT	NT	2	0	0.3		2	0.26	RA d(ii)	RA	3	0	0.3	
Halgania erecta		0.00								0.00								0.00						
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera	78	10.55	LC	LC	1	0	0.3		10	1.35	LC	LC	1	0	0.3		28	3.79	LC	LC	1	0	0.3	
Haloragis glauca forma glauca	2	18.18	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Haloragis glauca forma sclopetifera	2	33.33	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Haloragis gossei		0.00							5	12.20	NT	NT	2	0	0.3			0.00						
Haloragis odontocarpa forma octoforma		0.00								0.00								0.00						
Haloragis odontocarpa forma pterocarpa		0.00							1	2.63	RA d(i,ii)	RA	3	DD	0			0.00						
Haloragis odontocarpa forma rugosa		0.00								0.00								0.00						
Haloragis uncatipila		0.00								0.00								0.00						
Hannafordia bissillii ssp. bissillii		0.00								0.00								0.00						
Harmsiodoxa blennodioides	18	8.91	LC	LC	1	0	0.3	sandhill sp; long curly pods		0.00							5	2.48	LC	LC	1	0	0.3	sandhill sp; long curly pods
Harmsiodoxa brevipes var. brevipes	3	2.46	RA d(i,ii)	RA	3	DD	0	weeds; lack of winter rain, threats		0.00							2	1.64	RA d(i,ii)	RA	3	DD	0	weeds; lack of winter rain, threats
Harmsiodoxa brevipes var. major	1	4.35	RA d(ii)	RA	3	DD	0	could be ID problems with var brevipes		0.00								0.00						
Harmsiodoxa puberula	2	4.65	NT	NT	2	DD	0			0.00							1	2.33	NT	NT	2	DD	0	
Helichrysum luteoalbum	4	1.29	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	1	0.32	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	3	0.97	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing
Heliotropium ammophilum		0.00							2	6.45	NT	NT	2	0	0.3			0.00						
Heliotropium asperrimum		0.00							1	0.34	RA d(ii)	RA	3	DD	0			0.00						
Heliotropium cunninghamii		0.00								0.00							3	17.65	RA d(ii)	RA	3	DD	0	
Heliotropium europaeum		0.00								0.00								0.00						
Heliotropium filaginoides		0.00								0.00							12	31.58	LC	LC	1	0	0.3	
Heliotropium moorei		0.00							1	5.56	NT	NT	2	0	0.3			0.00						
Heliotropium tanythrix	1	3.33	RA d(i,ii)	RA	3	0	0.3	undercollected	3	10.00	NT	NT	2	0	0.3	undercollected	3	10.00	LC	LC	1	0	0.3	undercollected
Hemichroa diandra		0.00								0.00								0.00						
Hemichroa mesembryanthema		0.00								0.00								0.00						
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius	4	3.81	LC	LC	1	0	0.3		1	0.95	NT	NT	2	0	0.3		22	20.95	LC	LC	1	0	0.3	
Hibiscus krichauffianus	3	1.09	NT	NT	2	0	0.3		27	9.78	LC	LC	1	0	0.3		12	4.35	LC	LC	1	0	0.3	
Hibiscus solanifolius		0.00								0.00								0.00						
Hibiscus sturtii var. grandiflorus		0.00								0.00								0.00						
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii		0.00								0.00							2	50.00	RA d(i,ii)	RA	3	DD	0	edge of range
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile	1	0.21	RA d(i,ii)	RA	3	DD	0		2	0.42	RA d(i,ii)	RA	3	DD	0			0.00						
Hybanthus aurantiacus		0.00								0.00							12	66.67	NT	NT	2	0	0.3	in rocky creek lines
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus		0.00								0.00								0.00						
Hydrocotyle callicarpa		0.00								0.00								0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Hydrocotyle verticillata		0.00								0.00								0.00						
Hypericum gramineum		0.00							2	0.47	RA d(ii)	RA	3	DD	0	could be split into 2 spp		0.00						
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00							3	100.00	RA d(ii)	RA	3	DD	0	southern edge of range; short lived
Indigofera australis ssp. australis		0.00								0.00								0.00						
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii		0.00								0.00								0.00						
Indigofera colutea	7	16.67	LC	LC	1	+	0.2	spread by stock, weedy spp	2	4.76	LC	LC	1	+	0.2	spread by stock, weedy spp	15	35.71	LC	LC	1	+	0.2	spread by stock, weedy spp
Indigofera cornuligera ssp cornuligera		0.00								0.00							1	100.00	RA d(ii)	RA	3	DD	0	(no records) new subspecies; Table Hill, D Duval
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei		0.00							2	4.35	NT	NT	2	DD	0	edge of range	2	4.35	NT	NT	2	DD	0	edge of range
Indigofera helmsii		0.00							2	2.99	RA d(ii)	RA	3	DD	0			0.00						
Indigofera leucotricha		0.00								0.00							4	8.51	NE	NE	-1			taxonomic issues
Indigofera linifolia		0.00							18	60.00	LC	LC	1	0	0.3	naturalised all regions?	7	23.33	LC	LC	1	0	0.3	naturalised all regions?
Indigofera linnaei	6	11.11	LC	LC	1	0	0.3	questionable introduction	5	9.26	LC	LC	1	0	0.3	questionable introduction	12	22.22	LC	LC	1	0	0.3	questionable introduction
Indigofera longibractea		0.00								0.00								0.00						
Indigofera psammophila	8	9.64	LC	LC	1	0	0.3		12	14.46	LC	LC	1	0	0.3		11	13.25	LC	LC	1	0	0.3	
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla	1	2.44	NT	NT	2	0	0.3	needs clay flats	1	2.44	NT	NT	2	0	0.3	needs clay flats	3	7.32	NT	NT	2	0	0.3	needs clay flats
Ipomoea muelleri	4	6.78	LC	LC	1	0	0.3		9	15.25	LC	LC	1	0	0.3		13	22.03	LC	LC	1	0	0.3	
Ipomoea polymorpha	15	28.85	LC	LC	1	0	0.3			0.00							19	36.54	LC	LC	1	0	0.3	
Ipomoea racemigera	4	28.57	NT	NT	2	0	0.3		2	14.29	NT	NT	2	0	0.3		5	35.71	NT	NT	2	0	0.3	
Iseilema eremaeum	1	1.12	NT	NT	2	0	0.3	undercollected ephemeral		0.00							30	33.71	LC	LC	1	0	0.3	
Iseilema membranaceum	9	5.70	LC	LC	1	0	0.3			0.00							24	15.19	LC	LC	1	0	0.3	
Iseilema vaginiflorum	2	1.96	NT	NT	2	0	0.3			0.00							13	12.75	LC	LC	1	0	0.3	
Isoetes muelleri		0.00								0.00								0.00						
Isoetopsis graminifolia		0.00								0.00								0.00						
Isolepis australiensis	6	7.41	LC	LC	1	0	0.3	very tiny	1	1.23	RA d(i,ii)	RA	3	DD	0	very tiny	1	1.23	RA d(i,ii)	RA	3	DD	0	very tiny
Isolepis cernua		0.00								0.00								0.00						
Isolepis congrua		0.00								0.00								0.00						
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea		0.00							1	0.26	NT	NT	2	0	0.3	limited habitat	7	1.81	LC	LC	1	0	0.3	undercollected
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri	2	4.65	NT	NT	2	DD	0		14	32.56	NT	NT	2	0	0.3		1	2.33	RA d(ii)	RA	3	0	0.3	limited habitat
Ixiochlamys cuneifolia		0.00								0.00								0.00						
Ixiochlamys filicifolia		0.00							2	2.67	RA d(i,ii)	RA	3	DD	0			0.00						
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana		0.00								0.00								0.00						
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare		0.00								0.00								0.00						
Josephinia eugeniae	2	8.00	RA d(ii)	RA	3	DD	0	grows under shrubs	1	4.00	RA d(ii)	RA	3	DD	0	grows under shrubs	4	16.00	RA d(ii)	RA	3	DD	0	grows under shrubs
Juncus aridicola		0.00								0.00								0.00						
Juncus bufonius		0.00								0.00								0.00						
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00								0.00								0.00						
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens		0.00								0.00								0.00						
Keraudrenia nephrosperma	7	21.21	RA d(i,ii)	RA	3	0	0.3		19	57.58	NT	NT	2	0	0.3			0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								0.00								0.00						
Kippistia suaedifolia		0.00								0.00								0.00						
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis	13	3.52	LC	LC	1	0	0.3	in drainage lines, likes fresh water, dams		0.00							1	0.27	RA d(ii)	RA	3	0	0.3	
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii		0.00								0.00								0.00						
Lawrencia glomerata	6	1.33	LC	LC	1	0	0.3	taxon now has 3 ssp		0.00								0.00						
Lawrencia squamata		0.00								0.00							1	0.13	NT	NT	2	0	0.3	undercollected
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata	29	12.45	LC	LC	1	0	0.3		7	3.00	LC	LC	1	0	0.3		22	9.44	LC	LC	1	0	0.3	
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta	14	29.79	LC	LC	1	0	0.3	grows top of red dunes		0.00							12	25.53	LC	LC	1	0	0.3	grows top of red dunes
Leiocarpa leptolepis	8	1.76	LC	LC	1	0	0.3	widespread, on roadsides	4	0.88	LC	LC	1	0	0.3		35	7.69	LC	LC	1	0	0.3	
Leiocarpa semicalva ssp. semicalva		0.00								0.00								0.00						
Leiocarpa semicalva ssp. vinacea		0.00								0.00								0.00						
Leiocarpa tomentosa		0.00								0.00								0.00						
Leiocarpa websteri	3	0.43	LC	LC	1	0	0.3			0.00							14	2.02	LC	LC	1	0	0.3	
Lemna disperma	2	1.92	LC	LC	1	0	0.3	ephemeral; when water is there, spreads quickly		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Lemooria burkittii	1	0.54	DD	DD	0	DD	0	questionable ID		0.00							1	0.54	DD	DD	0	DD	0	questionable ID
Lepidium fasciculatum		0.00								0.00								0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi	16	5.63	LC	LC	1	0	0.3		7	2.46	LC	LC	1	0	0.3		7	2.46	LC	LC	1	0	0.3	
Lepidium oxytrichum	6	0.91	LC	LC	1	0	0.3		10	1.52	LC	LC	1	0	0.3		12	1.82	LC	LC	1	0	0.3	
Lepidium papillosum	5	1.43	RA d(ii)	RA	3	DD	0		2	0.57	RA d(ii)	RA	3	DD	0		23	6.57	RA d(ii)	RA	3	DD	0	
Lepidium phlebopetalum	9	1.15	LC	LC	1	0	0.3		20	2.55	LC	LC	1	0	0.3		31	3.96	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum	3	4.41	LC	LC	1	0	0.3			0.00							2	2.94	NT	NT	2	0	0.3	
Lepidium strongylophyllum		0.00								0.00							5	18.52	RA d(i,ii)	RA	3	0	0.3	localised
Lepidosperma avium		0.00								0.00								0.00						
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis		0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata		0.00							13	26.00	LC	LC	1	0	0.3		3	6.00	LC	LC	1	0	0.3	undercollected
Leptochloa fusca ssp. fusca		0.00								0.00								0.00						
Leptochloa fusca ssp. muelleri	12	6.28	LC	LC	1	0	0.3		4	2.09	LC	LC	1	0	0.3		13	6.81	LC	LC	1	0	0.3	
Leptorhynchos baileyi		0.00								0.00								0.00						
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii		0.00								0.00								0.00						
Leucochrysum fitzgibbonii		0.00								0.00								0.00						
Leucochrysum molle		0.00								0.00								0.00						
Leucochrysum stipitatum		0.00							3	1.54	RA d(i,ii)	RA	3	DD	0	outliers, disjunct pop; likes clay pans		0.00						
Levenhookia dubia		0.00								0.00								0.00						
Limosella australis		0.00	LC	LC	1	0	0.3	(no records) in floods		0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00								0.00								0.00						
Lipocarpha microcephala		0.00								0.00							2	8.33	RA d(ii)	RA	3	0	0.3	ephemeral; abundant in a wet year
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla		0.00								0.00								0.00						
Logania centralis		0.00								0.00								0.00						
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta		0.00								0.00								0.00						
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus	28	2.39	LC	LC	1	0	0.3		6	0.51	LC	LC	1	0	0.3		32	2.73	LC	LC	1	0	0.3	
Lycium australe		0.00								0.00							1	0.09	DD	DD	0	DD	0	
Lysiana exocarpi ssp. exocarpi	28	1.41	LC	LC	1	0	0.3		5	0.25	LC	LC	1	0	0.3		23	1.16	LC	LC	1	0	0.3	
Lysiana murrayi		0.00								0.00								0.00						
Lysiana subfalcata	12	15.79	NT	NT	2	DD	0		10	13.16	NT	NT	2	DD	0		13	17.11	NT	NT	2	DD	0	
Lythrum hyssopifolia		0.00								0.00							3	0.60	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes
Lythrum paradoxum		0.00								0.00								0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii	5	7.25	LC	LC	1	0	0.3		2	2.90	LC	LC	1	0	0.3		1	1.45	LC	LC	1	0	0.3	
Macgregoria racemigera		0.00							12	92.31	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00						
Maireana aphylla	9	0.98	LC	LC	1	0	0.3		11	1.20	LC	LC	1	0	0.3		71	7.73	LC	LC	1	0	0.3	
Maireana appressa		0.00								0.00							9	2.03	LC	LC	1	0	0.3	
Maireana astrotricha	2	0.18	RA d(ii)	RA	3	DD	0	check ID	1	0.09	RA d(ii)	RA	3	DD	0	check ID	11	0.97	LC	LC	1	0	0.3	
Maireana brevifolia		0.00								0.00								0.00						
Maireana campanulata		0.00								0.00							4	4.21	LC	LC	1	0	0.3	
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa		0.00								0.00								0.00						
Maireana ciliata	7	3.50	LC	LC	1	0	0.3			0.00							15	7.50	LC	LC	1	0	0.3	
Maireana coronata	15	7.18	LC	LC	1	0	0.3		12	5.74	LC	LC	1	0	0.3		46	22.01	LC	LC	1	0	0.3	
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha		0.00								0.00							6	2.91	LC	LC	1	0	0.3	
Maireana erioclada		0.00								0.00								0.00						
Maireana excavata		0.00								0.00								0.00						
Maireana georgei	2	0.23	LC	LC	1	0	0.3		2	0.23	LC	LC	1	0	0.3		40	4.67	LC	LC	1	0	0.3	
Maireana integra		0.00								0.00							14	4.12	LC	LC	1	0	0.3	
Maireana lanosa		0.00								0.00								0.00						
Maireana lobiflora		0.00								0.00								0.00						
Maireana luehmannii		0.00								0.00								0.00						
Maireana melanocarpa		0.00								0.00								0.00						
Maireana microcarpa	4	4.35	LC	LC	1	0	0.3		1	1.09	NT	NT	2	DD	0		24	26.09	LC	LC	1	0	0.3	
Maireana oppositifolia		0.00								0.00								0.00						
Maireana ovata		0.00								0.00							1	1.41	RA d(ii)	RA	3	DD	0	
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Maireana pentatropis		0.00								0.00								0.00						
Maireana planifolia		0.00								0.00								0.00						
Maireana pyramidata		0.00							1	0.05	RA d(ii)	RA	3	DD	0	cattle	24	1.18	LC	LC	1	0	0.3	
Maireana radiata		0.00								0.00							2	0.28	RA d(ii)	RA	3	DD	0	
Maireana schistocarpa		0.00								0.00								0.00						
Maireana scleroptera		0.00								0.00								0.00						
Maireana sedifolia		0.00								0.00								0.00						
Maireana spongiocarpa	2	1.42	LC	LC	1	0	0.3	tolerates disturbance		0.00							12	8.51	LC	LC	1	0	0.3	tolerates disturbance
Maireana tomentosa ssp. urceolata		0.00								0.00								0.00						
Maireana trichoptera		0.00								0.00								0.00						
Maireana triptera		0.00							1	0.28	RA d(ii)	RA	3	DD	0			0.00						
Maireana turbinata	1	0.15	RA d(ii)	RA	3	DD	0	limited habitat		0.00							11	1.68	LC	LC	1	0	0.3	
Maireana villosa		0.00								0.00							7	5.19	LC	LC	1	0	0.3	
Malacocera albolanata	12	17.65	LC	LC	1	0	0.3			0.00							17	25.00	LC	LC	1	0	0.3	
Malacocera biflora		0.00								0.00								0.00						
Malacocera gracilis		0.00								0.00								0.00						
Malacocera tricornis	1	0.63	LC	LC	1	0	0.3			0.00							11	6.96	LC	LC	1	0	0.3	
Malva preissiana	31	3.67	LC	LC	1	0	0.3	now known as M weinmanniana	2	0.24	LC	LC	1	0	0.3	now known as M weinmanniana	7	0.83	LC	LC	1	0	0.3	now known as M weinmanniana
Malvastrum americanum var. americanum	5	0.75	LC	LC	1	0	0.3	spreading	15	2.25	LC	LC	1	0	0.3	spreading	30	4.49	LC	LC	1	0	0.3	spreading
Marsdenia australis		0.00								0.00							5	0.89	LC	LC	1	0	0.3	
Marsilea costulifera	5	8.33	NT	NT	2	0	0.3			0.00							4	6.67	RA d(i,ii)	RA	3	0	0.3	limited habitat
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii	10	3.47	LC	LC	1	0	0.3		6	2.08	LC	LC	1	0	0.3		8	2.78	LC	LC	1	0	0.3	
Marsilea exarata	1	1.33	RA d(i,ii)	RA	3	0	0.3			0.00							7	9.33	LC	LC	1	0	0.3	
Marsilea hirsuta	5	2.14	LC	LC	1	0	0.3		9	3.85	LC	LC	1	0	0.3		29	12.39	LC	LC	1	0	0.3	
Melaleuca bracteata		0.00								0.00								0.00						
Melaleuca dissitiflora		0.00								0.00								0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata		0.00								0.00								0.00						
Melaleuca interioris		0.00								0.00								0.00						
Melaleuca lanceolata		0.00								0.00								0.00						
Melaleuca trichostachya	6	54.55	RA d(i,ii)	RA	3	0	0.3	Qld sp, edge of range; large, stable trees on the Cooper		0.00							1	9.09	RA d(i,ii)	RA	3	0	0.3	Qld sp, edge of range; large, stable trees on the Coope
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila		0.00								0.00								0.00						
Melhania oblongifolia		0.00							2	4.17	NT	NT	2	0	0.3		2	4.17	NT	NT	2	0	0.3	
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis		0.00								0.00								0.00						
Menkea crassa	5	4.42	LC	LC	1	0	0.3	annual, grows on stony ground		0.00							3	2.65	NT	NT	2	0	0.3	annual, grows on stony ground
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa		0.00								0.00								0.00						
Menkea villosula		0.00								0.00								0.00						
Mentha australis	17	12.78	LC	LC	1	0	0.3		1	0.75	RA d(ii)	RA	3	0	0.3		1	0.75	RA d(ii)	RA	3	0	0.3	
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana		0.00								0.00								0.00						
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00								0.00						
Micromyrtus flaviflora		0.00								0.00								0.00						
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii	1	7.14	NT	NT	2	0	0.3	have been taxonomic splits; should be more records; could be		0.00								0.00						
Millotia greevesii ssp. helmsii		0.00								0.00								0.00						
Millotia incurva		0.00								0.00								0.00						
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia		0.00								0.00								0.00						
Millotia perpusilla		0.00								0.00								0.00						
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis	2	10.00	RA d(ii)	RA	3	0	0.3	edge of range		0.00							3	15.00	RA d(ii)	RA	3	0	0.3	
Mimulus prostratus	13	56.52	LC	LC	1	0	0.3	mat-forming sp; strong-hold here		0.00							5	21.74	NT	NT	2	0	0.3	mat-forming sp
Mimulus repens	8	5.00	RA d(ii)	RA	3	0	0.3			0.00							2	1.25	RA d(i,ii)	RA	3	0	0.3	
Minuria annua		0.00								0.00								0.00						
Minuria cunninghamii	2	0.29	LC	LC	1	0	0.3			0.00							19	2.78	LC	LC	1	0	0.3	
Minuria denticulata	38	6.19	LC	LC	1	0	0.3		16	2.61	LC	LC	1	0	0.3		48	7.82	LC	LC	1	0	0.3	
Minuria integerrima	13	6.02	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts	1	0.46	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts	18	8.33	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts
Minuria leptophylla	1	0.09	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		12	1.04	LC	LC	1	0	0.3	
Minuria rigida	27	9.61	LC	LC	1	0	0.3	likes gypseous soils		0.00							10	3.56	LC	LC	1	0	0.3	likes gypseous soils
Mollugo cerviana	2	1.89	LC	LC	1	0	0.3	undercollected; very small		0.00							12	11.32	LC	LC	1	0	0.3	
Momordica balsamina	3	33.33	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Monachather paradoxus		0.00								0.00								0.00						
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides	1	1.08	NT	NT	2	DD	0		1	1.08	RA d(ii)	RA	3	DD	0	edge of range		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Muehlenbeckia florulenta	172	14.27	LC	LC	1	0	0.3		14	1.16	LC	LC	1	0	0.3		19	1.58	LC	LC	1	0	0.3	
Muelleranthus stipularis		0.00							4	9.76	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Murchisonia volubilis		0.00								0.00								0.00						
Myoporum brevipes		0.00								0.00								0.00						
Myoporum montanum	2	0.29	RA d(i,ii)	RA	3	DD	0			0.00							2	0.29	RA d(i,ii)	RA	3	DD	0	
Myoporum platycarpum ssp. platycarpum		0.00								0.00								0.00						
Myosurus minimus var. australis	5	5.81	LC	LC	1	0	0.3			0.00								0.00						
Myriocephalus pluriflorus	ent rec	0.00							7	17.07	NT	NT	2	DD	0	could be common; appears after good rains; lack of recent rec		0.00						
Myriocephalus rhizocephalus		0.00								0.00								0.00						
Myriocephalus rudallii	10	20.83	LC	LC	1	0	0.3		3	6.25	LC	LC	1	0	0.3			0.00						
Myriocephalus squamatus		0.00								0.00								0.00						
Myriophyllum verrucosum	10	4.69	LC	LC	1	0	0.3			0.00								0.00						
Neobassia proceriflora	18	7.06	LC	LC	1	0	0.3		2	0.78	LC	LC	1	0	0.3		37	14.51	LC	LC	1	0	0.3	
Neptunia dimorphantha	5	8.62	NT	NT	2	0	0.3		5	8.67	LC	LC	1	0	0.3		15	25.86	LC	LC	1	0	0.3	
Neurachne lanigera		0.00							2	66.67	VU D2	VU	4	DD	0	small, localised population		0.00						
Neurachne munroi		0.00							8	12.31	RA d(i,ii)	RA	3	0	0.3	long-lived, tough perennial	3	4.62	RA d(i,ii)	RA	3	0	0.3	long-lived, tough perennial
Newcastelia bracteosa		0.00								0.00								0.00						
Newcastelia cephalantha var. cephalantha	2	4.65	RA d(i,ii)	RA	3	DD	0		7	16.28	LC	LC	1	0	0.3			0.00						
Newcastelia cephalantha var. oblonga		0.00							3	75.00	RA d(ii)	RA	3	DD	0	grows on desert sanddunes		0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00								0.00						
Newcastelia spodiotricha		0.00								0.00								0.00						
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior		0.00								0.00								0.00						
Nicotiana goodspeedii		0.00								0.00								0.00						
Nicotiana gossei		0.00								0.00								0.00						
Nicotiana occidentalis ssp. obliqua		0.00								0.00								0.00						
Nicotiana rosulata ssp. ingulba		0.00								0.00								0.00						
Nicotiana rosulata ssp. rosulata		0.00								0.00								0.00						
Nicotiana simulans		0.00								0.00							5	1.99	NT	NT	2	0	0.3	
Nicotiana truncata		0.00								0.00								0.00						
Nicotiana velutina	83	7.93	LC	LC	1	0	0.3		22	2.10	LC	LC	1	0	0.3		45	4.30	LC	LC	1	0	0.3	
Nitraria billardierei		0.00							1	0.06	RA d(ii)	RA	3	0	0.3		4	0.23	LC	LC	1	0	0.3	
Nymphoides crenata		0.00								0.00							1	9.09	EN B2ab(i,ii,iii); D2	EN	5	-	0.4	limited habitat
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida		0.00								0.00								0.00						
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00								0.00								0.00						
Olearia ferresii		0.00								0.00								0.00						
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri		0.00								0.00								0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii		0.00								0.00								0.00						
Olearia subspicata		0.00								0.00								0.00						
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava	8	0.84	LC	LC	1	0	0.3			0.00							3	0.32	LC	LC	1	0	0.3	
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum		0.00								0.00								0.00						
Ophioglossum polyphyllum		0.00								0.00								0.00						
Orobanche cernua var. australiana		0.00								0.00								0.00						
Osteocarpum acropterum var. acropterum	38	12.46	LC	LC	1	0	0.3			0.00							3	0.98	LC	LC	1	0	0.3	
Osteocarpum acropterum var. deminutum	1	6.67	RA d(ii)	RA	3	DD	0			0.00								0.00						
Osteocarpum dipterocarpum	7	1.55	LC	LC	1	0	0.3		4	0.89	LC	LC	1	0	0.3		19	4.21	LC	LC	1	0	0.3	
Osteocarpum pentapterum		0.00								0.00							8	66.67	RA d(ii)	RA	3	0	0.3	ephemeral
Osteocarpum salsuginosum		0.00								0.00								0.00						
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula	21	29.58	LC	LC	1	0	0.3		12	16.90	LC	LC	1	0	0.3		22	30.99	LC	LC	1	0	0.3	
Oxalis perennans		0.00								0.00								0.00						
Oxalis radicosa		0.00								0.00								0.00						
Oxychloris scariosa	1	7.69	NT	NT	2	DD	0	perennial; lack of records		0.00							4	30.77	NT	NT	2	DD	0	perennial
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana		0.00								0.00								0.00						
Panicum decompositum var. decompositum	10	2.79	LC	LC	1	0	0.3		7	1.95	LC	LC	1	0	0.3		24	6.69	LC	LC	1	0	0.3	
Panicum effusum var. effusum		0.00								0.00								0.00						
Panicum laevinode	7	7.87	LC	LC	1	0	0.3			0.00							1	1.12	LC	LC	1	0	0.3	
Paraceterach reynoldsii		0.00								0.00								0.00						
Paractaenum novae-hollandiae ssp. reversum	8	4.08	LC	LC	1	0	0.3			0.00							6	3.06	LC	LC	1	0	0.3	
Paractaenum refractum	13	5.78	LC	LC	1	0	0.3		13	5.78	LC	LC	1	0	0.3		15	6.67	LC	LC	1	0	0.3	
Paraneurachne muelleri		0.00							11	28.95	NT	NT	2	0	0.3	edge of range	1	2.63	NT	NT	2	0	0.3	edge of range
Parietaria australis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Parietaria cardiostegia	1	0.40	RA d(ii)	RA	3	DD	0	odd record		0.00								0.00						
Parietaria debilis		0.00								0.00								0.00						
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum		0.00								0.00							4	22.22	NT	NT	2	0	0.3	lots of records not databased
Peplidium foecundum	1	4.35	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00							7	30.43	LC	LC	1	0	0.3	likes gibber plains & crabholes; records not databased
Peplidium sp. Marla (W.R.Barker 3535)		0.00								0.00								0.00						
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata	2	50.00	RA d(i,ii)	RA	3	0	0.3	increases after floods		0.00							1	25.00	RA d(i,ii)	RA	3	0	0.3	increases after floods
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia	6	4.55	NT	NT	2	0	0.3	ephemeral river spp, along Cooper Ck, common when conditio		0.00								0.00						
Persicaria prostrata		0.00								0.00							1	0.70	RA d(ii)	RA	3	DD	0	outlier; flood spp
Petalostylis cassioides		0.00								0.00								0.00						
Petalostylis labicheoides		0.00								0.00								0.00						
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00								0.00								0.00						
Phlegmatospermum cochlearinum	3	1.70	NT	NT	2	0	0.3			0.00							2	1.14	NT	NT	2	0	0.3	
Phlegmatospermum eremaeum	1	2.63	DD	DD	0	DD	0	outlier; query ID; mallee sp.		0.00								0.00						
Phragmites australis		0.00								0.00								0.00						
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii	16	10.53	LC	LC	1	0	0.3		2	1.32	RA d(ii)	RA	3	0	0.3		6	3.95	LC	LC	1	0	0.3	
Phyllanthus lacunarius	10	9.17	LC	LC	1	0	0.3		6	5.50	LC	LC	1	0	0.3		8	7.34	LC	LC	1	0	0.3	
Phyllanthus lacunellus		0.00							1	20.00	RA d(i,ii)	RA	3	DD	0			0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00							2	25.00	RA d(i,ii)	RA	3	DD	0	southern edge of range; northern Aust spp; recent taxonomic c		0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata		0.00								0.00								0.00						
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00								0.00								0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala	2	0.20	RA d(ii)	RA	3	DD	0			0.00								0.00						
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris	2	6.06	VU D2	VU	4	DD	0			0.00							1	3.03	VU D2	VU	4	DD	0	
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua	1	0.75	NT	NT	2	0	0.3			0.00							7	5.26	LC	LC	1	0	0.3	
Pimelea simplex ssp. simplex	3	0.66	LC	LC	1	0	0.3	ephemeral		0.00							6	1.32	LC	LC	1	0	0.3	ephemeral
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya	8	3.70	LC	LC	1	0	0.3		11	5.09	LC	LC	1	0	0.3		6	2.78	LC	LC	1	0	0.3	
Pittosporum angustifolium	8	0.24	LC	LC	1	0	0.3		1	0.03	NT	NT	2	0	0.3		14	0.43	LC	LC	1	0	0.3	
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus	4	1.81	LC	LC	1	0	0.3		1	0.45	RA d(ii)	RA	3	DD	0		2	0.90	RA d(ii)	RA	3	DD	0	limited habitat
Plantago cunninghamii		0.00								0.00								0.00						
Plantago debilis		0.00								0.00								0.00						
Plantago drummondii	21	1.93	LC	LC	1	0	0.3		8	0.74	LC	LC	1	0	0.3		24	2.21	LC	LC	1	0	0.3	
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa		0.00								0.00								0.00						
Plantago turrifera	5	9.09	RA d(ii)	RA	3	DD	0			0.00							1	1.82	RA d(ii)	RA	3	DD	0	
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus		0.00								0.00								0.00						
Pleurosorus rutifolius		0.00								0.00								0.00						
Pleurosorus subglandulosus		0.00								0.00								0.00						
Pluchea dentex	1	0.96	RA d(ii)	RA	3	DD	0			0.00							1	0.96	RA d(ii)	RA	3	DD	0	
Pluchea dunlopii	14	28.00	LC	LC	1	0	0.3		11	22.00	LC	LC	1	0	0.3		4	8.00	LC	LC	1	0	0.3	
Pluchea rubelliflora	3	4.00	LC	LC	1	0	0.3	grows in creek lines	3	4.00	LC	LC	1	0	0.3	grows in creek lines	2	2.67	LC	LC	1	0	0.3	grows in creek lines
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana	1	1.64	NT	NT	2	DD	0			0.00								0.00						
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens	1	0.26	RA d(i,ii)	RA	3	DD	0			0.00							2	0.51	RA d(i,ii)	RA	3	DD	0	
Podolepis capillaris		0.00							1	0.08	LC	LC	1	0	0.3			0.00						
Podolepis davisiana		0.00								0.00								0.00						
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Polycalymma stuartii	55	5.57	LC	LC	1	0	0.3		37	3.75	LC	LC	1	0	0.3		31	3.14	LC	LC	1	0	0.3	
Polycarpaea arida	3	3.95	NT	NT	2	0	0.3			0.00							5	6.58	NT	NT	2	0	0.3	
Polycarpaea breviflora	1	5.26	RA d(i,ii)	RA	3	DD	0			0.00							9	47.37	NT	NT	2	DD	0	
Polygala isingii		0.00							3	23.08	RA d(ii)	RA	3	DD	0	ephemeral, very small, undercollected; outlier		0.00						
Polygonum plebeium	7	4.00	LC	LC	1	0	0.3	responds to rainfall events	4	2.29	LC	LC	1	0	0.3	responds to rainfall events	1	0.57	LC	LC	1	0	0.3	responds to rainfall events
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata		0.00							3	0.99	RA d(i,ii)	RA	3	0	0.3			0.00						
Poranthera leiosperma		0.00								0.00								0.00						
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia	1	1.96	LC	LC	1	0	0.3		2	3.92	LC	LC	1	0	0.3		25	49.02	LC	LC	1	0	0.3	
Portulaca intraterranea	38	12.79	LC	LC	1	0	0.3	sand dune spp	13	4.38	LC	LC	1	0	0.3	sand dune spp	30	10.10	LC	LC	1	0	0.3	sand dune spp
Portulaca oleracea	101	11.87	LC	LC	1	0	0.3		16	1.88	LC	LC	1	0	0.3		90	10.58	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus		0.00								0.00								0.00						
Potamogeton tricarinatus		0.00	LC	LC	1	0	0.3	(no records) lots of habitat		0.00								0.00						
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia		0.00								0.00								0.00						
Prostanthera nudula		0.00								0.00								0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora		0.00								0.00								0.00						
Prostanthera wilkieana		0.00								0.00								0.00						
Pseudoraphis spinescens	8	16.67	NT	NT	2	0	0.3			0.00							1	2.08	RA d(i,ii)	RA	3	DD	0	localised
Psydrax ammophila		0.00								0.00								0.00						
Psydrax latifolia		0.00								0.00							1	7.14	RA d(ii)	RA	3	DD	0	
Psydrax suaveolens		0.00								0.00								0.00						
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum		0.00								0.00								0.00						
Pterocaulon sphacelatum	23	3.47	LC	LC	1	0	0.3		25	3.78	LC	LC	1	0	0.3		26	3.93	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri		0.00								0.00								0.00						
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens		0.00								0.00								0.00						
Ptilotus disparilis		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides		0.00								0.00							1	2.78	RA d(i,ii)	RA	3	DD	0	outlier
Ptilotus incanus		0.00								0.00								0.00						
Ptilotus latifolius	2	3.77	NT	NT	2	0	0.3		9	16.99	LC	LC	1	0	0.3		10	18.87	LC	LC	1	0	0.3	
Ptilotus macrocephalus	2	1.54	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00							6	4.62	LC	LC	1	0	0.3	
Ptilotus murrayi	1	16.67	NT	NT	2	0	0.3	edge of range, Qld spp	1	16.67	NT	NT	2	0	0.3	edge of range, Qld spp	3	50.00	NT	NT	2	0	0.3	edge of range, Qld spp
Ptilotus nobilis ssp. nobilis		0.00								0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)
Ptilotus obovatus		0.00							1	1.22	LC	LC	1	0	0.3	lots of NC records	5	6.10	LC	LC	1	0	0.3	
Ptilotus parvifolius		0.00								0.00								0.00						
Ptilotus polystachyus	15	4.36	LC	LC	1	0	0.3	likes sand	27	7.85	LC	LC	1	0	0.3		9	2.62	LC	LC	1	0	0.3	
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides		0.00								0.00								0.00						
Ptilotus remotiflorus		0.00								0.00							5	100.00	RA d(i,ii)	RA	3	0	0.3	limited habitat
Ptilotus schwartzii		0.00								0.00								0.00						
Ptilotus sessilifolius	7	2.36	LC	LC	1	0	0.3		33	11.11	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei		0.00								0.00								0.00						
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus	2	2.22	LC	LC	1	0	0.3	undercollected; likes low-lying cracking clay soil	2	2.22	LC	LC	1	0	0.3	undercollected; likes low-lying cracking clay soil	1	1.11	LC	LC	1	0	0.3	undercollected; likes low-lying cracking clay soil
Pycnosorus globosus		0.00								0.00								0.00						
Pycnosorus melleus	8	22.86	RA d(ii)	RA	3	DD	0			0.00							7	20.00	RA d(ii)	RA	3	DD	0	
Pycnosorus pleiocephalus	1	0.16	LC	LC	1	0	0.3			0.00							3	0.47	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Radyera farragei		0.00								0.00								0.00						
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00								0.00								0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus	8	5.23	LC	LC	1	0	0.3	grows on interdune swales after rain	1	0.65	NT	NT	2	0	0.3	grows on interdune swales after rain	1	0.65	NT	NT	2	0	0.3	grows on interdune swales after rain
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio	3	3.19	RA d(ii)	RA	3	DD	0			0.00								0.00						
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00							2	0.71	VU D2	VU	4	DD	0	localised
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea		0.00								0.00							1	0.32	DD	DD	0	DD	0	unlikely record
Rhagodia parabolica		0.00								0.00								0.00						
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	3	0.12	LC	LC	1	0	0.3		30	1.21	LC	LC	1	0	0.3		56	2.25	LC	LC	1	0	0.3	
Rhagodia ulicina		0.00								0.00								0.00						
Rhodanthe charsleyae		0.00								0.00								0.00						
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina		0.00								0.00								0.00						
Rhodanthe corymbiflora	2	0.49	RA d(ii)	RA	3	DD	0			0.00							5	1.23	RA d(ii)	RA	3	DD	0	
Rhodanthe floribunda	28	2.04	LC	LC	1	0	0.3		34	2.48	LC	LC	1	0	0.3		44	3.21	LC	LC	1	0	0.3	
Rhodanthe gossypina	3	100.00	VU D2	VU	4	DD	0	edge of range		0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa	9	1.49	LC	LC	1	0	0.3		6	0.99	LC	LC	1	0	0.3		29	4.79	LC	LC	1	0	0.3	
Rhodanthe moschata	37	4.05	LC	LC	1	0	0.3		15	1.64	LC	LC	1	0	0.3		21	2.30	LC	LC	1	0	0.3	
Rhodanthe polygalifolia		0.00								0.00								0.00						
Rhodanthe pygmaea		0.00								0.00								0.00						
Rhodanthe stricta	17	2.23	LC	LC	1	0	0.3		2	0.26	LC	LC	1	0	0.3		29	3.80	LC	LC	1	0	0.3	
Rhodanthe stuartiana		0.00								0.00								0.00						
Rhodanthe tietkensii		0.00								0.00								0.00						
Rhodanthe troedelii	6	5.61	RA d(ii)	RA	3	DD	0			0.00							1	0.93	RA d(ii)	RA	3	DD	0	
Rhodanthe uniflora	1	0.52	LC	LC	1	0	0.3		2	1.04	LC	LC	1	0	0.3		12	6.25	LC	LC	1	0	0.3	
Rhyncharrhena linearis		0.00								0.00								0.00						
Rhynchosia australis		0.00								0.00								0.00						
Rhynchosia minima	2	10.00	NE	NE	-1			taxonomic issues	1	5.00	NE	NE	-1			taxonomic issues	2	10.00	NE	NE	-1			taxonomic issues
Rorippa eustylis	3	8.33	RA d(ii)	RA	3	0	0.3	confined to creeks		0.00								0.00						
Rostellularia adscendens var. clementii		0.00								0.00								0.00						
Rostellularia adscendens var. latifolia		0.00								0.00								0.00						
Rostellularia adscendens var. pogonanthera	2	1.03	RA d(i,ii)	RA	3	DD	0		1	0.51	RA d(i,ii)	RA	3	DD	0		15	7.69	LC	LC	1	0	0.3	
Rulingia loxophylla	1	1.19	RA d(i,ii)	RA	3	0	0.3	outlier	24	28.57	RA d(ii)	RA	3	0	0.3	outlier		0.00						
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus	21	16.03	LC	LC	1	0	0.3		3	2.29	LC	LC	1	0	0.3		4	3.05	LC	LC	1	0	0.3	
Ruppia maritima		0.00								0.00								0.00						
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides	47	12.08	LC	LC	1	0	0.3		10	2.57	LC	LC	1	0	0.3		49	12.60	LC	LC	1	0	0.3	
Salsola tragus	146	3.33	LC	LC	1	0	0.3		67	1.53	LC	LC	1	0	0.3		187	4.27	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens		0.00								0.00								0.00						
Santalum acuminatum		0.00								0.00								0.00						
Santalum lanceolatum	18	2.05	LC	LC	1	0	0.3		11	1.25	LC	LC	1	0	0.3		55	6.27	LC	LC	1	0	0.3	
Santalum spicatum		0.00								0.00								0.00						
Sarcocornia blackiana		0.00								0.00								0.00						
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe		0.00								0.00							7	3.24	NT	NT	2	0	0.3	
Sarcozona praecox		0.00								0.00								0.00						
Sauropus ramosissimus		0.00								0.00							12	57.14	VU D2	VU	4	0	0.3	grows on mesas; localised habitat; Cordillo Downs
Sauropus rigens		0.00								0.00								0.00						
Sauropus trachyspermus	22	8.76	LC	LC	1	0	0.3		2	0.80	LC	LC	1	0	0.3		19	7.57	LC	LC	1	0	0.3	
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis		0.00								0.00								0.00						
Scaevola basedowii		0.00								0.00								0.00						
Scaevola collaris	10	3.83	LC	LC	1	0	0.3	likes damp sand; undercollected		0.00							1	0.38	NT	NT	2	0	0.3	likes damp sand; undercollected
Scaevola collina		0.00								0.00								0.00						
Scaevola depauperata	2	1.50	RA d(ii)	RA	3	0	0.3		28	21.05	LC	LC	1	0	0.3		7	5.26	NT	NT	2	0	0.3	
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata	24	5.91	LC	LC	1	0	0.3		32	7.88	LC	LC	1	0	0.3		43	10.59	LC	LC	1	0	0.3	
Scaevola parvifolia ssp. parvifolia		0.00							6	26.09	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Scaevola spinescens	5	0.38	LC	LC	1	0	0.3		5	0.38	LC	LC	1	0	0.3		28	2.13	LC	LC	1	0	0.3	
Schenkia australis	20	10.15	LC	LC	1	0	0.3		4	2.03	LC	LC	1	0	0.3		4	2.03	LC	LC	1	0	0.3	
Schoenia ayersii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Schoenia cassiniana		0.00								0.00								0.00						
Schoenia ramosissima	9	5.36	LC	LC	1	0	0.3		1	0.60	LC	LC	1	0	0.3		6	3.57	LC	LC	1	0	0.3	
Schoenoplectus dissachanthus	2	4.76	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats	2	4.76	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats	5	11.90	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens		0.00								0.00								0.00						
Schoenoplectus subulatus		0.00								0.00								0.00						
Schoenoplectus validus		0.00								0.00								0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00								0.00								0.00						
Sclerolaena anisacanthoides	2	100.00	RA d(ii)	RA	3	DD	0	difficult to press, undercollected, prickly		0.00								0.00						
Sclerolaena articulata	1	5.26	RA d(ii)	RA	3	DD	0			0.00							1	5.26	RA d(ii)	RA	3	DD	0	
Sclerolaena bicornis var. bicornis	43	9.41	LC	LC	1	0	0.3		21	4.60	LC	LC	1	0	0.3		79	17.29	LC	LC	1	0	0.3	
Sclerolaena bicuspis		0.00								0.00								0.00						
Sclerolaena birchii		0.00								0.00								0.00						
Sclerolaena blackiana		0.00								0.00							2	1.94	RA d(ii)	RA	3	DD	0	outlier, not vouchered
Sclerolaena brachyptera	11	1.04	LC	LC	1	0	0.3		2	0.19	LC	LC	1	0	0.3		64	6.04	LC	LC	1	0	0.3	
Sclerolaena calcarata	33	31.13	LC	LC	1	0	0.3		6	5.66	LC	LC	1	0	0.3		25	23.58	LC	LC	1	0	0.3	
Sclerolaena clelandii		0.00								0.00								0.00						
Sclerolaena constricta	2	1.34	NT	NT	2	DD	0			0.00							5	3.36	LC	LC	1	0	0.3	
Sclerolaena convexula	2	0.55	NT	NT	2	0	0.3	limited habitat	24	6.63	LC	LC	1	0	0.3		2	0.55	LC	LC	1	0	0.3	
Sclerolaena cornishiana		0.00								0.00								0.00						
Sclerolaena costata	1	3.13	NT	NT	2	0	0.3			0.00								0.00						
Sclerolaena cristata		0.00								0.00								0.00						
Sclerolaena cuneata	5	1.37	LC	LC	1	0	0.3		10	2.73	LC	LC	1	0	0.3		44	12.02	LC	LC	1	0	0.3	
Sclerolaena decurrens	15	5.17	LC	LC	1	0	0.3		2	0.69	LC	LC	1	0	0.3		8	2.76	LC	LC	1	0	0.3	
Sclerolaena deserticola		0.00								0.00								0.00						
Sclerolaena diacantha	39	1.30	LC	LC	1	0	0.3	good stock food	21	0.70	LC	LC	1	0	0.3		42	1.40	LC	LC	1	0	0.3	
Sclerolaena divaricata	10	1.07	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3		15	1.61	LC	LC	1	0	0.3	
Sclerolaena eriacantha	3	0.99	LC	LC	1	0	0.3			0.00							54	17.82	LC	LC	1	0	0.3	
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra	9	7.83	LC	LC	1	0	0.3		7	6.09	LC	LC	1	0	0.3		45	39.13	LC	LC	1	0	0.3	
Sclerolaena holtiana	1	0.44	LC	LC	1	0	0.3			0.00							9	3.93	LC	LC	1	0	0.3	
Sclerolaena intricata	114	12.82	LC	LC	1	0	0.3		12	1.35	LC	LC	1	0	0.3		91	10.24	LC	LC	1	0	0.3	
Sclerolaena johnsonii		0.00							5	4.17	NT	NT	2	0	0.3		3	2.50	NT	NT	2	0	0.3	
Sclerolaena lanicuspis	22	2.50	LC	LC	1	0	0.3		18	2.05	LC	LC	1	0	0.3		82	9.32	LC	LC	1	0	0.3	
Sclerolaena limbata		0.00								0.00								0.00						
Sclerolaena longicuspis	2	0.57	NT	NT	2	0	0.3		1	0.29	NT	NT	2	0	0.3			0.00						
Sclerolaena muricata var. muricata	9	6.67	LC	LC	1	0	0.3	heavy clays on rivers or cane grass swamps	1	0.74	LC	LC	1	0	0.3	heavy clays on rivers or cane grass swamps	2	1.48	LC	LC	1	0	0.3	heavy clays on rivers or cane grass swamps
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis	1	0.04	RA d(i,ii)	RA	3		0	edge of range		0.00								0.00						
Sclerolaena parallelicuspis	10	3.07	LC	LC	1	0	0.3		4	1.23	LC	LC	1	0	0.3		37	11.35	LC	LC	1	0	0.3	
Sclerolaena parviflora		0.00								0.00								0.00						
Sclerolaena patenticuspis	5	0.44	LC	LC	1	0	0.3		4	0.35	LC	LC	1	0	0.3			0.00						
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei	1	1.10	RA d(i,ii)	RA	3	DD	0	endemic to SA; long-lived		0.00							7	7.69	LC	LC	1	0	0.3	endemic to SA; long-lived
Sclerolaena tricuspis		0.00								0.00								0.00						
Sclerolaena uniflora	8	0.82	LC	LC	1	0	0.3	grows on bare limestone	9	0.92	LC	LC	1	0	0.3	grows on bare limestone		0.00						
Sclerolaena ventricosa	7	0.93	LC	LC	1	0	0.3			0.00							17	2.27	LC	LC	1	0	0.3	
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00								0.00								0.00						
Senecio depressicola	30	46.88	LC	LC	1	0	0.3		2	3.13	LC	LC	1	0	0.3		11	17.19	LC	LC	1	0	0.3	
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola		0.00								0.00								0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus	1	0.13	LC	LC	1	0	0.3	in interdune swales		0.00							1	0.13	LC	LC	1	0	0.3	in interdune swales
Senecio gregorii	55	7.00	LC	LC	1	0	0.3	on sand dunes, widespread	26	3.31	LC	LC	1	0	0.3	on sand dunes, widespread	24	3.05	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00								0.00						
Senecio laceratus	1	1.69	DD	DD	0	DD	0	wrong ID?		0.00								0.00						
Senecio lacustrinus	2	1.71	RA d(i,ii)	RA	3	DD	0	taxonomic issues		0.00								0.00						
Senecio lanibracteus	64	19.69	LC	LC	1	0	0.3		3	0.92	LC	LC	1	0	0.3		2	0.62	LC	LC	1	0	0.3	
Senecio magnificus		0.00								0.00								0.00						
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius	5	4.63	LC	LC	1	0	0.3			0.00							1	0.93	RA d(i,ii)	RA	3	DD	0	scattered pops
Senecio spanomerus		0.00								0.00								0.00						
Senna artemisioides ssp. alicia	3	2.97	NT	NT	2	0	0.3			0.00							7	6.93	LC	LC	1	0	0.3	
Senna artemisioides ssp. artemisioides	2	0.25	DD	DD	0	DD	0	could be wrong ID	8	1.02	LC	LC	1	0	0.3		10	1.27	LC	LC	1	0	0.3	
Senna artemisioides ssp. coriacea	1	0.07	DD	DD	0	DD	0	could be wrong ID	1	0.07	NT	NT	2	0	0.3		8	0.55	NT	NT	2	0	0.3	
Senna artemisioides ssp. filifolia	26	2.19	LC	LC	1	0	0.3		29	2.44	LC	LC	1	0	0.3		29	2.44	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Senna artemisioides ssp. helmsii	2	0.58	DD	DD	0	DD	0	imprecise locations	14	4.08	LC	LC	1	0	0.3		31	9.04	LC	LC	1	0	0.3	
Senna artemisioides ssp. oligophylla	6	2.83	LC	LC	1	0	0.3		25	11.79	LC	LC	1	0	0.3		34	16.04	LC	LC	1	0	0.3	
Senna artemisioides ssp. petiolaris	6	0.59	LC	LC	1	0	0.3		7	0.69	LC	LC	1	0	0.3		13	1.29	LC	LC	1	0	0.3	
Senna artemisioides ssp. quadrifolia	7	3.76	LC	LC	1	0	0.3		1	0.54	RA d(ii)	RA	3	DD	0		23	12.37	LC	LC	1	0	0.3	
Senna artemisioides ssp. sturtii	2	1.30	RA d(ii)	RA	3	DD	0	edge of range	7	4.55	LC	LC	1	0	0.3		8	5.19	LC	LC	1	0	0.3	
Senna artemisioides ssp. zygophylla	3	4.29	NT	NT	2	DD	0		7	10.00	NT	NT	2	DD	0		7	10.00	NT	NT	2	DD	0	
Senna cardiosperma ssp. gawlerensis		0.00								0.00								0.00						
Senna cardiosperma ssp. microphylla		0.00								0.00								0.00						
Senna glutinosa ssp. glutinosa		0.00								0.00								0.00						
Senna glutinosa ssp. pruinosa		0.00								0.00							8	22.86	LC	LC	1	0	0.3	
Senna notabilis	1	10.00	RA d(i,ii)	RA	3	0	0.3			0.00							1	10.00	RA d(i,ii)	RA	3	0	0.3	
Senna phyllodinea	10	6.21	LC	LC	1	0	0.3		3	1.86	LC	LC	1	0	0.3		24	14.91	LC	LC	1	0	0.3	
Senna planitiicola		0.00								0.00								0.00						
Senna pleurocarpa var. pleurocarpa	11	3.28	LC	LC	1	0	0.3	fire responsive	28	8.36	LC	LC	1	0	0.3	fire responsive	10	2.99	LC	LC	1	0	0.3	fire responsive
Sesbania cannabina var. cannabina	20	83.33	LC	LC	1	0	0.3	in wet years, comes & goes		0.00							2	8.33	RA d(ii)	RA	3	DD	0	
Setaria basiclada		0.00								0.00							1	1.01	RA d(ii)	RA	3	DD	0	likes rocky hills; outlier
Setaria clementii		0.00	RA d(ii)	RA	3	0	0.3	(no records)		0.00							3	2.97	LC	LC	1	0	0.3	low, rocky rises
Setaria constricta		0.00							1	0.19	RA d(ii)	RA	3	DD	0		3	0.56	RA d(ii)	RA	3	DD	0	
Setaria dielsii	5	4.00	LC	LC	1	0	0.3	in creeks, drainage lines; ephemeral		0.00								0.00						
Setaria jubiflora	5	2.07	LC	LC	1	0	0.3	comes down from Qld, in creek lines		0.00							15	6.22	LC	LC	1	0	0.3	comes down from Qld, in creek lines
Setaria reflexa		0.00								0.00								0.00						
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	31	4.95	LC	LC	1	0	0.3		22	3.51	LC	LC	1	0	0.3		30	4.79	LC	LC	1	0	0.3	
Sida argillacea	5	41.67	LC	LC	1	0	0.3	seasonally abundant	1	8.33	NT	NT	2	0	0.3	seasonally abundant	1	8.33	NT	NT	2	0	0.3	seasonally abundant
Sida calyxhymenia		0.00								0.00								0.00						
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata		0.00								0.00								0.00						
Sida cunninghamii	15	7.14	LC	LC	1	0	0.3		8	3.81	LC	LC	1	0	0.3		5	2.38	LC	LC	1	0	0.3	
Sida everistiana		0.00								0.00								0.00						
Sida fibulifera	16	1.05	LC	LC	1	0	0.3		40	2.61	LC	LC	1	0	0.3		82	5.36	LC	LC	1	0	0.3	
Sida filiformis	2	3.57	NT	NT	2	0	0.3	persistent	1	1.79	NT	NT	2	0	0.3	persistent	1	1.79	NT	NT	2	0	0.3	persistent
Sida goniocarpa	3	10.00	NT	NT	2	DD	0		1	3.33	NT	NT	2	DD	0		11	36.67	LC	LC	1	0	0.3	
Sida intricata		0.00							5	0.81	LC	LC	1	0	0.3		13	2.10	LC	LC	1	0	0.3	
Sida petrophila		0.00								0.00							3	0.21	NT	NT	2	0	0.3	
Sida phaeotricha		0.00								0.00							1	0.56	RA d(i,ii)	RA	3	DD	0	outlier; limited habitat
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae	3	9.68	NT	NT	2	DD	0		11	35.48	LC	LC	1	0	0.3		7	22.58	LC	LC	1	0	0.3	
Sida sp. B (C.Dunlop 1739)		0.00								0.00								0.00						
Sida sp. Everard Ranges (D.J.Whibley 1085)		0.00								0.00								0.00						
Sida sp. F (Latz 7459)		0.00								0.00								0.00						
Sida sp. L (A.M.Ashby 4202)		0.00								0.00								0.00						
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00							1	100.00	NE	NE	-1					0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00								0.00						
Sida spodochroma		0.00								0.00								0.00						
Sida trichopoda	9	2.14	LC	LC	1	0	0.3			0.00							66	15.71	LC	LC	1	0	0.3	
Sigesbeckia australiensis		0.00								0.00								0.00						
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale		0.00								0.00								0.00						
Solanum chenopodinum		0.00							1	1.89	RA d(ii)	RA	3	DD	0		5	9.43	NT	NT	2	DD	0	
Solanum cleistogamum		0.00								0.00								0.00						
Solanum coactiliferum		0.00								0.00								0.00						
Solanum eardleyae		0.00								0.00								0.00						
Solanum ellipticum	3	0.20	LC	LC	1	0	0.3		33	2.23	LC	LC	1	0	0.3		35	2.37	LC	LC	1	0	0.3	
Solanum esuriale	27	6.84	LC	LC	1	0	0.3		11	2.78	LC	LC	1	0	0.3		19	4.81	LC	LC	1	0	0.3	
Solanum ferocissimum		0.00								0.00							1	2.70	RA d(ii)	RA	3	DD	0	limited habitat
Solanum lacunarium		0.00								0.00								0.00						
Solanum lasiophyllum		0.00								0.00								0.00						
Solanum oligacanthum	92	34.46	LC	LC	1	0	0.3			0.00							17	6.37	LC	LC	1	0	0.3	
Solanum orbiculatum ssp. orbiculatum		0.00								0.00								0.00						
Solanum petrophilum		0.00								0.00								0.00						
Solanum quadriloculatum		0.00								0.00								0.00						
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum		0.00								0.00								0.00						
Sonchus hydrophilus	3	1.13	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.		0.00							1	0.38	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.
Spartothamnella teucriiflora		0.00								0.00								0.00						
Spergularia brevifolia		0.00								0.00								0.00						
Spergularia diandroides	3	7.69	DD	DD	0	DD	0	records on loan, probably common		0.00								0.00						
Spergularia marina		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus	10	1.83	LC	LC	1	0	0.3		4	0.73	LC	LC	1	0	0.3		114	20.88	LC	LC	1	0	0.3	
Sporobolus australasicus		0.00							1	100.00	NT	NT	2	0	0.3	edge of range; found along roadsides		0.00						
Sporobolus blakei		0.00								0.00								0.00						
Sporobolus caroli	1	1.59	RA d(ii)	RA	3	DD	0		2	3.17	RA d(ii)	RA	3	DD	0		5	7.94	LC	LC	1	0	0.3	
Sporobolus mitchellii	141	41.47	LC	LC	1	0	0.3	restricted to river systems		0.00								0.00						
Sporobolus virginicus	3	0.67	RA d(ii)	RA	3	0	0.3	hardy sp, likes salt; limited habitat		0.00								0.00						
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii		0.00								0.00								0.00						
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00								0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	100	15.58	LC	LC	1	0	0.3		7	1.09	LC	LC	1	0	0.3		29	4.52	LC	LC	1	0	0.3	
Stemodia glabella	9	15.52	RA d(ii)	RA	3	0	0.3		5	8.62	LC	LC	1	0	0.3		30	51.72	LC	LC	1	0	0.3	
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00								0.00						
Stemodia viscosa		0.00								0.00								0.00						
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum		0.00								0.00								0.00						
Stenopetalum decipiens		0.00								0.00								0.00						
Stenopetalum lineare	1	0.16	NT	NT	2	0	0.3		8	1.29	LC	LC	1	0	0.3	a complex of species, could be split	3	0.48	LC	LC	1	0	0.3	
Stenopetalum nutans	1	1.16	LC	LC	1	0	0.3		1	1.16	LC	LC	1	0	0.3		12	13.95	LC	LC	1	0	0.3	
Stenopetalum sphaerocarpum		0.00								0.00								0.00						
Stenopetalum velutinum		0.00							1	0.49	NT	NT	2	0	0.3		2	0.99	NT	NT	2	0	0.3	
Streptoglossa adscendens	11	3.44	LC	LC	1	0	0.3		8	2.50	LC	LC	1	0	0.3		56	17.50	LC	LC	1	0	0.3	
Streptoglossa cylindriceps		0.00								0.00							1	2.08	DD	DD	0	DD	0	check ID
Streptoglossa decurrens		0.00								0.00							2	100.00	RA d(i,ii)	RA	3	DD	0	edge of range; questionably native
Streptoglossa liatroides		0.00							2	1.20	RA d(ii)	RA	3	DD	0	outlier		0.00						
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00							7	100.00	VU D2	VU	4	0	0.3	highly localised; red sands on clay pans; buffel a threat		0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum		0.00								0.00								0.00						
Suaeda australis		0.00								0.00								0.00						
Swainsona acuticarinata		0.00								0.00								0.00						
Swainsona adenophylla		0.00								0.00								0.00						
Swainsona affinis		0.00							6	10.17	LC	LC	1	0	0.3			0.00						
Swainsona burkittii		0.00								0.00								0.00						
Swainsona campylantha	10	3.41	LC	LC	1	0	0.3		11	3.75	LC	LC	1	0	0.3		34	11.60	LC	LC	1	0	0.3	
Swainsona canescens		0.00								0.00								0.00						
Swainsona colutoides		0.00								0.00								0.00						
Swainsona disjuncta		0.00								0.00								0.00						
Swainsona eremaea		0.00								0.00								0.00						
Swainsona extrajacens	8	50.00	RA d(i,ii)	RA	3	0	0.3		2	12.50	RA d(i,ii)	RA	3	0	0.3			0.00						
Swainsona fissimontana		0.00								0.00							1	1.28	RA d(ii)	RA	3	DD	0	
Swainsona flavicarinata	2	2.70	DD	DD	0	DD	0		6	8.11	LC	LC	1	0	0.3		7	9.46	LC	LC	1	0	0.3	
Swainsona formosa		0.00								0.00								0.00						
Swainsona laxa	13	18.84	LC	LC	1	0	0.3			0.00							6	8.70	LC	LC	1	0	0.3	
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx		0.00								0.00								0.00						
Swainsona microphylla		0.00							1	0.58	DD	DD	0	DD	0		5	2.92	LC	LC	1	0	0.3	
Swainsona minutiflora		0.00								0.00								0.00						
Swainsona oligophylla	14	14.89	LC	LC	1	0	0.3		6	6.38	LC	LC	1	0	0.3			0.00						
Swainsona oliveri		0.00								0.00								0.00						
Swainsona oroboides	6	5.45	RA d(i,ii)	RA	3	0	0.3			0.00							22	20.00	LC	LC	1	0	0.3	
Swainsona phacoides	35	9.04	LC	LC	1	0	0.3	sand sp	12	3.10	LC	LC	1	0	0.3	sand sp	16	4.13	LC	LC	1	0	0.3	sand sp
Swainsona purpurea	1	0.96	RA d(ii)	RA	3	DD	0			0.00								0.00						
Swainsona stipularis		0.00								0.00							1	0.34	NT	NT	2	DD	0	taxonomic issues
Swainsona swainsonioides		0.00								0.00								0.00						
Swainsona tenuis		0.00								0.00								0.00						
Swainsona tephrotricha		0.00								0.00								0.00						
Swainsona unifoliolata		0.00								0.00								0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa		0.00							2	1.46	RA d(ii)	RA	3	DD	0	outliers		0.00						
Swainsona viridis		0.00								0.00								0.00						
Synaptantha tillaeacea var. hispidula	4	12.90	NT	NT	2	0	0.3	perennial; comes up after good rain		0.00							1	3.23	NT	NT	2	0	0.3	perennial; comes up after good rain
Synaptantha tillaeacea var. tillaeacea	7	11.29	LC	LC	1	0	0.3	undercollected	2	3.23	LC	LC	1	0	0.3	undercollected	4	6.45	LC	LC	1	0	0.3	undercollected
Tecticornia arbuscula		0.00								0.00								0.00						
Tecticornia cupuliformis	no kn	0.00								0.00								0.00						
Tecticornia disarticulata		0.00								0.00							2	1.08	DD	DD	0	DD	0	unlikely
Tecticornia fontinalis		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. halocnemoides	1	0.27	RA d(ii)	RA	3	DD	0	endemic to SA		0.00								0.00						
Tecticornia halocnemoides ssp. longispicata	2	1.94	NT	NT	2	0	0.3			0.00								0.00						
Tecticornia halocnemoides ssp. tenuis	4	26.67	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Tecticornia indica ssp. bidens		0.00								0.00								0.00						
Tecticornia indica ssp. leiostachya	66	13.61	LC	LC	1	0	0.3	common	1	0.21	LC	LC	1	0	0.3		7	1.44	LC	LC	1	0	0.3	
Tecticornia medullosa		0.00								0.00							5	4.13	NT	NT	2	0	0.3	likes rocks
Tecticornia nitida		0.00								0.00								0.00						
Tecticornia pergranulata ssp. divaricata	1	1.72	RA d(ii)	RA	3	DD	0			0.00								0.00						
Tecticornia pergranulata ssp. elongata		0.00								0.00								0.00						
Tecticornia pergranulata ssp. pergranulata		0.00								0.00								0.00						
Tecticornia pruniflora	5	11.11	LC	LC	1	0	0.3			0.00								0.00						
Tecticornia pruinosa		0.00								0.00								0.00						
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00								0.00						
Tecticornia tenuis	5	1.67	LC	LC	1	0	0.3	arid sp.		0.00							17	5.69	LC	LC	1	0	0.3	arid sp.
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena		0.00								0.00								0.00						
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora	21	7.24	LC	LC	1	0	0.3		11	3.79	LC	LC	1	0	0.3		33	11.38	LC	LC	1	0	0.3	
Tephrosia supina		0.00							8	30.77	LC	LC	1	0	0.3	southern edge of range; could be more records not dat	1	3.85	RA d(i,ii)	RA	3	0	0.3	
Tetragonia eremaea	8	0.67	LC	LC	1	0	0.3		5	0.42	LC	LC	1	0	0.3		9	0.76	LC	LC	1	0	0.3	
Tetragonia moorei	10	13.16	LC	LC	1	0	0.3	likes summer rain; grows around bores	14	18.42	LC	LC	1	0	0.3	likes summer rain; grows around bores	2	2.63	LC	LC	1	0	0.3	likes summer rain; grows around bores
Tetragonia tetragonioides		0.00								0.00								0.00						
Teucrium albicaule	6	20.00	LC	LC	1	0	0.3	needs regular water; rocky gorges; shade	1	3.33	LC	LC	1	0	0.3	needs regular water; rocky gorges; shade	5	16.67	LC	LC	1	0	0.3	needs regular water; rocky gorges; shade
Teucrium corymbosum		0.00								0.00								0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum	84	10.06	LC	LC	1	0	0.3		17	2.04	LC	LC	1	0	0.3		21	2.51	LC	LC	1	0	0.3	
Teucrium reidii		0.00								0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea		0.00								0.00							2	11.11	RA d(ii)	RA	3	DD	0	
Themeda triandra	1	0.07	RA d(ii)	RA	3	-	0.4	grazed by cattle	2	0.13	NT	NT	2	DD	0		14	0.93	LC	LC	1	0	0.3	
Threlkeldia inchoata		0.00								0.00								0.00						
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana		0.00								0.00								0.00						
Thyridolepis multiculmis		0.00								0.00								0.00						
Thyridolepis xerophila		0.00								0.00								0.00						
Thysanotus baueri		0.00								0.00								0.00						
Thysanotus exiliflorus		0.00								0.00								0.00						
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae		0.00								0.00								0.00						
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	5	1.77	LC	LC	1	0	0.3		17	6.03	LC	LC	1	0	0.3		16	5.67	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus	19	5.01	LC	LC	1	0	0.3		2	0.53	LC	LC	1	0	0.3		23	6.07	LC	LC	1	0	0.3	
Trianthema pilosa	5	7.69	LC	LC	1	0	0.3	northern Aust sp.	6	9.23	LC	LC	1	0	0.3	northern Aust sp.	12	18.46	LC	LC	1	0	0.3	northern Aust sp.
Trianthema triquetra	82	10.06	LC	LC	1	0	0.3		3	0.37	LC	LC	1	0	0.3		110	13.50	LC	LC	1	0	0.3	
Tribulus astrocarpus		0.00								0.00								0.00						
Tribulus eichlerianus	11	3.73	LC	LC	1	0	0.3		12	4.07	LC	LC	1	0	0.3		40	13.56	LC	LC	1	0	0.3	
Tribulus hystrix	15	6.91	LC	LC	1	0	0.3	likes big red sand hills	13	5.96	LC	LC	1	0	0.3	likes big red sand hills	29	13.36	LC	LC	1	0	0.3	likes big red sand hills
Tribulus macrocarpus		0.00								0.00								0.00						
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00								0.00								0.00						
Trichanthodium skirrophorum	7	1.02	LC	LC	1	0	0.3		12	1.74	LC	LC	1	0	0.3		10	1.45	LC	LC	1	0	0.3	
Trichodesma zeylanicum var. zeylanicum	38	5.18	LC	LC	1	0	0.3		23	3.13	LC	LC	1	0	0.3		25	3.41	LC	LC	1	0	0.3	
Triglochin hexagona		0.00	LC	LC	1	0	0.3	(no records) comes up after floods; most records are under he		0.00								0.00						
Triglochin isingiana	1	0.70	LC	LC	1	0	0.3	comes up in floods; localised; habitat specific		0.00								0.00						
Triglochin multifructa	to degr	0.00								0.00								0.00						
Triglochin nana		0.00								0.00								0.00						
Triglochin sp. A (N.N.Donner 3596)		0.00							2	40.00	NT	NT	2	DD	0	ephemeral		0.00						
Triglochin striata																								
Trigonella suavissima	60	19.87	LC	LC	1	0	0.3		4	1.32	LC	LC	1	0	0.3		6	1.99	LC	LC	1	0	0.3	
Triodia basedowii	18	2.80	LC	LC	1	0	0.3		78	12.15	LC	LC	1	0	0.3		21	3.27	LC	LC	1	0	0.3	
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii		0.00								0.00								0.00						
Triodia irritans		0.00								0.00								0.00						
Triodia longiceps		0.00								0.00								0.00						
Triodia pungens		0.00								0.00								0.00						
Triodia scariosa		0.00								0.00								0.00						
Triodia schinzii		0.00								0.00								0.00						
Tripogon loliiformis	16	2.20	LC	LC	1	0	0.3		6	0.82	LC	LC	1	0	0.3		119	16.35	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (-, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (-, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (-, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Triraphis mollis	39	5.52	LC	LC	1	0	0.3		13	1.84	LC	LC	1	0	0.3		29	4.10	LC	LC	1	0	0.3	
Typha domingensis	1	0.23	RA d(i,ii)	RA	3	DD	0			0.00							4	0.91	RA d(i,ii)	RA	3	DD	0	
Typhonium alismifolium		0.00								0.00								0.00						
Uranthoecium truncatum		0.00								0.00							6	33.33	LC	LC	1	0	0.3	poorly collected
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00								0.00								0.00						
Velleia arguta		0.00								0.00								0.00						
Velleia connata		0.00								0.00								0.00						
Velleia glabrata		0.00								0.00								0.00						
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia	1	6.67	RA d(i,ii)	RA	3	0	0.3	occurs in small patches	4	26.67	RA d(i,ii)	RA	3	0	0.3	occurs in small patches	1	6.67	RA d(i,ii)	RA	3	0	0.3	occurs in small patches
Vittadinia arida		0.00								0.00								0.00						
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis		0.00								0.00								0.00						
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata		0.00								0.00								0.00						
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta		0.00								0.00								0.00						
Vittadinia eremaea	1	0.24	LC	LC	1	0	0.3		7	1.67	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3	
Vittadinia gracilis	1	0.07	NE	NE	-1			taxonomic issues		0.00								0.00						
Vittadinia pterochaeta		0.00								0.00								0.00						
Vittadinia pustulata		0.00								0.00								0.00						
Vittadinia sulcata		0.00								0.00							1	0.53	NT	NT	2	DD	0	undercollected
Wahlenbergia aridicola	2	3.08	RA d(ii)	RA	3	0	0.3	annual	1	1.54	RA d(ii)	RA	3	0	0.3	annual	2	3.08	RA d(ii)	RA	3	0	0.3	annual
Wahlenbergia communis	3	0.45	LC	LC	1	0	0.3	annual		0.00								0.00						
Wahlenbergia gracilenta	3	0.25	RA d(ii)	RA	3	DD	0	responds to disturbance; outliers		0.00								0.00						
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00								0.00						
Wahlenbergia queenslandica	8	13.33	LC	LC	1	0	0.3		2	3.33	LC	LC	1	0	0.3		1	1.67	NT	NT	2	0	0.3	
Wahlenbergia stricta ssp. stricta		0.00								0.00								0.00						
Wahlenbergia tumidifructa	30	6.59	LC	LC	1	0	0.3		12	2.64	LC	LC	1	0	0.3		10	2.20	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata		0.00								0.00								0.00						
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii		0.00								0.00								0.00						
Westringia rigida		0.00								0.00								0.00						
Wurmbea australis		0.00								0.00								0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina	1	1.85	NT	NT	2	0	0.3	endemic to SA; likes fire	1	1.85	NT	NT	2	0	0.3	endemic to SA; likes fire		0.00						
Wurmbea deserticola		0.00								0.00								0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00								0.00								0.00						
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum		0.00								0.00								0.00						
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00							3	15.79	DD	DD	0	DD	0		3	15.79	NT	NT	2	0	0.3	
Zaleya galericulata ssp. australis	9	16.67	LC	LC	1	0	0.3	carried by stock	3	5.56	LC	LC	1	0	0.3	carried by stock	15	27.78	LC	LC	1	0	0.3	carried by stock
Zygochloa paradoxa	49	6.06	LC	LC	1	0	0.3		15	1.86	LC	LC	1	0	0.3		40	4.95	LC	LC	1	0	0.3	
Zygophyllum ammophilum	5	1.81	LC	LC	1	0	0.3	has been split from Z billardierei	18	6.50	LC	LC	1	0	0.3	has been split from Z billardierei	9	3.25	LC	LC	1	0	0.3	has been split from Z billardierei
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum		0.00							1	0.07	RA d(i,ii)	RA	3	0	0.3		8	0.53	RA d(ii)	RA	3	0	0.3	
Zygophyllum aurantiacum ssp. aurantiacum	2	0.27	LC	LC	1	0	0.3			0.00							9	1.21	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. simplicifolium		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. verticillatum		0.00								0.00							2	1.67	RA d(ii)	RA	3	0	0.3	
Zygophyllum compressum		0.00								0.00								0.00						
Zygophyllum confluens		0.00								0.00								0.00						
Zygophyllum crassissimum		0.00								0.00								0.00						
Zygophyllum crenatum		0.00								0.00								0.00						
Zygophyllum eichleri	1	2.44	DD	DD	0	DD	0	odd record		0.00								0.00						
Zygophyllum emarginatum	1	0.88	RA d(ii)	RA	3	0	0.3			0.00							1	0.88	RA d(i,ii)	RA	3	0	0.3	
Zygophyllum eremaeum		0.00								0.00								0.00						
Zygophyllum glaucum		0.00								0.00								0.00						
Zygophyllum howittii	20	5.25	LC	LC	1	0	0.3	likes sandy rises	14	3.67	LC	LC	1	0	0.3	likes sandy rises	15	3.94	LC	LC	1	0	0.3	likes sandy rises
Zygophyllum humillimum	2	2.30	NT	NT	2	0	0.3		1	1.15	NT	NT	2	0	0.3		15	17.24	LC	LC	1	0	0.3	
Zygophyllum hybridum		0.00								0.00								0.00						
Zygophyllum iodocarpum	2	0.61	RA d(ii)	RA	3	0	0.3			0.00							2	0.61	RA d(ii)	RA	3	0	0.3	
Zygophyllum kochii		0.00								0.00								0.00						
Zygophyllum marliesiae		0.00								0.00								0.00						
Zygophyllum ovatum		0.00								0.00								0.00						
Zygophyllum prismatothecum		0.00								0.00							4	1.75	LC	LC	1	0	0.3	
Zygophyllum rowelliae		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	07_Coongie_Records	%_Coongie	IUCN Status & Criteria (Coongie)	Regional Status (Coongie)	Regional Status Score (Coongie)	Trend (–, -, 0, +, ++) Coongie	Trend Score (Coongie)	Comments (Coongie)	08_Lake Pure_Records	%_Lake Pure	IUCN Status & Criteria (Lake Pure)	Regional Status (Lake Pure)	Regional Status Score (Lk Pure)	Trend (–, -, 0, +, ++) Lake Pure	Trend Score (Lk Pure)	Comments (Lake Pure)	09_Sturt Stony Desert_Records	%_Sturt Stony Desert	IUCN Status & Criteria (Sturt Stony Desert)	Regional Status (Sturt Stony Desert)	Regional Status Score (Sturt Stony Dsrt)	Trend (–, -, 0, +, ++) Sturt Stony Desert	Trend Score (Sturt Stony Dsrt)	Comments (Sturt Stony Desert)
Zygophyllum simile	7	1.60	LC	LC	1	0	0.3		1	0.23	NT	NT	2	0	0.3		2	0.46	LC	LC	1	0	0.3	
Zygophyllum tesquorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Abutilon cryptopetalum ssp. cryptopetalum		0.00								0.00							2	8.33	NT	NT	2	0	0.3	undercollected
Abutilon fraseri ssp. diplotrichum		0.00								0.00							2	2.50	RA d(ii)	RA	3	DD	0	outlier; limited habitat
Abutilon fraseri ssp. fraseri		0.00								0.00								0.00						
Abutilon halophilum		0.00							1	0.19	NT	NT	2	DD	0		2	0.37	NT	NT	2	DD	0	
Abutilon leucopetalum		0.00							3	0.36	RA d(ii)	RA	3	DD	0		14	1.69	LC	LC	1	0	0.3	
Abutilon macrum		0.00								0.00								0.00						
Abutilon malvaefolium		0.00							2	2.60	RA d(i,ii)	RA	3	DD	0	limited habitat	3	3.90	NT	NT	2	0	0.3	
Abutilon otocarpum	1	0.19	LC	LC	1	0	0.3		8	1.55	LC	LC	1	0	0.3		12	2.32	LC	LC	1	0	0.3	
Abutilon oxycarpum var. oxycarpum	1	20.00	RA d(ii)	RA	3	DD	0	lack of records		0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00								0.00						
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura		0.00							2	0.41	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	17	3.52	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia		0.00								0.00							6	3.77	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. major		0.00								0.00							3	8.57	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. microcarpa		0.00								0.00							2	5.88	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. tenuis		0.00								0.00							3	7.89	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana		0.00							1	3.13	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura		0.00						
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megasphaerica		0.00								0.00								0.00						
Acacia brachystachya	3	2.33	NT	NT	2	0	0.3		5	3.88	LC	LC	1	0	0.3		7	5.43	LC	LC	1	0	0.3	
Acacia burkittii		0.00							2	0.38	LC	LC	1	0	0.3		4	0.77	LC	LC	1	0	0.3	
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola		0.00								0.00							3	1.97	RA d(i,ii)	RA	3	0	0.3	limited habitat
Acacia cambagei		0.00								0.00								0.00						
Acacia carneorum		0.00								0.00								0.00						
Acacia clelandii		0.00								0.00							6	11.54	LC	LC	1	0	0.3	taxonomic issues
Acacia confluens		0.00								0.00								0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla		0.00								0.00								0.00						
Acacia dictyophleba	1	1.39	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata		0.00								0.00								0.00						
Acacia georginae		0.00								0.00								0.00						
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00								0.00								0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana		0.00								0.00							7	1.61	LC	LC	1	0	0.3	
Acacia latzii		0.00								0.00								0.00						
Acacia ligulata	21	0.71	LC	LC	1	0	0.3		20	0.68	LC	LC	1	0	0.3		30	1.02	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00								0.00						
Acacia melleodora		0.00								0.00								0.00						
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura		0.00								0.00							1	0.57	RA d(i,ii)	RA	3	DD	0	edge of range; taxonomic issues with other mulgas
Acacia murrayana	5	1.03	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla		0.00								0.00								0.00						
Acacia olgana		0.00								0.00								0.00						
Acacia oswaldii	5	0.24	LC	LC	1	0	0.3	grazed by camels	12	0.58	LC	LC	1	0	0.3		25	1.21	LC	LC	1	0	0.3	
Acacia pachyacra		0.00								0.00								0.00						
Acacia papyrocarpa		0.00							1	0.09	RA d(i,ii)	RA	3	DD	0	could be declining; lack of recruitment, white-fly	36	3.11	LC	LC	1	0	0.3	
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura		0.00								0.00								0.00						
Acacia pickardii		0.00								0.00								0.00						
Acacia prainii		0.00								0.00								0.00						
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa		0.00								0.00								0.00						
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla		0.00								0.00							9	3.41	NE	NE	-1			some taxonomic issues; common on dunes
Acacia ramulosa var. ramulosa	2	2.06	NE	NE	-1			taxonomic issues	3	3.09	NE	NE	-1			taxonomic issues	1	1.03	NE	NE	-1			taxonomic issues
Acacia rhodophloia		0.00								0.00								0.00						
Acacia rigens		0.00								0.00								0.00						
Acacia rivalis		0.00								0.00								0.00						
Acacia salicina	14	2.43	LC	LC	1	0	0.3		1	0.17	RA d(i,ii)	RA	3	DD	0			0.00						
Acacia sericophylla		0.00								0.00								0.00						
Acacia sibirica		0.00							2	0.85	RA d(i,ii)	RA	3	DD	0		4	1.70	RA d(ii)	RA	3	DD	0	
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!	RA d(ii)	RA	3	DD	0	(no records) long-lived; recruitment occurring

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla	21	2.72	LC	LC	1	0	0.3			0.00								0.00						
Acacia strongylophylla		0.00								0.00								0.00						
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00							2	1.09	RA d(i,ii)	RA	3	DD	0	edge of range
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00								0.00								0.00						
Acacia tetragonophylla	7	0.34	LC	LC	1	0	0.3		10	0.49	LC	LC	1	0	0.3		15	0.73	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00								0.00						
Acacia victoriae ssp. arida	4	4.76	NE	NE	-1			taxonomic issues		0.00								0.00						
Acacia victoriae ssp. victoriae	2	0.14	NT	NT	2	0	0.3		15	1.02	LC	LC	1	0	0.3		4	0.27	NT	NT	2	0	0.3	
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum		0.00							3	0.23	NT	NT	2	DD	0	edge of range; not typical habitat	6	0.46	LC	LC	1	0	0.3	
Adriana tomentosa var. hookeri		0.00								0.00								0.00						
Aeschynomene indica		0.00								0.00								0.00						
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens		0.00							8	0.40	LC	LC	1	0	0.3		16	0.79	LC	LC	1	0	0.3	
Allocasuarina decaisneana		0.00								0.00								0.00						
Allocasuarina helmsii		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia	1	1.05	NT	NT	2	0	0.3	ephemeral in SA		0.00							2	2.11	NT	NT	2	0	0.3	ephemeral in SA
Alternanthera denticulata	6	1.66	LC	LC	1	0	0.3		3	0.83	LC	LC	1	0	0.3		3	0.83	LC	LC	1	0	0.3	
Alternanthera nana		0.00								0.00								0.00						
Alternanthera nodiflora	16	7.48	LC	LC	1	0	0.3		2	0.93	LC	LC	1	0	0.3		2	0.93	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. auriculata		0.00								0.00								0.00						
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00								0.00						
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana		0.00								0.00								0.00						
Amaranthus centralis		0.00								0.00								0.00						
Amaranthus cuspidifolius		0.00								0.00							3	9.09	DD	DD	0	DD	0	records on loan
Amaranthus grandiflorus		0.00							3	3.13	LC	LC	1	0	0.3		11	11.46	LC	LC	1	0	0.3	
Amaranthus interruptus		0.00								0.00								0.00						
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii	2	2.02	LC	LC	1	0	0.3	dislikes saline ground	1	1.01	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00						
Ammannia multiflora	5	4.67	LC	LC	1	0	0.3			0.00							2	1.87	RA d(ii)	RA	3	0	0.3	
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus		0.00								0.00							3	0.51	NT	NT	2	DD	0	widespread
Amyema fitzgeraldii		0.00								0.00								0.00						
Amyema gibberula var. gibberula		0.00								0.00								0.00						
Amyema hilliana		0.00								0.00								0.00						
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii		0.00							9	1.50	LC	LC	1	0	0.3		19	3.16	LC	LC	1	0	0.3	
Amyema miquelii		0.00							1	0.06	RA d(i,ii)	RA	3	DD	0	unusual record		0.00						
Amyema miraculosa ssp. boormanii		0.00							1	0.34	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Amyema preissii	9	0.93	LC	LC	1	0	0.3		4	0.41	LC	LC	1	0	0.3		6	0.62	LC	LC	1	0	0.3	
Amyema quandang var. quandang		0.00							2	0.53	RA d(ii)	RA	3	DD	0	host Acacia pyrocarpa & others	13	3.44	LC	LC	1	0	0.3	host Acacia pyrocarpa & others
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana		0.00								0.00								0.00						
Anemocarpa podolepidium	3	0.99	NT	NT	2	DD	0	edge of range	3	0.99	NT	NT	2	DD	0	edge of range		0.00						
Anemocarpa saxatilis		0.00								0.00								0.00						
Angianthus brachypappus		0.00							7	14.00	RA d(ii)	RA	3	DD	0	ephemeral, likes heavy soils		0.00						
Angianthus glabratus		0.00								0.00							2	5.00	RA d(i,ii)	RA	3	DD	0	edge of range
Angianthus tomentosus		0.00							1	0.17	RA d(ii)	RA	3	DD	0			0.00						
Anogramma leptophylla		0.00								0.00								0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena	15	15.63	LC	LC	1	0	0.3			0.00								0.00						
Arabidella filifolia		0.00								0.00								0.00						
Arabidella glaucescens		0.00							1	0.48	RA d(ii)	RA	3	0	0.3			0.00						
Arabidella nasturtium	1	0.39	RA d(i,ii)	RA	3	DD	0	outlier	1	0.39	RA d(i,ii)	RA	3	DD	0			0.00						
Arabidella procumbens	1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	3	6.12	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground
Arabidella trisecta		0.00							4	0.68	NT	NT	2	0	0.3		7	1.19	LC	LC	1	0	0.3	likes rocky outcrops
Aristida anthoxanthoides	1	0.57	LC	LC	1	0	0.3	short-lived; seasonal	1	0.57	NT	NT	2	0	0.3	short-lived; seasonal	1	0.57	NT	NT	2	0	0.3	short-lived; seasonal
Aristida arida		0.00								0.00								0.00						
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia		0.00								0.00								0.00						
Aristida contorta	5	0.25	LC	LC	1	0	0.3		4	0.20	LC	LC	1	0	0.3		42	2.11	LC	LC	1	0	0.3	
Aristida holathera var. holathera	8	0.88	LC	LC	1	0	0.3		7	0.77	LC	LC	1	0	0.3		29	3.19	LC	LC	1	0	0.3	tolerates grazing

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Aristida inaequiglumis		0.00								0.00								0.00						
Aristida jerichoensis var. subspinulifera		0.00								0.00								0.00						
Aristida latifolia		0.00								0.00							1	0.91	NT	NT	2	0	0.3	stony, gibber habitat
Aristida nitidula		0.00							3	0.48	RA d(i,ii)	RA	3	DD	0	edge of range	1	0.16	RA d(i,ii)	RA	3	DD	0	edge of range
Aristida obscura		0.00								0.00								0.00						
Aristida personata		0.00								0.00								0.00						
Aristida strigosa		0.00								0.00								0.00						
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum		0.00								0.00								0.00						
Asperula conferta		0.00								0.00								0.00						
Asperula gemella		0.00								0.00								0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea		0.00								0.00							1	0.98	RA d(i,ii)	RA	3	DD	0	edge of range
Astrebla pectinata	3	0.41	LC	LC	1	0	0.3		2	0.27	LC	LC	1	0	0.3		3	0.41	LC	LC	1	0	0.3	
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca	7	3.24	LC	LC	1	0	0.3			0.00								0.00						
Atriplex acutibractea ssp. acutibractea		0.00								0.00							3	1.04	NT	NT	2	0	0.3	grows along roadsides
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba	2	10.53	RA d(ii)	RA	3	DD	0			0.00								0.00						
Atriplex angulata	11	1.93	LC	LC	1	0	0.3		3	0.53	LC	LC	1	0	0.3		1	0.18	LC	LC	1	0	0.3	
Atriplex cordifolia		0.00								0.00								0.00						
Atriplex crassipes var. crassipes	3	5.17	LC	LC	1	0	0.3			0.00								0.00						
Atriplex eardleyae		0.00							1	0.36	RA d(ii)	RA	3	0	0.3	lack of habitat		0.00						
Atriplex eichleri	1	1.85	RA d(ii)	RA	3	DD	0			0.00								0.00						
Atriplex elachophylla		0.00								0.00								0.00						
Atriplex fissivalvis	1	0.52	LC	LC	1	0	0.3	ephemeral	5	2.60	LC	LC	1	0	0.3	ephemeral	7	3.65	LC	LC	1	0	0.3	ephemeral
Atriplex holocarpa	7	0.73	LC	LC	1	0	0.3		19	1.98	LC	LC	1	0	0.3		19	1.98	LC	LC	1	0	0.3	
Atriplex humifusa		0.00								0.00								0.00						
Atriplex incrassata		0.00							1	1.69	RA d(ii)	RA	3	DD	0		1	1.69	RA d(ii)	RA	3	DD	0	
Atriplex intermedia		0.00								0.00							1	1.52	RA d(ii)	RA	3	DD	0	edge of range
Atriplex kochiana		0.00								0.00								0.00						
Atriplex leptocarpa	2	0.69	NT	NT	2	DD	0			0.00								0.00						
Atriplex limbata	5	1.17	LC	LC	1	0	0.3		5	1.17	LC	LC	1	0	0.3		3	0.70	LC	LC	1	0	0.3	
Atriplex lindleyi ssp. conduplicata	1	0.71	LC	LC	1	0	0.3	endemic to SA	2	1.43	LC	LC	1	0	0.3	endemic to SA	1	0.71	RA d(ii)	RA	3	DD	0	edge of range
Atriplex lindleyi ssp. inflata		0.00								0.00							4	2.88	NT	NT	2	0	0.3	endemic to SA; undercollected
Atriplex lindleyi ssp. lindleyi		0.00								0.00							3	1.41	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. quadripartita		0.00							2	10.53	NT	NT	2	DD	0	all A lindleyi records not sorted into ssp.		0.00						
Atriplex lobativalvis	4	6.90	LC	LC	1	0	0.3		5	8.62	LC	LC	1	0	0.3		6	10.34	LC	LC	1	0	0.3	
Atriplex macropterocarpa		0.00								0.00								0.00						
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri		0.00								0.00								0.00						
Atriplex nummularia ssp. nummularia	11	5.88	LC	LC	1	0	0.3			0.00								0.00						
Atriplex nummularia ssp. omissa	1	0.60	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common where		0.00							2	1.19	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common
Atriplex obconica		0.00								0.00								0.00						
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata		0.00							2	2.33	RA d(ii)	RA	3	DD	0	edge of range	1	1.16	RA d(ii)	RA	3	DD	0	edge of range
Atriplex pumilio		0.00								0.00								0.00						
Atriplex quadrivalvata var. quadrivalvata		0.00								0.00								0.00						
Atriplex quadrivalvata var. sessilifolia		0.00								0.00								0.00						
Atriplex quinii		0.00								0.00							4	2.26	NT	NT	2	0	0.3	
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa	8	1.15	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land		0.00							4	0.58	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land
Atriplex stipitata		0.00							3	0.26	NT	NT	2	0	0.3	not suitable habitat	2	0.17	LC	LC	1	0	0.3	mallee sp.
Atriplex suberecta		0.00								0.00							2	0.63	NT	NT	2	0	0.3	grows in flooded claypans
Atriplex turbinata		0.00								0.00							1	4.17	RA d(ii)	RA	3	DD	0	could have declined
Atriplex velutinella	11	2.12	LC	LC	1	0	0.3		13	2.50	LC	LC	1	0	0.3		15	2.88	LC	LC	1	0	0.3	
Atriplex vesicaria ssp. calcicola		0.00								0.00								0.00						
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha	3	9.09	LC	LC	1	0	0.3			0.00							1	3.03	RA d(i,ii)	RA	3	0	0.3	
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa		0.00								0.00							1	0.02	RA d(ii)	RA	3	0	0.3	probably surviving in artificial habitats
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila		0.00								0.00								0.00						
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida		0.00							4	0.13	LC	LC	1	0	0.3		24	0.76	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Austrostipa nodosa		0.00								0.00							2	0.14	RA d(ii)	RA	3	DD	0	
Austrostipa nullanulla		0.00								0.00							2	3.17	RA d(ii)	RA	3	0	0.3	
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta		0.00								0.00								0.00						
Austrostipa plumigera		0.00								0.00								0.00						
Austrostipa scabra ssp. falcata		0.00								0.00								0.00						
Austrostipa scabra ssp. scabra		0.00								0.00							2	0.45	RA d(ii)	RA	3	DD	0	
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla		0.00								0.00								0.00						
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides	1	0.41	LC	LC	1	0	0.3	ephemeral; needs water; comes up in large numbers; in Goyd		0.00								0.00						
Baeckea tuberculata		0.00								0.00								0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva	10	8.40	LC	LC	1	0	0.3			0.00								0.00						
Baumea arthrophylla		0.00								0.00								0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00								0.00								0.00						
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00								0.00						
Bergia occultipetala		0.00								0.00								0.00						
Bergia pedicellaris		0.00								0.00								0.00						
Bergia perennis ssp. exigua		0.00								0.00								0.00						
Bergia trimera	1	0.85	LC	LC	1	0	0.3	comes & goes		0.00							5	4.24	LC	LC	1	0	0.3	comes & goes
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens		0.00								0.00							4	6.15	LC	LC	1	0	0.3	
Blennodia pterosperma		0.00							2	1.69	RA d(ii)	RA	3	-	0.4		1	0.85	RA d(ii)	RA	3	-	0.4	
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea	1	0.59	LC	LC	1	0	0.3		2	1.18	LC	LC	1	0	0.3		6	3.53	LC	LC	1	0	0.3	
Boerhavia dominii	5	0.71	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	1	0.14	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	6	0.85	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance
Boerhavia repleta		0.00								0.00								0.00						
Boerhavia schomburgkiana	1	0.32	LC	LC	1	0	0.3	undercollected; grows in summer		0.00							1	0.32	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii	1	0.26	NT	NT	2	0	0.3			0.00								0.00						
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta		0.00								0.00								0.00						
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana		0.00								0.00							1	2.00	NT	NT	2	DD	0	widespread but scattered
Bothriochloa macra		0.00								0.00								0.00						
Brachiaria gilesii		0.00								0.00								0.00						
Brachiaria notochthona		0.00								0.00							1	7.69	NT	NT	2	0	0.3	undercollected, ephemeral, rain dependent
Brachiaria piligera		0.00								0.00								0.00						
Brachiaria praetervisa		0.00							1	0.70	LC	LC	1	0	0.3	likes flooded areas; ephemeral		0.00						
Brachyachne ciliaris		0.00								0.00							2	2.94	LC	LC	1	0	0.3	
Brachychiton gregorii		0.00								0.00								0.00						
Brachyscome blackii		0.00								0.00								0.00						
Brachyscome campylocarpa	2	13.33	LC	LC	1	0	0.3	undercollected		0.00								0.00						
Brachyscome ciliaris var. ciliaris		0.00								0.00							12	1.11	LC	LC	1	0	0.3	under represented; taxonomic issues
Brachyscome ciliaris var. lanuginosa	1	0.17	LC	LC	1	0	0.3	under represented		0.00							8	1.36	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lyrifolia		0.00								0.00								0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00								0.00								0.00						
Brachyscome dichromosomatica var. dichromosomatica		0.00							1	2.63	NE	NE	-1			taxonomic issues		0.00						
Brachyscome eriogona		0.00								0.00								0.00						
Brachyscome iberidifolia		0.00							2	1.44	LC	LC	1	0	0.3	undercollected	1	0.72	LC	LC	1	0	0.3	undercollected
Brachyscome linearriloba		0.00							2	0.14	LC	LC	1	0	0.3	under represented	1	0.07	LC	LC	1	0	0.3	under represented
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum		0.00								0.00								0.00						
Brachyscome trachycarpa		0.00								0.00							2	1.60	RA d(i,ii)	RA	3	DD	0	edge of range; should be more records
Bromus arenarius		0.00							1	0.26	NT	NT	2	0	0.3			0.00						
Brunonia australis		0.00								0.00								0.00						
Bulbine alata	10	3.27	LC	LC	1	0	0.3		8	2.61	LC	LC	1	0	0.3		1	0.33	NT	NT	2	0	0.3	undercollected
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata		0.00								0.00								0.00						
Bulbostylis barbata		0.00								0.00							2	6.67	NT	NT	2	0	0.3	common after summer rain; ephemeral
Bulbostylis pyriformis																								
Bulbostylis turbinata		0.00								0.00								0.00						
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis		0.00							4	3.81	RA d(i,ii)	RA	3	-	0.4	southern limit		0.00						
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma		0.00								0.00							1	2.17	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat
Calandrinia eremaea		0.00							8	0.61	LC	LC	1	0	0.3		9	0.69	LC	LC	1	0	0.3	
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra		0.00								0.00								0.00						
Calandrinia ptychosperma		0.00							1	0.92	RA d(i,ii)	RA	3	DD	0		7	6.42	LC	LC	1	0	0.3	
Calandrinia pumila		0.00								0.00							6	17.14	NT	NT	2	0	0.3	
Calandrinia remota		0.00							3	3.06	NT	NT	2	DD	0	could be more records on loan & not databased	1	1.02	NT	NT	2	DD	0	could be more records on loan & not databased
Calandrinia reticulata		0.00								0.00								0.00						
Calandrinia stagnensis		0.00								0.00								0.00						
Calandrinia volubilis		0.00							1	1.37	RA d(i,ii)	RA	3	DD	0	northern edge of range		0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi	loods	0.00								0.00								0.00						
Callitris glaucophylla		0.00							3	0.26	NT	NT	2	-	0.4	heavily grazed; not much regeneration	12	1.04	LC	LC	1	0	0.3	
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii		0.00								0.00								0.00						
Calocephalus platycephalus	4	1.15	LC	LC	1	0	0.3		2	0.58	LC	LC	1	0	0.3		3	0.86	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00								0.00								0.00						
Calostemma luteum		0.00								0.00								0.00						
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa	2	5.13	NT	NT	2	0	0.3			0.00								0.00						
Calotis cymbacantha		0.00							10	2.99	LC	LC	1	0	0.3		10	2.99	LC	LC	1	0	0.3	
Calotis erinacea	2	0.46	LC	LC	1	0	0.3			0.00								0.00						
Calotis hispidula	9	0.42	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	13	0.61	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	24	1.13	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei		0.00								0.00								0.00						
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula		0.00								0.00								0.00						
Calotis multicaulis		0.00								0.00							5	3.09	NT	NT	2	DD	0	
Calotis plumulifera	1	0.24	NT	NT	2	DD	0	limited habitat	3	0.72	RA d(ii)	RA	3	DD	0		2	0.48	NT	NT	2	DD	0	edge of range
Calotis porphyroglossa	4	3.57	RA d(ii)	RA	3	DD	0		1	0.86	RA d(ii)	RA	3	DD	0		2	1.79	RA d(ii)	RA	3	DD	0	
Calotis scabiosifolia var. scabiosifolia		0.00								0.00								0.00						
Calytrix carinata		0.00								0.00								0.00						
Calytrix gypsophila		0.00								0.00							1	2.94	DD	DD	0	DD	0	found around gypseous soils/lagoons; lack of data & kr
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii		0.00								0.00								0.00						
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca		0.00								0.00								0.00						
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis		0.00								0.00								0.00						
Cassytha flindersii		0.00								0.00								0.00						
Casuarina pauper		0.00							12	0.74	LC	LC	1	0	0.3	edge of range	7	0.43	LC	LC	1	0	0.3	
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00								0.00						
Centipeda crateriformis ssp. crateriformis	10	11.49	LC	LC	1	0	0.3		6	6.90	LC	LC	1	0	0.3		4	4.60	LC	LC	1	0	0.3	
Centipeda cunninghamii		0.00								0.00								0.00						
Centipeda minima ssp. minima		0.00								0.00								0.00						
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala	1	4.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral	1	4.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral		0.00						
Centipeda thespidioides		0.00							4	2.07	LC	LC	1	0	0.3		3	1.55	LC	LC	1	0	0.3	
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica		0.00							4	10.81	NT	NT	2	0	0.3		2	5.41	NT	NT	2	0	0.3	
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii		0.00								0.00								0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla		0.00							2	0.19	RA d(i)	RA	3	0	0.3		4	0.38	RA d(ii)	RA	3	0	0.3	
Cheilanthes sieberi ssp. pseudovellea		0.00								0.00								0.00						
Cheilanthes sieberi ssp. sieberi		0.00							1	0.14	RA d(i,ii)	RA	3	DD	0			0.00						
Chenopodium auricomum	26	8.15	LC	LC	1	0	0.3			0.00							2	0.63	LC	LC	1	0	0.3	
Chenopodium curvispicatum		0.00								0.00							1	0.13	NT	NT	2	DD	0	edge of range
Chenopodium desertorum ssp. anidiophyllum		0.00								0.00							3	2.07	LC	LC	1	0	0.3	on creeklines
Chenopodium desertorum ssp. desertorum		0.00								0.00							13	1.80	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Chenopodium desertorum ssp. microphyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00								0.00						
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum		0.00							4	1.37	LC	LC	1	0	0.3		7	2.40	LC	LC	1	0	0.3	
Chloris pectinata	2	1.47	LC	LC	1	0	0.3			0.00							1	0.74	LC	LC	1	0	0.3	
Chloris truncata		0.00								0.00							1	0.38	RA d(ii)	RA	3	0	0.3	
Chrysocephalum apiculatum		0.00							5	0.43	LC	LC	1	0	0.3		6	0.52	LC	LC	1	0	0.3	
Chrysocephalum eremaeum		0.00								0.00								0.00						
Chrysocephalum pterochaetum	1	0.29	NT	NT	2	0	0.3			0.00							10	2.89	LC	LC	1	0	0.3	
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax		0.00								0.00								0.00						
Chthonocephalus pseudevax		0.00								0.00							1	0.48	LC	LC	1	0	0.3	undercollected
Citrus glauca		0.00							4	9.52	EN D	EN	5	DD	0	very limited; suckering habit		0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens		0.00								0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa		0.00								0.00								0.00						
Codonocarpus cotinifolius		0.00								0.00								0.00						
Codonocarpus pyramidalis		0.00							1	0.46	RA d(ii)	RA	3	0	0.3	fast-growing, short-lived, soft wood, goats climb & wreck; neec		0.00						
Comesperma viscidulum		0.00								0.00								0.00						
Commelina ensifolia		0.00								0.00								0.00						
Commicarpus australis		0.00							1	0.73	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Convolvulus clementii		0.00							2	1.04	LC	LC	1	0	0.3		7	3.63	LC	LC	1	0	0.3	
Convolvulus crispifolius		0.00								0.00							1	2.00	RA d(i,ii)	RA	3	DD	0	comes up after fire
Convolvulus eyreanus	1	1.18	LC	LC	1	0	0.3		7	8.24	NT	NT	2	0	0.3		2	2.35	NT	NT	2	0	0.3	
Convolvulus microsepalus		0.00								0.00								0.00						
Convolvulus recurvatus ssp. nullarborensis		0.00								0.00							1	2.86	RA d(ii)	RA	3	0	0.3	undercollected
Convolvulus recurvatus ssp. recurvatus		0.00								0.00								0.00						
Convolvulus remotus		0.00							2	0.11	LC	LC	1	0	0.3		7	0.40	LC	LC	1	0	0.3	
Convolvulus tedmoorei		#DIV/0!																						
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea		0.00								0.00								0.00						
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis		0.00								0.00								0.00						
Corynotheca micrantha var. divaricata	1	3.23	RA d(ii)	RA	3	DD	0			0.00								0.00						
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata		0.00							3	0.25	RA d(ii)	RA	3	0	0.3		2	0.17	NT	NT	2	0	0.3	
Crassula colorata var. colorata		0.00							3	0.52	NT	NT	2	0	0.3	along road sides, in crevices	6	1.04	NT	NT	2	0	0.3	along road sides, in crevices
Crassula extrorsa		0.00							1	50.00	VU D2	VU	4	DD	0	only 1 record, could be more records under C exserta		0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera		0.00							4	2.40	NT	NT	2	0	0.3	records missing due to taxo changes	1	0.60	LC	LC	1	0	0.3	records missing due to taxo changes
Cratystylis conocephala		0.00								0.00							2	0.26	RA d(i,ii)	RA	3	0	0.3	
Cremnothamnus thomsonii		0.00								0.00								0.00						
Cressa australis	3	1.16	LC	LC	1	0	0.3	likes clay, low-lying areas		0.00								0.00						
Crinum flaccidum	3	1.61	LC	LC	1	0	0.3		4	2.15	LC	LC	1	0	0.3		1	0.54	NT	NT	2	0	0.3	
Crotalaria cunninghamii ssp. sturtii	2	1.39	LC	LC	1	0	0.3	more records under C cunninghamii	4	2.78	RA d(ii)	RA	3	DD	0			0.00						
Crotalaria eremaea ssp. eremaea	6	1.58	LC	LC	1	0	0.3		22	5.79	LC	LC	1	0	0.3		9	2.37	LC	LC	1	0	0.3	
Crotalaria eremaea ssp. strehlowii		0.00							2	0.85	RA d(i,ii)	RA	3	0	0.3		7	2.98	LC	LC	1	0	0.3	
Crotalaria medicaginea var. neglecta		0.00								0.00								0.00						
Crotalaria novae-hollandiae ssp. lasiophylla		0.00								0.00								0.00						
Crotalaria smithiana		0.00								0.00								0.00						
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus		0.00							2	0.63	LC	LC	1	0	0.3	now known as C argenteus		0.00						
Cucumis melo		0.00								0.00								0.00						
Cullen australasicum	8	1.00	LC	LC	1	0	0.3		4	0.50	NT	NT	2	0	0.3		3	0.38	NT	NT	2	0	0.3	
Cullen cinereum	3	1.19	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.		0.00							5	1.98	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.
Cullen discolor	1	0.74	NT	NT	2	DD	0		4	2.94	LC	LC	1	0	0.3		2	1.47	RA d(i,ii)	RA	3	DD	0	
Cullen graveolens	ily	0.00								0.00							2	0.90	NT	NT	2	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas
Cullen pallidum	6	2.65	LC	LC	1	0	0.3		10	4.42	LC	LC	1	0	0.3		3	1.33	NT	NT	2	DD	0	
Cullen parvum		0.00								0.00								0.00						
Cullen patens		0.00							3	5.17	LC	LC	1	0	0.3	undercollected	2	3.45	NT	NT	2	DD	0	
Cuphonotus andraeanus		0.00								0.00								0.00						
Cuphonotus humistratus		0.00								0.00							2	50.00	RA d(ii)	RA	3	DD	0	likes rich red soils; disjunct population
Cuscuta victoriana		0.00								0.00								0.00						
Cymbopogon ambiguus		0.00								0.00								0.00						
Cymbopogon obtectus		0.00								0.00								0.00						
Cynanchum floribundum	5	2.02	LC	LC	1	0	0.3		1	0.40	NT	NT	2	0	0.3			0.00						
Cynoglossum australe		0.00								0.00								0.00						
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus		0.00							1	0.53	RA d(i)	RA	3	0	0.3	in creeks with seepage	1	0.53	RA d(ii)	RA	3	0	0.3	in creeks with seepage

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00								0.00						
Cyperus bifax		0.00								0.00								0.00						
Cyperus bulbosus	1	0.60	NT	NT	2	0	0.3	needs drainage lines	3	1.79	LC	LC	1	0	0.3	needs drainage lines	1	0.60	RA d(i,ii)	RA	3	0	0.3	needs drainage lines
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis		0.00								0.00								0.00						
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00							1	4.35	VU D2	VU	4	DD	0			0.00						
Cyperus difformis		0.00							1	0.99	VU D2	VU	4	DD	0	limited habitat	6	5.94	LC	LC	1	0	0.3	
Cyperus exaltatus		0.00								0.00								0.00						
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii		0.00								0.00								0.00						
Cyperus gymnocaulos	2	0.22	NT	NT	2	0	0.3		5	0.54	LC	LC	1	0	0.3		3	0.33	LC	LC	1	0	0.3	
Cyperus iria		0.00								0.00							4	4.82	NT	NT	2	0	0.3	
Cyperus laevigatus		0.00							2	0.54	VU D2	VU	4	DD	0	limited habitat		0.00						
Cyperus nervulosus		0.00								0.00								0.00						
Cyperus pygmaeus		0.00								0.00								0.00						
Cyperus rigidellus	1	0.85	LC	LC	1	0	0.3		1	0.85	DD	DD	0	DD	0	old record	8	6.84	LC	LC	1	0	0.3	
Cyperus squarrosus		0.00							1	1.25	RA d(ii)	RA	3	DD	0		6	7.50	LC	LC	1	0	0.3	
Cyperus vaginatus		0.00								0.00								0.00						
Cyperus victoriensis	1	0.51	NT	NT	2	0	0.3			0.00							1	0.51	RA d(ii)	RA	3	DD	0	
Dactyloctenium radulans	5	0.70	LC	LC	1	0	0.3		3	0.42	LC	LC	1	0	0.3		17	2.37	LC	LC	1	0	0.3	
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus		0.00							7	0.19	LC	LC	1	0	0.3		4	0.11	LC	LC	1	0	0.3	
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata	7	6.54	LC	LC	1	0	0.3	grows on interdune swales		0.00								0.00						
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius		0.00							2	1.74	LC	LC	1	0	0.3	ephemeral; tolerates disturbance	1	0.87	LC	LC	1	0	0.3	ephemeral; tolerates disturbance
Dichanthium sericeum ssp. sericeum		0.00								0.00							1	0.58	RA d(ii)	RA	3	DD	0	
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia		0.00								0.00								0.00						
Dicrastylis beveridgei var. beveridgei		0.00								0.00								0.00						
Dicrastylis beveridgei var. lanata		0.00								0.00							8	7.55	NT	NT	2	0	0.3	
Dicrastylis costelloi var. costelloi		0.00								0.00								0.00						
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00								0.00								0.00						
Dicrastylis costelloi var. violacea		0.00								0.00								0.00						
Dicrastylis exsuccosa var. tomentosa		0.00								0.00								0.00						
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila		0.00								0.00							2	1.24	RA d(ii)	RA	3	DD	0	
Digitaria brownii		0.00								0.00							10	1.24	LC	LC	1	0	0.3	
Digitaria coenicola	1	0.65	RA d(i,ii)	RA	3	DD	0			0.00							2	1.31	RA d(i,ii)	RA	3	DD	0	
Digitaria ctenantha		0.00								0.00								0.00						
Dimorphocoma minutula		0.00							3	7.32	NT	NT	2	DD	0		1	2.44	NT	NT	2	DD	0	
Diplatia grandibractea	6	6.67	LC	LC	1	0	0.3	lots of hosts		0.00								0.00						
Dipteracanthus australasicus ssp. australasicus		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum		0.00								0.00							1	0.07	LC	LC	1	0	0.3	in lagoons & around lakes; undercollected; difficult to c
Dissocarpus biflorus var. biflorus		0.00							5	0.89	LC	LC	1	0	0.3		2	0.36	LC	LC	1	0	0.3	
Dissocarpus biflorus var. villosus		0.00								0.00								0.00						
Dissocarpus fontinalis		0.00							1	2.94	RA d(ii)	RA	3	0	0.3		1	2.94	RA d(ii)	RA	3	0	0.3	
Dissocarpus latifolius		0.00								0.00								0.00						
Dissocarpus paradoxus		0.00							5	0.37	LC	LC	1	0	0.3		32	2.35	LC	LC	1	0	0.3	
Distichlis distichophylla		0.00								0.00								0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00							1	0.09	RA d(i,ii)	RA	3	0	0.3	edge of range	7	0.64	NT	NT	2	0	0.3	edge of range
Dodonaea microzyga var. microzyga		0.00							2	0.37	RA d(ii)	RA	3	DD	0	grows on rocks on edge of salt pans	2	0.37	NT	NT	2	0	0.3	grows on rocks on edge of salt pans
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima		0.00							15	0.54	LC	LC	1	0	0.3		12	0.43	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Dodonaea viscosa ssp. mucronata		0.00								0.00								0.00						
Dodonaea viscosa ssp. spatulata		0.00								0.00								0.00						
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica		0.00								0.00								0.00						
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii		0.00								0.00							1	0.36	RA d(ii)	RA	3	DD	0	
Dysphania cristata		0.00							2	0.54	LC	LC	1	0	0.3		9	2.42	LC	LC	1	0	0.3	
Dysphania glomulifera ssp. eremaea		0.00								0.00							2	8.00	LC	LC	1	0	0.3	undercollected; ephemeral
Dysphania glomulifera ssp. glomulifera		0.00								0.00							2	5.00	RA d(ii)	RA	3	DD	0	undercollected; ephemeral
Dysphania kalpari		0.00								0.00								0.00						
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa	1	0.71	NT	NT	2	DD	0			0.00							5	3.57	LC	LC	1	0	0.3	
Dysphania plantaginella		0.00								0.00								0.00						
Dysphania platycarpa		0.00								0.00							1	2.22	NT	NT	2	0	0.3	edge of range
Dysphania pumilio		0.00								0.00								0.00						
Dysphania rhadinostachya ssp. rhadinostachya		0.00								0.00								0.00						
Dysphania simulans		0.00							1	2.78	LC	LC	1	0	0.3	small, ephemeral, undercollected		0.00						
Dysphania truncata		0.00							1	2.17	LC	LC	1	0	0.3		2	4.35	LC	LC	1	0	0.3	
Echinochloa inundata	1	4.00	RA d(ii)	RA	3	DD	0	ephemeral; comes up after floods		0.00							1	4.00						introduced
Echinochloa turneriana	1	8.33	NT	NT	2	0	0.3			0.00								0.00						
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa		0.00								0.00								0.00						
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	1	0.47	LC	LC	1	0	0.3		1	0.47	RA d(ii)	RA	3	0	0.3	edge of range	2	0.94	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans		0.00								0.00							3	0.22	NT	NT	2	0	0.3	
Einadia nutans ssp. oxycarpa		0.00								0.00								0.00						
Elachanthus pusillus		0.00							1	0.53	RA d(i,ii)	RA	3	DD	0	very small sp		0.00						
Elatine gratioloides		0.00								0.00								0.00						
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens		0.00							3	1.86	RA d(ii)	RA	3	DD	0		1	0.62	NT	NT	2	0	0.3	
Eleocharis papillosa		0.00								0.00								0.00						
Eleocharis plana	1	16.67	RA d(ii)	RA	3	0	0.3	undercollected		0.00								0.00						
Eleocharis pusilla		0.00								0.00								0.00						
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus		0.00								0.00								0.00						
Embadium johnstonii		0.00								0.00								0.00						
Embadium uncinatum		0.00								0.00								0.00						
Enchylaena tomentosa var. glabra	4	3.08	LC	LC	1	0	0.3			0.00							4	3.08	NT	NT	2	0	0.3	edge of range
Enchylaena tomentosa var. tomentosa	3	0.05	LC	LC	1	0	0.3		9	0.15	LC	LC	1	0	0.3		33	0.55	LC	LC	1	0	0.3	
Enneapogon avenaceus	5	0.29	LC	LC	1	0	0.3		8	0.46	LC	LC	1	0	0.3		28	1.60	LC	LC	1	0	0.3	
Enneapogon caerulescens		0.00								0.00							15	7.43	LC	LC	1	0	0.3	annual
Enneapogon cylindricus		0.00							3	0.29	LC	LC	1	0	0.3		31	2.99	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius		0.00								0.00							3	6.00	NT	NT	2	0	0.3	
Enneapogon lindleyanus		0.00								0.00								0.00						
Enneapogon nigricans		0.00								0.00							2	0.29	NT	NT	2	DD	0	on roadsides
Enneapogon polyphyllus	1	0.08	LC	LC	1	0	0.3		2	0.16	LC	LC	1	0	0.3		26	2.04	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00								0.00						
Enteropogon acicularis		0.00							3	1.21	NT	NT	2	DD	0		5	2.02	NT	NT	2	DD	0	
Enteropogon ramosus		0.00							1	0.31	RA d(ii)	RA	3	DD	0	limited habitat	1	0.31	RA d(ii)	RA	3	DD	0	limited habitat
Epaltes australis	5	2.09	LC	LC	1	0	0.3	floodplain sp.	1	0.42	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Epaltes cunninghamii	9	6.16	LC	LC	1	0	0.3			0.00								0.00						
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica	4	1.21	LC	LC	1	0	0.3	clay pans, swamps	4	1.21	LC	LC	1	0	0.3	clay pans, swamps	11	3.33	LC	LC	1	0	0.3	clay pans, swamps
Eragrostis basedowii	1	0.85	LC	LC	1	0	0.3			0.00							3	2.56	RA d(ii)	RA	3	DD	0	
Eragrostis confertiflora	ot datal	0.00								0.00								0.00						
Eragrostis cumingii		0.00								0.00								0.00						
Eragrostis dielsii var. dielsii	8	1.22	LC	LC	1	0	0.3	tolerates salinity; grows on flat open ground	1	0.15	LC	LC	1	0	0.3		12	1.83	LC	LC	1	0	0.3	
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda		0.00								0.00							14	1.80	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata		0.00							2	1.11	LC	LC	1	0	0.3		6	3.33	LC	LC	1	0	0.3	likes saline areas
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae		0.00								0.00							3	13.04	LC	LC	1	0	0.3	ephemeral; small grass, undercollected; plentiful after r
Eragrostis lacunaria		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Eragrostis laniflora		0.00								0.00							8	3.11	LC	LC	1	0	0.3	
Eragrostis lanipes		0.00								0.00							1	2.13	VU B2ab(i,ii,iii)	VU	4	-	0.4	1 old record Bon Bon Station
Eragrostis leptocarpa	3	1.20	LC	LC	1	0	0.3		4	1.59	LC	LC	1	0	0.3		1	0.40	LC	LC	1	0	0.3	
Eragrostis parviflora		0.00								0.00							2	1.04	LC	LC	1	0	0.3	
Eragrostis pergracilis		0.00								0.00							3	5.36	NT	NT	2	DD	0	
Eragrostis setifolia	8	0.67	LC	LC	1	0	0.3		6	0.50	LC	LC	1	0	0.3		29	2.42	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00								0.00								0.00						
Eragrostis speciosa		0.00								0.00								0.00						
Eragrostis tenellula	2	3.45	LC	LC	1	0	0.3			0.00								0.00						
Eragrostis xerophila	1	0.27	LC	LC	1	0	0.3		1	0.27	LC	LC	1	0	0.3		6	1.62	LC	LC	1	0	0.3	
Eremophea spinosa		0.00								0.00								0.00						
Eremophila alternifolia		0.00								0.00							8	0.65	LC	LC	1	0	0.3	
Eremophila arachnoides ssp. tenera		0.00								0.00								0.00						
Eremophila arenaria		0.00								0.00								0.00						
Eremophila battii		0.00								0.00								0.00						
Eremophila bignoniiflora	11	6.51	LC	LC	1	0	0.3			0.00								0.00						
Eremophila clarkei		0.00								0.00								0.00						
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00							2	11.76	RA di,iii	RA	3	DD	0	
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti		0.00							1	0.14	RA d(ii)	RA	3	DD	0		1	0.14	RA d(ii)	RA	3	DD	0	
Eremophila duttonii		0.00							12	2.05	LC	LC	1	0	0.3		11	1.88	LC	LC	1	0	0.3	
Eremophila elderi		0.00								0.00								0.00						
Eremophila fallax		0.00								0.00								0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii		0.00							2	0.14	NT	NT	2	0	0.3			0.00						
Eremophila gibsonii		0.00								0.00								0.00						
Eremophila gilesii ssp. gilesii		0.00								0.00								0.00						
Eremophila glabra ssp. glabra		0.00							5	0.31	LC	LC	1	0	0.3		18	1.11	LC	LC	1	0	0.3	
Eremophila latrobei ssp. glabra	1	0.13	NT	NT	2	DD	0		1	0.13	RA d(ii)	RA	3	DD	0		14	1.84	LC	LC	1	0	0.3	
Eremophila latrobei ssp. latrobei		0.00								0.00							1	0.68	DD	DD	0	DD	0	doubtful record
Eremophila longifolia	2	0.16	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3		17	1.38	LC	LC	1	0	0.3	
Eremophila macdonnellii	2	0.80	RA d(ii)	RA	3	DD	0		1	0.40	RA d(ii)	RA	3	DD	0		3	1.20	RA d(ii)	RA	3	DD	0	
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata		0.00							2	0.65	RA d(ii)	RA	3	-	0.4		15	4.84	NT	NT	2	0	0.3	grazed; limited habitat; too salty
Eremophila neglecta		0.00								0.00								0.00						
Eremophila obovata ssp. obovata		0.00								0.00								0.00						
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia		0.00							3	0.64	NT	NT	2	0	0.3		2	0.43	NT	NT	2	0	0.3	
Eremophila paisleyi ssp. glandulosa		0.00								0.00								0.00						
Eremophila paisleyi ssp. paisleyi		0.00								0.00							14	11.29	LC	LC	1	0	0.3	
Eremophila pentaptera		0.00								0.00							5	17.86	VU D2	VU	4	DD	0	only found in 1 location; could be declining
Eremophila platythamnos ssp. exotrachys		0.00								0.00								0.00						
Eremophila polyclada		0.00								0.00								0.00						
Eremophila rotundifolia		0.00							2	0.80	RA d(i,ii)	RA	3	DD	0	edge of range	12	4.78	LC	LC	1	0	0.3	endemic to SA
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia		0.00								0.00							15	1.20	LC	LC	1	0	0.3	
Eremophila serrulata		0.00							1	0.19	RA d(ii)	RA	3	0	0.3	edge of range	2	0.38	LC	LC	1	0	0.3	
Eremophila sturtii		0.00								0.00								0.00						
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata		0.00								0.00								0.00						
Eremophila verrucosa ssp. verrucosa		0.00								0.00								0.00						
Eremophila willsii ssp. integrifolia		0.00								0.00								0.00						
Eremophila willsii ssp. willsii		0.00								0.00								0.00						
Eriachne aristidea	6	2.47	LC	LC	1	0	0.3			0.00							1	0.41	NT	NT	2	0	0.3	
Eriachne helmsii		0.00								0.00							18	7.09	LC	LC	1	0	0.3	
Eriachne mucronata		0.00							1	0.40	RA d(ii)	RA	3	DD	0	limited habitat		0.00						
Eriachne ovata		0.00								0.00							1	0.53	RA d(ii)	RA	3	DD	0	edge of range
Eriachne pulchella ssp. pulchella		0.00								0.00								0.00						
Erigeron sessilifolius		0.00								0.00								0.00						
Eriocaulon carsonii ssp. carsonii		0.00								0.00								0.00						
Eriochiton sclerolaenoides	1	0.06	LC	LC	1	0	0.3			0.00							11	0.66	LC	LC	1	0	0.3	
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea		0.00							8	11.11	LC	LC	1	0	0.3		3	4.17	LC	LC	1	0	0.3	
Eriochloa australiensis	1	0.60	LC	LC	1	0	0.3		2	1.19	LC	LC	1	0	0.3		5	2.98	LC	LC	1	0	0.3	
Eriochloa crebra		0.00								0.00								0.00						
Eriochloa procera	1	100.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	grazing threat; Goyders Lagoon		0.00								0.00						
Eriochloa pseudoacrotricha	3	2.73	LC	LC	1	0	0.3		1	0.91	LC	LC	1	0	0.3		3	2.73	LC	LC	1	0	0.3	common on roadsides
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum		0.00							9	3.57	LC	LC	1	0	0.3		9	3.57	LC	LC	1	0	0.3	
Erodium crinitum		0.00							4	0.36	LC	LC	1	0	0.3		5	0.45	LC	LC	1	0	0.3	
Erodium cygnorum		0.00								0.00							5	3.05	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum	1	6.25	NT	NT	2	0	0.3			0.00								0.00						
Eucalyptus camaldulensis ssp. arida		#DIV/0!								#DIV/0!								#DIV/0!	RA d(i,ii)	RA	3	0	0.3	(no records) E camaldulensis ssp arida; restricted
Eucalyptus camaldulensis ssp. minima		0.00								0.00								0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00								0.00						
Eucalyptus coolabah	31	5.69	LC	LC	1	0	0.3			0.00							4	0.73	VU D2	VU	4	DD	0	
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla		0.00								0.00								0.00						
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa		0.00								0.00								0.00						
Eucalyptus gongylocarpa		0.00								0.00								0.00						
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta		0.00								0.00								0.00						
Eucalyptus largiflorens		0.00								0.00								0.00						
Eucalyptus leptophylla		0.00								0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00								0.00								0.00						
Eucalyptus minnirritchi		0.00								0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra		0.00								0.00								0.00						
Eucalyptus peeneri		0.00								0.00								0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica		0.00								0.00							7	5.43	NE	NE	-1			taxonomic issues; highly doubtful
Eucalyptus socialis ssp. socialis		0.00							1	0.14	NE	NE	-1			taxonomic issues	2	0.27	NE	NE	-1			taxonomic issues
Eucalyptus socialis ssp. victoriensis		0.00								0.00								0.00						
Eucalyptus sparsa		0.00								0.00								0.00						
Eucalyptus trivalvis		0.00								0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana		0.00								0.00								0.00						
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus		0.00								0.00								0.00						
Eulalia aurea	1	0.43	LC	LC	1	0	0.3	undercollected		0.00								0.00						
Euphorbia alsiniflora	a coghl	0.00								0.00								0.00						
Euphorbia australis		0.00								0.00								0.00						
Euphorbia centralis		0.00								0.00								0.00						
Euphorbia drummondii		0.00							2	0.63	LC	LC	1	0	0.3	very common; small, tough; undercollected	23	7.23	LC	LC	1	0	0.3	very common; small, tough; undercollected
Euphorbia inappendiculata		0.00								0.00								0.00						
Euphorbia mitchelliana		0.00								0.00								0.00						
Euphorbia parvicaruncula		0.00								0.00								0.00						
Euphorbia stevenii	3	1.95	LC	LC	1	0	0.3		1	0.65	LC	LC	1	0	0.3		1	0.65	LC	LC	1	0	0.3	
Euphorbia tannensis ssp. eremophila	5	0.44	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		18	1.57	LC	LC	1	0	0.3	
Euphorbia wheeleri	1	1.33	LC	LC	1	0	0.3		2	2.67	RA d(i,ii)	RA	3	DD	0	edge of range	3	4.00	RA d(i,ii)	RA	3	DD	0	edge of range
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens		0.00								0.00								0.00						
Evolvulus alsinoides var. villosicalyx		0.00								0.00								0.00						
Exocarpos aphyllus		0.00								0.00							3	0.11	LC	LC	1	0	0.3	
Exocarpos sparteus		0.00								0.00								0.00						
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda		0.00								0.00								0.00						
Fimbristylis dichotoma	1	0.58	NT	NT	2	0	0.3		2	1.16	LC	LC	1	0	0.3		3	1.74	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00								0.00							1	5.00	RA d(ii)	RA	3	DD	0	
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia		0.00								0.00								0.00						
Frankenia cinerea		0.00								0.00								0.00						
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa	1	4.55	DD	DD	0	DD	0		1	4.55	DD	DD	0	DD	0		1	4.55	DD	DD	0	DD	0	
Frankenia cupularis		0.00							1	1.18	NT	NT	2	0	0.3		1	1.18	DD	DD	0	DD	0	
Frankenia foliosa		0.00							1	0.41	NT	NT	2	0	0.3		4	1.64	LC	LC	1	0	0.3	
Frankenia pauciflora var. gunnii		0.00								0.00								0.00						
Frankenia plicata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Frankenia serpyllifolia	6	0.80	LC	LC	1	0	0.3		2	0.27	LC	LC	1	0	0.3		9	1.19	LC	LC	1	0	0.3	
Frankenia subteres		0.00								0.00								0.00						
Gahnia trifida		0.00								0.00								0.00						
Galium bulliformis		0.00								0.00								0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora		0.00							2	6.25	RA d(ii)	RA	3	0	0.3	ephemeral, comes up after floods, undercollected	1	3.13	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected
Glinus lotoides	10	3.85	LC	LC	1	0	0.3	around waterways		0.00							2	0.77	LC	LC	1	0	0.3	around waterways
Glinus oppositifolius		0.00								0.00								0.00						
Glinus orygioides		0.00								0.00								0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00								0.00						
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens		0.00								0.00								0.00						
Glossostigma cleistanthum		0.00								0.00								0.00						
Glossostigma diandrum		0.00								0.00								0.00						
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	3	1.03	LC	LC	1	0	0.3		6	2.05	LC	LC	1	0	0.3		3	1.03	NT	NT	2	DD	0	
Glycine rubiginosa		0.00								0.00								0.00						
Glycyrrhiza acanthocarpa		0.00								0.00							5	4.90	RA d(ii)	RA	3	DD	0	
Gnaphalium diamantinense	2	8.00	NT	NT	2	0	0.3	tiny annual, weeds potential threat; undercollected		0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00								0.00								0.00						
Gnephosis arachnoidea		0.00							2	0.36	LC	LC	1	0	0.3	undercollected	12	2.19	LC	LC	1	0	0.3	
Gnephosis eriocarpa	6	2.17	LC	LC	1	0	0.3			0.00							1	0.36	LC	LC	1	0	0.3	
Gnephosis tenuissima		0.00							5	1.29	LC	LC	1	0	0.3	undercollected	16	4.12	LC	LC	1	0	0.3	
Gomphrena lanata		0.00								0.00								0.00						
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta		0.00								0.00								0.00						
Goodenia berardiana		0.00								0.00							7	3.98	LC	LC	1	0	0.3	
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata		0.00								0.00								0.00						
Goodenia centralis		0.00								0.00								0.00						
Goodenia chambersii		0.00								0.00								0.00						
Goodenia cycloptera	8	2.16	LC	LC	1	0	0.3		9	2.43	LC	LC	1	0	0.3		4	1.08	NT	NT	2	0	0.3	
Goodenia fascicularis	14	1.32	LC	LC	1	0	0.3		5	0.47	LC	LC	1	0	0.3		2	0.19	NT	NT	2	0	0.3	
Goodenia gibbosa		0.00								0.00								0.00						
Goodenia glabra		0.00								0.00								0.00						
Goodenia glandulosa		0.00								0.00								0.00						
Goodenia glauca	2	1.48	LC	LC	1	0	0.3			0.00								0.00						
Goodenia grandiflora										#DIV/0!								#DIV/0!						
Goodenia havilandii		0.00								0.00								0.00						
Goodenia heterochila		0.00								0.00								0.00						
Goodenia heteromera		0.00								0.00								0.00						
Goodenia lobata		0.00								0.00								0.00						
Goodenia lunata	1	0.24	LC	LC	1	0	0.3		8	1.95	LC	LC	1	0	0.3		8	1.95	LC	LC	1	0	0.3	
Goodenia modesta		0.00								0.00							4	11.76	RA d(i,ii)	RA	3	DD	0	
Goodenia mueckeana		0.00								0.00								0.00						
Goodenia occidentalis		0.00								0.00								0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida		0.00							3	0.23	RA d(ii)	RA	3	DD	0	limited habitat	1	0.08	RA d(ii)	RA	3	DD	0	edge of range
Goodenia pusilliflora		0.00								0.00							1	0.11	RA d(i,ii)	RA	3	DD	0	
Goodenia ramelii		0.00								0.00								0.00						
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila		0.00								0.00								0.00						
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum		0.00								0.00								0.00						
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora		0.00								0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya		0.00								0.00								0.00						
Grevillea huegelii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Grevillea juncifolia ssp. juncifolia		0.00								0.00							2	0.65	RA d(i,ii)	RA	3	0	0.3	limited habitat
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla		0.00								0.00							24	8.45	LC	LC	1	0	0.3	
Grevillea pterosperma		0.00							1	0.27	RA d(i,ii)	RA	3	DD	0			0.00						
Grevillea stenobotrya		0.00								0.00								0.00						
Grevillea striata	2	3.28	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva		0.00							1	3.13	RA d(ii)	RA	3	0	0.3	edge of range; grows around saltpans; undercollected		0.00						
Gunniopsis kochii		0.00							6	18.18	LC	LC	1	0	0.3			0.00						
Gunniopsis papillata		0.00							5	3.62	LC	LC	1	0	0.3	likes mineralised breakaways		0.00						
Gunniopsis quadrifida		0.00							13	2.95	LC	LC	1	0	0.3		11	2.49	LC	LC	1	0	0.3	
Gunniopsis septifraga		0.00							3	8.11	NT	NT	2	0	0.3		1	2.70	NT	NT	2	0	0.3	
Gunniopsis tenuifolia		0.00							1	2.50	RA d(i,ii)	RA	3	DD	0	specific habitat' breakaway country		0.00						
Gunniopsis zygophylloides		0.00							1	0.91	NT	NT	2	DD	0		3	2.73	NT	NT	2	DD	0	
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus		0.00								0.00							4	1.34	RA d(i,ii)	RA	3	DD	0	localised
Gyrostemon tepperi		0.00								0.00								0.00						
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata		0.00								0.00								0.00						
Hakea ednieana		0.00								0.00								0.00						
Hakea eyreana		0.00								0.00								0.00						
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	5	0.61	LC	LC	1	0	0.3		8	0.98	LC	LC	1	0	0.3		15	1.84	LC	LC	1	0	0.3	
Hakea lorea ssp. lorea		0.00								0.00								0.00						
Hakea minyma		0.00								0.00								0.00						
Halgania cyanea		0.00								0.00								0.00						
Halgania erecta		0.00								0.00								0.00						
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera	17	2.30	LC	LC	1	0	0.3		3	0.41	LC	LC	1	0	0.3			0.00						
Haloragis glauca forma glauca		0.00							1	9.09	RA d(i,ii)	RA	3	0	0.3			0.00						
Haloragis glauca forma sclopetifera		0.00								0.00								0.00						
Haloragis gossei		0.00								0.00								0.00						
Haloragis odontocarpa forma octoforma		0.00								0.00								0.00						
Haloragis odontocarpa forma pterocarpa		0.00								0.00								0.00						
Haloragis odontocarpa forma rugosa		0.00								0.00								0.00						
Haloragis uncatipila		0.00								0.00								0.00						
Hannafordia bissillii ssp. bissillii		0.00								0.00								0.00						
Harmsiodoxa blennodioides		0.00								0.00								0.00						
Harmsiodoxa brevipes var. brevipes		0.00								0.00								0.00						
Harmsiodoxa brevipes var. major		0.00								0.00								0.00						
Harmsiodoxa puberula		0.00								0.00								0.00						
Helichrysum luteoalbum		0.00							1	0.32	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	2	0.65	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing
Heliotropium ammophilum		0.00								0.00								0.00						
Heliotropium asperrimum		0.00								0.00	RA d(ii)	RA	3	DD	0	(no records) on Witchelina		0.00						
Heliotropium cunninghamii		0.00								0.00								0.00						
Heliotropium europaeum		0.00								0.00							2	0.46	NT	NT	2	0	0.3	native form is H glandulosum
Heliotropium filaginoides		0.00								0.00								0.00						
Heliotropium moorei		0.00								0.00								0.00						
Heliotropium tanythrix		0.00								0.00								0.00						
Hemichroa diandra		0.00							2	0.80	NT	NT	2	0	0.3	likes sandy, salty claypans		0.00						
Hemichroa mesembryanthema		0.00								0.00								0.00						
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius		0.00								0.00								0.00						
Hibiscus krichauffianus		0.00							5	1.81	LC	LC	1	0	0.3		21	7.61	LC	LC	1	0	0.3	
Hibiscus solanifolius		0.00								0.00								0.00						
Hibiscus sturtii var. grandiflorus		0.00								0.00								0.00						
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii		0.00								0.00								0.00						
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile		0.00							1	0.21	RA d(i,ii)	RA	3	DD	0			0.00						
Hybanthus aurantiacus		0.00								0.00								0.00						
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus		0.00							1	0.55	RA d(ii)	RA	3	0	0.3	small, ephemeral		0.00						
Hydrocotyle callicarpa		0.00								0.00								0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Hydrocotyle verticillata		0.00								0.00								0.00						
Hypericum gramineum		0.00								0.00								0.00						
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00								0.00						
Indigofera australis ssp. australis		0.00								0.00								0.00						
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii		0.00								0.00								0.00						
Indigofera colutea		0.00								0.00								0.00						
Indigofera cornuligera ssp cornuligera		0.00								0.00								0.00						
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei		0.00								0.00								0.00						
Indigofera helmsii		0.00								0.00								0.00						
Indigofera leucotricha		0.00								0.00								0.00						
Indigofera linifolia		0.00								0.00								0.00						
Indigofera linnaei		0.00								0.00								0.00						
Indigofera longibractea		0.00								0.00								0.00						
Indigofera psammophila		0.00								0.00							3	3.61	NT	NT	2	0	0.3	
Ipomoea diamantinensis	1	100.00	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Ipomoea lonchophylla		0.00							1	2.44	RA d(i,ii)	RA	3	DD	0	does not like salt		0.00						
Ipomoea muelleri		0.00								0.00								0.00						
Ipomoea polymorpha		0.00								0.00								0.00						
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum	1	1.12	LC	LC	1	0	0.3			0.00							1	1.12	RA d(ii)	RA	3	DD	0	edge of range
Iseilema membranaceum	1	0.63	LC	LC	1	0	0.3		3	1.90	NT	NT	2	0	0.3		3	1.90	NT	NT	2	0	0.3	
Iseilema vaginiflorum		0.00								0.00							1	0.98	RA d(ii)	RA	3	0	0.3	edge of range
Isoetes muelleri		0.00								0.00								0.00						
Isoetopsis graminifolia		0.00								0.00							2	0.29	RA d(i,ii)	RA	3	DD	0	
Isolepis australiensis	3	3.70	LC	LC	1	0	0.3	very tiny	3	3.70	RA d(i,ii)	RA	3	DD	0	very tiny	5	6.17	NT	NT	2	DD	0	very tiny
Isolepis cernua		0.00								0.00								0.00						
Isolepis congrua		0.00								0.00								0.00						
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea		0.00							2	0.52	RA d(ii)	RA	3	0	0.3			0.00						
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri		0.00							1	2.33	RA d(ii)	RA	3	DD	0			0.00						
Ixiochlamys cuneifolia		0.00							2	0.72	NT	NT	2	DD	0	likes sandy creek banks		0.00						
Ixiochlamys filicifolia		0.00								0.00								0.00						
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana		0.00								0.00							4	5.71	LC	LC	1	0	0.3	
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare		0.00								0.00								0.00						
Josephinia eugeniae		0.00								0.00								0.00						
Juncus aridicola		0.00								0.00							1	0.71	RA d(i,ii)	RA	3	DD	0	easily spread
Juncus bufonius		0.00							2	0.34	RA d(ii)	RA	3	DD	0		1	0.17	RA d(i,ii)	RA	3	DD	0	could be introduced
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00							1	0.15	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00						
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens		0.00								0.00								0.00						
Keraudrenia nephrosperma		0.00								0.00								0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								0.00								0.00						
Kippistia suaedifolia		0.00							3	2.86	RA d(i,ii)	RA	3	DD	0	restricted habitat	1	0.95	RA d(i,ii)	RA	3	DD	0	restricted habitat
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis	6	1.63	LC	LC	1	0	0.3	in drainage lines, likes fresh water, dams	3	0.81	RA d(i,ii)	RA	3	0	0.3	in drainage lines, likes fresh water, dams		0.00						
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii		0.00								0.00							4	1.67	RA d(ii)	RA	3	0	0.3	edge of range
Lawrencia glomerata		0.00							10	2.22	LC	LC	1	0	0.3	taxon now has 3 ssp	10	2.22	LC	LC	1	0	0.3	taxon now has 3 ssp
Lawrencia squamata		0.00							2	0.25	LC	LC	1	0	0.3		3	0.38	LC	LC	1	0	0.3	
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata	2	0.86	LC	LC	1	0	0.3			0.00								0.00						
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta	3	6.38	LC	LC	1	0	0.3	grows top of red dunes		0.00								0.00						
Leiocarpa leptolepis	1	0.22	LC	LC	1	0	0.3		5	1.10	LC	LC	1	0	0.3	widespread, on roadsides	2	0.44	LC	LC	1	0	0.3	widespread, on roadsides
Leiocarpa semicalva ssp. semicalva		0.00								0.00								0.00						
Leiocarpa semicalva ssp. vinacea		0.00								0.00								0.00						
Leiocarpa tomentosa		0.00								0.00								0.00						
Leiocarpa websteri		0.00							3	0.43	LC	LC	1	0	0.3		7	1.01	LC	LC	1	0	0.3	
Lemna disperma		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Lemooria burkittii		0.00							1	0.54	RA d(i,ii)	RA	3	DD	0	edge of range	2	1.09	NT	NT	2	DD	0	
Lepidium fasciculatum		0.00							2	2.41	VU B2ab(i,ii,iii); D2	VU	4	-	0.4			0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi	4	1.41	LC	LC	1	0	0.3		1	0.35	RA d(ii)	RA	3	0	0.3		5	1.76	LC	LC	1	0	0.3	
Lepidium oxytrichum		0.00							7	1.06	LC	LC	1	0	0.3		4	0.61	LC	LC	1	0	0.3	
Lepidium papillosum		0.00								0.00								0.00						
Lepidium phlebopetalum	1	0.13	LC	LC	1	0	0.3		5	0.64	LC	LC	1	0	0.3		23	2.94	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum		0.00							4	5.88	RA d(i,ii)	RA	3	0	0.3		4	5.88	NT	NT	2	0	0.3	
Lepidium strongylophyllum		0.00								0.00								0.00						
Lepidosperma avium		0.00								0.00								0.00						
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis		0.00								0.00							2	18.18	VU D2	VU	4	DD	0	limited habitat; on the bottom of ponds; in Coorlay Lagc
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata		0.00								0.00								0.00						
Leptochloa fusca ssp. fusca		0.00							2	18.18	RA d(ii)	RA	3	DD	0	has been split from ssp muelleri		0.00						
Leptochloa fusca ssp. muelleri		0.00							3	1.57	LC	LC	1	0	0.3		4	2.09	LC	LC	1	0	0.3	
Leptorhynchos baileyi		0.00								0.00							2	3.77	RA d(i,ii)	RA	3	DD	0	ephemeral; not often seen; highly localised
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii		0.00								0.00								0.00						
Leucochrysum fitzgibbonii		0.00								0.00								0.00						
Leucochrysum molle		0.00								0.00							2	2.38	RA d(i,ii)	RA	3	-	0.4	ephemeral; grazed
Leucochrysum stipitatum		0.00								0.00								0.00						
Levenhookia dubia		0.00								0.00								0.00						
Limosella australis		0.00								0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00								0.00								0.00						
Lipocarpha microcephala		0.00								0.00								0.00						
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla		0.00								0.00								0.00						
Logania centralis		0.00								0.00								0.00						
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta		0.00								0.00								0.00						
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus	2	0.17	LC	LC	1	0	0.3		17	1.45	LC	LC	1	0	0.3		11	0.94	LC	LC	1	0	0.3	
Lycium australe		0.00							1	0.09	LC	LC	1	0	0.3		29	2.62	LC	LC	1	0	0.3	
Lysiana exocarpi ssp. exocarpi	3	0.15	LC	LC	1	0	0.3		9	0.45	LC	LC	1	0	0.3		14	0.70	LC	LC	1	0	0.3	
Lysiana murrayi		0.00							3	1.36	NT	NT	2	0	0.3	host: mulga	18	8.14	LC	LC	1	0	0.3	host: mulga
Lysiana subfalcata	3	3.95	NT	NT	2	DD	0			0.00								0.00						
Lythrum hyssopifolia		0.00								0.00							1	0.20	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes
Lythrum paradoxum		0.00								0.00								0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii	5	7.25	LC	LC	1	0	0.3		2	2.90	NT	NT	2	0	0.3		3	4.35	LC	LC	1	0	0.3	
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	4	0.44	LC	LC	1	0	0.3		4	0.44	LC	LC	1	0	0.3		12	1.31	LC	LC	1	0	0.3	
Maireana appressa		0.00							3	0.68	LC	LC	1	0	0.3		8	1.80	LC	LC	1	0	0.3	
Maireana astrotricha		0.00							6	0.53	LC	LC	1	0	0.3		17	1.50	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threa
Maireana brevifolia		0.00							4	0.30	NT	NT	2	0	0.3	edge of range	1	0.08	NT	NT	2	0	0.3	edge of range
Maireana campanulata		0.00								0.00								0.00						
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa		0.00								0.00								0.00						
Maireana ciliata	1	0.50	LC	LC	1	0	0.3		4	2.00	LC	LC	1	0	0.3		1	0.50	NT	NT	2	0	0.3	edge of range
Maireana coronata	6	2.87	LC	LC	1	0	0.3			0.00							1	0.48	NT	NT	2	0	0.3	
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha		0.00								0.00							7	3.40	LC	LC	1	0	0.3	
Maireana erioclada		0.00								0.00							29	2.01	LC	LC	1	0	0.3	
Maireana excavata		0.00								0.00								0.00						
Maireana georgei		0.00							2	0.23	LC	LC	1	0	0.3		15	1.75	LC	LC	1	0	0.3	
Maireana integra		0.00							2	0.59	LC	LC	1	0	0.3		8	2.35	LC	LC	1	0	0.3	
Maireana lanosa		0.00								0.00								0.00						
Maireana lobiflora		0.00							1	0.80	RA d(ii)	RA	3	0	0.3	edge of range	4	3.20	RA d(ii)	RA	3	0	0.3	edge of range
Maireana luehmannii		0.00								0.00								0.00						
Maireana melanocarpa		0.00								0.00								0.00						
Maireana microcarpa	2	2.17	LC	LC	1	0	0.3		2	2.17	RA d(ii)	RA	3	0	0.3		2	2.17	RA d(ii)	RA	3	0	0.3	
Maireana oppositifolia		0.00								0.00							1	0.12	NT	NT	2	0	0.3	edge of range; undercollected; coastal sp.
Maireana ovata		0.00								0.00								0.00						
Maireana pentagona		0.00							2	3.64	VU D2	VU	4	DD	0	limited habitat; River Murray sp.		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Maireana pentatropis		0.00								0.00							2	0.16	LC	LC	1	0	0.3	
Maireana planifolia		0.00								0.00								0.00						
Maireana pyramidata		0.00							16	0.79	LC	LC	1	0	0.3		13	0.64	LC	LC	1	0	0.3	
Maireana radiata		0.00								0.00								0.00						
Maireana schistocarpa		0.00								0.00							2	8.00	NT	NT	2	0	0.3	
Maireana scleroptera		0.00								0.00								0.00						
Maireana sedifolia		0.00								0.00							24	0.93	LC	LC	1	0	0.3	
Maireana spongiocarpa		0.00							1	0.71	NT	NT	2	0	0.3	tolerates disturbance	3	2.13	LC	LC	1	0	0.3	tolerates disturbance
Maireana tomentosa ssp. urceolata		0.00							1	1.19	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Maireana trichoptera		0.00								0.00							6	0.46	LC	LC	1	0	0.3	
Maireana triptera		0.00								0.00							14	3.99	LC	LC	1	0	0.3	
Maireana turbinata		0.00							3	0.46	LC	LC	1	0	0.3		5	0.76	LC	LC	1	0	0.3	
Maireana villosa		0.00								0.00							1	0.74	RA d(ii)	RA	3	DD	0	southern edge of range
Malacocera albolanata		0.00							1	1.47	NT	NT	2	DD	0		3	4.41	LC	LC	1	0	0.3	
Malacocera biflora		0.00								0.00								0.00						
Malacocera gracilis		0.00								0.00							1	3.33	RA d(ii)	RA	3	0	0.3	endemic to SA; likes low-lying calcareous soils
Malacocera tricornis		0.00							1	0.63	NT	NT	2	DD	0	historically grazed		0.00						
Malva preissiana	2	0.24	LC	LC	1	0	0.3	now known as M weinmanniana	1	0.12	NT	NT	2	DD	0	under-recorded; now known as M weinmanniana		0.00						
Malvastrum americanum var. americanum	1	0.15	LC	LC	1	0	0.3	spreading		0.00							8	1.20	LC	LC	1	0	0.3	spreading
Marsdenia australis		0.00								0.00								0.00						
Marsilea costulifera		0.00								0.00								0.00						
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii	1	0.35	LC	LC	1	0	0.3		3	1.04	LC	LC	1	0	0.3		4	1.39	LC	LC	1	0	0.3	
Marsilea exarata	1	1.33	RA d(ii)	RA	3	DD	0		1	1.33	RA d(i,ii)	RA	3	0	0.3		1	1.33	RA d(i,ii)	RA	3	0	0.3	
Marsilea hirsuta	2	0.85	LC	LC	1	0	0.3		3	1.28	NT	NT	2	DD	0		4	1.71	LC	LC	1	0	0.3	
Melaleuca bracteata		0.00								0.00								0.00						
Melaleuca dissitiflora		0.00								0.00								0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata		0.00							9	2.03	RA d(ii)	RA	3	DD	0		4	0.90	RA d(ii)	RA	3	DD	0	
Melaleuca interioris		0.00								0.00							11	18.03	LC	LC	1	0	0.3	
Melaleuca lanceolata		0.00							1	0.06	DD	DD	0	DD	0	imprecise location	1	0.06	DD	DD	0	DD	0	odd record
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila		0.00							2	2.22	RA d(i,ii)	RA	3	0	0.3	edge of range	21	23.33	NT	NT	2	0	0.3	
Melhania oblongifolia		0.00								0.00								0.00						
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis		0.00								0.00								0.00	NT	NT	2	0	0.3	(no records)
Menkea crassa	1	0.88	NT	NT	2	0	0.3	annual, grows on stony ground	1	0.88	RA d(ii)	RA	3	0	0.3	annual, grows on stony ground		0.00						
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa		0.00								0.00							1	1.49	DD	DD	0	DD	0	questionable ID, out of range
Menkea villosula		0.00								0.00								0.00						
Mentha australis	3	2.26	NT	NT	2	0	0.3		1	0.75	RA d(ii)	RA	3	0	0.3			0.00						
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana		0.00								0.00								0.00						
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00								0.00						
Micromyrtus flaviflora		0.00								0.00								0.00						
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii		0.00							1	7.14	NT	NT	2	0	0.3	have been taxonomic splits; should be more records; could be		0.00						
Millotia greevesii ssp. helmsii		0.00							2	5.71	LC	LC	1	0	0.3	have been taxonomic splits; should be more records		0.00						
Millotia incurva		0.00								0.00								0.00						
Millotia macrocarpa		0.00							1	3.57	DD	DD	0	DD	0	1 old record; could be extinct		0.00						
Millotia myosotidifolia		0.00								0.00							3	0.44	RA d(ii)	RA	3	DD	0	edge of range; probably more widespread
Millotia perpusilla		0.00								0.00								0.00						
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis	5	25.00	NT	NT	2	0	0.3			0.00								0.00						
Mimulus prostratus		0.00								0.00								0.00						
Mimulus repens		0.00								0.00							1	0.63	RA d(i,ii)	RA	3	0	0.3	
Minuria annua		0.00							1	1.27	NT	NT	2	0	0.3			0.00						
Minuria cunninghamii	2	0.29	LC	LC	1	0	0.3		3	0.44	LC	LC	1	0	0.3		7	1.02	LC	LC	1	0	0.3	
Minuria denticulata	4	0.65	LC	LC	1	0	0.3		6	0.98	LC	LC	1	0	0.3		8	1.30	LC	LC	1	0	0.3	
Minuria integerrima	1	0.46	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts		0.00							2	0.93	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts
Minuria leptophylla		0.00							3	0.26	LC	LC	1	0	0.3		3	0.26	LC	LC	1	0	0.3	
Minuria rigida	3	1.07	LC	LC	1	0	0.3	likes gypseous soils		0.00								0.00						
Mollugo cerviana		0.00							1	0.94	LC	LC	1	0	0.3	undercollected; very small	3	2.83	LC	LC	1	0	0.3	
Momordica balsamina		0.00								0.00								0.00						
Monachather paradoxus		0.00								0.00							13	2.97	LC	LC	1	0	0.3	
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Muehlenbeckia florulenta	39	3.24	LC	LC	1	0	0.3		9	0.75	LC	LC	1	0	0.3		5	0.41	LC	LC	1	0	0.3	
Muelleranthus stipularis		0.00								0.00								0.00						
Murchisonia volubilis		0.00								0.00							5	7.69	NT	NT	2	0	0.3	likes deep sand; undercollected
Myoporum brevipes		0.00							1	0.47	RA d(i,ii)	RA	3	0	0.3	outlier		0.00						
Myoporum montanum		0.00								0.00							3	0.43	RA d(ii)	RA	3	0	0.3	
Myoporum platycarpum ssp. platycarpum		0.00								0.00							4	0.49	RA d(i,ii)	RA	3	0	0.3	edge of range
Myosurus minimus var. australis		0.00							2	2.33	RA d(i,ii)	RA	3	0	0.3			0.00						
Myriocephalus pluriflorus		0.00							1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of recent rec		0.00						
Myriocephalus rhizocephalus		0.00								0.00								0.00						
Myriocephalus rudallii	3	6.25	LC	LC	1	0	0.3			0.00								0.00						
Myriocephalus squamatus		0.00								0.00								0.00						
Myriophyllum verrucosum		0.00							1	0.47	NT	NT	2	0	0.3		2	0.94	NT	NT	2	0	0.3	
Neobassia proceriflora		0.00							1	0.39	NT	NT	2	0	0.3	edge of range		0.00						
Neptunia dimorphantha	1	1.72	NT	NT	2	0	0.3	undercollected		0.00								0.00						
Neurachne lanigera		0.00								0.00								0.00						
Neurachne munroi		0.00								0.00							3	4.62	RA d(ii)	RA	3	0	0.3	long-lived, tough perennial
Newcastelia bracteosa		0.00								0.00								0.00						
Newcastelia cephalantha var. cephalantha		0.00								0.00								0.00						
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00								0.00						
Newcastelia spodiotricha		0.00								0.00								0.00						
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior		0.00								0.00								0.00						
Nicotiana goodspeedii		0.00							1	0.22	RA d(ii)	RA	3	DD	0			0.00						
Nicotiana gossei		0.00								0.00								0.00						
Nicotiana occidentalis ssp. obliqua		0.00								0.00								0.00						
Nicotiana rosulata ssp. ingulba		0.00								0.00								0.00						
Nicotiana rosulata ssp. rosulata		0.00								0.00								0.00						
Nicotiana simulans		0.00							2	0.80	RA d(ii)	RA	3	DD	0		13	5.18	LC	LC	1	0	0.3	
Nicotiana truncata		0.00								0.00								0.00						
Nicotiana velutina	14	1.34	LC	LC	1	0	0.3		21	2.01	LC	LC	1	0	0.3		14	1.34	LC	LC	1	0	0.3	
Nitraria billardierei	2	0.12	LC	LC	1	0	0.3		10	0.58	LC	LC	1	+	0.2			0.00						
Nymphoides crenata		0.00								0.00								0.00						
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida		0.00								0.00								0.00						
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00								0.00								0.00						
Olearia ferresii		0.00								0.00								0.00						
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri		0.00								0.00								0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii		0.00								0.00								0.00						
Olearia subspicata		0.00								0.00								0.00						
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava		0.00							3	0.32	LC	LC	1	0	0.3		3	0.32	LC	LC	1	0	0.3	
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum		0.00								0.00								0.00						
Ophioglossum polyphyllum		0.00								0.00								0.00						
Orobanche cernua var. australiana		0.00							1	0.99	RA d(i,ii)	RA	3	DD	0	parasitic sp; in dry sandy creek beds		0.00						
Osteocarpum acropterum var. acropterum	1	0.33	LC	LC	1	0	0.3		1	0.33	LC	LC	1	0	0.3		4	1.31	LC	LC	1	0	0.3	
Osteocarpum acropterum var. deminutum		0.00								0.00								0.00						
Osteocarpum dipterocarpum		0.00							3	0.67	LC	LC	1	0	0.3		12	2.66	LC	LC	1	0	0.3	
Osteocarpum pentapterum		0.00								0.00								0.00						
Osteocarpum salsuginosum		0.00								0.00								0.00						
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula		0.00								0.00								0.00						
Oxalis perennans		0.00							2	0.20	NT	NT	2	0	0.3	Bio-survey records missing, ID issues with other oxalis spp.		0.00						
Oxalis radicosa		0.00								0.00								0.00						
Oxychloris scariosa		0.00								0.00								0.00						
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana		0.00								0.00								0.00						
Panicum decompositum var. decompositum	3	0.84	LC	LC	1	0	0.3			0.00							1	0.28	LC	LC	1	0	0.3	
Panicum effusum var. effusum	1	0.39	DD	DD	0	DD	0	poorly known		0.00							1	0.39	NT	NT	2	DD	0	common after floods
Panicum laevinode	3	3.37	LC	LC	1	0	0.3		2	2.25	NT	NT	2	DD	0		2	2.25	NT	NT	2	DD	0	
Paraceterach reynoldsii		0.00								0.00								0.00						
Paractaenum novae-hollandiae ssp. reversum	4	2.04	LC	LC	1	0	0.3		11	5.61	LC	LC	1	0	0.3		18	9.18	LC	LC	1	0	0.3	
Paractaenum refractum		0.00							3	1.33	LC	LC	1	0	0.3		10	4.44	LC	LC	1	0	0.3	
Paraneurachne muelleri		0.00								0.00								0.00						
Parietaria australis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Parietaria cardiostegia		0.00								0.00								0.00						
Parietaria debilis		0.00								0.00								0.00						
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum		0.00								0.00							3	16.67	NT	NT	2	0	0.3	lots of records not databased
Peplidium foecundum		0.00								0.00							1	4.35	RA d(ii)	RA	3	DD	0	edge of range; records not databased; likes gibber plai
Peplidium sp. Marla (W.R.Barker 3535)		0.00								0.00								0.00						
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra	4	100.00	RA d(i,ii)	RA	3	DD	0	(no records) Pandie Pandie St, possibly naturalised		0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides		0.00								0.00								0.00						
Petalostylis labicheoides		0.00							3	1.92	RA d(ii)	RA	3	DD	0	edge of range	1	0.64	RA d(ii)	RA	3	DD	0	outlier
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00								0.00								0.00						
Phlegmatospermum cochlearinum		0.00							4	2.27	NT	NT	2	0	0.3		3	1.70	RA d(ii)	RA	3	0	0.3	
Phlegmatospermum eremaeum		0.00								0.00								0.00						
Phragmites australis		0.00								0.00								0.00						
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii	9	5.92	LC	LC	1	0	0.3		6	3.95	LC	LC	1	0	0.3		4	2.63	LC	LC	1	0	0.3	
Phyllanthus lacunarius		0.00								0.00							1	0.92	RA d(ii)	DD	0	DD	0	edge of range
Phyllanthus lacunellus		0.00								0.00								0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00								0.00								0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata		0.00								0.00								0.00						
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00							1	1.01	LC	LC	1	0	0.3			0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala		0.00							6	0.61	NT	NT	2	0	0.3	limited habitat	6	0.61	LC	LC	1	0	0.3	
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris		0.00								0.00								0.00						
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua		0.00							5	3.76	LC	LC	1	0	0.3		2	1.50	LC	LC	1	0	0.3	
Pimelea simplex ssp. simplex		0.00							8	1.75	LC	LC	1	0	0.3	ephemeral	1	0.22	NT	NT	2	0	0.3	edge of range
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya	2	0.93	LC	LC	1	0	0.3			0.00							3	1.39	NT	NT	2	0	0.3	
Pittosporum angustifolium		0.00							8	0.24	LC	LC	1	0	0.3		5	0.15	LC	LC	1	0	0.3	
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus		0.00							4	1.81	NT	NT	2	0	0.3		3	1.36	NT	NT	2	0	0.3	
Plantago cunninghamii		0.00								0.00								0.00						
Plantago debilis		0.00								0.00								0.00						
Plantago drummondii	5	0.46	LC	LC	1	0	0.3		15	1.38	LC	LC	1	0	0.3		3	0.28	LC	LC	1	0	0.3	
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa		0.00								0.00							1	16.67	RA d(ii)	RA	3	DD	0	in claypans & interdunal swales; lack of records & know
Plantago turrifera		0.00								0.00								0.00						
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus		0.00								0.00								0.00						
Pleurosorus rutifolius		0.00								0.00								0.00						
Pleurosorus subglandulosus		0.00								0.00								0.00						
Pluchea dentex		0.00								0.00								0.00						
Pluchea dunlopii	1	2.00	LC	LC	1	0	0.3			0.00								0.00						
Pluchea rubelliflora		0.00								0.00							2	2.67	RA d(ii)	RA	3	0	0.3	grows in creek lines
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana		0.00								0.00								0.00						
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens		0.00							1	0.26	DD	DD	0	DD	0		1	0.26	RA d(i,ii)	RA	3	DD	0	
Podolepis capillaris		0.00							4	0.31	LC	LC	1	0	0.3		9	0.70	LC	LC	1	0	0.3	
Podolepis davisiana		0.00							1	1.79	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazing, trampling		0.00						
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Polycalymma stuartii	9	0.91	LC	LC	1	0	0.3		17	1.72	LC	LC	1	0	0.3		21	2.13	LC	LC	1	0	0.3	
Polycarpaea arida		0.00								0.00								0.00						
Polycarpaea breviflora		0.00								0.00								0.00						
Polygala isingii		0.00								0.00								0.00						
Polygonum plebeium	3	1.71	LC	LC	1	0	0.3	responds to rainfall events		0.00								0.00						
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata		0.00								0.00								0.00						
Poranthera leiosperma		0.00								0.00								0.00						
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia		0.00								0.00								0.00						
Portulaca intraterranea	22	7.41	LC	LC	1	0	0.3	sand dune spp	1	0.34	RA d(ii)	RA	3	0	0.3	sand dune spp		0.00						
Portulaca oleracea	14	1.65	LC	LC	1	0	0.3		3	0.35	LC	LC	1	0	0.3		17	2.00	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus		0.00								0.00								0.00						
Potamogeton tricarinatus		0.00								0.00								0.00						
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia		0.00								0.00								0.00						
Prostanthera nudula		0.00								0.00								0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora		0.00							1	0.15	RA d(ii)	RA	3	DD	0		1	0.15	RA d(ii)	RA	3	DD	0	
Prostanthera wilkieana		0.00								0.00								0.00						
Pseudoraphis spinescens		0.00								0.00								0.00						
Psydrax ammophila		0.00								0.00								0.00						
Psydrax latifolia		0.00								0.00								0.00						
Psydrax suaveolens		0.00								0.00								0.00						
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum	1	12.50	RA d(ii)	RA	3	DD	0			0.00								0.00						
Pterocaulon sphacelatum	4	0.60	LC	LC	1	0	0.3		6	0.91	LC	LC	1	0	0.3		4	0.60	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri		0.00								0.00								0.00						
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens		0.00								0.00								0.00						
Ptilotus disparilis		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. gaudichaudii		0.00								0.00							6	8.57	LC	LC	1	0	0.3	
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides		0.00								0.00								0.00						
Ptilotus incanus		0.00								0.00								0.00						
Ptilotus latifolius		0.00								0.00								0.00						
Ptilotus macrocephalus		0.00								0.00								0.00						
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00								0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)
Ptilotus obovatus		0.00								0.00								0.00						
Ptilotus parvifolius		0.00								0.00							1	3.33	RA d(ii)	RA	3	DD	0	has been split into 4 entities
Ptilotus polystachyus		0.00							2	0.58	LC	LC	1	0	0.3		26	7.56	LC	LC	1	0	0.3	
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides		0.00								0.00								0.00						
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii		0.00								0.00								0.00						
Ptilotus sessilifolius	4	1.35	LC	LC	1	0	0.3		2	0.67	LC	LC	1	0	0.3		10	3.37	LC	LC	1	0	0.3	
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei		0.00								0.00								0.00						
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus		0.00								0.00								0.00						
Pycnosorus globosus		0.00								0.00								0.00						
Pycnosorus melleus	14	40.00	RA d(ii)	RA	3	DD	0			0.00								0.00						
Pycnosorus pleiocephalus	1	0.16	LC	LC	1	0	0.3		14	2.16	LC	LC	1	0	0.3		15	2.33	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Radyera farragei		0.00								0.00								0.00						
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00								0.00								0.00						
Ranunculus pentandrus var. pentandrus	3	75.00	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Ranunculus pentandrus var. platycarpus		0.00							6	3.92	LC	LC	1	0	0.3	grows on interdune swales after rain	2	1.31	NT	NT	2	0	0.3	grows on interdune swales after rain
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio	1	1.06	RA d(ii)	RA	3	DD	0		1	1.06	RA d(ii)	RA	3	DD	0		2	2.13	RA d(ii)	RA	3	DD	0	
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00							1	0.36	RA d(ii)	RA	3	DD	0	odd record
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea		0.00								0.00								0.00						
Rhagodia parabolica		0.00							1	0.06	RA d(ii)	RA	3	DD	0			0.00						
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	4	0.16	LC	LC	1	0	0.3		7	0.28	LC	LC	1	0	0.3		15	0.60	LC	LC	1	0	0.3	
Rhagodia ulicina		0.00								0.00							8	1.34	LC	LC	1	0	0.3	
Rhodanthe charsleyae		0.00							1	0.45	LC	LC	1	0	0.3		7	3.15	LC	LC	1	0	0.3	
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina		0.00								0.00								0.00						
Rhodanthe corymbiflora		0.00							3	0.74	RA d(ii)	RA	3	DD	0			0.00						
Rhodanthe floribunda	2	0.15	LC	LC	1	0	0.3		10	0.73	LC	LC	1	0	0.3		23	1.68	LC	LC	1	0	0.3	
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa		0.00							8	1.32	LC	LC	1	0	0.3		2	0.33	LC	LC	1	0	0.3	
Rhodanthe moschata	5	0.55	LC	LC	1	0	0.3		20	2.19	LC	LC	1	0	0.3		25	2.74	LC	LC	1	0	0.3	
Rhodanthe polygalifolia		0.00							1	0.24	NT	NT	2	0	0.3	edge of range		0.00						
Rhodanthe pygmaea		0.00							2	0.14	NT	NT	2	0	0.3	edge of range	3	0.22	NT	NT	2	DD	0	edge of range
Rhodanthe stricta	7	0.92	LC	LC	1	0	0.3		11	1.44	LC	LC	1	0	0.3		7	0.92	LC	LC	1	0	0.3	
Rhodanthe stuartiana		0.00							1	0.45	RA d(ii)	RA	3	DD	0			0.00						
Rhodanthe tietkensii		0.00								0.00								0.00						
Rhodanthe troedelii		0.00							2	1.87	NT	NT	2	DD	0	edge of range		0.00						
Rhodanthe uniflora	1	0.52	LC	LC	1	0	0.3		5	2.60	LC	LC	1	0	0.3		2	1.04	LC	LC	1	0	0.3	
Rhyncharrhena linearis		0.00								0.00							3	1.11	RA d(ii)	RA	3	0	0.3	
Rhynchosia australis		0.00								0.00								0.00						
Rhynchosia minima		0.00								0.00								0.00						
Rorippa eustylis		0.00								0.00								0.00						
Rostellularia adscendens var. clementii	1	20.00	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	edge of range; on Pandi Pandi St		0.00								0.00						
Rostellularia adscendens var. latifolia		0.00								0.00								0.00						
Rostellularia adscendens var. pogonanthera		0.00								0.00							1	0.51	RA d(i,ii)	RA	3	DD	0	limited habitat
Rulingia loxophylla		0.00								0.00								0.00						
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus	5	3.82	LC	LC	1	0	0.3		7	5.34	LC	LC	1	0	0.3		1	0.76	LC	LC	1	0	0.3	
Ruppia maritima		0.00								0.00								0.00						
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00							1	1.64	VU D2	VU	4	DD	0	Lake Koolymilka (new record)
Rutidosis helichrysoides ssp. helichrysoides	16	4.11	LC	LC	1	0	0.3			0.00							3	0.77	LC	LC	1	0	0.3	
Salsola tragus	26	0.59	LC	LC	1	0	0.3		19	0.43	LC	LC	1	0	0.3		49	1.12	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens		0.00								0.00								0.00						
Santalum acuminatum		0.00								0.00							11	0.52	LC	LC	1	0	0.3	
Santalum lanceolatum	6	0.68	LC	LC	1	0	0.3		8	0.91	LC	LC	1	0	0.3		9	1.03	LC	LC	1	0	0.3	
Santalum spicatum		0.00							3	0.94	RA d(ii)	RA	3	-	0.4		5	1.57	NT	NT	2	-	0.4	
Sarcocornia blackiana		0.00								0.00								0.00						
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe		0.00							2	0.93	NT	NT	2	0	0.3			0.00						
Sarcozona praecox		0.00							1	0.44	RA d(ii)	RA	3	DD	0	edge of range, habitat	6	2.64	LC	LC	1	0	0.3	needs winter rainfall
Sauropus ramosissimus		0.00								0.00								0.00						
Sauropus rigens		0.00							1	0.55	VU D2	VU	4	DD	0	outlier, limited habitat		0.00						
Sauropus trachyspermus	9	3.59	LC	LC	1	0	0.3		1	0.40	NT	NT	2	-	0.4	grazing/trampling - threats	5	1.99	LC	LC	1	0	0.3	
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis		0.00								0.00								0.00						
Scaevola basedowii		0.00								0.00								0.00						
Scaevola collaris		0.00							1	0.38	LC	LC	1	0	0.3	likes damp sand; undercollected	3	1.15	LC	LC	1	0	0.3	likes damp sand; undercollected
Scaevola collina		0.00								0.00								0.00						
Scaevola depauperata	1	0.75	RA d(ii)	RA	3	DD	0			0.00								0.00						
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata	6	1.48	LC	LC	1	0	0.3		8	1.97	LC	LC	1	0	0.3			0.00						
Scaevola parvifolia ssp. parvifolia		0.00								0.00								0.00						
Scaevola spinescens		0.00							9	0.69	LC	LC	1	0	0.3		4	0.30	LC	LC	1	0	0.3	
Schenkia australis	1	0.51	LC	LC	1	0	0.3			0.00								0.00						
Schoenia ayersii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Schoenia cassiniana		0.00								0.00							9	3.63	LC	LC	1	0	0.3	
Schoenia ramosissima	1	0.60	LC	LC	1	0	0.3		4	2.38	LC	LC	1	0	0.3		5	2.98	LC	LC	1	0	0.3	
Schoenoplectus dissachanthus		0.00								0.00							1	2.38	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens		0.00								0.00								0.00						
Schoenoplectus subulatus		0.00								0.00								0.00						
Schoenoplectus validus		0.00								0.00								0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00							1	1.59	VU B2ab(i,ii,iii)	VU	4	-	0.4	ephemeral; grows on degraded areas		0.00						
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata		0.00								0.00								0.00						
Sclerolaena bicornis var. bicornis	15	3.28	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3		6	1.31	LC	LC	1	0	0.3	
Sclerolaena bicuspis		0.00								0.00								0.00						
Sclerolaena birchii		0.00								0.00								0.00						
Sclerolaena blackiana		0.00								0.00								0.00						
Sclerolaena brachyptera		0.00							8	0.75	LC	LC	1	0	0.3		7	0.66	LC	LC	1	0	0.3	
Sclerolaena calcarata	5	4.72	LC	LC	1	0	0.3			0.00								0.00						
Sclerolaena clelandii		0.00								0.00								0.00						
Sclerolaena constricta		0.00							3	2.01	NT	NT	2	0	0.3			0.00						
Sclerolaena convexula		0.00								0.00								0.00						
Sclerolaena cornishiana		0.00								0.00								0.00						
Sclerolaena costata		0.00								0.00								0.00						
Sclerolaena cristata		0.00								0.00								0.00						
Sclerolaena cuneata		0.00								0.00							6	1.64	LC	LC	1	0	0.3	
Sclerolaena decurrens	2	0.69	LC	LC	1	0	0.3		2	0.69	LC	LC	1	0	0.3		5	1.72	LC	LC	1	0	0.3	
Sclerolaena deserticola		0.00								0.00								0.00						
Sclerolaena diacantha	15	0.50	LC	LC	1	0	0.3		5	0.17	LC	LC	1	0	0.3	good stock food	31	1.03	LC	LC	1	0	0.3	good stock food
Sclerolaena divaricata		0.00							7	0.75	LC	LC	1	0	0.3		23	2.47	LC	LC	1	0	0.3	
Sclerolaena eriacantha		0.00							1	0.33	NT	NT	2	0	0.3		5	1.65	LC	LC	1	0	0.3	
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra		0.00								0.00							1	0.87	RA d(ii)	RA	3	DD	0	
Sclerolaena holtiana		0.00							2	0.87	LC	LC	1	0	0.3		3	1.31	LC	LC	1	0	0.3	
Sclerolaena intricata	26	2.92	LC	LC	1	0	0.3		2	0.22	LC	LC	1	0	0.3		7	0.79	LC	LC	1	0	0.3	
Sclerolaena johnsonii		0.00								0.00								0.00						
Sclerolaena lanicuspis	1	0.11	LC	LC	1	0	0.3		3	0.34	LC	LC	1	0	0.3		8	0.91	LC	LC	1	0	0.3	
Sclerolaena limbata		0.00							14	3.67	LC	LC	1	0	0.3		1	0.26	NT	NT	2	DD	0	
Sclerolaena longicuspis		0.00							1	0.29	NT	NT	2	0	0.3		2	0.57	LC	LC	1	0	0.3	
Sclerolaena muricata var. muricata	5	3.70	LC	LC	1	0	0.3	heavy clays on rivers or cane grass swamps	1	0.74	RA d(ii)	RA	3	DD	0	heavy clays on rivers or cane grass swamps		0.00						
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis	1	0.04	RA d(i,ii)	RA	3	DD	0	edge of range	19	0.71	LC	LC	1	0	0.3		29	1.08	LC	LC	1	0	0.3	
Sclerolaena parallelicuspis		0.00							3	0.92	LC	LC	1	0	0.3		8	2.45	LC	LC	1	0	0.3	
Sclerolaena parviflora		0.00								0.00							2	0.42	NT	NT	2	0	0.3	
Sclerolaena patenticuspis		0.00							4	0.35	LC	LC	1	0	0.3		9	0.79	LC	LC	1	0	0.3	
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei		0.00							6	6.59	NT	NT	2	0	0.3	endemic to SA; long-lived		0.00						
Sclerolaena tricuspis		0.00								0.00								0.00						
Sclerolaena uniflora	1	0.10	LC	LC	1	0	0.3			0.00							15	1.54	LC	LC	1	0	0.3	grows on bare limestone
Sclerolaena ventricosa		0.00							7	0.93	LC	LC	1	0	0.3		13	1.74	LC	LC	1	0	0.3	
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00							1	3.13	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	grazed		0.00						
Senecio depressicola	12	18.75	LC	LC	1	0	0.3			0.00								0.00						
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola		0.00								0.00								0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus		0.00							8	1.02	LC	LC	1	0	0.3	in interdune swales	10	1.28	LC	LC	1	0	0.3	in interdune swales
Senecio gregorii	9	1.15	LC	LC	1	0	0.3	on sand dunes, widespread	14	1.78	LC	LC	1	0	0.3	on sand dunes, widespread	7	0.89	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00								0.00						
Senecio laceratus		0.00								0.00								0.00						
Senecio lacustrinus		0.00							5	4.27	LC	LC	1	0	0.3		3	2.56	LC	LC	1	0	0.3	
Senecio lanibracteus	7	2.15	LC	LC	1	0	0.3		9	2.77	LC	LC	1	0	0.3		1	0.31	LC	LC	1	0	0.3	
Senecio magnificus		0.00							2	0.23	LC	LC	1	0	0.3			0.00						
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius		0.00							1	0.93	RA d(i,ii)	RA	3	DD	0	scattered pops		0.00						
Senecio spanomerus		0.00								0.00								0.00						
Senna artemisioides ssp. alicia	1	0.99	RA d(ii)	RA	3	DD	0			0.00								0.00						
Senna artemisioides ssp. artemisioides		0.00								0.00							8	1.02	LC	LC	1	0	0.3	
Senna artemisioides ssp. coriacea		0.00							1	0.07	RA d(ii)	RA	3	0	0.3	edge of range	2	0.14	LC	LC	1	0	0.3	
Senna artemisioides ssp. filifolia	9	0.76	LC	LC	1	0	0.3			0.00							5	0.42	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Senna artemisioides ssp. helmsii		0.00							1	0.29	RA d(i,ii)	RA	3	DD	0			0.00						
Senna artemisioides ssp. oligophylla	2	0.94	LC	LC	1	0	0.3		1	0.47	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Senna artemisioides ssp. petiolaris		0.00							4	0.40	LC	LC	1	0	0.3		37	3.67	LC	LC	1	0	0.3	
Senna artemisioides ssp. quadrifolia	2	1.08	LC	LC	1	0	0.3			0.00							1	0.54	RA d(ii)	RA	3	DD	0	southern edge of range
Senna artemisioides ssp. sturtii		0.00								0.00								0.00						
Senna artemisioides ssp. zygophylla		0.00								0.00							1	1.43	RA d(ii)	RA	3	DD	0	
Senna cardiosperma ssp. gawlerensis		0.00								0.00							16	3.89	LC	LC	1	0	0.3	
Senna cardiosperma ssp. microphylla		0.00								0.00							1	2.86	RA d(i,ii)	RA	3	DD	0	
Senna glutinosa ssp. glutinosa		0.00								0.00								0.00						
Senna glutinosa ssp. pruinosa		0.00								0.00								0.00						
Senna notabilis		0.00								0.00								0.00						
Senna phyllodinea		0.00							1	0.62	RA d(i,ii)	RA	3	DD	0		4	2.48	LC	LC	1	0	0.3	
Senna planitiicola		0.00								0.00								0.00						
Senna pleurocarpa var. pleurocarpa	1	0.30	NT	NT	2	DD	0	fire responsive		0.00								0.00						
Sesbania cannabina var. cannabina	1	4.17	RA d(ii)	RA	3	DD	0			0.00								0.00						
Setaria basiclada		0.00								0.00							4	4.04	NT	NT	2	DD	0	likes rocky hills
Setaria clementii		0.00							1	0.99	RA d(ii)	RA	3	0	0.3	easily overlooked; likes low, rocky rises	1	0.99	RA d(ii)	RA	3	0	0.3	easily overlooked; likes low, rocky rises
Setaria constricta		0.00								0.00							9	1.68	LC	LC	1	0	0.3	
Setaria dielsii		0.00							1	0.80	RA d(ii)	RA	3	DD	0	in creeks, drainage lines; ephemeral	3	2.40	RA d(ii)	RA	3	DD	0	in creeks, drainage lines; ephemeral; limited habitat
Setaria jubiflora	1	0.41	LC	LC	1	0	0.3	comes down from Qld, in creek lines		0.00								0.00						
Setaria reflexa		0.00								0.00							4	7.27	RA d(ii)	RA	3	DD	0	
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	8	1.28	LC	LC	1	0	0.3		13	2.08	LC	LC	1	0	0.3		26	4.15	LC	LC	1	0	0.3	
Sida argillacea		0.00								0.00								0.00						
Sida calyxhymenia		0.00								0.00							4	2.04	NT	NT	2	0	0.3	
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata		0.00								0.00								0.00						
Sida cunninghamii	4	1.90	LC	LC	1	0	0.3			0.00								0.00						
Sida everistiana		0.00								0.00								0.00						
Sida fibulifera	1	0.07	LC	LC	1	0	0.3		5	0.33	LC	LC	1	0	0.3		35	2.29	LC	LC	1	0	0.3	
Sida filiformis		0.00								0.00								0.00						
Sida goniocarpa		0.00								0.00								0.00						
Sida intricata		0.00							4	0.65	LC	LC	1	0	0.3		8	1.29	LC	LC	1	0	0.3	
Sida petrophila		0.00								0.00							4	0.28	LC	LC	1	0	0.3	
Sida phaeotricha		0.00								0.00								0.00						
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae		0.00								0.00								0.00						
Sida sp. B (C.Dunlop 1739)		0.00								0.00							1	3.70	NE	NE	-1			taxonomic issues
Sida sp. Everard Ranges (D.J.Whibley 1085)		0.00								0.00								0.00						
Sida sp. F (Latz 7459)		0.00								0.00								0.00						
Sida sp. L (A.M.Ashby 4202)		0.00								0.00								0.00						
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00								0.00						
Sida spodochroma		0.00								0.00							1	0.60	NT	NT	2	0	0.3	perennial
Sida trichopoda	4	0.95	LC	LC	1	0	0.3		2	0.48	LC	LC	1	0	0.3		5	1.19	LC	LC	1	0	0.3	
Sigesbeckia australiensis		0.00								0.00								0.00						
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale		0.00								0.00								0.00						
Solanum chenopodinum		0.00								0.00	RA d(ii)	RA	3	DD	0	(no records) Witchellina		0.00						
Solanum cleistogamum		0.00								0.00							3	3.23	NT	NT	2	0	0.3	
Solanum coactiliferum		0.00								0.00								0.00						
Solanum eardleyae		0.00								0.00								0.00						
Solanum ellipticum	2	0.14	LC	LC	1	0	0.3		4	0.27	LC	LC	1	0	0.3		13	0.88	LC	LC	1	0	0.3	
Solanum esuriale	2	0.51	LC	LC	1	0	0.3		2	0.51	LC	LC	1	0	0.3		1	0.25	NT	NT	2	0	0.3	edge of range
Solanum ferocissimum		0.00								0.00								0.00						
Solanum lacunarium		0.00								0.00							1	1.49	RA d(ii)	RA	3	0	0.3	
Solanum lasiophyllum		0.00								0.00							2	2.63	RA d(i,ii)	RA	3	0	0.3	edge of range
Solanum oligacanthum	20	7.49	LC	LC	1	0	0.3		1	0.37	RA d(ii)	RA	3	0	0.3	limited habitat		0.00						
Solanum orbiculatum ssp. orbiculatum		0.00								0.00								0.00						
Solanum petrophilum		0.00							1	0.10	DD	DD	0	DD	0	old record		0.00						
Solanum quadriloculatum		0.00								0.00							8	2.41	LC	LC	1	0	0.3	
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum		0.00							4	0.61	LC	LC	1	0	0.3			0.00						
Sonchus hydrophilus		0.00								0.00								0.00						
Spartothamnella teucriiflora		0.00								0.00								0.00						
Spergularia brevifolia		0.00								0.00								0.00						
Spergularia diandroides		0.00							1	2.56	DD	DD	0	DD	0	records on loan, probably common	1	2.56	DD	DD	0	DD	0	records on loan, probably common
Spergularia marina		0.00							3	1.13	LC	LC	1	0	0.3	in low-lying salty areas		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Sphaeranthus indicus	3	37.50	RA d(ii)	RA	3	DD	0	restricted		0.00								0.00						
Sporobolus actinocladus	2	0.37	LC	LC	1	0	0.3			0.00							4	0.73	LC	LC	1	0	0.3	
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei		0.00								0.00								0.00						
Sporobolus caroli		0.00								0.00							1	1.59	RA d(ii)	RA	3	DD	0	
Sporobolus mitchellii		0.00								0.00							1	0.29	RA d(ii)	RA	3	DD	0	restricted to river systems
Sporobolus virginicus		0.00								0.00								0.00						
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii		0.00							1	1.79	RA d(i,ii)	RA	3	0	0.3			0.00						
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00								0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	19	2.96	LC	LC	1	0	0.3		12	1.87	LC	LC	1	0	0.3		6	0.93	LC	LC	1	0	0.3	
Stemodia glabella	1	1.72	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00								0.00						
Stemodia viscosa		0.00								0.00								0.00						
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum		0.00								0.00								0.00						
Stenopetalum decipiens		0.00								0.00								0.00						
Stenopetalum lineare	1	0.16	NT	NT	2	0	0.3	a complex of species, could be split	8	1.29	LC	LC	1	0	0.3	a complex of species, could be split	17	2.75	LC	LC	1	0	0.3	a complex of species, could be split
Stenopetalum nutans		0.00								0.00								0.00						
Stenopetalum sphaerocarpum		0.00								0.00								0.00						
Stenopetalum velutinum		0.00								0.00							1	0.49	NT	NT	2	0	0.3	
Streptoglossa adscendens	6	1.88	LC	LC	1	0	0.3			0.00							2	0.63	LC	LC	1	0	0.3	
Streptoglossa cylindriceps		0.00								0.00								0.00						
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides		0.00								0.00							2	1.20	LC	LC	1	0	0.3	
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum		0.00								0.00								0.00						
Suaeda australis		0.00								0.00								0.00						
Swainsona acuticarinata		0.00								0.00								0.00						
Swainsona adenophylla		0.00							7	8.86	NT	NT	2	0	0.3	edge of salt lakes	3	3.80	NT	NT	2	0	0.3	edge of salt lakes
Swainsona affinis		0.00								0.00								0.00						
Swainsona burkittii		0.00							7	18.92	RA d(i,ii)	RA	3	-	0.4			0.00						
Swainsona campylantha	1	0.34	LC	LC	1	0	0.3		1	0.34	RA d(ii)	RA	3	DD	0	edge of range	2	0.68	RA d(ii)	RA	3	DD	0	southern edge of range
Swainsona canescens		0.00							1	0.91	RA d(ii)	RA	3	DD	0	edge of range	6	5.45	LC	LC	1	0	0.3	
Swainsona colutoides		0.00								0.00								0.00						
Swainsona disjuncta		0.00								0.00								0.00						
Swainsona eremaea		0.00								0.00								0.00						
Swainsona extrajacens		0.00								0.00								0.00						
Swainsona fissimontana	1	1.28	RA d(ii)	RA	3	DD	0			0.00								0.00						
Swainsona flavicarinata		0.00							3	4.05	RA d(i,ii)	RA	3	DD	0			0.00						
Swainsona formosa		0.00							4	1.83	LC	LC	1	0	0.3		14	6.39	LC	LC	1	0	0.3	
Swainsona laxa	2	2.90	LC	LC	1	0	0.3			0.00								0.00						
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx		0.00								0.00							5	11.63	NT	NT	2	0	0.3	
Swainsona microphylla		0.00								0.00								0.00						
Swainsona minutiflora		0.00							3	21.43	VU D2	VU	4	0	0.3	in calcareous drainage lines		0.00						
Swainsona oligophylla		0.00								0.00							5	5.32	LC	LC	1	0	0.3	
Swainsona oliveri		0.00								0.00							5	5.68	LC	LC	1	0	0.3	
Swainsona oroboides	2	1.82	NT	NT	2	0	0.3		1	0.91	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Swainsona phacoides	3	0.78	LC	LC	1	0	0.3	sand sp	15	3.88	LC	LC	1	0	0.3	sand sp	1	0.26	NT	NT	2	DD	0	sand sp
Swainsona purpurea	1	0.96	RA d(ii)	RA	3	DD	0	taxonomic uncertainty	3	2.88	RA d(i,ii)	RA	3	DD	0		2	1.92	RA d(i,ii)	RA	3	DD	0	
Swainsona stipularis		0.00							6	2.02	LC	LC	1	0	0.3		3	1.01	NT	NT	2	0	0.3	
Swainsona swainsonioides	1	3.03	DD	DD	0	DD	0	imprecise location	1	3.03	RA d(i,ii)	RA	3	DD	0			0.00						
Swainsona tenuis		0.00								0.00							2	2.78	RA d(ii)	RA	3	DD	0	
Swainsona tephrotricha		0.00								0.00								0.00						
Swainsona unifoliolata		0.00								0.00								0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa		0.00								0.00								0.00						
Swainsona viridis		0.00								0.00								0.00						
Synaptantha tillaeacea var. hispidula		0.00							1	3.23	NT	NT	2	0	0.3	perennial; comes up after good rain	2	6.45	NT	NT	2	0	0.3	perennial; comes up after good rain
Synaptantha tillaeacea var. tillaeacea	3	4.84	LC	LC	1	0	0.3	undercollected	1	1.61	RA d(ii)	RA	3	DD	0		3	4.84	LC	LC	1	0	0.3	undercollected
Tecticornia arbuscula		0.00								0.00								0.00						
Tecticornia cupuliformis		0.00							1	7.69	RA d(ii)	RA	3	DD	0	ephemeral; undercollected; hard to ID; likes heavy clay; no kn		0.00						
Tecticornia disarticulata		0.00							1	0.54	NT	NT	2	0	0.3		1	0.54	NT	NT	2	0	0.3	
Tecticornia fontinalis		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. halocnemoides		0.00								0.00							1	0.27	RA d(ii)	RA	3	DD	0	endemic to SA
Tecticornia halocnemoides ssp. longispicata		0.00							2	1.94	LC	LC	1	0	0.3			0.00						
Tecticornia halocnemoides ssp. tenuis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Tecticornia indica ssp. bidens		0.00								0.00							5	7.69	RA d(ii)	RA	3	0	0.3	
Tecticornia indica ssp. leiostachya		0.00							6	1.24	LC	LC	1	0	0.3		2	0.41	LC	LC	1	0	0.3	common
Tecticornia medullosa		0.00							3	2.48	NT	NT	2	0	0.3	likes rocks	2	1.65	LC	LC	1	0	0.3	likes rocks
Tecticornia nitida		0.00								0.00								0.00						
Tecticornia pergranulata ssp. divaricata		0.00							1	1.72	NT	NT	2	0	0.3	undercollected		0.00						
Tecticornia pergranulata ssp. elongata		0.00								0.00								0.00						
Tecticornia pergranulata ssp. pergranulata	1	0.22	NT	NT	2	0	0.3			0.00							5	1.08	NT	NT	2	0	0.3	
Tecticornia pruniflora		0.00							1	2.22	NT	NT	2	0	0.3			0.00						
Tecticornia pruinosa		0.00								0.00							2	2.50	NT	NT	2	0	0.3	
Tecticornia pterygosperma ssp. pterygosperma		0.00							1	2.27	RA d(ii)	RA	3	DD	0			0.00						
Tecticornia tenuis	1	0.33	LC	LC	1	0	0.3		2	0.67	LC	LC	1	0	0.3		3	1.00	LC	LC	1	0	0.3	
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena		0.00								0.00							2	0.49	RA d(ii)	RA	3	0	0.3	
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora	7	2.41	LC	LC	1	0	0.3		5	1.72	LC	LC	1	0	0.3		3	1.03	LC	LC	1	0	0.3	
Tephrosia supina		0.00								0.00								0.00						
Tetragonia eremaea	1	0.08	LC	LC	1	0	0.3		5	0.42	LC	LC	1	0	0.3		19	1.60	LC	LC	1	0	0.3	
Tetragonia moorei	3	3.95	LC	LC	1	0	0.3	likes summer rain; grows around bores	3	3.95	LC	LC	1	0	0.3	likes summer rain; grows around bores		0.00						
Tetragonia tetragonioides		0.00								0.00								0.00						
Teucrium albicaule		0.00								0.00								0.00						
Teucrium corymbosum		0.00								0.00								0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum	11	1.32	LC	LC	1	0	0.3		2	0.24	LC	LC	1	0	0.3		9	1.08	LC	LC	1	0	0.3	
Teucrium reidii		0.00								0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea		0.00								0.00								0.00						
Themeda triandra		0.00								0.00							1	0.07	RA d(ii)	RA	3	DD	0	lack of habitat
Threlkeldia inchoata		0.00								0.00								0.00						
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana		0.00								0.00							2	1.59	NT	NT	2	DD	0	
Thyridolepis multiculmis		0.00								0.00							1	1.75	RA d(ii)	RA	3	DD	0	edge of range
Thyridolepis xerophila		0.00								0.00								0.00						
Thysanotus baueri		0.00							2	0.23	RA d(ii)	RA	3	0	0.3		3	0.35	RA d(ii)	RA	3	0	0.3	
Thysanotus exiliflorus		0.00								0.00							5	12.82	NT	NT	2	0	0.3	scattered populations
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae		0.00								0.00								0.00						
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	3	1.06	LC	LC	1	0	0.3		3	1.06	LC	LC	1	0	0.3		9	3.19	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus		0.00							7	1.85	LC	LC	1	0	0.3		19	5.01	LC	LC	1	0	0.3	
Trianthema pilosa	1	1.54	LC	LC	1	0	0.3	northern Aust sp.		0.00								0.00						
Trianthema triquetra	2	0.25	LC	LC	1	0	0.3		9	1.10	LC	LC	1	0	0.3		15	1.84	LC	LC	1	0	0.3	
Tribulus astrocarpus		0.00								0.00								0.00						
Tribulus eichlerianus	1	0.34	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3		9	3.05	LC	LC	1	0	0.3	
Tribulus hystrix	7	3.23	LC	LC	1	0	0.3	likes big red sand hills		0.00							1	0.46	RA d(ii)	RA	3	0	0.3	likes big red sand hills
Tribulus macrocarpus		0.00								0.00								0.00						
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00								0.00								0.00						
Trichanthodium skirrophorum		0.00							5	0.73	LC	LC	1	0	0.3		9	1.31	LC	LC	1	0	0.3	
Trichodesma zeylanicum var. zeylanicum	11	1.50	LC	LC	1	0	0.3		8	1.09	LC	LC	1	0	0.3		10	1.36	LC	LC	1	0	0.3	
Triglochin hexagona		0.00								0.00								0.00						
Triglochin isingiana		0.00							5	3.52	NT	NT	2	DD	0	comes up in floods; localised; habitat specific		0.00						
Triglochin multifructa		0.00								0.00								0.00						
Triglochin nana		0.00								0.00	LC	LC	1	0	0.3	(no records) undercollected; ephemeral		0.00	LC	LC	1	0	0.3	(no records) undercollected; ephemeral
Triglochin sp. A (N.N.Donner 3596)		0.00							1	20.00	NT	NT	2	DD	0	ephemeral		0.00						
Triglochin striata																								
Trigonella suavissima	5	1.66	LC	LC	1	0	0.3		5	1.66	LC	LC	1	0	0.3		3	0.99	LC	LC	1	0	0.3	
Triodia basedowii	4	0.62	LC	LC	1	0	0.3			0.00								0.00						
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii		0.00								0.00								0.00						
Triodia irritans		0.00								0.00							1	0.08	RA d(ii)	RA	3	DD	0	doubtful ID; old record
Triodia longiceps		0.00								0.00								0.00						
Triodia pungens		0.00								0.00								0.00						
Triodia scariosa		0.00								0.00								0.00						
Triodia schinzii		0.00								0.00								0.00						
Tripogon loliiformis	1	0.14	LC	LC	1	0	0.3		2	0.27	LC	LC	1	0	0.3		8	1.10	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	% Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	% Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	% Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Triraphis mollis	6	0.85	LC	LC	1	0	0.3		13	1.84	LC	LC	1	0	0.3		24	3.39	LC	LC	1	0	0.3	
Typha domingensis	1	0.23	RA d(i,ii)	RA	3	DD	0			0.00							1	0.23	RA d(i,ii)	RA	3	0	0.3	in artificial habitats
Typhonium alismifolium		0.00								0.00								0.00						
Uranthoecium truncatum		0.00								0.00								0.00						
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00								0.00								0.00						
Velleia arguta		0.00								0.00								0.00						
Velleia connata		0.00								0.00								0.00						
Velleia glabrata		0.00								0.00								0.00						
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia		0.00								0.00								0.00						
Vittadinia arida		0.00							1	1.15	RA d(ii)	RA	3	DD	0			0.00						
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis		0.00								0.00							1	0.16	NE	NE	-1			taxonomic issues, could be V. sulcata
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata		0.00							1	0.13	NT	NT	2	0	0.3	edge of range		0.00						
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta		0.00								0.00								0.00						
Vittadinia eremaea		0.00							4	0.95	LC	LC	1	0	0.3		13	3.10	LC	LC	1	0	0.3	
Vittadinia gracilis		0.00								0.00								0.00						
Vittadinia pterochaeta		0.00							1	1.52	RA d(i,ii)	RA	3	DD	0	edge of range	1	1.52	RA d(i,ii)	RA	3	DD	0	
Vittadinia pustulata		0.00								0.00								0.00						
Vittadinia sulcata		0.00								0.00							4	2.14	NT	NT	2	DD	0	undercollected
Wahlenbergia aridicola		0.00							1	1.54	RA d(ii)	RA	3	0	0.3	annual	1	1.54	RA d(ii)	RA	3	0	0.3	annual
Wahlenbergia communis		0.00							2	0.30	LC	LC	1	0	0.3	annual	2	0.30	LC	LC	1	0	0.3	annual
Wahlenbergia gracilenta		0.00								0.00							1	0.08	RA d(ii)	RA	3	0	0.3	responds to disturbance
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00								0.00						
Wahlenbergia queenslandica	1	1.67	LC	LC	1	0	0.3			0.00								0.00						
Wahlenbergia stricta ssp. stricta		0.00								0.00								0.00						
Wahlenbergia tumidifructa	3	0.66	LC	LC	1	0	0.3		13	2.86	LC	LC	1	0	0.3		7	1.54	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata		0.00								0.00							9	2.31	LC	LC	1	0	0.3	
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii		0.00								0.00								0.00						
Westringia rigida		0.00								0.00								0.00						
Wurmbea australis		0.00							1	0.81	RA d(ii)	RA	3	0	0.3			0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina		0.00							2	3.70	NT	NT	2	0	0.3	endemic to SA; likes fire	1	1.85	NT	NT	2	0	0.3	endemic to SA; likes fire
Wurmbea deserticola		0.00								0.00								0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00								0.00								0.00						
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum		0.00								0.00								0.00						
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00								0.00								0.00						
Zaleya galericulata ssp. australis	4	7.41	LC	LC	1	0	0.3	carried by stock		0.00							1	1.85	LC	LC	1	0	0.3	carried by stock
Zygochloa paradoxa	20	2.48	LC	LC	1	0	0.3		14	1.73	LC	LC	1	0	0.3		6	0.74	LC	LC	1	0	0.3	
Zygophyllum ammophilum	3	1.08	LC	LC	1	0	0.3	has been split from Z billardierei	1	0.36	LC	LC	1	0	0.3	has been split from Z billardierei	1	0.36	LC	LC	1	0	0.3	has been split from Z billardierei
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. aurantiacum		0.00							7	0.94	LC	LC	1	0	0.3		7	0.94	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum		0.00								0.00	NT	NT	2	0	0.3	(no records)	2	3.85	NT	NT	2	DD	0	
Zygophyllum aurantiacum ssp. simplicifolium		0.00								0.00							4	7.84	RA d(ii)	RA	3	DD	0	
Zygophyllum aurantiacum ssp. verticillatum		0.00							1	0.83	NT	NT	2	0	0.3			0.00						
Zygophyllum compressum		0.00							4	3.92	LC	LC	1	0	0.3			0.00						
Zygophyllum confluens		0.00								0.00								0.00						
Zygophyllum crassissimum		0.00								0.00							1	2.17	RA d(i,ii)	RA	3	DD	0	likes gypeous breakaways
Zygophyllum crenatum		0.00							1	0.24	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Zygophyllum eichleri		0.00								0.00								0.00						
Zygophyllum emarginatum		0.00							4	3.54	NT	NT	2	0	0.3		5	4.42	LC	LC	1	0	0.3	
Zygophyllum eremaeum		0.00							2	0.48	RA d(ii)	RA	3	0	0.3		14	3.33	LC	LC	1	0	0.3	
Zygophyllum glaucum		0.00								0.00							1	0.19	RA d(ii)	RA	3	0	0.3	
Zygophyllum howittii	3	0.79	LC	LC	1	0	0.3	likes sandy rises	11	2.89	LC	LC	1	0	0.3	likes sandy rises	2	0.52	RA d(ii)	RA	3	DD	0	likes sandy rises
Zygophyllum humillimum	1	1.15	LC	LC	1	0	0.3		1	1.15	RA d(i,ii)	RA	3	DD	0			0.00						
Zygophyllum hybridum		0.00								0.00								0.00						
Zygophyllum iodocarpum		0.00							1	0.31	RA d(ii)	RA	3	0	0.3		2	0.61	RA d(ii)	RA	3	0	0.3	
Zygophyllum kochii		0.00							1	4.35	RA d(i,ii)	RA	3	DD	0			0.00						
Zygophyllum marliesiae		0.00							1	3.45	RA d(ii)	RA	3	0	0.3	endemic to SA	1	3.45	RA d(ii)	RA	3	0	0.3	endemic to SA
Zygophyllum ovatum		0.00								0.00							8	0.87	LC	LC	1	0	0.3	
Zygophyllum prismatothecum		0.00							5	2.18	LC	LC	1	0	0.3		15	6.55	LC	LC	1	0	0.3	
Zygophyllum rowelliae		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	10_Diamantina-Eyre_Records	%_Diamantina-Eyre	IUCN Status & Criteria (Diamantina-Eyre)	Regional Status (Diamantina-Eyre)	Regional Status Score (Diamantina-Eyre)	Trend (-, -, 0, +, ++) Diamantina-Eyre	Trend Score (Diamantina-Eyre)	Comments (Diamantina-Eyre)	11_Torrens_Records	%_Torrens	IUCN Status & Criteria (Torrens)	Regional Status (Torrens)	Regional Status Score (Torrens)	Trend (-, -, 0, +, ++) Torrens	Trend Score (Torrens)	Comments (Torrens)	12_Roxby_Records	%_Roxby	IUCN Status & Criteria (Roxby)	Regional Status (Roxby)	Regional Status Score (Roxby)	Trend (-, -, 0, +, ++) Roxby	Trend Score (Roxby)	Comments (Roxby)
Zygophyllum simile	3	0.69	LC	LC	1	0	0.3		11	2.52	LC	LC	1	0	0.3		13	2.97	LC	LC	1	0	0.3	
Zygophyllum tesquorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Abutilon cryptopetalum ssp. cryptopetalum	2	8.33	NT	NT	2	0	0.3	undercollected		0.00								0.00						
Abutilon fraseri ssp. diplotrichum		0.00							3	3.75	RA d(ii)	RA	3	DD	0			0.00						
Abutilon fraseri ssp. fraseri	1	1.43	NT	NT	2	0	0.3			0.00								0.00						
Abutilon halophilum		0.00							37	6.88	LC	LC	1	0	0.3		80	14.87	LC	LC	1	0	0.3	
Abutilon leucopetalum	2	0.24	LC	LC	1	0	0.3		29	3.50	LC	LC	1	0	0.3		13	1.57	LC	LC	1	0	0.3	
Abutilon macrum		0.00								0.00								0.00						
Abutilon malvaefolium		0.00							2	2.60	NT	NT	2	0	0.3		2	2.60	NT	NT	2	0	0.3	
Abutilon otocarpum	6	1.16	LC	LC	1	0	0.3		13	2.51	LC	LC	1	0	0.3		1	0.19	NT	NT	2	DD	0	
Abutilon oxycarpum var. oxycarpum		0.00								0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00								0.00						
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura	14	2.90	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	4	0.83	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	4	0.83	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia	11	6.92	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00							1	0.63	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. major	2	5.71	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00								0.00						
Acacia aneura var. microcarpa	3	8.82	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00								0.00						
Acacia aneura var. tenuis	3	7.89	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	2	5.26	LC	LC	1	0	0.3	taxonomic changes		0.00						
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana	2	6.25	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura		0.00								0.00						
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megaspherica		0.00								0.00								0.00						
Acacia brachystachya	13	10.08	LC	LC	1	0	0.3		2	1.55	LC	LC	1	0	0.3			0.00						
Acacia burkittii	3	0.58	NT	NT	2	DD	0			0.00								0.00						
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola		0.00								0.00								0.00						
Acacia cambagei		0.00								0.00							26	10.12	LC	LC	1	0	0.3	
Acacia carneorum		0.00								0.00								0.00						
Acacia clelandii	3	5.77	LC	LC	1	0	0.3	taxonomic issues	1	1.92	LC	LC	1	0	0.3	taxonomic issues		0.00						
Acacia confluens		0.00							7	8.24	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla		0.00								0.00								0.00						
Acacia dictyophleba		0.00							1	1.39	DD	DD	0	DD	0	imprecise location		0.00						
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata		0.00								0.00								0.00						
Acacia georginae		0.00								0.00								0.00						
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00							1	0.66	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana	10	2.30	LC	LC	1	0	0.3			0.00								0.00						
Acacia latzii		0.00								0.00								0.00						
Acacia ligulata	27	0.92	LC	LC	1	0	0.3		72	2.45	LC	LC	1	0	0.3		45	1.53	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00								0.00						
Acacia melleodora		0.00								0.00								0.00						
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura	1	0.57	RA d(ii)	RA	3	0	0.3	edge of range; taxonomic issues with other mulgas		0.00								0.00						
Acacia murrayana		0.00							7	1.45	RA d(ii)	RA	3	0	0.3			0.00						
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla	4	0.44	NT	NT	2	0	0.3			0.00							1	0.11	RA d(i,ii)	RA	3	DD	0	outlier
Acacia olgana		0.00								0.00								0.00						
Acacia oswaldii	10	0.48	LC	LC	1	0	0.3		67	3.24	LC	LC	1	0	0.3	grazed by camels	32	1.55	LC	LC	1	0	0.3	grazed by camels
Acacia pachyacra		0.00								0.00								0.00						
Acacia papyrocarpa	2	0.17	NT	NT	2	DD	0	could be declining; lack of recruitment, white-fly		0.00							5	0.43	NT	NT	2	DD	0	could be declining; lack of recruitment, white-fly
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura		0.00								0.00								0.00						
Acacia pickardii		0.00								0.00								0.00						
Acacia prainii		0.00								0.00								0.00						
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa		0.00								0.00								0.00						
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla	12	4.55	NE	NE	-1			some taxonomic issues; common on dunes	1	0.38	NE	NE	-1			some taxonomic issues; common on dunes	1	0.38	NE	NE	-1			some taxonomic issues; common on dunes
Acacia ramulosa var. ramulosa		0.00							12	12.37	NE	NE	-1			taxonomic issues		0.00						
Acacia rhodophloia		0.00	VU D1 + D2	VU	4	DD	0	(no records) Kingoonya record is actually C'wealth Hill		0.00								0.00						
Acacia rigens		0.00								0.00								0.00						
Acacia rivalis		0.00							9	2.00	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Acacia salicina		0.00							52	9.03	LC	LC	1	0	0.3		20	3.47	LC	LC	1	0	0.3	
Acacia sericophylla		0.00								0.00								0.00						
Acacia sibirica	13	5.53	LC	LC	1	0	0.3		1	0.43	RA d(i,ii)	RA	3	DD	0		1	0.43	RA d(i,ii)	RA	3	DD	0	
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!	VU D1 + D2	VU	4	0	0.3	(no records) long-lived; recruitment occurring		#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla		0.00							48	6.21	LC	LC	1	0	0.3		66	8.54	LC	LC	1	0	0.3	
Acacia strongylophylla		0.00								0.00								0.00						
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00								0.00								0.00						
Acacia tetragonophylla	36	1.76	LC	LC	1	0	0.3		60	2.93	LC	LC	1	0	0.3		26	1.27	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00								0.00						
Acacia victoriae ssp. arida		0.00							4	4.76	NE	NE	-1			taxonomic issues		0.00						
Acacia victoriae ssp. victoriae		0.00							54	3.66	LC	LC	1	0	0.3		5	0.34	LC	LC	1	0	0.3	
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum	3	0.23	LC	LC	1	0	0.3	undercollected	2	0.15	NT	NT	2	DD	0	edge of range		0.00						
Adriana tomentosa var. hookeri		0.00								0.00								0.00						
Aeschynomene indica		0.00							4	5.48	NT	NT	2	0	0.3		4	5.48	NT	NT	2	0	0.3	
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens	8	0.40	LC	LC	1	0	0.3		15	0.74	LC	LC	1	0	0.3		14	0.69	LC	LC	1	0	0.3	
Allocasuarina decaisneana		0.00								0.00								0.00						
Allocasuarina helmsii		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia		0.00							2	2.11	NT	NT	2	0	0.3	ephemeral in SA	11	11.58	LC	LC	1	0	0.3	ephemeral in SA
Alternanthera denticulata	1	0.28	LC	LC	1	0	0.3		13	3.59	LC	LC	1	0	0.3		17	4.70	LC	LC	1	0	0.3	
Alternanthera nana		0.00								0.00								0.00						
Alternanthera nodiflora		0.00							6	2.80	LC	LC	1	0	0.3		12	5.61	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. auriculata	1	1.75	DD	DD	0	DD	0	old record, edge of range; not palatable, on dune systems		0.00								0.00						
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00								0.00						
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana		0.00								0.00								0.00						
Amaranthus centralis		0.00								0.00								0.00						
Amaranthus cuspidifolius		0.00								0.00								0.00						
Amaranthus grandiflorus		0.00							5	5.21	LC	LC	1	0	0.3		1	1.04	NT	NT	2	0	0.3	
Amaranthus interruptus		0.00								0.00							4	16.00	RA d(ii)	RA	3	0	0.3	
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii		0.00							4	4.04	LC	LC	1	0	0.3	dislikes saline ground	17	17.17	LC	LC	1	0	0.3	dislikes saline ground
Ammannia multiflora		0.00							3	2.80	LC	LC	1	0	0.3		10	9.35	LC	LC	1	0	0.3	
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus	3	0.51	LC	LC	1	0	0.3			0.00								0.00						
Amyema fitzgeraldii		0.00								0.00								0.00						
Amyema gibberula var. gibberula	1	2.04	RA d(i,ii)	RA	3	0	0.3	undercollected; dependent on grevilleas & hakeas - host trees		0.00								0.00						
Amyema hilliana										0.00								0.00						
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii		0.00							16	2.66	LC	LC	1	0	0.3		9	1.50	LC	LC	1	0	0.3	
Amyema miquelii		0.00							2	0.13	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Amyema miraculosa ssp. boormanii		0.00							15	5.03	LC	LC	1	0	0.3	undercollected; hosts Santalaceae, myoporums	1	0.34	RA d(i,ii)	RA	3	0	0.3	
Amyema preissii	2	0.21	LC	LC	1	0	0.3		40	4.15	LC	LC	1	0	0.3		14	1.45	LC	LC	1	0	0.3	
Amyema quandang var. quandang		0.00							1	0.26	DD	DD	0	DD	0	questionable ID		0.00						
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana		0.00								0.00								0.00						
Anemocarpa podolepidium		0.00							34	11.22	LC	LC	1	0	0.3		44	14.52	LC	LC	1	0	0.3	
Anemocarpa saxatilis		0.00								0.00							3	5.26	RA d(ii)	RA	3	0	0.3	limited distribution
Angianthus brachypappus		0.00								0.00							7	14.00	LC	LC	1	0	0.3	plenty after good rain, heavy soil
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus		0.00								0.00							1	0.17	RA d(ii)	RA	3	DD	0	
Anogramma leptophylla		0.00								0.00								0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena		0.00							3	3.13	RA d(i,ii)	RA	3	0	0.3			0.00						
Arabidella filifolia		0.00								0.00								0.00						
Arabidella glaucescens		0.00							9	4.35	LC	LC	1	0	0.3		15	7.25	LC	LC	1	0	0.3	
Arabidella nasturtium		0.00							24	9.38	LC	LC	1	0	0.3		36	14.06	LC	LC	1	0	0.3	
Arabidella procumbens		0.00							1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	3	6.12	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground
Arabidella trisecta		0.00							30	5.11	LC	LC	1	0	0.3	likes rocky outcrops	7	1.19	LC	LC	1	0	0.3	likes rocky outcrops
Aristida anthoxanthoides		0.00							14	8.00	LC	LC	1	0	0.3	short-lived; seasonal	13	7.43	LC	LC	1	0	0.3	short-lived; seasonal
Aristida arida		0.00							12	26.09	RA d(i,ii)	RA	3				1	2.17	RA d(i,ii)	RA	3	DD	0	
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia		0.00							2	4.08	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Aristida contorta	133	6.67	LC	LC	1	0	0.3		78	3.91	LC	LC	1	0	0.3		39	1.95	LC	LC	1	0	0.3	
Aristida holathera var. holathera	5	0.55	LC	LC	1	0	0.3	tolerates grazing	21	2.31	LC	LC	1	0	0.3	tolerates grazing	1	0.11	NT	NT	2	0	0.3	tolerates grazing

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Aristida inaequiglumis		0.00							1	4.00	RA d(ii)	RA	3	DD	0	grows along creeks		0.00						
Aristida jerichoensis var. subspinulifera		0.00								0.00								0.00						
Aristida latifolia		0.00							1	0.91	LC	LC	1	0	0.3	stony, gibber habitat	13	11.82	LC	LC	1	0	0.3	stony, gibber habitat
Aristida nitidula		0.00							26	4.16	NT	NT	2	0	0.3	likes stony ranges		0.00						
Aristida obscura		0.00								0.00								0.00						
Aristida personata		0.00							2	6.06	NT	NT	2	+	0.2	could be introduced via stock from East coast		0.00						
Aristida strigosa		0.00							1	1.67	NT	NT	2	DD	0	edge of range	1	1.67	NT	NT	2	0	0.3	edge of range
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum		0.00								0.00								0.00						
Asperula conferta		0.00								0.00								0.00						
Asperula gemella		0.00							2	1.68	VU D2	VU	4	DD	0			0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea		0.00							24	23.53	LC	LC	1	0	0.3		14	13.73	LC	LC	1	0	0.3	
Astrebla pectinata		0.00							121	16.55	LC	LC	1	0	0.3		94	12.86	LC	LC	1	0	0.3	
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca		0.00							1	0.46	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Atriplex acutibractea ssp. acutibractea		0.00							1	0.35	RA d(ii)	RA	3	DD	0			0.00						
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba		0.00								0.00								0.00						
Atriplex angulata		0.00							55	9.65	LC	LC	1	0	0.3		37	6.49	LC	LC	1	0	0.3	
Atriplex cordifolia		0.00							11	25.58	NT	NT	2	0	0.3	not common; endemic	1	2.33	NT	NT	2	0	0.3	not common; endemic
Atriplex crassipes var. crassipes		0.00							2	3.45	NT	NT	2	0	0.3		3	5.17	NT	NT	2	0	0.3	
Atriplex eardleyae		0.00							14	5.00	LC	LC	1	0	0.3			0.00						
Atriplex eichleri		0.00							5	9.26	NT	NT	2	0	0.3		1	1.85	RA d(ii)	RA	3	DD	0	
Atriplex elachophylla	2	1.67	RA d(ii)	RA	3	DD	0	southern edge of range	1	0.83	RA d(ii)	RA	3	DD	0	southern edge of range		0.00						
Atriplex fissivalvis		0.00							13	6.77	LC	LC	1	0	0.3	ephemeral	54	28.13	LC	LC	1	0	0.3	ephemeral
Atriplex holocarpa	4	0.42	LC	LC	1	0	0.3		60	6.26	LC	LC	1	0	0.3		95	9.91	LC	LC	1	0	0.3	
Atriplex humifusa		0.00								0.00							4	66.67	RA d(ii)	RA	3	DD	0	undercollected; ephemeral; lack of data to call Vulnerat
Atriplex incrassata		0.00							5	8.47	RA d(ii)	RA	3	DD	0		7	11.86	RA d(ii)	RA	3	DD	0	
Atriplex intermedia		0.00							1	1.52	NT	NT	2	0	0.3		8	12.12	LC	LC	1	0	0.3	
Atriplex kochiana		0.00								0.00							1	2.94	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazed by sheep; habitat degradation
Atriplex leptocarpa	1	0.34	RA d(ii)	RA	3	DD	0	edge of range	17	5.84	LC	LC	1	0	0.3		2	0.69	RA d(ii)	RA	3	DD	0	edge of range
Atriplex limbata		0.00							25	5.84	LC	LC	1	0	0.3		2	0.47	LC	LC	1	0	0.3	
Atriplex lindleyi ssp. conduplicata		0.00							15	10.71	LC	LC	1	0	0.3	endemic to SA	17	12.14	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. inflata		0.00							6	4.32	NT	NT	2	0	0.3	endemic to SA; undercollected	5	3.60	NT	NT	2	0	0.3	endemic to SA; undercollected
Atriplex lindleyi ssp. lindleyi		0.00							22	10.33	LC	LC	1	0	0.3	endemic to SA	9	4.23	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. quadripartita		0.00							9	47.37	NT	NT	2	DD	0	all A lindleyi records not sorted into ssp.		0.00						
Atriplex lobativalvis		0.00								0.00							5	8.62	LC	LC	1	0	0.3	
Atriplex macropterocarpa		0.00							1	3.70	RA d(ii)	RA	3	DD	0	edge of range	11	40.74	NT	NT	2	0	0.3	perennial
Atriplex morrisii		0.00							1	25.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	could be extinct; has been searched for	1	25.00	VU D2	VU	4	DD	0	may have declined; localised; only 1 old record
Atriplex muelleri		0.00							1	1.92	RA d(ii)	RA	3	DD	0	edge of range, less habitat		0.00						
Atriplex nummularia ssp. nummularia		0.00							16	8.56	LC			0	0.3		12	6.42	LC	LC	1	0	0.3	
Atriplex nummularia ssp. omissa	where	0.00							10	5.95	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common	51	30.36	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common
Atriplex obconica	1	2.04	RA d(ii)	RA	3	DD	0	edge of range	7	14.29	NT	NT	2	DD	0	endemic to SA	9	18.37	LC	LC	1	0	0.3	endemic to SA
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata		0.00							8	9.30	LC	LC	1	0	0.3		1	1.16	RA d(ii)	RA	3	DD	0	
Atriplex pumilio		0.00								0.00								0.00						
Atriplex quadrivalvata var. quadrivalvata		0.00							1	3.03	RA d(ii)	RA	3	DD	0	likes limestone; not common	1	3.03	RA d(ii)	RA	3	DD	0	likes limestone; not common
Atriplex quadrivalvata var. sessilifolia		0.00								0.00							1	5.26	RA d(ii)	RA	3	DD	0	
Atriplex quinii		0.00							2	1.13	RA d(i,ii)	RA	3	-	0.4	grazed; edge of range	18	10.17	LC	LC	1	0	0.3	
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa	1	0.14	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	23	3.31	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	120	17.27	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land
Atriplex stipitata	2	0.17	LC	LC	1	0	0.3	mallee sp.	6	0.51	NT	NT	2	0	0.3	mallee sp.		0.00						
Atriplex suberecta		0.00							3	0.94	NT	NT	2	0	0.3	grows in flooded claypans		0.00						
Atriplex turbinata		0.00							6	25.00	RA d(ii)	RA	3	DD	0	could have declined	5	20.83	RA d(ii)	RA	3	DD	0	could have declined
Atriplex velutinella		0.00							41	7.88	LC	LC	1	0	0.3		16	3.08	LC	LC	1	0	0.3	
Atriplex vesicaria ssp. calcicola		0.00							1	4.00	LC	LC	1	0	0.3	lots of records not id'd to ssp		0.00						
Atriplex vesicaria ssp. variabilis		0.00								0.00							1	6.25	LC	LC	1	0	0.3	lots of records not id'd to ssp
Austrobryonia micrantha		0.00								0.00							1	3.03	RA d(i,ii)	RA	3	0	0.3	
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa		0.00								0.00							1	0.02	RA d(ii)	RA	3	0	0.3	probably surviving in artificial habitats
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila		0.00								0.00							1	0.07	RA d(ii)	RA	3	DD	0	
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida	25	0.79	LC	LC	1	0	0.3		37	1.17	LC	LC	1	0	0.3		19	0.60	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Austrostipa nodosa		0.00							5	0.35	RA d(ii)	RA	3	DD	0			0.00						
Austrostipa nullanulla		0.00								0.00								0.00						
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta		0.00								0.00								0.00						
Austrostipa plumigera		0.00								0.00								0.00						
Austrostipa scabra ssp. falcata		0.00							2	0.19	RA d(ii)	RA	3	DD	0	on roadsides/tracks where water runs off		0.00						
Austrostipa scabra ssp. scabra	3	0.68	RA d(ii)	RA	3	DD	0		1	0.23	RA d(ii)	RA	3	DD	0			0.00						
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla		0.00							1	0.22	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00							1	9.09	VU D2	VU	4	DD	0	only 1 record
Azolla filiculoides		0.00								0.00								0.00						
Baeckea tuberculata		0.00								0.00								0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva		0.00								0.00								0.00						
Baumea arthrophylla		0.00								0.00								0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00							3	0.36	VU D2	VU	4	DD	0	in mound springs; needs good quality water	3	0.36	VU D2	VU	4	DD	0	in mound springs; needs good quality water
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00								0.00						
Bergia occultipetala		0.00								0.00								0.00						
Bergia pedicellaris		0.00								0.00								0.00						
Bergia perennis ssp. exigua		0.00								0.00								0.00						
Bergia trimera		0.00							9	7.63	LC	LC	1	0	0.3	comes & goes	1	0.85	NT	NT	2	0	0.3	comes & goes
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens		0.00							1	1.54	NT	NT	2	0	0.3		1	1.54	NT	NT	2	0	0.3	
Blennodia pterosperma		0.00							2	1.69	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00						
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea		0.00							11	6.47	LC	LC	1	0	0.3		7	4.12	LC	LC	1	0	0.3	
Boerhavia dominii		0.00							29	4.12	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	19	2.70	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance
Boerhavia repleta		0.00								0.00								0.00						
Boerhavia schomburgkiana	1	0.32	LC	LC	1	0	0.3	undercollected; grows in summer	14	4.43	LC	LC	1	0	0.3	undercollected; grows in summer	19	6.01	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii		0.00							10	2.63	NT	NT	2	0	0.3		10	2.63	NT	NT	2	0	0.3	
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta		0.00								0.00								0.00						
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana		0.00							6	12.00	NT	NT	2	0	0.3	widespread but scattered		0.00						
Bothriochloa macra		0.00								0.00								0.00						
Brachiaria gilesii		0.00								0.00							1	7.69	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent
Brachiaria notochthona		0.00							1	7.69	NT	NT	2	0	0.3	undercollected, ephemeral, rain dependent		0.00						
Brachiaria piligera		0.00								0.00							2	3.92	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral
Brachiaria praetervisa		0.00							16	11.27	LC	LC	1	0	0.3	likes flooded areas; ephemeral	6	4.23	LC	LC	1	0	0.3	likes flooded areas; ephemeral
Brachyachne ciliaris		0.00							3	4.41	LC	LC	1	0	0.3		4	5.88	LC	LC	1	0	0.3	
Brachychiton gregorii		0.00								0.00								0.00						
Brachyscome blackii		0.00								0.00								0.00						
Brachyscome campylocarpa		0.00								0.00								0.00						
Brachyscome ciliaris var. ciliaris	10	0.92	LC	LC	1	0	0.3	under represented; taxonomic issues	2	0.18	LC	LC	1	0	0.3	under represented; taxonomic issues	1	0.09	LC	LC	1	0	0.3	under represented; taxonomic issues
Brachyscome ciliaris var. lanuginosa	1	0.17	LC	LC	1	0	0.3	under represented	45	7.63	LC	LC	1	0	0.3		10	1.69	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lyrifolia		0.00							2	1.90	RA d(i,ii)	RA	3	DD	0	limited distribution		0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00							8	14.29	NT	NT	2	DD	0			0.00						
Brachyscome dichromosomatica var. dichromosomatica		0.00								0.00								0.00						
Brachyscome eriogona		0.00							4	5.71	LC	LC	1	DD	0	not all records databased; endemic to SA	33	47.14	LC	LC	1	DD	0	not all records databased; endemic to SA
Brachyscome iberidifolia	10	7.19	LC	LC	1	0	0.3			0.00								0.00						
Brachyscome lineariloba	1	0.07	LC	LC	1	0	0.3	under represented	5	0.34	LC	LC	1	0	0.3		6	0.41	LC	LC	1	0	0.3	
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum		0.00								0.00								0.00						
Brachyscome trachycarpa	7	5.60	LC	LC	1	0	0.3			0.00								0.00						
Bromus arenarius		0.00							1	0.26	NT	NT	2	0	0.3		8	2.10	NT	NT	2	0	0.3	
Brunonia australis	1	0.15	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Bulbine alata		0.00							17	5.56	LC	LC	1	0	0.3		10	3.27	LC	LC	1	0	0.3	
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata		0.00							9	0.84	RA d(ii)	RA	3	DD	0	edge of range	15	1.40	LC	LC	1	0	0.3	
Bulbostylis barbata	1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral		0.00								0.00						
Bulbostylis pyriformis																								
Bulbostylis turbinata		0.00							1	14.29	RA d(ii)	RA	3	DD	0			0.00						
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis		0.00								0.00								0.00						
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma	3	6.52	LC	LC	1	0	0.3			0.00								0.00						
Calandrinia eremaea	1	0.08	LC	LC	1	0	0.3		1	0.08	RA d(ii)	RA	3	DD	0	limited habitat	6	0.46	LC	LC	1	0	0.3	
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra	5	4.67	LC	LC	1	0	0.3			0.00							2	1.87	NT	NT	2	0	0.3	
Calandrinia ptychosperma	1	0.92	RA d(ii)	RA	3	0	0.3		1	0.92	RA d(i,ii)	RA	3	DD	0		3	2.75	NT	NT	2	DD	0	
Calandrinia pumila		0.00							1	2.86	NT	NT	2	0	0.3		4	11.43	NT	NT	2	0	0.3	
Calandrinia remota		0.00								0.00							6	6.12	NT	NT	2	DD	0	could be more records on loan & not databased
Calandrinia reticulata	1	2.44	NT	NT	2	0	0.3	undercollected		0.00								0.00						
Calandrinia stagnensis		0.00								0.00								0.00						
Calandrinia volubilis		0.00								0.00								0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi		0.00								0.00								0.00						
Callitris glaucophylla	1	0.09	RA d(i,ii)	RA	3	DD	0	edge of range	1	0.09	RA d(i,ii)	RA	3	DD	0	edge of range	1	0.09	RA d(i,ii)	RA	3	DD	0	edge of range
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii	1	1.89	RA d(i,ii)	RA	3	DD	0	undercollected		0.00								0.00						
Calocephalus platycephalus		0.00							28	8.07	LC	LC	1	0	0.3		39	11.24	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00								0.00								0.00						
Calostemma luteum		0.00								0.00								0.00						
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa		0.00								0.00								0.00						
Calotis cymbacantha	10	2.99	LC	LC	1	0	0.3		2	0.60	LC	LC	1	0	0.3			0.00						
Calotis erinacea		0.00							2	0.46	LC	LC	1	0	0.3			0.00						
Calotis hispidula	9	0.42	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	48	2.26	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	70	3.30	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei		0.00								0.00								0.00						
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula		0.00							8	5.10	LC	LC	1	0	0.3		3	1.91	RA d(i,ii)	RA	3	DD	0	
Calotis multicaulis	2	1.23	NT	NT	2	DD	0		1	0.62	NT	NT	2	DD	0		2	1.23	NT	NT	2	DD	0	
Calotis plumulifera	2	0.48	NT	NT	2	DD	0		16	3.86	LC	LC	1	0	0.3		15	3.62	LC	LC	1	0	0.3	
Calotis porphyroglossa		0.00							4	3.57	RA d(ii)	RA	3	DD	0			0.00						
Calotis scabiosifolia var. scabiosifolia		0.00							1	4.55	VU B2ab(i,ii,iii)	VU	4	-	0.4	seen on roadsides, likes heavy soils	2	9.09	VU B2ab(i,ii,iii)	VU	4	-	0.4	seen on roadsides, likes heavy soils
Calytrix carinata		0.00								0.00								0.00						
Calytrix gypsophila	4	11.76	LC	LC	1	0	0.3	found around gypseous soils/lagoons		0.00								0.00						
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii		0.00							2	1.21	LC	LC	1	0	0.3	edge of range		0.00						
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca		0.00								0.00							1	3.13	RA d(ii)	RA	3	0	0.3	endemic to SA
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis		0.00								0.00								0.00						
Cassytha flindersii		0.00							2	1.75	RA d(ii)	RA	3	0	0.3			0.00						
Casuarina pauper	32	1.96	LC	LC	1	0	0.3		4	0.25	LC	LC	1	0	0.3			0.00						
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00							1	1.23	NE	NE	-1			taxonomic issues
Centipeda crateriformis ssp. crateriformis		0.00							8	9.20	LC	LC	1	0	0.3		9	10.34	LC	LC	1	0	0.3	
Centipeda cunninghamii	1	0.53	LC	LC	1	0	0.3		2	1.06	LC	LC	1	0	0.3		7	3.70	LC	LC	1	0	0.3	
Centipeda minima ssp. minima		0.00								0.00							2	3.33	RA d(i,ii)	RA	3	DD	0	
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala		0.00							1	4.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral	6	24.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral
Centipeda thespidioides	1	0.52	LC	LC	1	0	0.3		12	6.22	LC	LC	1	0	0.3		16	8.29	LC	LC	1	0	0.3	
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica		0.00							2	5.41	NT	NT	2	0	0.3		3	8.11	NT	NT	2	0	0.3	
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii	21	11.67	LC	LC	1	0	0.3			0.00								0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla	3	0.29	RA d(ii)	RA	3	0	0.3		1	0.10	RA d(ii)	RA	3	0	0.3		2	0.19	RA d(ii)	RA	3	0	0.3	
Cheilanthes sieberi ssp. pseudovellea		0.00								0.00								0.00						
Cheilanthes sieberi ssp. sieberi		0.00								0.00								0.00						
Chenopodium auricomum		0.00							14	4.39	LC	LC	1	0	0.3		31	9.72	LC	LC	1	0	0.3	
Chenopodium curvispicatum	13	1.69	LC	LC	1	0	0.3	likes mallee		0.00								0.00						
Chenopodium desertorum ssp. anidiophyllum		0.00							2	1.39	NT	NT	2	0	0.3	on creeklines		0.00						
Chenopodium desertorum ssp. desertorum	14	1.94	LC	LC	1	0	0.3		4	0.55	NT	NT	2	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Chenopodium desertorum ssp. microphyllum		0.00							1	0.20	RA d(i,ii)	RA	3	DD	0	edge of range, limited habitat		0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00								0.00						
Chenopodium gaudichaudianum	1	1.14	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Chenopodium nitrariaceum	1	0.34	LC	LC	1	0	0.3		6	2.05	LC	LC	1	0	0.3		4	1.37	LC	LC	1	0	0.3	
Chloris pectinata		0.00							23	16.91	LC	LC	1	0	0.3		11	8.09	LC	LC	1	0	0.3	
Chloris truncata		0.00							6	2.30	RA d(ii)	RA	3	0	0.3		2	0.77	RA d(ii)	RA	3	0	0.3	
Chrysocephalum apiculatum	1	0.09	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3	
Chrysocephalum eremaeum		0.00								0.00							2	0.71	DD	DD	0	DD	0	doubtful record
Chrysocephalum pterochaetum	11	3.18	LC	LC	1	0	0.3		3	0.87	NT	NT	2	0	0.3		4	1.16	NT	NT	2	0	0.3	
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax		0.00								0.00								0.00						
Chthonocephalus pseudevax		0.00								0.00								0.00						
Citrus glauca		0.00								0.00								0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens		0.00								0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa		0.00							3	2.46	LC	LC	1	0	0.3		3	2.46	LC	LC	1	0	0.3	
Codonocarpus cotinifolius	4	1.41	LC	LC	1	0	0.3			0.00								0.00						
Codonocarpus pyramidalis		0.00							1	0.46	RA d(ii)	RA	3	0	0.3	fast-growing, short-lived, soft wood, goats climb & wreck; neec		0.00						
Comesperma viscidulum		0.00								0.00								0.00						
Commelina ensifolia		0.00								0.00								0.00						
Commicarpus australis		0.00							16	11.68	LC	LC	1	0	0.3			0.00						
Convolvulus clementii	2	1.04	LC	LC	1	0	0.3		14	7.25	LC	LC	1	0	0.3		6	3.11	LC	LC	1	0	0.3	
Convolvulus crispifolius		0.00								0.00								0.00						
Convolvulus eyreanus		0.00							11	12.94	LC	LC	1	0	0.3		6	7.06	LC	LC	1	0	0.3	
Convolvulus microsepalus		0.00							3	4.55	NT	NT	2	0	0.3			0.00						
Convolvulus recurvatus ssp. nullarborensis	1	2.86	NT	NT	2	0	0.3	undercollected	1	2.86	RA d(ii)	RA	3	0	0.3	undercollected		0.00						
Convolvulus recurvatus ssp. recurvatus		0.00							1	5.26	NT	NT	2	0	0.3	undercollected; comes up after rain		0.00						
Convolvulus remotus		0.00							54	3.09	LC	LC	1	0	0.3		23	1.32	LC	LC	1	0	0.3	
Convolvulus tedmoorei		#DIV/0!																						
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea		0.00								0.00								0.00						
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis		0.00								0.00								0.00						
Corynotheca micrantha var. divaricata		0.00								0.00								0.00						
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata	1	0.08	NT	NT	2	0	0.3		5	0.42	NT	NT	2	0	0.3		2	0.17	NT	NT	2	0	0.3	
Crassula colorata var. colorata	1	0.17	NT	NT	2	0	0.3	along road sides, in crevices	2	0.35	NT	NT	2	0	0.3	along road sides, in crevices		0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera		0.00							2	1.20	NT	NT	2	0	0.3	records missing due to taxo changes	6	3.59	LC	LC	1	0	0.3	records missing due to taxo changes
Cratystylis conocephala	4	0.52	NT	NT	2	0	0.3			0.00								0.00						
Cremnothamnus thomsonii		0.00								0.00								0.00						
Cressa australis		0.00							26	10.04	LC	LC	1	0	0.3	likes clay, low-lying areas	9	3.47	LC	LC	1	0	0.3	likes clay, low-lying areas
Crinum flaccidum		0.00							4	2.15	LC	LC	1	0	0.3		11	5.91	LC	LC	1	0	0.3	
Crotalaria cunninghamii ssp. sturtii		0.00								0.00							3	2.08	LC	LC	1	0	0.3	more records under C cunninghamii
Crotalaria eremaea ssp. eremaea	1	0.26	RA d(i,ii)	RA	3	DD	0		33	8.68	LC	LC	1	0	0.3		2	0.53	RA d(ii)	RA	3	0	0.3	
Crotalaria eremaea ssp. strehlowii	3	1.28	RA d(i,ii)	RA	3	0	0.3		2	0.85	RA d(i,ii)	RA	3	DD	0		21	8.94	LC	LC	1	0	0.3	
Crotalaria medicaginea var. neglecta		0.00								0.00								0.00						
Crotalaria novae-hollandiae ssp. lasiophylla		0.00								0.00								0.00						
Crotalaria smithiana		0.00							2	3.13	RA d(ii)	RA	3	DD	0	edge of range	1	1.56	RA d(i,ii)	RA	3	DD	0	
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus		0.00							23	7.28	LC	LC	1	0	0.3	now known as C argenteus	1	0.32	NT	NT	2	0	0.3	now known as C argenteus
Cucumis melo		0.00							5	7.14	LC	LC	1	0	0.3		9	12.86	LC	LC	1	0	0.3	
Cullen australasicum		0.00							68	8.53	LC	LC	1	0	0.3		49	6.15	LC	LC	1	0	0.3	
Cullen cinereum		0.00							17	6.75	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.	12	4.76	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.
Cullen discolor		0.00							9	6.62	LC	LC	1	0	0.3		1	0.74	RA d(i,ii)	RA	3	DD	0	
Cullen graveolens	ily	0.00							11	4.98	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas	53	23.98	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas
Cullen pallidum		0.00							11	4.87	LC	LC	1	0	0.3			0.00						
Cullen parvum		0.00								0.00								0.00						
Cullen patens		0.00							9	15.52	LC	LC	1	0	0.3			0.00						
Cuphonotus andraeanus		0.00								0.00								0.00						
Cuphonotus humistratus		0.00								0.00								0.00						
Cuscuta victoriana		0.00							2	5.88	NT	NT	2	0	0.3	parasitic sp; very cryptic	5	14.71	LC	LC	1	0	0.3	parasitic sp; very cryptic
Cymbopogon ambiguus		0.00							16	1.58	LC	LC	1	0	0.3	in creeklines		0.00						
Cymbopogon obtectus		0.00								0.00								0.00						
Cynanchum floribundum		0.00							4	1.61	LC	LC	1	0	0.3			0.00						
Cynoglossum australe		0.00								0.00								0.00						
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus		0.00							10	5.32	NT	NT	2	0	0.3	in creeks with seepage	7	3.72	NT	NT	2	0	0.3	in creeks with seepage

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00							1	33.33	DD	DD	0	DD	0	taxonomic issues, lack of records, easy to find
Cyperus bifax		0.00							3	20.00	RA d(ii)	RA	3	DD	0		3	20.00	RA d(ii)	RA	3	DD	0	
Cyperus bulbosus		0.00							24	14.29	LC	LC	1	0	0.3	needs drainage lines	26	15.48	LC	LC	1	0	0.3	needs drainage lines
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis		0.00								0.00							2	2.74	RA d(ii)	RA	3	DD	0	
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00								0.00							2	8.70	VU D2	VU	4	DD	0	
Cyperus difformis	1	0.99	NT	NT	2	0	0.3		4	3.96	LC	LC	1	0	0.3		10	9.90	LC	LC	1	0	0.3	
Cyperus exaltatus		0.00								0.00								0.00						
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii		0.00								0.00							3	7.32	NT	NT	2	0	0.3	
Cyperus gymnocaulos	1	0.11	RA d(i,ii)	RA	3	DD	0		17	1.84	LC	LC	1	0	0.3		25	2.71	LC	LC	1	0	0.3	
Cyperus iria	2	2.41	NT	NT	2	DD	0		4	4.82	NT	NT	2	DD	0		8	9.64	LC	LC	1	0	0.3	
Cyperus laevigatus		0.00							34	9.19	LC	LC	1	0	0.3	needs permanent water	197	53.24	NT	NT	2	+	0.2	needs permanent water
Cyperus nervulosus		0.00								0.00								0.00						
Cyperus pygmaeus		0.00							1	1.54	RA d(i,ii)	RA	3	DD	0	limited habitat	7	10.77	NT	NT	2	0	0.3	
Cyperus rigidellus	1	0.85	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat	7	5.98	NT	NT	2	0	0.3		7	5.98	LC	LC	1	0	0.3	
Cyperus squarrosus	1	1.25	RA d(ii)	RA	3	DD	0	edge of range	9	11.25	LC	LC	1	0	0.3		3	3.75	LC	LC	1	0	0.3	
Cyperus vaginatus		0.00								0.00								0.00						
Cyperus victoriensis		0.00							19	9.64	LC	LC	1	0	0.3		20	10.15	LC	LC	1	0	0.3	
Dactyloctenium radulans	1	0.14	LC	LC	1	0	0.3		57	7.96	LC	LC	1	0	0.3		40	5.59	LC	LC	1	0	0.3	
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina	1	1.14	RA d(i,ii)	RA	3	0	0.3	around gypseous salt lakes		0.00								0.00						
Daucus glochidiatus	1	0.03	LC	LC	1	0	0.3		61	1.62	LC	LC	1	0	0.3		49	1.30	LC	LC	1	0	0.3	
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata		0.00							1	0.93	DD	DD	0	DD	0	old record		0.00						
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius		0.00							16	13.91	LC	LC	1	0	0.3	ephemeral; tolerates disturbance	9	7.83	LC	LC	1	0	0.3	ephemeral; tolerates disturbance
Dichanthium sericeum ssp. sericeum		0.00							17	9.94	LC	LC	1	0	0.3		10	5.85	LC	LC	1	0	0.3	perennial
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia		0.00							7	5.11	LC	LC	1	0	0.3		20	14.60	LC	LC	1	0	0.3	
Dicrastylis beveridgei var. beveridgei		0.00								0.00								0.00						
Dicrastylis beveridgei var. lanata	2	1.89	NT	NT	2	0	0.3			0.00								0.00						
Dicrastylis costelloi var. costelloi		0.00								0.00								0.00						
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00								0.00								0.00						
Dicrastylis costelloi var. violacea		0.00								0.00								0.00						
Dicrastylis exsuccosa var. tomentosa		0.00								0.00								0.00						
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila		0.00							20	12.42	LC	LC	1	0	0.3		6	3.73	NT	NT	2	DD	0	
Digitaria brownii	3	0.37	LC	LC	1	0	0.3		12	1.49	LC	LC	1	0	0.3		16	1.98	LC	LC	1	0	0.3	
Digitaria coenicola		0.00							22	14.38	NT	NT	2	0	0.3	likes rocky areas	3	1.96	RA d(ii)	RA	3	DD	0	
Digitaria ctenantha		0.00								0.00								0.00						
Dimorphocoma minutula	2	4.88	RA d(i,ii)	RA	3	DD	0		1	2.44	NT	NT	2	DD	0		2	4.88	NT	NT	2	DD	0	
Diplatia grandibractea		0.00							10	11.11	LC	LC	1	0	0.3	lots of hosts	12	13.33	LC	LC	1	0	0.3	lots of hosts
Dipteracanthus australasicus ssp. australasicus		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum	1	0.07	LC	LC	1	0	0.3	in lagoons & around lakes; undercollected; difficult to collect		0.00	LC	LC	1	0	0.3	(no records) in lagoons & around lakes; undercollected; difficu		0.00						
Dissocarpus biflorus var. biflorus		0.00							33	5.87	LC	LC	1	0	0.3		8	1.42	LC	LC	1	0	0.3	
Dissocarpus biflorus var. villosus		0.00								0.00							1	3.85	RA d(ii)	RA	3	DD	0	
Dissocarpus fontinalis		0.00							9	26.47	LC	LC	1	0	0.3	grows on heavy clays	12	35.29	LC	LC	1	0	0.3	grows on heavy clays
Dissocarpus latifolius	1	5.26	RA d(ii)	RA	3	-	0.4		1	5.26	NT	NT	2	DD	0			0.00						
Dissocarpus paradoxus	4	0.29	LC	LC	1	0	0.3		73	5.36	LC	LC	1	0	0.3		104	7.64	LC	LC	1	0	0.3	
Distichlis distichophylla		0.00							2	0.51	NT	NT	2	0	0.3	undercollected; salt-spring grass		0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00							4	0.36	NT	NT	2	0	0.3	edge of range		0.00						
Dodonaea microzyga var. microzyga	5	0.92	LC	LC	1	0	0.3	grows on rocks on edge of salt pans	18	3.31	LC	LC	1	0	0.3	grows on rocks on edge of salt pans	11	2.02	LC	LC	1	0	0.3	grows on rocks on edge of salt pans
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima	26	0.93	LC	LC	1	0	0.3		22	0.79	LC	LC	1	0	0.3		6	0.22	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Dodonaea viscosa ssp. mucronata		0.00								0.00								0.00						
Dodonaea viscosa ssp. spatulata		0.00								0.00								0.00						
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica		0.00								0.00								0.00						
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii		0.00								0.00								0.00						
Dysphania cristata	3	0.81	LC	LC	1	0	0.3		7	1.88	LC	LC	1	0	0.3		3	0.81	LC	LC	1	0	0.3	
Dysphania glomulifera ssp. eremaea		0.00							4	16.00	LC	LC	1	0	0.3	undercollected; ephemeral		0.00						
Dysphania glomulifera ssp. glomulifera		0.00								0.00	NT	NT	2	0	0.3	(no records) undercollected; ephemeral	1	2.50	RA d(ii)	RA	3	DD	0	undercollected; ephemeral
Dysphania kalpari		0.00							1	3.57	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa	2	1.43	LC	LC	1	0	0.3		2	1.43	LC	LC	1	0	0.3			0.00						
Dysphania plantaginella		0.00							7	13.21	LC	LC	1	0	0.3		4	7.55	LC	LC	1	0	0.3	
Dysphania platycarpa		0.00							5	11.11	LC	LC	1	0	0.3		1	2.22	NT	NT	2	0	0.3	
Dysphania pumilio		0.00							1	0.32	LC	LC	1	0	0.3		5	1.58	LC	LC	1	0	0.3	
Dysphania rhadinostachya ssp. rhadinostachya		0.00								0.00								0.00						
Dysphania simulans		0.00							7	19.44	LC	LC	1	0	0.3	small, ephemeral, undercollected	6	16.67	LC	LC	1	0	0.3	small, ephemeral, undercollected
Dysphania truncata	2	4.35	LC	LC	1	0	0.3		1	2.17	LC	LC	1	0	0.3		1	2.17	LC	LC	1	0	0.3	
Echinochloa inundata		0.00								0.00								0.00						
Echinochloa turneriana		0.00								0.00								0.00						
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa		0.00								0.00							11	55.00	NT	NT	2	0	0.3	
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	2	0.94	LC	LC	1	0	0.3		9	4.25	LC	LC	1	0	0.3		11	5.19	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans	1	0.07	NT	NT	2	0	0.3		8	0.60	NT	NT	2	0	0.3		4	0.30	NT	NT	2	0	0.3	
Einadia nutans ssp. oxycarpa		0.00								0.00								0.00						
Elachanthus pusillus		0.00							1	0.53	RA d(i,ii)	RA	3	DD	0	very small sp		0.00						
Elatine gratioloides		0.00							2	2.27	RA d(ii)	RA	3	DD	0			0.00						
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens		0.00							14	8.70	LC	LC	1	0	0.3		25	15.53	LC	LC	1	0	0.3	
Eleocharis papillosa		0.00							3	50.00	RA d(ii)	RA	3	DD	0	short-lived; undercollected	1	16.67	RA d(ii)	RA	3	DD	0	short-lived; undercollected
Eleocharis plana		0.00							1	16.67	RA d (ii)	RA	3	0	0.3	undercollected	1	16.67	RA d (ii)	RA	3	0	0.3	undercollected
Eleocharis pusilla		0.00								0.00								0.00						
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus		0.00							2	6.25	RA d(ii)	RA	3	DD	0		1	3.13	LC	LC	1	0	0.3	undercollected flood ephemeral
Embadium johnstonii		0.00								0.00							10	35.71	LC	LC	1	0	0.3	common when it rains
Embadium uncinatum		0.00								0.00								0.00						
Enchylaena tomentosa var. glabra		0.00							3	2.31	LC	LC	1	0	0.3		11	8.46	LC	LC	1	0	0.3	
Enchylaena tomentosa var. tomentosa	36	0.60	LC	LC	1	0	0.3		50	0.84	LC	LC	1	0	0.3		19	0.32	LC	LC	1	0	0.3	
Enneapogon avenaceus	22	1.26	LC	LC	1	0	0.3		181	10.35	LC	LC	1	0	0.3		29	1.66	LC	LC	1	0	0.3	
Enneapogon caerulescens	6	2.97	LC	LC	1	0	0.3		4	1.98	NT	NT	2	0	0.3	limited habitat; edge of range	3	1.49	RA d(ii)	RA	3	DD	0	edge of range
Enneapogon cylindricus	10	0.97	LC	LC	1	0	0.3		104	10.04	LC	LC	1	0	0.3		17	1.64	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius	3	6.00	NT	NT	2	0	0.3			0.00							1	2.00	NT	NT	2	0	0.3	
Enneapogon lindleyanus		0.00								0.00								0.00						
Enneapogon nigricans		0.00								0.00							1	0.14	NT	NT	2	0	0.3	
Enneapogon polyphyllus	10	0.79	LC	LC	1	0	0.3		43	3.38	LC	LC	1	0	0.3		53	4.16	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00								0.00						
Enteropogon acicularis	1	0.40	NT	NT	2	DD	0		27	10.93	LC	LC	1	0	0.3		17	6.88	LC	LC	1	0	0.3	
Enteropogon ramosus		0.00							29	8.98	LC	LC	1	0	0.3		6	1.86	NT	NT	2	DD	0	
Epaltes australis		0.00							5	2.09	LC	LC	1	0	0.3	floodplain sp.		0.00						
Epaltes cunninghamii		0.00							2	1.37	NT	NT	2	0	0.3		13	8.90	LC	LC	1	0	0.3	
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica	3	0.91	LC	LC	1	0	0.3	clay pans, swamps	29	8.79	LC	LC	1	0	0.3	clay pans, swamps	24	7.27	LC	LC	1	0	0.3	clay pans, swamps
Eragrostis basedowii		0.00							7	5.98	LC	LC	1	0	0.3	ephemeral; interdunal swales	2	1.71	NT	NT	2	DD	0	
Eragrostis confertiflora		0.00								0.00								0.00						
Eragrostis cumingii		0.00								0.00								0.00						
Eragrostis dielsii var. dielsii	1	0.15	LC	LC	1	0	0.3		39	5.96	LC	LC	1	0	0.3		24	3.67	LC	LC	1	0	0.3	
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda	117	15.02	LC	LC	1	0	0.3		46	5.91	LC	LC	1	0	0.3		11	1.41	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata	2	1.11	LC	LC	1	0	0.3		20	11.11	LC	LC	1	0	0.3	likes saline areas	15	8.33	LC	LC	1	0	0.3	likes saline areas
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae	ain	0.00								0.00								0.00						
Eragrostis lacunaria		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Eragrostis laniflora	1	0.39	LC	LC	1	0	0.3	lack of records	3	1.17	NT	NT	2	0	0.3			0.00						
Eragrostis lanipes	5	10.64	NT	NT	2	DD	0			0.00								0.00						
Eragrostis leptocarpa		0.00							24	9.56	LC	LC	1	0	0.3		19	7.57	LC	LC	1	0	0.3	
Eragrostis parviflora		0.00							2	1.04	LC	LC	1	0	0.3		6	3.11	LC	LC	1	0	0.3	
Eragrostis pergracilis	1	1.79	NT	NT	2	DD	0		1	1.79	NT	NT	2	DD	0			0.00						
Eragrostis setifolia	10	0.83	LC	LC	1	0	0.3		98	8.17	LC	LC	1	0	0.3		146	12.18	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00								0.00								0.00						
Eragrostis speciosa		0.00								0.00								0.00						
Eragrostis tenellula		0.00							2	3.45	LC	LC	1	0	0.3	undercollected	4	6.90	NT	NT	2	DD	0	
Eragrostis xerophila	3	0.81	LC	LC	1	0	0.3		35	9.46	LC	LC	1	0	0.3		14	3.78	LC	LC	1	0	0.3	
Eremophea spinosa		0.00								0.00								0.00						
Eremophila alternifolia	7	0.57	LC	LC	1	0	0.3		8	0.65	LC	LC	1	0	0.3			0.00						
Eremophila arachnoides ssp. tenera	6	14.29	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eremophila arenaria		0.00								0.00								0.00						
Eremophila battii		0.00								0.00								0.00						
Eremophila bignoniiflora		0.00							10	5.92	NT	NT	2	0	0.3		1	0.59	RA d(ii)	RA	3	0	0.3	limited habitat, localised
Eremophila clarkei		0.00								0.00								0.00						
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica	6	37.50	VU D2	VU	4	DD	0	very limited - checked Bob Chinnock		0.00								0.00						
Eremophila deserti		0.00							10	1.44	NT	NT	2	-	0.4	probably grazed		0.00						
Eremophila duttonii	10	1.71	LC	LC	1	0	0.3		70	11.95	LC	LC	1	0	0.3		6	1.02	LC	LC	1	0	0.3	
Eremophila elderi		0.00								0.00								0.00						
Eremophila fallax		0.00							1	1.85	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii		0.00							52	3.54	LC	LC	1	0	0.3		22	1.50	LC	LC	1	0	0.3	
Eremophila gibsonii	1	0.83	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Eremophila gilesii ssp. gilesii	5	2.54	LC	LC	1	0	0.3			0.00								0.00						
Eremophila glabra ssp. glabra	25	1.55	LC	LC	1	0	0.3		18	1.11	LC	LC	1	0	0.3		1	0.06	RA d(ii)	RA	3	DD	0	
Eremophila latrobei ssp. glabra	23	3.02	LC	LC	1	0	0.3		8	1.05	LC	LC	1	0	0.3		13	1.71	LC	LC	1	0	0.3	
Eremophila latrobei ssp. latrobei	2	1.37	DD	DD	0	DD	0	doubtful records		0.00							1	0.68	RA d(ii)	RA	3	DD	0	edge of range
Eremophila longifolia	9	0.73	LC	LC	1	0	0.3		42	3.40	LC	LC	1	0	0.3		12	0.97	LC	LC	1	0	0.3	
Eremophila macdonnellii	2	0.80	RA d(ii)	RA	3	DD	0		2	0.80	DD	DD	0	DD	0		12	4.80	LC	LC	1	0	0.3	
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata	1	0.32	RA d(i,ii)	RA	3	DD	0	edge of range	25	8.06	LC	LC	1	0	0.3		6	1.94	NT	NT	2	0	0.3	
Eremophila neglecta	2	1.00	RA d(i,ii)	RA	3	DD	0	edge of range		0.00							1	0.50	RA d(ii)	RA	3	DD	0	edge of range
Eremophila obovata ssp. obovata		0.00								0.00								0.00						
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia		0.00							2	0.43	RA d(i,ii)	RA	3	DD	0	edge of range	2	0.43	RA d(i,ii)	RA	3	0	0.3	edge of range
Eremophila paisleyi ssp. glandulosa		0.00								0.00								0.00						
Eremophila paisleyi ssp. paisleyi	6	4.84	LC	LC	1	0	0.3			0.00								0.00						
Eremophila pentaptera		0.00								0.00								0.00						
Eremophila platythamnos ssp. exotrachys		0.00								0.00								0.00						
Eremophila polyclada		0.00								0.00								0.00						
Eremophila rotundifolia	7	2.79	LC	LC	1	0	0.3	endemic to SA		0.00							25	9.96	LC	LC	1	0	0.3	endemic to SA
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia	17	1.36	LC	LC	1	0	0.3			0.00								0.00						
Eremophila serrulata	8	1.52	LC	LC	1	0	0.3		4	0.76	LC	LC	1	0	0.3		6	1.14	LC	LC	1	0	0.3	
Eremophila sturtii	17	3.75	LC	LC	1	0	0.3		23	5.06	LC	LC	1	0	0.3			0.00						
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata		0.00								0.00								0.00						
Eremophila verrucosa ssp. verrucosa	3	15.79	RA d(ii)	RA	3	0	0.3	highly restricted; poorly collected; has been a variety		0.00							1	5.26	RA d(ii)	RA	3	0	0.3	highly restricted; poorly collected; has been a variety
Eremophila willsii ssp. integrifolia	10	6.06	LC	LC	1	0	0.3			0.00								0.00						
Eremophila willsii ssp. willsii		0.00								0.00								0.00						
Eriachne aristidea		0.00							11	4.53	LC	LC	1	0	0.3		1	0.41	NT	NT	2	0	0.3	
Eriachne helmsii	2	0.79	LC	LC	1	0	0.3			0.00								0.00						
Eriachne mucronata	2	0.79	RA d(ii)	RA	3	DD	0	limited habitat		0.00							2	0.79	RA d(ii)	RA	3	DD	0	limited habitat
Eriachne ovata		0.00							5	2.67	NT	NT	2	0	0.3	small perennial; likes rocky drainage areas	23	12.30	LC	LC	1	0	0.3	small perennial; likes rocky drainage areas
Eriachne pulchella ssp. pulchella		0.00								0.00								0.00						
Erigeron sessilifolius		0.00								0.00								0.00						
Eriocaulon carsonii ssp. carsonii		0.00							118	78.15	VU D2	VU	4	0	0.3	clonal spp; very limited habitat, in mound springs		0.00						
Eriochiton sclerolaenoides	10	0.60	LC	LC	1	0	0.3		21	1.25	LC	LC	1	0	0.3		6	0.36	LC	LC	1	0	0.3	
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea	1	1.39	NT	NT	2	0	0.3	edge of range	7	9.72	LC	LC	1	0	0.3		5	6.94	LC	LC	1	0	0.3	
Eriochloa australiensis		0.00							14	8.33	LC	LC	1	0	0.3		25	14.88	LC	LC	1	0	0.3	
Eriochloa crebra		0.00							2	8.70	NT	NT	2	-	0.4			0.00						
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha		0.00							17	15.45	LC	LC	1	0	0.3	common on roadsides	9	8.18	LC	LC	1	0	0.3	common on roadsides
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum	9	3.57	LC	LC	1	0	0.3		21	8.33	LC	LC	1	0	0.3		9	3.57	LC	LC	1	0	0.3	
Erodium crinitum	2	0.18	LC	LC	1	0	0.3		8	0.72	LC	LC	1	0	0.3		4	0.36	LC	LC	1	0	0.3	
Erodium cygnorum	11	6.71	LC	LC	1	0	0.3		1	0.61	NT	NT	2	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum		0.00								0.00							8	50.00	NT	NT	2	0	0.3	
Eucalyptus camaldulensis ssp. arida		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus camaldulensis ssp. minima		0.00								0.00	RA d(ii)	RA	3	0	0.3	NC records; restricted	1	2.86	DD	DD	0	DD	0	need more records
Eucalyptus canescens ssp. beadellii	2	5.00	NE	NE	-1			questionable ID at ssp level; taxonomic issues		0.00								0.00						
Eucalyptus concinna	5	1.17	LC	LC	1	0	0.3			0.00								0.00						
Eucalyptus coolabah	2	0.37	RA d(i)	RA	3	0	0.3	western edge of range; limited habitat	34	6.24	LC	LC	1	0	0.3		41	7.52	LC	LC	1	0	0.3	
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla		0.00								0.00								0.00						
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa		0.00								0.00								0.00						
Eucalyptus gongylocarpa		0.00								0.00								0.00						
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila	5	3.23	RA d(i,ii)	RA	3	0	0.3	edge of range, limited habitat		0.00								0.00						
Eucalyptus intertexta		0.00							2	0.31	RA d(i,ii)	RA	3	0	0.3			0.00						
Eucalyptus largiflorens		0.00								0.00								0.00						
Eucalyptus leptophylla	2	0.10	NT	NT	2	0	0.3			0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00								0.00								0.00						
Eucalyptus minnirritchi		0.00								0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra		0.00								0.00								0.00						
Eucalyptus peeneri	1	4.76	DD	DD	0	DD	0	not vouchered		0.00								0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana	1	0.97	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica	2	1.55	NE	NE	-1			taxonomic issues, could be ssp socialis		0.00								0.00						
Eucalyptus socialis ssp. socialis	3	0.41	NE	NE	-1			taxonomic issues	16	2.18	NE	NE	-1			taxonomic issues	9	1.23	NE	NE	-1			taxonomic issues
Eucalyptus socialis ssp. victoriensis	2	1.39	NE	NE	-1			taxonomic issues		0.00								0.00						
Eucalyptus sparsa		0.00								0.00								0.00						
Eucalyptus trivalvis	1	2.08	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana		0.00								0.00								0.00						
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus		0.00								0.00								0.00						
Eulalia aurea		0.00							20	8.55	LC	LC	1	0	0.3	limited to waterways	10	4.27	LC	LC	1	0	0.3	limited to waterways
Euphorbia alsiniflora		0.00								0.00								0.00						
Euphorbia australis		0.00							3	5.45	NT	NT	2	0	0.3		3	5.45	NT	NT	2	0	0.3	
Euphorbia centralis		0.00								0.00	NT	NT	2	0	0.3	(no records) name change from Chamaesyce		0.00	LC	LC	1	0	0.3	(no records) name change from Chamaesyce
Euphorbia drummondii	3	0.94	LC	LC	1	0	0.3	very common; small, tough; undercollected	3	0.94	LC	LC	1	0	0.3	very common; small, tough; undercollected	3	0.94	LC	LC	1	0	0.3	very common; small, tough; undercollected
Euphorbia inappendiculata	2	5.26	DD	DD	0	DD	0	questionable ID		0.00	RA d(ii)	RA	3	0	0.3	(no records) name change from Chamaesyce		0.00						
Euphorbia mitchelliana		0.00							1	5.00	RA d(ii)	RA	3	DD	0		1	5.00	RA d(ii)	RA	3	DD	0	
Euphorbia parvicaruncula		0.00							20	18.18	LC	LC	1	0	0.3		9	8.18	LC	LC	1	0	0.3	
Euphorbia stevenii		0.00							2	1.30	LC	LC	1	0	0.3		22	14.29	LC	LC	1	0	0.3	
Euphorbia tannensis ssp. eremophila	24	2.09	LC	LC	1	0	0.3		23	2.01	LC	LC	1	0	0.3		20	1.74	LC	LC	1	0	0.3	
Euphorbia wheeleri		0.00							2	2.67	RA d(ii)	RA	3	0	0.3			0.00						
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens		0.00								0.00								0.00						
Evolvulus alsinoides var. villosicalyx		0.00							2	2.44	NT	NT	2	0	0.3			0.00						
Exocarpos aphyllus	2	0.07	LC	LC	1	0	0.3			0.00								0.00						
Exocarpos sparteus		0.00								0.00								0.00						
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda		0.00								0.00								0.00						
Fimbristylis dichotoma		0.00							2	1.16	LC	LC	1	0	0.3		4	2.33	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00							13	65.00	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	localised at Blanchwater & Twelve Springs		0.00						
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia		0.00								0.00							9	39.13	LC	LC	1	0	0.3	likes roadsides, heavy clay soils, native?
Frankenia cinerea	1	6.67	DD	DD	0	DD	0			0.00								0.00						
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa	1	4.55	DD	DD	0	DD	0			0.00								0.00						
Frankenia cupularis		0.00							9	10.59	DD	DD	0	DD	0		4	4.71	DD	DD	0	DD	0	
Frankenia foliosa		0.00							20	8.20	LC	LC	1	0	0.3		49	20.08	LC	LC	1	0	0.3	
Frankenia pauciflora var. gunnii		0.00							1	0.60	DD	DD	0	DD	0	query ID		0.00						
Frankenia plicata		0.00							4	5.13	DD	DD	0	DD	0	lots of wrong ID's	1	1.28	DD	DD	0	DD	0	lots of wrong ID's

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Frankenia serpyllifolia	1	0.13	DD	DD	0	DD	0		49	6.50	LC	LC	1	0	0.3		105	13.93	LC	LC	1	0	0.3	
Frankenia subteres		0.00							9	19.57	RA d(ii)	RA	3	0	0.3			0.00						
Gahnia trifida		0.00							4	0.72	EN D2	EN	5	DD	0	in springs	4	0.72	EN D2	EN	5	DD	0	in springs
Galium bulliformis		0.00							2	11.11	RA d(i,ii)	RA	3	0	0.3	in rock crevices, limited habitat		0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora		0.00							3	9.38	LC	LC	1	0	0.3	ephemeral, comes up after floods, undercollected	1	3.13	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected
Glinus lotoides		0.00							4	1.54	LC	LC	1	0	0.3	around waterways	12	4.62	LC	LC	1	0	0.3	around waterways
Glinus oppositifolius		0.00								0.00								0.00						
Glinus orygioides		0.00								0.00								0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00								0.00						
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens		0.00							2	3.17	NT	NT	2	0	0.3	edge of range		0.00						
Glossostigma cleistanthum		0.00								0.00								0.00						
Glossostigma diandrum		0.00							2	6.06	NT	NT	2	0	0.3	extreme flood ephemeral, undercollected		0.00						
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	1	0.34	NT	NT	2	DD	0		11	3.77	LC	LC	1	0	0.3		2	0.68	NT	NT	2	DD	0	
Glycine rubiginosa		0.00								0.00								0.00						
Glycyrrhiza acanthocarpa	1	0.98	RA d(ii)	RA	3	DD	0			0.00								0.00						
Gnaphalium diamantinense		0.00								0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00								0.00								0.00						
Gnephosis arachnoidea	5	0.91	LC	LC	1	0	0.3	undercollected	60	10.93	LC	LC	1	0	0.3		4	0.73	LC	LC	1	0	0.3	
Gnephosis eriocarpa	1	0.36	NT	NT	2	DD	0	edge of range	15	5.42	LC	LC	1	0	0.3		11	3.97	LC	LC	1	0	0.3	
Gnephosis tenuissima	11	2.84	LC	LC	1	0	0.3		2	0.52	LC	LC	1	0	0.3	undercollected	1	0.26	LC	LC	1	0	0.3	undercollected
Gomphrena lanata		0.00								0.00								0.00						
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta		0.00							3	12.00	RA d(i,ii)	RA	3	0	0.3	could be increasing	4	16.00	RA d(i,ii)	RA	3	0	0.3	could be increasing
Goodenia berardiana	10	5.68	LC	LC	1	0	0.3		1	0.57	RA d(i,ii)	RA	3	DD	0			0.00						
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata		0.00							2	1.34	RA d(i,ii)	RA	3	0	0.3		5	3.36	RA d(ii)	RA	3	0	0.3	
Goodenia centralis		0.00								0.00								0.00						
Goodenia chambersii		0.00								0.00							9	11.84	NT	NT	2	0	0.3	habitat specialist
Goodenia cycloptera		0.00							18	4.86	LC	LC	1	0	0.3		2	0.54	NT	NT	2	0	0.3	
Goodenia fascicularis		0.00							63	5.93	LC	LC	1	0	0.3		64	6.03	LC	LC	1	0	0.3	
Goodenia gibbosa		0.00								0.00							1	3.45	NT	NT	2	0	0.3	sparse in SA
Goodenia glabra		0.00								0.00								0.00						
Goodenia glandulosa		0.00								0.00								0.00						
Goodenia glauca		0.00							18	13.33	LC	LC	1	0	0.3	perennial; common in floodouts	17	12.59	LC	LC	1	0	0.3	perennial; common in floodouts
Goodenia grandiflora		#DIV/0!																						
Goodenia havilandii		0.00								0.00								0.00						
Goodenia heterochila		0.00								0.00								0.00						
Goodenia heteromera		0.00								0.00								0.00						
Goodenia lobata		0.00								0.00							3	5.77	RA d(ii)	RA	3	DD	0	endemic to SA
Goodenia lunata		0.00							34	8.27	LC	LC	1	0	0.3		37	9.00	LC	LC	1	0	0.3	
Goodenia modesta	2	5.88	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Goodenia mueckeana		0.00								0.00								0.00						
Goodenia occidentalis	1	3.33	RA d(i,ii)	RA	3	0	0.3	eastern edge of range; sparse distribution		0.00								0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida		0.00							17	1.28	RA d(ii)	RA	3	DD	0	limited habitat	1	0.08	RA d(ii)	RA	3	DD	0	
Goodenia pusilliflora	1	0.11	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Goodenia ramelii		0.00								0.00								0.00						
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila		0.00								0.00								0.00						
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum		0.00							8	5.23	NT	NT	2	0	0.3			0.00						
Gratwickia monochaeta		0.00							4	4.76	RA d(ii)	RA	3	DD	0	edge of range; questionable records as Western spp		0.00						
Grevillea albiflora		0.00								0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya		0.00								0.00								0.00						
Grevillea huegelii	2	0.26	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Grevillea juncifolia ssp. juncifolia	4	1.30	RA d(ii)	RA	3	DD	0	likes sandy, dune habitat		0.00								0.00						
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla	11	3.87	LC	LC	1	0	0.3		6	2.11	LC	LC	1	0	0.3		2	0.70	LC	LC	1	0	0.3	
Grevillea pterosperma		0.00								0.00								0.00						
Grevillea stenobotrya		0.00								0.00								0.00						
Grevillea striata		0.00							1	1.64	RA d(i,ii)	RA	3	DD	0	1 old record, questionable		0.00						
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva		0.00								0.00								0.00						
Gunniopsis kochii		0.00							5	15.15	LC	LC	1	0	0.3		12	36.36	LC	LC	1	0	0.3	
Gunniopsis papillata		0.00							17	12.32	LC	LC	1	0	0.3	likes mineralised breakaways	25	18.12	LC	LC	1	0	0.3	likes mineralised breakaways
Gunniopsis quadrifida	14	3.17	LC	LC	1	0	0.3		39	8.84	LC	LC	1	0	0.3		24	5.44	LC	LC	1	0	0.3	
Gunniopsis septifraga		0.00							1	2.70	NT	NT	2	0	0.3		3	8.11	NT	NT	2	0	0.3	
Gunniopsis tenuifolia		0.00							13	32.50	NT	NT	2	DD	0	specific habitat' breakaway country	3	7.50	RA d(ii)	RA	3	DD	0	specific habitat' breakaway country
Gunniopsis zygophylloides		0.00							7	6.36	LC	LC	1	0	0.3		3	2.73	LC	LC	1	0	0.3	
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus		0.00								0.00								0.00						
Gyrostemon tepperi		0.00								0.00								0.00						
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata		0.00								0.00								0.00						
Hakea ednieana		0.00							2	0.55	NT	NT	2	0	0.3	edge of range		0.00						
Hakea eyreana		0.00							2	2.22	DD	DD	0	DD	0	check record		0.00						
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	4	0.49	LC	LC	1	0	0.3		37	4.53	LC	LC	1	0	0.3		12	1.47	LC	LC	1	0	0.3	
Hakea lorea ssp. lorea		0.00								0.00								0.00						
Hakea minyma		0.00								0.00								0.00						
Halgania cyanea		0.00								0.00								0.00						
Halgania erecta		0.00								0.00								0.00						
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera		0.00							36	4.87	LC	LC	1	0	0.3		12	1.62	LC	LC	1	0	0.3	
Haloragis glauca forma glauca		0.00								0.00								0.00						
Haloragis glauca forma sclopetifera		0.00							1	16.67	RA d(i,ii)	RA	3	DD	0			0.00						
Haloragis gossei		0.00								0.00								0.00						
Haloragis odontocarpa forma octoforma		0.00								0.00								0.00						
Haloragis odontocarpa forma pterocarpa		0.00								0.00								0.00						
Haloragis odontocarpa forma rugosa	1	3.85	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Haloragis uncatipila		0.00								0.00							1	1.69	RA d(i,ii)	RA	3	0	0.3	perennial
Hannafordia bissillii ssp. bissillii		0.00								0.00								0.00						
Harmsiodoxa blennodioides		0.00								0.00								0.00						
Harmsiodoxa brevipes var. brevipes		0.00							1	0.82	RA d(i,ii)	RA	3	DD	0	weeds; lack of winter rain, threats	1	0.82	RA d(i,ii)	RA	3	DD	0	weeds; lack of winter rain, threats
Harmsiodoxa brevipes var. major		0.00							3	13.04	RA d(ii)	RA	3	DD	0	could be ID problems with var brevipes	5	21.74	RA d(ii)	RA	3	DD	0	could be ID problems with var brevipes
Harmsiodoxa puberula		0.00							4	9.30	NT	NT	2	DD	0		10	23.26	NT	NT	2	DD	0	
Helichrysum luteoalbum		0.00							1	0.32	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	4	1.29	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing
Heliotropium ammophilum		0.00							3	9.68	NT	NT	2	0	0.3		3	9.68	NT	NT	2	0	0.3	
Heliotropium asperrimum		0.00							7	2.38	NT	NT	2	0	0.3			0.00						
Heliotropium cunninghamii		0.00							1	5.88	RA d(ii)	RA	3	DD	0			0.00						
Heliotropium europaeum		0.00							10	2.28	NT	NT	2	0	0.3	native form is H glandulosum	5	1.14	NT	NT	2	0	0.3	native form is H glandulosum
Heliotropium filaginoides		0.00							1	2.63	RA d(i,ii)	RA	3	0	0.3			0.00						
Heliotropium moorei		0.00								0.00							1	5.56	NT	NT	2	0	0.3	
Heliotropium tanythrix		0.00							2	6.67	RA d(i,ii)	RA	3	0	0.3	outliers		0.00						
Hemichroa diandra	7	2.79	LC	LC	1	0	0.3	likes sandy, salty claypans	2	0.80	RA d(ii)	RA	3	0	0.3	likes sandy, salty claypans		0.00						
Hemichroa mesembryanthema		0.00								0.00							20	80.00	VU D2	VU	4	DD	0	highly localised; threatened by roadworks, tourists, unc
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius		0.00							7	6.67	LC	LC	1	0	0.3		6	5.71	NT	NT	2	0	0.3	
Hibiscus krichauffianus	3	1.09	LC	LC	1	0	0.3		13	4.71	LC	LC	1	0	0.3		2	0.72	NT	NT	2	0	0.3	
Hibiscus solanifolius		0.00								0.00								0.00						
Hibiscus sturtii var. grandiflorus		0.00								0.00								0.00						
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii		0.00								0.00								0.00						
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile		0.00								0.00								0.00						
Hybanthus aurantiacus		0.00								0.00								0.00						
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus		0.00								0.00								0.00						
Hydrocotyle callicarpa		0.00								0.00								0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Hydrocotyle verticillata		0.00								0.00								0.00						
Hypericum gramineum		0.00								0.00								0.00						
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00								0.00						
Indigofera australis ssp. australis		0.00								0.00								0.00						
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii		0.00								0.00							1	5.56	DD	DD	0	DD	0	questionable ID
Indigofera colutea		0.00							1	2.38	LC	LC	1	+	0.2	spread by stock, weedy spp		0.00						
Indigofera cornuligera ssp cornuligera		0.00								0.00								0.00						
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei	1	2.17	NE	NE	-1			taxonomic issues		0.00								0.00						
Indigofera helmsii		0.00								0.00								0.00						
Indigofera leucotricha		0.00							1	2.13	NE	NE	-1			taxonomic issues		0.00						
Indigofera linifolia		0.00								0.00								0.00						
Indigofera linnaei		0.00							3	5.56	LC	LC	1	0	0.3			0.00						
Indigofera longibractea		0.00								0.00								0.00						
Indigofera psammophila		0.00							3	3.61	LC	LC	1	0	0.3			0.00						
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla		0.00							8	19.51	LC	LC	1	0	0.3	needs clay flats	18	43.90	LC	LC	1	0	0.3	needs clay flats
Ipomoea muelleri		0.00								0.00								0.00						
Ipomoea polymorpha		0.00							1	1.92	RA d(i,ii)	RA	3	DD	0	southern edge of range		0.00						
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum		0.00							5	5.62	LC	LC	1	0	0.3		9	10.11	LC	LC	1	0	0.3	
Iseilema membranaceum		0.00							15	9.49	LC	LC	1	0	0.3		15	9.49	LC	LC	1	0	0.3	
Iseilema vaginiflorum		0.00							7	6.86	LC	LC	1	0	0.3		15	14.71	LC	LC	1	0	0.3	
Isoetes muelleri		0.00								0.00							2	5.88	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly e
Isoetopsis graminifolia		0.00								0.00								0.00						
Isolepis australiensis		0.00							1	1.23	RA d(i,ii)	RA	3	DD	0	very tiny		0.00						
Isolepis cernua		0.00								0.00								0.00						
Isolepis congrua		0.00								0.00								0.00						
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea		0.00							1	0.26	DD	DD	0	DD	0	query ID, unlikely		0.00						
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri		0.00							2	4.65	RA d(i,ii)	RA	3	DD	0			0.00						
Ixiochlamys cuneifolia		0.00							11	3.97	LC	LC	1	0	0.3	likes sandy creek banks	7	2.53	NT	NT	2	0	0.3	likes sandy creek banks
Ixiochlamys filicifolia	2	2.67	RA d(i,ii)	RA	3	DD	0		1	1.33	RA d(i,ii)	RA	3	DD	0			0.00						
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana		0.00							4	5.71	LC	LC	1	0	0.3		2	2.86	NT	NT	2	DD	0	probably undercollected; likes degraded ground
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare		0.00							4	1.98	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Josephinia eugeniae		0.00								0.00								0.00						
Juncus aridicola		0.00								0.00								0.00						
Juncus bufonius		0.00							1	0.17	RA d(ii,iii)	RA	3	DD	0			0.00						
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00							1	0.15	RA d(i,ii)	RA	3	DD	0	around mound springs	11	1.62	NT	NT	2	0	0.3	around mound springs
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens		0.00								0.00								0.00						
Keraudrenia nephrosperma		0.00								0.00								0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								0.00								0.00						
Kippistia suaedifolia	3	2.86	RA d(i,ii)	RA	3	DD	0	restricted habitat	7	6.67	RA d(i,ii)	RA	3	DD	0	restricted habitat		0.00						
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis		0.00								0.00							2	0.54	RA d(ii)	RA	3	DD	0	in drainage lines, likes fresh water, dams
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii	4	1.67	LC	LC	1	0	0.3			0.00								0.00						
Lawrencia glomerata	4	0.89	LC	LC	1	0	0.3	taxon now has 3 ssp	42	9.31	LC	LC	1	0	0.3	taxon now has 3 ssp	35	7.76	LC	LC	1	0	0.3	taxon now has 3 ssp
Lawrencia squamata	2	0.25	LC	LC	1	0	0.3		9	1.14	LC	LC	1	0	0.3			0.00						
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata		0.00							5	2.15	NT	NT	2	0	0.3	edge of range	1	0.43	RA d(i,ii)	RA	3	0	0.3	edge of range
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta		0.00							1	2.13	DD	DD	0	DD	0	unlikely - check record		0.00						
Leiocarpa leptolepis		0.00							38	8.35	LC	LC	1	0	0.3	widespread, on roadsides	99	21.76	LC	LC	1	0	0.3	widespread, on roadsides
Leiocarpa semicalva ssp. semicalva		0.00							2	0.26	NT	NT	2	0	0.3	edge of range		0.00						
Leiocarpa semicalva ssp. vinacea		0.00								0.00								0.00						
Leiocarpa tomentosa		0.00								0.00							2	1.10	NT	NT	2	DD	0	
Leiocarpa websteri	1	0.14	LC	LC	1	0	0.3		89	12.84	LC	LC	1	0	0.3		46	6.64	LC	LC	1	0	0.3	
Lemna disperma		0.00								0.00							1	0.96	RA d(i,ii)	RA	3	DD	0	spread by water birds; limited habitat; in Coward Spring

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Lemooria burkittii		0.00								0.00							10	5.43	LC	LC	1	0	0.3	
Lepidium fasciculatum		0.00							2	2.41	VU B2ab(i,ii,iii); D2	VU	4	-	0.4			0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi		0.00							18	6.34	LC	LC	1	0	0.3		16	5.63	LC	LC	1	0	0.3	
Lepidium oxytrichum	1	0.15	NT	NT	2	0	0.3		25	3.79	LC	LC	1	0	0.3		48	7.27	LC	LC	1	0	0.3	
Lepidium papillosum		0.00							1	0.29	RA d(ii)	RA	3	DD	0		6	1.71	RA d(ii)	RA	3	DD	0	
Lepidium phlebopetalum	16	2.04	LC	LC	1	0	0.3		52	6.64	LC	LC	1	0	0.3		39	4.98	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum		0.00							6	8.82	NT	NT	2	0	0.3		12	17.65	LC	LC	1	0	0.3	localised habitats
Lepidium strongylophyllum		0.00								0.00								0.00						
Lepidosperma avium		0.00								0.00								0.00						
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis	on	0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata		0.00							1	2.00	LC	LC	1	0	0.3	undercollected	4	8.00	NT	NT	2	DD	0	
Leptochloa fusca ssp. fusca		0.00								0.00							1	9.09	RA d(ii)	RA	3	DD	0	has been split from ssp muelleri
Leptochloa fusca ssp. muelleri		0.00							17	8.90	LC	LC	1	0	0.3		18	9.42	LC	LC	1	0	0.3	
Leptorhynchos baileyi		0.00							2	3.77	RA d(ii)	RA	3	-	0.4	ephemeral; not often seen; highly localised	5	9.43	RA d(i,ii)	RA	3	DD	0	ephemeral; not often seen; highly localised
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii		0.00								0.00								0.00						
Leucochrysum fitzgibbonii		0.00								0.00							2	1.08	NT	NT	2	DD	0	edge of range
Leucochrysum molle		0.00							1	1.19	RA d(i,ii)	RA	3	-	0.4	ephemeral; grazed	22	26.19	LC	LC	1	0	0.3	
Leucochrysum stipitatum	4	2.05	LC	LC	1	0	0.3	undercollected		0.00							1	0.51	NT	NT	2	0	0.3	edge of range
Levenhookia dubia		0.00							1	0.19	DD	DD	0	DD	0	doubtful record		0.00						
Limosella australis		0.00								0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00							1	0.16	RA d(i,ii)	RA	3	0	0.3	edge of range; limited habitat		0.00						
Lipocarpha microcephala		0.00								0.00								0.00						
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla		0.00								0.00								0.00						
Logania centralis		0.00								0.00								0.00						
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta		0.00								0.00								0.00						
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus		0.00							60	5.12	LC	LC	1	0	0.3		67	5.72	LC	LC	1	0	0.3	
Lycium australe	22	1.99	LC	LC	1	0	0.3			0.00							2	0.18	RA d(ii)	RA	3	DD	0	
Lysiana exocarpi ssp. exocarpi	3	0.15	LC	LC	1	0	0.3		61	3.07	LC	LC	1	0	0.3		13	0.65	LC	LC	1	0	0.3	
Lysiana murrayi	3	1.36	LC	LC	1	0	0.3	host: mulga		0.00							1	0.45	RA d(i,ii)	RA	3	DD	0	host: mulga
Lysiana subfalcata		0.00								0.00								0.00						
Lythrum hyssopifolia		0.00							3	0.60	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes		0.00						
Lythrum paradoxum		0.00							1	5.88	RA d(ii)	RA	3	0	0.3			0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii		0.00							6	8.70	LC	LC	1	0	0.3		10	14.49	LC	LC	1	0	0.3	
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	1	0.11	LC	LC	1	0	0.3		103	11.21	LC	LC	1	0	0.3		61	6.64	LC	LC	1	0	0.3	
Maireana appressa	6	1.35	LC	LC	1	0	0.3		22	4.95	LC	LC	1	0	0.3		16	3.60	LC	LC	1	0	0.3	
Maireana astrotricha	10	0.88	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threa	87	7.69	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a thre	32	2.83	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threa
Maireana brevifolia		0.00							4	0.30	NT	NT	2	0	0.3	edge of range		0.00						
Maireana campanulata		0.00							2	2.11	NT	NT	2	0	0.3	edge of range	3	3.16	NT	NT	2	0	0.3	
Maireana cannonii		0.00							2	6.67	RA d(i,ii)	RA	3	0	0.3	edge of range, restricted habitat gypseous		0.00						
Maireana carnosa		0.00								0.00							2	5.00	RA d(i,ii)	RA	3	DD	0	
Maireana ciliata		0.00							31	15.50	LC	LC	1	0	0.3		18	9.00	LC	LC	1	0	0.3	
Maireana coronata		0.00							13	6.22	LC	LC	1	0	0.3		16	7.66	LC	LC	1	0	0.3	
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha	1	0.49	RA d(ii)	RA	3	DD	0	edge of range	24	11.65	LC	LC	1	0	0.3		28	13.59	LC	LC	1	0	0.3	
Maireana erioclada	12	0.83	LC	LC	1	0	0.3		4	0.28	LC	LC	1	0	0.3			0.00						
Maireana excavata		0.00								0.00								0.00						
Maireana georgei	35	4.09	LC	LC	1	0	0.3		35	4.09	LC	LC	1	0	0.3		35	4.09	LC	LC	1	0	0.3	
Maireana integra	20	5.88	LC	LC	1	0	0.3		14	4.12	LC	LC	1	0	0.3		8	2.35	LC	LC	1	0	0.3	
Maireana lanosa		0.00								0.00								0.00						
Maireana lobiflora	2	1.60	RA d(ii)	RA	3	0	0.3	edge of range	6	4.80	NT	NT	2	0	0.3			0.00						
Maireana luehmannii		0.00								0.00								0.00						
Maireana melanocarpa		0.00							6	13.95	RA d(i,ii)	RA	3	DD	0	endemic to SA, grazing a threat	1	2.33	RA d(i,ii)	RA	3	DD	0	endemic to SA, grazing a threat
Maireana microcarpa		0.00							5	5.43	LC	LC	1	0	0.3		5	5.43	RA d(ii)	RA	3	0	0.3	
Maireana oppositifolia	6	0.75	LC	LC	1	0	0.3	edge of range; fringes salt lakes		0.00								0.00						
Maireana ovata	1	1.41	RA d(ii)	RA	3	DD	0	edge of range		0.00							6	8.45	LC	LC	1	0	0.3	
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Maireana pentatropis	15	1.23	LC	LC	1	0	0.3		3	0.25	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Maireana planifolia		0.00								0.00								0.00						
Maireana pyramidata	18	0.88	LC	LC	1	0	0.3		117	5.75	LC	LC	1	0	0.3		28	1.38	LC	LC	1	0	0.3	
Maireana radiata	2	0.28	LC	LC	1	0	0.3		3	0.41	NT	NT	2	0	0.3			0.00						
Maireana schistocarpa		0.00								0.00								0.00						
Maireana scleroptera		0.00								0.00								0.00						
Maireana sedifolia	251	9.73	LC	LC	1	0	0.3		5	0.19	NT	NT	2	-	0.4	Grazing, edge of range	1	0.04	RA d(ii)	RA	3	DD	0	edge of range
Maireana spongiocarpa		0.00							1	0.71	LC	LC	1	0	0.3	tolerates disturbance	3	2.13	LC	LC	1	0	0.3	tolerates disturbance
Maireana tomentosa ssp. urceolata	2	2.38	RA d(ii)	RA	3	DD	0	edge of range	6	7.14	RA d(ii)	RA	3	DD	0		1	1.19	RA d(ii)	RA	3	DD	0	
Maireana trichoptera	3	0.23	LC	LC	1	0	0.3		2	0.15	RA d(ii)	RA	3	0	0.3	edge of range	1	0.08	RA d(ii)	RA	3	DD	0	edge of range
Maireana triptera	8	2.28	LC	LC	1	0	0.3			0.00							4	1.14	LC	LC	1	0	0.3	
Maireana turbinata	1	0.15	NT	NT	2	0	0.3		10	1.52	LC	LC	1	0	0.3		9	1.37	LC	LC	1	0	0.3	
Maireana villosa	2	1.48	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Malacocera albolanata		0.00							11	16.18	LC	LC	1	0	0.3		9	13.24	LC	LC	1	0	0.3	
Malacocera biflora		0.00							6	10.91	RA d(ii)	RA	3	DD	0		11	20.00	LC	LC	1	0	0.3	heartland
Malacocera gracilis		0.00							1	3.33	RA d(ii)	RA	3	0	0.3	endemic to SA; likes low-lying calcareous soils		0.00						
Malacocera tricornis		0.00							10	6.33	LC	LC	1	0	0.3		12	7.59	LC	LC	1	0	0.3	
Malva preissiana		0.00							12	1.42	LC	LC	1	0	0.3	now known as M weinmanniana	50	5.92	LC	LC	1	0	0.3	now known as M weinmanniana
Malvastrum americanum var. americanum	1	0.15	LC	LC	1	0	0.3	spreading	82	12.28	LC	LC	1	0	0.3	spreading	28	4.19	LC	LC	1	0	0.3	spreading
Marsdenia australis	1	0.18	RA d(ii)	RA	3	0	0.3		6	1.07	LC	LC	1	0	0.3		1	0.18	NT	NT	2	0	0.3	
Marsilea costulifera		0.00							3	5.00	RA d(i,ii)	RA	3	0	0.3		3	5.00	RA d(i,ii)	RA	3	0	0.3	
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii		0.00							14	4.86	LC	LC	1	0	0.3		22	7.64	LC	LC	1	0	0.3	
Marsilea exarata	1	1.33	RA d(i,ii)	RA	3	0	0.3		5	6.67	LC	LC	1	0	0.3	undercollected		0.00						
Marsilea hirsuta	2	0.85	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat	20	8.55	LC	LC	1	0	0.3		16	6.84	LC	LC	1	0	0.3	
Melaleuca bracteata		0.00								0.00								0.00						
Melaleuca dissitiflora		0.00							5	4.55	RA d(ii)	RA	3	0	0.3			0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata	3	0.68	RA d(ii)	RA	3	DD	0		35	7.88	RA d(ii)	RA	3	0	0.3		12	2.70	RA d(i,ii)	RA	3	DD	0	
Melaleuca interioris	14	22.95	LC	LC	1	0	0.3			0.00								0.00						
Melaleuca lanceolata		0.00							1	0.06	DD	DD	0	DD	0	imprecise location		0.00						
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila	14	15.56	NT	NT	2	0	0.3			0.00								0.00						
Melhania oblongifolia		0.00							2	4.17	NT	NT	2	0	0.3			0.00						
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis		0.00							1	1.06	NT	NT	2	0	0.3	annual; easily dispersed	1	1.06	NT	NT	2	0	0.3	annual; easily dispersed
Menkea crassa	1	0.88	RA d(ii)	RA	3	0	0.3	annual, grows on stony ground	15	13.27	LC	LC	1	0	0.3	annual, grows on stony ground	25	22.12	LC	LC	1	0	0.3	annual, grows on stony ground
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa		0.00								0.00								0.00						
Menkea villosula	2	2.38	NT	NT	2	0	0.3	edge of range		0.00							1	1.19	RA d(ii)	RA	3	0	0.3	limited habitat
Mentha australis		0.00							4	3.01	NT	NT	2	0	0.3		5	3.76	NT	NT	2	0	0.3	
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana		0.00								0.00								0.00						
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00								0.00						
Micromyrtus flaviflora		0.00								0.00								0.00						
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii		0.00							1	7.14	NT	NT	2	0	0.3	have been taxonomic splits; should be more records; could be		0.00						
Millotia greevesii ssp. helmsii		0.00								0.00								0.00						
Millotia incurva		0.00								0.00								0.00						
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia		0.00								0.00							1	0.15	RA d(ii)	RA	3	DD	0	edge of range; probably more widespread
Millotia perpusilla		0.00								0.00							1	0.87	RA d(ii)	RA	3	DD	0	undercollected; very tiny, ephemeral
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis		0.00								0.00								0.00						
Mimulus prostratus		0.00								0.00								0.00						
Mimulus repens		0.00							2	1.25	RA d(i,ii)	RA	3	0	0.3		2	1.25	RA d(i,ii)	RA	3	0	0.3	
Minuria annua		0.00							1	1.27	NT	NT	2	0	0.3		10	12.66	NT	NT	2	0	0.3	
Minuria cunninghamii	1	0.15	LC	LC	1	0	0.3		48	7.02	LC	LC	1	0	0.3		30	4.39	LC	LC	1	0	0.3	
Minuria denticulata	1	0.16	LC	LC	1	0	0.3		50	8.14	LC	LC	1	0	0.3		78	12.70	LC	LC	1	0	0.3	
Minuria integerrima		0.00							12	5.56	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts	41	18.98	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts
Minuria leptophylla	6	0.52	LC	LC	1	0	0.3		7	0.61	LC	LC	1	0	0.3		9	0.78	LC	LC	1	0	0.3	
Minuria rigida		0.00							56	19.93	LC	LC	1	0	0.3	likes gypseous soils	57	20.28	LC	LC	1	0	0.3	likes gypseous soils
Mollugo cerviana	1	0.94	LC	LC	1	0	0.3	undercollected; very small	4	3.77	LC	LC	1	0	0.3	undercollected; very small	5	4.72	LC	LC	1	0	0.3	
Momordica balsamina		0.00								0.00								0.00						
Monachather paradoxus	13	2.97	LC	LC	1	0	0.3			0.00								0.00						
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides		0.00							8	8.60	LC	LC	1	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Muehlenbeckia florulenta	1	0.08	RA d(i,ii)	RA	3	0	0.3	limited habitat	26	2.16	LC	LC	1	0	0.3		25	2.07	LC	LC	1	0	0.3	
Muelleranthus stipularis		0.00								0.00								0.00						
Murchisonia volubilis	3	4.62	LC	LC	1	0	0.3	likes deep sand; undercollected		0.00							1	1.54	RA d(ii)	RA	3	0	0.3	likes deep sand; undercollected
Myoporum brevipes		0.00							9	4.23	RA d(ii)	RA	3	0	0.3	in mound springs		0.00						
Myoporum montanum		0.00							42	6.03	LC	LC	1	0	0.3		32	4.60	NT	NT	2	0	0.3	
Myoporum platycarpum ssp. platycarpum	10	1.22	LC	LC	1	0	0.3		1	0.12	RA d(i,ii)	RA	3	DD	0	outlier, edge		0.00						
Myosurus minimus var. australis		0.00							4	4.65	NT	NT	2	0	0.3		10	11.63	LC	LC	1	0	0.3	
Myriocephalus pluriflorus		0.00							3	7.32	NT	NT	2	DD	0	could be common; appears after good rains; lack of rec	1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of rec
Myriocephalus rhizocephalus		0.00								0.00							5	5.81	RA d(i,ii)	RA	3	DD	0	
Myriocephalus rudallii		0.00								0.00								0.00						
Myriocephalus squamatus	1	8.33	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Myriophyllum verrucosum		0.00							10	4.69	LC	LC	1	0	0.3		7	3.29	LC	LC	1	0	0.3	
Neobassia proceriflora	2	0.78	NT	NT	2	0	0.3	edge of range	23	9.02	LC	LC	1	0	0.3		34	13.33	LC	LC	1	0	0.3	
Neptunia dimorphantha		0.00								0.00							4	6.90	NT	NT	2	DD	0	
Neurachne lanigera		0.00								0.00								0.00						
Neurachne munroi	3	4.62	RA d(ii)	RA	3	0	0.3	long-lived, tough perennial		0.00							3	4.62	LC	LC	1	0	0.3	undercollected
Newcastelia bracteosa		0.00								0.00								0.00						
Newcastelia cephalantha var. cephalantha		0.00								0.00								0.00						
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00								0.00						
Newcastelia spodiotricha		0.00								0.00								0.00						
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior		0.00								0.00								0.00						
Nicotiana goodspeedii		0.00								0.00							1	0.22	DD	DD	0	DD	0	doubtful record
Nicotiana gossei		0.00								0.00								0.00						
Nicotiana occidentalis ssp. obliqua		0.00							2	1.57	RA d(ii)	RA	3	DD	0		7	5.51	NT	NT	2	0	0.3	
Nicotiana rosulata ssp. ingulba		0.00								0.00								0.00						
Nicotiana rosulata ssp. rosulata		0.00								0.00								0.00						
Nicotiana simulans	2	0.80	NT	NT	2	0	0.3		9	3.59	LC	LC	1	0	0.3		26	10.36	LC	LC	1	0	0.3	
Nicotiana truncata		0.00								0.00							23	85.19	RA d(ii)	RA	3	0	0.3	gypseous, limited habitat
Nicotiana velutina	1	0.10	NT	NT	2	0	0.3		37	3.54	LC	LC	1	0	0.3		19	1.82	LC	LC	1	0	0.3	
Nitraria billardierei		0.00							33	1.91	LC	LC	1	+	0.2		42	2.43	LC	LC	1	+	0.2	
Nymphoides crenata		0.00								0.00								0.00						
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida		0.00								0.00								0.00						
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00							1	0.11	NT	NT	2	0	0.3	edge of range		0.00						
Olearia ferresii		0.00								0.00								0.00						
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri	1	0.08	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii		0.00								0.00								0.00						
Olearia subspicata		0.00								0.00								0.00						
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava	2	0.21	LC	LC	1	0	0.3		28	2.94	LC	LC	1	0	0.3		5	0.53	LC	LC	1	0	0.3	
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum		0.00								0.00								0.00						
Ophioglossum polyphyllum		0.00								0.00								0.00						
Orobanche cernua var. australiana		0.00							16	15.84	LC	LC	1	0	0.3	parasitic sp; in dry sandy creek beds		0.00						
Osteocarpum acropterum var. acropterum	1	0.33	NT	NT	2	DD	0		17	5.57	LC	LC	1	0	0.3		1	0.33	RA d(ii)	RA	3	DD	0	
Osteocarpum acropterum var. deminutum		0.00								0.00							1	6.67	RA d(ii)	RA	3	DD	0	
Osteocarpum dipterocarpum		0.00							50	11.09	LC	LC	1	0	0.3		72	15.96	LC	LC	1	0	0.3	
Osteocarpum pentapterum		0.00								0.00								0.00						
Osteocarpum salsuginosum	1	0.98	RA d(ii)	RA	3	0	0.3			0.00							4	3.92	RA d(ii)	RA	3	0	0.3	
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula		0.00								0.00								0.00						
Oxalis perennans		0.00								0.00								0.00						
Oxalis radicosa		0.00								0.00								0.00						
Oxychloris scariosa		0.00								0.00								0.00						
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana		0.00								0.00								0.00						
Panicum decompositum var. decompositum		0.00							36	10.03	LC	LC	1	0	0.3		45	12.53	LC	LC	1	0	0.3	
Panicum effusum var. effusum		0.00							1	0.39	NT	NT	2	DD	0	common after floods	2	0.78	NT	NT	2	DD	0	common after floods
Panicum laevinode		0.00							4	4.49	NT	NT	2	DD	0		14	15.73	LC	LC	1	0	0.3	
Paraceterach reynoldsii		0.00								0.00								0.00						
Paractaenum novae-hollandiae ssp. reversum	1	0.51	LC	LC	1	0	0.3		18	9.18	LC	LC	1	0	0.3		2	1.02	LC	LC	1	0	0.3	
Paractaenum refractum		0.00							3	1.33	LC	LC	1	0	0.3		4	1.78	LC	LC	1	0	0.3	
Paraneurachne muelleri		0.00								0.00								0.00						
Parietaria australis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Parietaria cardiostegia		0.00								0.00								0.00						
Parietaria debilis		0.00								0.00								0.00						
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum		0.00								0.00							1	5.56	NT	NT	2	0	0.3	lots of records not databased
Peplidium foecundum	s	0.00								0.00							1	4.35	NT	NT	2	0	0.3	likes gibber plains & crabholes; records not databased
Peplidium sp. Marla (W.R.Barker 3535)		0.00								0.00								0.00						
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides		0.00								0.00								0.00						
Petalostylis labicheoides		0.00							7	4.49	NT	NT	2	0	0.3	in creek crossings		0.00						
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00								0.00								0.00						
Phlegmatospermum cochlearinum		0.00							17	9.66	LC	LC	1	0	0.3		15	8.52	LC	LC	1	0	0.3	
Phlegmatospermum eremaeum		0.00							1	2.63	DD	DD	0	DD	0	outlier; query ID; mallee sp.		0.00						
Phragmites australis		0.00							9	1.23	RA d(i,ii)	RA	3	0	0.3	limited habitat	50	6.82	RA d(i,ii)	RA	3	0	0.3	limited habitat
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii		0.00							6	3.95	LC	LC	1	0	0.3		7	4.61	LC	LC	1	0	0.3	
Phyllanthus lacunarius		0.00							7	6.42	LC	LC	1	0	0.3		12	11.01	LC	LC	1	0	0.3	
Phyllanthus lacunellus		0.00								0.00								0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00								0.00								0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00							1	0.88	RA d(i,ii)	RA	3	DD	0	grows around salt lakes		0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata		0.00							2	11.11	NT	NT	2	0	0.3	annual, could be undercollected; can only be ID'd when	1	5.56	RA d(ii)	RA	3	DD	0	annual, could be undercollected; can only be ID'd when
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00								0.00								0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala	2	0.20	NT	NT	2	0	0.3		12	1.21	LC	LC	1	0	0.3	edge of range	2	0.20	RA d(ii)	RA	3	DD	0	
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris		0.00								0.00								0.00						
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua		0.00							16	12.03	LC	LC	1	0	0.3		6	4.51	LC	LC	1	0	0.3	
Pimelea simplex ssp. simplex	1	0.22	NT	NT	2	0	0.3	edge of range	27	5.92	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3	
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya		0.00							6	2.78	LC	LC	1	0	0.3		1	0.46	NT	NT	2	0	0.3	
Pittosporum angustifolium	3	0.09	LC	LC	1	0	0.3		48	1.47	LC	LC	1	0	0.3		26	0.79	LC	LC	1	0	0.3	
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus		0.00							4	1.81	RA d(i,ii)	RA	3	DD	0		12	5.43	LC	LC	1	0	0.3	
Plantago cunninghamii		0.00							2	1.87	NT	NT	2	0	0.3	comes up after rain	4	3.74	LC	LC	1	0	0.3	comes up after rain
Plantago debilis		0.00								0.00							1	2.70	RA d(i,ii)	RA	3	DD	0	
Plantago drummondii		0.00							56	5.15	LC	LC	1	0	0.3		103	9.48	LC	LC	1	0	0.3	
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa	ledge	0.00								0.00								0.00						
Plantago turrifera		0.00								0.00								0.00						
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus		0.00								0.00								0.00						
Pleurosorus rutifolius		0.00							1	0.20	RA d(i,ii)	RA	3	DD	0			0.00						
Pleurosorus subglandulosus		0.00								0.00								0.00						
Pluchea dentex		0.00							2	1.92	NT	NT	2	0	0.3	edge of range		0.00						
Pluchea dunlopii		0.00								0.00								0.00						
Pluchea rubelliflora		0.00							5	6.67	LC	LC	1	0	0.3	grows in creek lines		0.00						
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00							6	5.71	RA d(ii)	RA	3	DD	0	most likely an undescribed species
Poa fordeana		0.00								0.00							3	4.92	RA d(ii)	RA	3	DD	0	
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens	3	0.77	NT	NT	2	DD	0			0.00								0.00						
Podolepis capillaris	10	0.77	LC	LC	1	0	0.3		12	0.93	LC	LC	1	0	0.3		16	1.24	LC	LC	1	0	0.3	
Podolepis davisiana		0.00							2	3.57	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazing, trampling	5	8.93	RA d(ii)	RA	3	DD	0	
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata	1	11.11	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata	2	0.56	NE	NE	-1			taxonomic issues		0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Polycalymma stuartii	9	0.91	LC	LC	1	0	0.3		20	2.03	LC	LC	1	0	0.3		21	2.13	LC	LC	1	0	0.3	
Polycarpaea arida		0.00								0.00							3	3.95	NT	NT	2	0	0.3	
Polycarpaea breviflora		0.00								0.00								0.00						
Polygala isingii		0.00								0.00								0.00						
Polygonum plebeium	1	0.57	LC	LC	1	0	0.3	responds to rainfall events	6	3.43	LC	LC	1	0	0.3	responds to rainfall events	4	2.29	LC	LC	1	0	0.3	responds to rainfall events
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata		0.00								0.00								0.00						
Poranthera leiosperma	1	5.26	RA d(ii)	RA	3	0	0.3	fire responsive		0.00								0.00						
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia		0.00								0.00								0.00						
Portulaca intraterranea		0.00							4	1.35	LC	LC	1	0	0.3	sand dune spp	2	0.67	LC	LC	1	0	0.3	sand dune spp
Portulaca oleracea		0.00							20	2.35	LC	LC	1	0	0.3		63	7.40	LC	LC	1	0	0.3	
Potamogeton crispus		0.00							3	2.88	VU D2	VU	4	DD	0	limited fresh water habitat; in St Marys Pool only		0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus		0.00							1	0.93	RA d(i,ii)	RA	3	DD	0	in artificial bores; in Coward Springs	15	13.89	RA d(ii)	RA	3	0	0.3	in artificial bores
Potamogeton tricarinatus		0.00																	NT	NT	2	DD	0	(no records)
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia		0.00								0.00								0.00						
Prostanthera nudula		0.00								0.00								0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora		0.00								0.00								0.00						
Prostanthera wilkieana		0.00								0.00								0.00						
Pseudoraphis spinescens		0.00								0.00							1	2.08	RA d(i,ii)	RA	3	DD	0	
Psydrax ammophila		0.00								0.00								0.00						
Psydrax latifolia		0.00								0.00								0.00						
Psydrax suaveolens		0.00								0.00								0.00						
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum		0.00								0.00								0.00						
Pterocaulon sphacelatum		0.00							51	7.70	LC	LC	1	0	0.3		27	4.08	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri		0.00								0.00							2	5.71	RA d(i,ii)	RA	3	0	0.3	habitat limited to gypsum mounds; emdemic to SA
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens		0.00								0.00								0.00						
Ptilotus disparilis		0.00							2	50.00	VU D2	VU	4	DD	0	highly localised; Leigh Ck mine expansion a threat; endemic t		0.00						
Ptilotus gaudichaudii ssp. gaudichaudii	7	10.00	LC	LC	1	0	0.3			0.00								0.00						
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides		0.00								0.00								0.00						
Ptilotus incanus		0.00								0.00								0.00						
Ptilotus latifolius		0.00								0.00								0.00						
Ptilotus macrocephalus		0.00								0.00								0.00						
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)	3	60.00	LC	LC	1	0	0.3	
Ptilotus obovatus		0.00							1	1.22	LC	LC	1	0	0.3	lots of NC records	3	3.66	LC	LC	1	0	0.3	lots of NC records
Ptilotus parvifolius		0.00							2	6.67	RA d(ii)	RA	3	DD	0	has been split into 4 entities		0.00						
Ptilotus polystachyus	9	2.62	LC	LC	1	0	0.3			0.00								0.00						
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides		0.00								0.00								0.00						
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii		0.00								0.00								0.00						
Ptilotus sessilifolius	1	0.34	LC	LC	1	0	0.3		1	0.34	RA d(i,ii)	RA	3	DD	0		1	0.34	LC	LC	1	0	0.3	
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei		0.00							1	4.17	RA d(ii)	RA	3	DD	0	has been split from P parviflorus into 4 entities	3	12.50	RA d(ii)	RA	3	DD	0	has been split from P parviflorus into 4 entities
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus		0.00							5	5.56	LC	LC	1	0	0.3	likes low-lying cracking clay soil	20	22.22	LC	LC	1	0	0.3	likes low-lying cracking clay soil
Pycnosorus globosus		0.00								0.00								0.00						
Pycnosorus melleus		0.00								0.00								0.00						
Pycnosorus pleiocephalus	8	1.24	LC	LC	1	0	0.3		41	6.38	LC	LC	1	0	0.3		17	2.64	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Radyera farragei		0.00								0.00								0.00						
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00							5	2.16	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat		0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus		0.00							5	3.27	LC	LC	1	0	0.3	grows on interdune swales after rain	8	5.23	LC	LC	1	0	0.3	grows on interdune swales after rain
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio		0.00							2	2.13	RA d(ii)	RA	3	DD	0		1	1.06	RA d(ii)	RA	3	DD	0	
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00								0.00						
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea	2	0.63	RA d(ii)	RA	3	0	0.3	edge of range	1	0.32	DD	DD	0	DD	0	unlikely - check record		0.00						
Rhagodia parabolica		0.00							7	0.44	NT	NT	2	0	0.3	edge of range		0.00						
Rhagodia preissii ssp. preissii	3	0.35	NT	NT	2	0	0.3	northern edge of range; likes mallee		0.00								0.00						
Rhagodia spinescens	10	0.40	LC	LC	1	0	0.3		145	5.84	LC	LC	1	0	0.3		51	2.05	LC	LC	1	0	0.3	
Rhagodia ulicina	3	0.50	LC	LC	1	0	0.3		4	0.67	NT	NT	2	0	0.3			0.00						
Rhodanthe charsleyae	2	0.90	LC	LC	1	0	0.3		1	0.45	LC	LC	1	0	0.3		20	9.01	LC	LC	1	0	0.3	
Rhodanthe chlorocephala ssp. rosea	2	5.71	NT	NT	2	DD	0	edge of range		0.00								0.00						
Rhodanthe citrina	1	1.82	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Rhodanthe corymbiflora		0.00							2	0.49	RA d(ii)	RA	3	DD	0			0.00						
Rhodanthe floribunda	18	1.31	LC	LC	1	0	0.3		88	6.41	LC	LC	1	0	0.3		93	6.78	LC	LC	1	0	0.3	
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa	1	0.17	LC	LC	1	0	0.3		55	9.08	LC	LC	1	0	0.3		46	7.59	LC	LC	1	0	0.3	
Rhodanthe moschata	13	1.42	LC	LC	1	0	0.3		41	4.49	LC	LC	1	0	0.3		14	1.53	LC	LC	1	0	0.3	
Rhodanthe polygalifolia		0.00							2	0.48	NT	NT	2	0	0.3	edge of range	1	0.24	RA d(i,ii)	RA	3	DD	0	
Rhodanthe pygmaea	1	0.07	NT	NT	2	DD	0	edge of range	6	0.43	NT	NT	2	0	0.3	edge of range	1	0.07	NT	NT	2	DD	0	edge of range
Rhodanthe stricta	1	0.13	LC	LC	1	0	0.3		36	4.72	LC	LC	1	0	0.3		92	12.06	LC	LC	1	0	0.3	
Rhodanthe stuartiana		0.00							3	1.35	RA d(ii)	RA	3	DD	0		2	0.90	RA d(ii)	RA	3	DD	0	
Rhodanthe tietkensii		0.00								0.00							4	1.78	RA d(ii)	RA	3	DD	0	edge of range
Rhodanthe troedelii		0.00							4	3.74	NT	NT	2	DD	0	edge of range		0.00						
Rhodanthe uniflora		0.00							23	11.98	LC	LC	1	0	0.3		29	15.10	LC	LC	1	0	0.3	
Rhyncharrhena linearis	9	3.33	LC	LC	1	0	0.3		1	0.37	RA d(i,ii)	RA	3	0	0.3			0.00						
Rhynchosia australis		0.00							1	7.69	NE	NE	-1			taxonomic issues - difficult to ID from minima		0.00						
Rhynchosia minima		0.00							1	5.00	NE	NE	-1			taxonomic issues		0.00						
Roripppa eustylis		0.00								0.00								0.00						
Rostellularia adscendens var. clementii		0.00								0.00								0.00						
Rostellularia adscendens var. latifolia		0.00								0.00								0.00						
Rostellularia adscendens var. pogonanthera		0.00							5	2.56	LC	LC	1	0	0.3		5	2.56	LC	LC	1	0	0.3	
Rulingia loxophylla		0.00								0.00								0.00						
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus		0.00							8	6.11	LC	LC	1	0	0.3		12	9.16	LC	LC	1	0	0.3	
Ruppia maritima		0.00							1	2.33	RA d(i,ii)	RA	3	DD	0	ephemeral, relies on floods	4	9.30	RA d(i,ii)	RA	3	DD	0	ephemeral, relies on floods
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides	3	0.77	LC	LC	1	0	0.3		4	1.03	LC	LC	1	0	0.3		17	4.37	LC	LC	1	0	0.3	
Salsola tragus	35	0.80	LC	LC	1	0	0.3		159	3.63	LC	LC	1	0	0.3		129	2.94	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens		0.00							1	0.10	RA d(i,ii)	RA	3	0	0.3	limited habitat around springs	13	1.36	RA d(i,ii)	RA	3	0	0.3	limited habitat around springs
Santalum acuminatum	9	0.43	LC	LC	1	0	0.3		5	0.24	RA d(ii)	RA	3	0	0.3	edge of range	1	0.05	RA d(i,ii)	RA	3	DD	0	edge of range
Santalum lanceolatum	2	0.23	LC	LC	1	0	0.3		107	12.20	LC	LC	1	0	0.3		24	2.74	LC	LC	1	0	0.3	
Santalum spicatum		0.00							1	0.31	RA d(i,ii)	RA	3	-	0.4	edge of range		0.00						
Sarcocornia blackiana		0.00								0.00							2	0.97	NT	NT	2	0	0.3	limited habitat; could be introduced, found around bore
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe		0.00							9	4.17	NT	NT	2	0	0.3		19	8.80	LC	LC	1	0	0.3	
Sarcozona praecox	4	1.76	RA d(ii)	RA	3	DD	0	needs winter rainfall	2	0.88	RA d(i,ii)	RA	3	DD	0	edge of range; needs winter rainfall		0.00						
Sauropus ramosissimus		0.00								0.00								0.00						
Sauropus rigens		0.00								0.00								0.00						
Sauropus trachyspermus		0.00							13	5.18	LC	LC	1	0	0.3		2	0.80	LC	LC	1	0	0.3	
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis		0.00								0.00								0.00						
Scaevola basedowii		0.00								0.00								0.00						
Scaevola collaris	1	0.38	NT	NT	2	0	0.3	likes damp sand; undercollected	17	6.51	LC	LC	1	0	0.3	likes damp sand; undercollected	7	2.68	RA d(i,ii)	RA	3	0	0.3	limited habitat
Scaevola collina		0.00								0.00								0.00						
Scaevola depauperata		0.00								0.00								0.00						
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata		0.00							31	7.64	LC	LC	1	0	0.3		3	0.74	RA d(ii)	RA	3	0	0.3	edge of range
Scaevola parvifolia ssp. parvifolia		0.00								0.00								0.00						
Scaevola spinescens	9	0.69	LC	LC	1	0	0.3		24	1.83	LC	LC	1	0	0.3		8	0.61	LC	LC	1	0	0.3	
Schenkia australis		0.00							6	3.05	LC	LC	1	0	0.3		3	1.52	LC	LC	1	0	0.3	
Schoenia ayersii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Schoenia cassiniana	8	3.23	LC	LC	1	0	0.3			0.00								0.00						
Schoenia ramosissima		0.00							10	5.95	LC	LC	1	0	0.3		11	6.55	LC	LC	1	0	0.3	
Schoenoplectus dissachanthus	1	2.38	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats	2	4.76	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats		0.00						
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens		0.00							1	0.49	VU D2	VU	4	DD	0	prob decline due to limited habitat; could be extinct	2	0.97	VU D2	VU	4	0	0.3	localised to mound springs
Schoenoplectus subulatus		0.00							1	6.67	RA d(ii)	RA	3	DD	0	name change from S litoralis, could be more records	1	6.67	RA d(ii)	RA	3	DD	0	name change from S litoralis, could be more records
Schoenoplectus validus		0.00							2	0.76	VU D2	VU	4	0	0.3	climate sensitive; in mound springs		0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00								0.00							6	9.52	NT	NT	2	0	0.3	ephemeral; grows on degraded areas
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata		0.00								0.00							1	5.26	RA d(ii)	RA	3	DD	0	
Sclerolaena bicornis var. bicornis		0.00							39	8.53	LC	LC	1	0	0.3		24	5.25	LC	LC	1	0	0.3	
Sclerolaena bicuspis		0.00								0.00							1	9.09	RA d(ii)	RA	3	DD	0	
Sclerolaena birchii		0.00								0.00								0.00						
Sclerolaena blackiana		0.00							1	0.97	RA d(i,ii)	RA	3	DD	0	edge of range	59	57.28	LC	LC	1	0	0.3	
Sclerolaena brachyptera		0.00							118	11.13	LC	LC	1	0	0.3		95	8.96	LC	LC	1	0	0.3	
Sclerolaena calcarata		0.00							6	5.66	LC	LC	1	0	0.3		1	0.94	NT	NT	2	0	0.3	
Sclerolaena clelandii		0.00								0.00								0.00						
Sclerolaena constricta		0.00							26	17.45	LC	LC	1	0	0.3		12	8.05	LC	LC	1	0	0.3	
Sclerolaena convexula	5	1.38	LC	LC	1	0	0.3			0.00							4	1.10	LC	LC	1	0	0.3	
Sclerolaena cornishiana		0.00								0.00								0.00						
Sclerolaena costata		0.00								0.00								0.00						
Sclerolaena cristata		0.00								0.00								0.00						
Sclerolaena cuneata	1	0.27	LC	LC	1	0	0.3		34	9.29	LC	LC	1	0	0.3		20	5.46	LC	LC	1	0	0.3	
Sclerolaena decurrens	6	2.07	LC	LC	1	0	0.3		19	6.55	LC	LC	1	0	0.3		8	2.76	LC	LC	1	0	0.3	
Sclerolaena deserticola		0.00								0.00								0.00						
Sclerolaena diacantha	21	0.70	LC	LC	1	0	0.3	good stock food	60	2.00	LC	LC	1	0	0.3	good stock food	16	0.53	LC	LC	1	0	0.3	good stock food
Sclerolaena divaricata		0.00							95	10.18	LC	LC	1	0	0.3		72	7.72	LC	LC	1	0	0.3	
Sclerolaena eriacantha	2	0.66	LC	LC	1	0	0.3		2	0.66	LC	LC	1	0	0.3		6	1.98	LC	LC	1	0	0.3	
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra		0.00								0.00							1	0.87	RA d(ii)	RA	3	DD	0	
Sclerolaena holtiana	6	2.62	LC	LC	1	0	0.3		21	9.17	LC	LC	1	0	0.3		6	2.62	LC	LC	1	0	0.3	
Sclerolaena intricata		0.00							48	5.40	LC	LC	1	0	0.3		117	13.16	LC	LC	1	0	0.3	
Sclerolaena johnsonii		0.00								0.00							3	2.50	LC	LC	1	0	0.3	
Sclerolaena lanicuspis	1	0.11	LC	LC	1	0	0.3		54	6.14	LC	LC	1	0	0.3		29	3.30	LC	LC	1	0	0.3	
Sclerolaena limbata	1	0.26	NT	NT	2	DD	0		73	19.16	LC	LC	1	0	0.3		1	0.26	NT	NT	2	DD	0	
Sclerolaena longicuspis	1	0.29	NT	NT	2	0	0.3		30	8.62	LC	LC	1	0	0.3		5	1.44	LC	LC	1	0	0.3	
Sclerolaena muricata var. muricata	1	0.74	RA d(ii)	RA	3	DD	0	heavy clays on rivers or cane grass swamps	2	1.48	NT	NT	2	0	0.3	heavy clays on rivers or cane grass swamps		0.00						
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis	18	0.67	LC	LC	1	0	0.3		52	1.94	LC	LC	1	0	0.3		1	0.04	LC	LC	1	0	0.3	
Sclerolaena parallelicuspis		0.00							36	11.04	LC	LC	1	0	0.3		20	6.13	LC	LC	1	0	0.3	
Sclerolaena parviflora	2	0.42	NT	NT	2	0	0.3			0.00								0.00						
Sclerolaena patenticuspis	6	0.53	LC	LC	1	0	0.3		19	1.67	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3	
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei		0.00							33	36.26	LC	LC	1	0	0.3	endemic to SA; long-lived	2	2.20	NT	NT	2	0	0.3	endemic to SA; long-lived
Sclerolaena tricuspis		0.00							8	2.97	NT	NT	2	DD	0			0.00						
Sclerolaena uniflora	7	0.72	LC	LC	1	0	0.3	grows on bare limestone	9	0.92	LC	LC	1	0	0.3	grows on bare limestone	1	0.10	LC	LC	1	0	0.3	
Sclerolaena ventricosa		0.00							162	21.63	LC	LC	1	0	0.3		80	10.68	LC	LC	1	0	0.3	
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00								0.00								0.00						
Senecio depressicola		0.00								0.00								0.00						
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola		0.00								0.00								0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus		0.00							17	2.17	LC	LC	1	0	0.3	in interdune swales	15	1.91	LC	LC	1	0	0.3	in interdune swales
Senecio gregorii	8	1.02	LC	LC	1	0	0.3	on sand dunes, widespread	19	2.42	LC	LC	1	0	0.3	on sand dunes, widespread	17	2.16	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00							7	53.85	RA d(i,ii)	RA	3	DD	0	restricted habitat; gypseous; naturally rare
Senecio laceratus		0.00								0.00								0.00						
Senecio lacustrinus	1	0.85	LC	LC	1	0	0.3		15	12.82	LC	LC	1	0	0.3		6	5.13	LC	LC	1	0	0.3	
Senecio lanibracteus		0.00							55	16.92	LC	LC	1	0	0.3		7	2.15	LC	LC	1	0	0.3	
Senecio magnificus		0.00							46	5.40	LC	LC	1	0	0.3		4	0.47	LC	LC	1	0	0.3	
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius		0.00							2	1.85	RA d(i,ii)	RA	3	DD	0	scattered pops	1	0.93	RA d(i,ii)	RA	3	DD	0	scattered pops
Senecio spanomerus		0.00							1	0.19	NE	NE	-1			taxonomic issues	1	0.19	NE	NE	-1			taxonomic issues
Senna artemisioides ssp. alicia		0.00							9	8.91	LC	LC	1	0	0.3		3	2.97	NT	NT	2	0	0.3	
Senna artemisioides ssp. artemisioides	7	0.89	LC	LC	1	0	0.3		8	1.02	LC	LC	1	0	0.3			0.00						
Senna artemisioides ssp. coriacea	6	0.41	LC	LC	1	0	0.3		21	1.44	LC	LC	1	0	0.3		3	0.21	NT	NT	2	0	0.3	
Senna artemisioides ssp. filifolia	1	0.08	NT	NT	2	0	0.3		34	2.86	LC	LC	1	0	0.3		2	0.17	NT	NT	2	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Senna artemisioides ssp. helmsii		0.00							25	7.29	LC	LC	1	0	0.3		10	2.92	LC	LC	1	0	0.3	
Senna artemisioides ssp. oligophylla		0.00							22	10.38	LC	LC	1	0	0.3		10	4.72	LC	LC	1	0	0.3	
Senna artemisioides ssp. petiolaris	38	3.77	LC	LC	1	0	0.3		10	0.99	LC	LC	1	0	0.3		1	0.10	RA d(ii)	RA	3	DD	0	
Senna artemisioides ssp. quadrifolia		0.00							26	13.98	LC	LC	1	0	0.3		2	1.08	RA d(ii)	RA	3	DD	0	
Senna artemisioides ssp. sturtii	2	1.30	LC	LC	1	0	0.3		13	8.44	LC	LC	1	0	0.3		2	1.30	NT	NT	2	DD	0	
Senna artemisioides ssp. zygophylla		0.00							5	7.14	NT	NT	2	DD	0			0.00						
Senna cardiosperma ssp. gawlerensis	28	6.81	LC	LC	1	0	0.3			0.00								0.00						
Senna cardiosperma ssp. microphylla	1	2.86	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Senna glutinosa ssp. glutinosa		0.00								0.00								0.00						
Senna glutinosa ssp. pruinosa		0.00								0.00								0.00						
Senna notabilis		0.00								0.00								0.00						
Senna phyllodinea		0.00							9	5.59	LC	LC	1	0	0.3		5	3.11	LC	LC	1	0	0.3	
Senna planitiicola		0.00								0.00								0.00						
Senna pleurocarpa var. pleurocarpa	1	0.30	NT	NT	2	0	0.3	fire responsive		0.00							1	0.30	RA d(ii)	RA	3	DD	0	fire responsive
Sesbania cannabina var. cannabina		0.00								0.00								0.00						
Setaria basiclada	2	2.02	NT	NT	2	DD	0	likes rocky hills	1	1.01	NT	NT	2	DD	0	likes rocky hills	1	1.01	NT	NT	2	DD	0	likes rocky hills
Setaria clementii		0.00							3	2.97	NT	NT	2	0	0.3	easily overlooked; likes low, rocky rises	4	3.96	LC	LC	1	0	0.3	easily overlooked; likes low, rocky rises
Setaria constricta	3	0.56	LC	LC	1	0	0.3		2	0.37	RA d(ii)	RA	3	DD	0	limited habitat		0.00						
Setaria dielsii		0.00							17	13.60	LC	LC	1	0	0.3	in creeks, drainage lines; ephemeral	9	7.20	NT	NT	2	DD	0	in creeks, drainage lines; ephemeral
Setaria jubiflora		0.00							3	1.24	LC	LC	1	0	0.3	in creek lines		0.00						
Setaria reflexa		0.00								0.00								0.00						
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	5	0.80	LC	LC	1	0	0.3		22	3.51	LC	LC	1	0	0.3		7	1.12	LC	LC	1	0	0.3	
Sida argillacea		0.00								0.00								0.00						
Sida calyxhymenia	11	5.61	LC	LC	1	0	0.3			0.00								0.00						
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata	2	1.08	DD	DD	0	DD	0	not certain of ID		0.00								0.00						
Sida cunninghamii		0.00							2	0.95	LC	LC	1	0	0.3			0.00						
Sida everistiana		0.00								0.00								0.00						
Sida fibulifera	23	1.50	LC	LC	1	0	0.3		73	4.77	LC	LC	1	0	0.3		33	2.16	LC	LC	1	0	0.3	
Sida filiformis		0.00								0.00								0.00						
Sida goniocarpa		0.00							8	26.67	LC	LC	1	0	0.3			0.00						
Sida intricata		0.00							56	9.05	LC	LC	1	0	0.3		23	3.72	LC	LC	1	0	0.3	
Sida petrophila	1	0.07	RA d(ii)	RA	3	0	0.3		43	2.96	LC	LC	1	0	0.3		15	1.03	LC	LC	1	0	0.3	
Sida phaeotricha		0.00								0.00								0.00						
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae		0.00								0.00								0.00						
Sida sp. B (C.Dunlop 1739)		0.00								0.00								0.00						
Sida sp. Everard Ranges (D.J.Whibley 1085)		0.00								0.00								0.00						
Sida sp. F (Latz 7459)		0.00								0.00								0.00						
Sida sp. L (A.M.Ashby 4202)		0.00								0.00								0.00						
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00								0.00						
Sida spodochroma	10	6.02	LC	LC	1	0	0.3	perennial	1	0.60	DD	DD	0	DD	0		1	0.60	NT	NT	2	0	0.3	edge of range
Sida trichopoda		0.00							59	14.05	LC	LC	1	0	0.3		19	4.52	LC	LC	1	0	0.3	
Sigesbeckia australiensis		0.00							2	0.88	NT	NT	2	DD	0	edge of range		0.00						
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale	2	1.28	NT	NT	2	0	0.3			0.00							1	0.64	RA d(ii)	RA	3	DD	0	
Solanum chenopodinum		0.00							10	18.87	LC	LC	1	0	0.3			0.00						
Solanum cleistogamum	2	2.15	NT	NT	2	0	0.3			0.00								0.00						
Solanum coactiliferum	5	0.81	LC	LC	1	0	0.3			0.00								0.00						
Solanum eardleyae		0.00								0.00								0.00						
Solanum ellipticum	5	0.34	LC	LC	1	0	0.3		50	3.39	LC	LC	1	0	0.3		20	1.35	LC	LC	1	0	0.3	
Solanum esuriale		0.00							17	4.30	LC	LC	1	0	0.3		11	2.78	LC	LC	1	0	0.3	
Solanum ferocissimum		0.00								0.00								0.00						
Solanum lacunarium		0.00							13	19.40	LC	LC	1	0	0.3		15	22.39	LC	LC	1	0	0.3	
Solanum lasiophyllum	1	1.32	RA d(ii)	RA	3	DD	0			0.00								0.00						
Solanum oligacanthum		0.00							31	11.61	LC	LC	1	0	0.3		7	2.62	NT	NT	2	0	0.3	
Solanum orbiculatum ssp. orbiculatum	2	1.90	NT	NT	2	DD	0	edge of range		0.00								0.00						
Solanum petrophilum		0.00							4	0.39	LC	LC	1	0	0.3		1	0.10	RA d(ii)	RA	3	0	0.3	
Solanum quadriloculatum	7	2.11	LC	LC	1	0	0.3		17	5.12	LC	LC	1	0	0.3		1	0.30	NT	NT	2	0	0.3	
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum		0.00							19	2.92	LC	LC	1	0	0.3			0.00						
Sonchus hydrophilus		0.00								0.00							1	0.38	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.
Spartothamnella teucriiflora		0.00							1	1.20	VU D2	VU	4	DD	0			0.00						
Spergularia brevifolia		0.00								0.00								0.00						
Spergularia diandroides		0.00							2	5.13	DD	DD	0	DD	0	records on loan, probably common		0.00						
Spergularia marina		0.00							20	7.55	LC	LC	1	0	0.3	in low-lying salty areas	22	8.30	LC	LC	1	0	0.3	in low-lying salty areas

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus		0.00							80	14.65	LC	LC	1	0	0.3		50	9.16	LC	LC	1	0	0.3	
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei		0.00								0.00								0.00						
Sporobolus caroli		0.00								0.00							1	1.59	RA d(ii)	RA	3	DD	0	
Sporobolus mitchellii		0.00							2	0.59	RA d(ii)	RA	3	DD	0	restricted to river systems		0.00						
Sporobolus virginicus		0.00							1	0.22	NT	NT	2	0	0.3	hardy sp, likes salt	18	3.99	NT	NT	2	0	0.3	hardy sp, likes salt; localised
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii		0.00							1	1.79	RA d(i,ii)	RA	3	0	0.3		1	1.79	RA d(i,ii)	RA	3	0	0.3	
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00								0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	2	0.31	LC	LC	1	0	0.3		25	3.89	LC	LC	1	0	0.3		39	6.07	LC	LC	1	0	0.3	
Stemodia glabella		0.00								0.00							3	5.17	RA d(ii)	RA	3	DD	0	
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00							18	85.71	RA d(ii)	RA	3	0	0.3	clonal; well-collected; limited no of plants
Stemodia viscosa		0.00								0.00								0.00						
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum		0.00								0.00								0.00						
Stenopetalum decipiens		0.00								0.00								0.00						
Stenopetalum lineare	4	0.65	LC	LC	1	0	0.3	a complex of species, could be split	25	4.04	LC	LC	1	0	0.3	a complex of species, could be split	11	1.78	LC	LC	1	0	0.3	a complex of species, could be split
Stenopetalum nutans		0.00							1	1.16	DD	DD	0	DD	0	unlikely, wrong location		0.00						
Stenopetalum sphaerocarpum	1	0.44	RA d(ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Stenopetalum velutinum	3	1.48	NT	NT	2	0	0.3			0.00							1	0.49	NT	NT	2	0	0.3	
Streptoglossa adscendens		0.00							38	11.88	LC	LC	1	0	0.3		47	14.69	LC	LC	1	0	0.3	
Streptoglossa cylindriceps		0.00							5	10.42	LC	LC	1	0	0.3			0.00						
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides		0.00							22	13.25	LC	LC	1	0	0.3		9	5.42	LC	LC	1	0	0.3	
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum		0.00								0.00								0.00						
Suaeda australis		0.00								0.00								0.00						
Swainsona acuticarinata		0.00								0.00								0.00						
Swainsona adenophylla		0.00							20	25.32	LC	LC	1	0	0.3	edge of salt lakes	10	12.66	LC	LC	1	0	0.3	edge of salt lakes
Swainsona affinis		0.00								0.00								0.00						
Swainsona burkittii		0.00							2	5.41	RA d(i,ii)	RA	3	DD	0	likes loamy soils & limestone		0.00						
Swainsona campylantha	1	0.34	RA d(ii)	RA	3	DD	0	southern edge of range	30	10.24	LC	LC	1	0	0.3		68	23.21	LC	LC	1	0	0.3	
Swainsona canescens	2	1.82	RA d(ii)	RA	3	DD	0			0.00								0.00						
Swainsona colutoides		0.00							1	5.88	VU D2	VU	4	DD	0	outlier		0.00						
Swainsona disjuncta		0.00								0.00								0.00						
Swainsona eremaea		0.00							1	3.23	RA d(ii)	RA	3	DD	0	edge of range	9	29.03	LC	LC	1	0	0.3	taxonimic problems; endemic to SA
Swainsona extrajacens		0.00							3	18.75	RA d(ii)	RA	3	DD	0			0.00						
Swainsona fissimontana		0.00							4	5.13	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazed		0.00						
Swainsona flavicarinata		0.00							8	10.81	NT	NT	2	DD	0			0.00						
Swainsona formosa	8	3.65	LC	LC	1	0	0.3		6	2.74	NT	NT	2	0	0.3			0.00						
Swainsona laxa		0.00								0.00							1	1.45	RA d(i,ii)	RA	3	DD	0	
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx	1	2.33	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Swainsona microphylla		0.00								0.00								0.00						
Swainsona minutiflora		0.00							2	14.29	VU D2	VU	4	0	0.3	in calcareous drainage lines	6	42.86	VU D2	VU	4	0	0.3	in calcareous drainage lines
Swainsona oligophylla		0.00							4	4.26	NT	NT	2	DD	0		6	6.38	LC	LC	1	0	0.3	
Swainsona oliveri	4	4.55	LC	LC	1	0	0.3			0.00								0.00						
Swainsona oroboides		0.00							5	4.55	LC	LC	1	0	0.3		5	4.55	LC	LC	1	0	0.3	
Swainsona phacoides	1	0.26	NT	NT	2	DD	0	sand sp	26	6.72	LC	LC	1	0	0.3	sand sp	14	3.62	LC	LC	1	0	0.3	sand sp
Swainsona purpurea	3	2.88	RA d(i,ii)	RA	3	DD	0		3	2.88	RA d(ii)	RA	3	DD	0		15	14.42	LC	LC	1	0	0.3	
Swainsona stipularis		0.00							32	10.77	LC	LC	1	0	0.3		8	2.69	NT	NT	2	0	0.3	
Swainsona swainsonioides		0.00							12	36.36	LC	LC	1	0	0.3		1	3.03	RA d(ii)	RA	3	DD	0	questionable ID
Swainsona tenuis	1	1.39	RA d(ii)	RA	3	DD	0			0.00								0.00						
Swainsona tephrotricha		0.00							2	1.53	DD	DD	0	DD	0	odd records		0.00						
Swainsona unifoliolata		0.00								0.00								0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa		0.00								0.00							1	0.73	RA d(i,ii)	RA	3	DD	0	
Swainsona viridis		0.00							5	10.64	VU D2	VU	4	0	0.3	needs good rains, forms mats, likes flood plains, very localised		0.00						
Synaptantha tillaeacea var. hispidula		0.00							4	12.90	NT	NT	2	0	0.3	perennial; comes up after good rain		0.00						
Synaptantha tillaeacea var. tillaeacea		0.00							3	4.84	LC	LC	1	0	0.3	undercollected	3	4.84	LC	LC	1	0	0.3	undercollected
Tecticornia arbuscula		0.00							3	1.11	RA d(ii)	RA	3	DD	0			0.00						
Tecticornia cupuliformis		0.00								0.00							4	30.77	RA d(ii)	RA	3	DD	0	ephemeral; undercollected; hard to ID; likes heavy clay
Tecticornia disarticulata	1	0.54	NT	NT	2	0	0.3		13	7.03	LC	LC	1	0	0.3		9	4.86	LC	LC	1	0	0.3	
Tecticornia fontinalis		0.00							1	11.11	VU D2	VU	4	DD	0	endemic to SA; habitat degraded		0.00						
Tecticornia halocnemoides ssp. halocnemoides	2	0.55	RA d(ii)	RA	3	DD	0	endemic to SA	4	1.09	RA d(ii)	RA	3	DD	0	endemic to SA	4	1.09	RA d(ii)	RA	3	DD	0	endemic to SA
Tecticornia halocnemoides ssp. longispicata		0.00							5	4.85	LC	LC	1	0	0.3		20	19.42	LC	LC	1	0	0.3	
Tecticornia halocnemoides ssp. tenuis	1	6.67	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00							1	6.67	RA d(ii)	RA	3	0	0.3	southern edge of range

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Tecticornia indica ssp. bidens		0.00							2	3.08	RA d(ii)	RA	3	0	0.3		2	3.08	RA d(ii)	RA	3	0	0.3	
Tecticornia indica ssp. leiostachya	12	2.47	LC	LC	1	0	0.3	common	29	5.98	LC	LC	1	0	0.3	common	22	4.54	LC	LC	1	0	0.3	common
Tecticornia medullosa		0.00							6	4.96	LC	LC	1	0	0.3	likes rocks	30	24.79	LC	LC	1	0	0.3	likes rocks
Tecticornia nitida		0.00								0.00							1	33.33	RA d(ii)	RA	3	DD	0	undercollected
Tecticornia pergranulata ssp. divaricata	1	1.72	NT	NT	2	0	0.3		8	13.79	LC	LC	1	0	0.3		2	3.45	NT	NT	2	0	0.3	
Tecticornia pergranulata ssp. elongata		0.00							1	7.69	RA d(ii)	RA	3	0	0.3		1	7.69	RA d(ii)	RA	3	0	0.3	
Tecticornia pergranulata ssp. pergranulata		0.00							4	0.87	NT	NT	2	0	0.3		5	1.08	NT	NT	2	0	0.3	
Tecticornia pruniflora		0.00							4	8.89	LC	LC	1	0	0.3		5	11.11	LC	LC	1	0	0.3	
Tecticornia pruinosa	5	6.25	LC	LC	1	0	0.3		4	5.00	LC	LC	1	0	0.3			0.00						
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00								0.00						
Tecticornia tenuis	1	0.33	LC	LC	1	0	0.3		36	12.04	LC	LC	1	0	0.3	arid sp.	32	10.70	LC	LC	1	0	0.3	arid sp.
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena	2	0.49	RA d(ii)	RA	3	0	0.3		2	0.49	RA d(ii)	RA	3	0	0.3			0.00						
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora		0.00							3	1.03	LC	LC	1	0	0.3		9	3.10	LC	LC	1	0	0.3	
Tephrosia supina		0.00								0.00								0.00						
Tetragonia eremaea	4	0.34	LC	LC	1	0	0.3		38	3.20	LC	LC	1	0	0.3		11	0.93	LC	LC	1	0	0.3	
Tetragonia moorei		0.00							5	6.58	LC	LC	1	0	0.3	likes summer rain; grows around bores		0.00						
Tetragonia tetragonioides		0.00								0.00							2	7.41	NT	NT	2	DD	0	edge of range; could be more records; has been split, r
Teucrium albicaule		0.00							2	6.67	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Teucrium corymbosum		0.00								0.00								0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum	1	0.12	LC	LC	1	0	0.3		8	0.96	LC	LC	1	0	0.3		56	6.71	LC	LC	1	0	0.3	
Teucrium reidii		0.00								0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea		0.00								0.00								0.00						
Themeda triandra		0.00							3	0.20	RA d(ii)	RA	3	DD	0		5	0.33	RA d(ii)	RA	3	DD	0	
Threlkeldia inchoata		0.00								0.00							2	2.74	RA d(ii)	RA	3	DD	0	edge of range, limited habitat
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana	3	2.38	LC	LC	1	0	0.3			0.00								0.00						
Thyridolepis multiculmis	1	1.75	NT	NT	2	DD	0			0.00								0.00						
Thyridolepis xerophila		0.00								0.00								0.00						
Thysanotus baueri	1	0.12	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Thysanotus exiliflorus		0.00							2	5.13	RA d(ii)	RA	3	-	0.4		2	5.13	RA d(ii)	RA	3	0	0.3	
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae		0.00								0.00								0.00						
Trachymene cyanopetala	1	0.33	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Trachymene glaucifolia	1	0.35	LC	LC	1	0	0.3		9	3.19	LC	LC	1	0	0.3		9	3.19	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus	7	1.85	LC	LC	1	0	0.3		11	2.90	LC	LC	1	0	0.3		19	5.01	LC	LC	1	0	0.3	
Trianthema pilosa		0.00								0.00								0.00						
Trianthema triquetra	1	0.12	LC	LC	1	0	0.3		52	6.38	LC	LC	1	0	0.3		85	10.43	LC	LC	1	0	0.3	
Tribulus astrocarpus		0.00								0.00								0.00						
Tribulus eichlerianus		0.00							24	8.14	LC	LC	1	0	0.3		16	5.42	LC	LC	1	0	0.3	
Tribulus hystrix		0.00							9	4.15	LC	LC	1	0	0.3	likes big red sand hills	9	4.15	LC	LC	1	0	0.3	likes big red sand hills
Tribulus macrocarpus		0.00								0.00								0.00						
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00							3	12.50	NT	NT	2	0	0.3	poorly collected		0.00						
Trichanthodium skirrophorum	11	1.60	LC	LC	1	0	0.3		18	2.62	LC	LC	1	0	0.3		39	5.67	LC	LC	1	0	0.3	
Trichodesma zeylanicum var. zeylanicum		0.00							13	1.77	LC	LC	1	0	0.3		10	1.36	LC	LC	1	0	0.3	
Triglochin hexagona		0.00								0.00	RA d(ii)	RA	3	DD	0	(no records) comes up after floods; most records are under he		0.00	NT	NT	2	DD	0	(no records) comes up after floods; most records are u
Triglochin isingiana		0.00								0.00								0.00						
Triglochin multifructa		0.00								0.00							1	50.00	VU D2	VU	4	DD	0	in permanent waterholes; localised; prone to degrading
Triglochin nana		0.00	LC	LC	1	0	0.3	(no records) undercollected; ephemeral		0.00	LC	LC	1	0	0.3	(no records) undercollected; ephemeral		0.00						
Triglochin sp. A (N.N.Donner 3596)		0.00								0.00								0.00						
Triglochin striata																								
Trigonella suavissima		0.00							36	11.92	LC	LC	1	0	0.3		41	13.58	LC	LC	1	0	0.3	
Triodia basedowii		0.00							1	0.16	RA d(ii)	RA	3	DD	0	doubtful ID		0.00						
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii		0.00								0.00								0.00						
Triodia irritans		0.00							1	0.08	RA d(i,ii)	RA	3	0	0.3			0.00						
Triodia longiceps		0.00								0.00								0.00						
Triodia pungens		0.00								0.00								0.00						
Triodia scariosa		0.00								0.00								0.00						
Triodia schinzii		0.00								0.00								0.00						
Tripogon loliiformis	2	0.27	LC	LC	1	0	0.3		49	6.73	LC	LC	1	0	0.3		51	7.01	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Triraphis mollis	8	1.13	LC	LC	1	0	0.3		65	9.19	LC	LC	1	0	0.3		15	2.12	LC	LC	1	0	0.3	
Typha domingensis		0.00							6	1.36	RA d(ii)	RA	3	DD	0		8	1.82	RA d(ii)	RA	3	DD	0	
Typhonium alismifolium		0.00								0.00							9	69.23	RA d(ii)	RA	3	0	0.3	limited habitat
Uranthoecium truncatum		0.00							1	5.56	NT	NT	2	DD	0	poorly collected		0.00						
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00							3	1.92	EN B2ab(i,ii,iii)	EN	5	-	0.4	stock, water quality - threats		0.00						
Velleia arguta		0.00								0.00								0.00						
Velleia connata		0.00								0.00								0.00						
Velleia glabrata		0.00								0.00								0.00						
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia		0.00								0.00								0.00						
Vittadinia arida		0.00							4	4.60	RA d(ii)	RA	3	DD	0			0.00						
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis	3	0.49	NE	NE	-1			taxonomic issues, could be V. sulcata	3	0.49	NE	NE	-1			taxonomic issues, could be V. sulcata		0.00						
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata		0.00								0.00								0.00						
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta		0.00								0.00								0.00						
Vittadinia eremaea	17	4.05	LC	LC	1	0	0.3		29	6.90	LC	LC	1	0	0.3		8	1.90	LC	LC	1	0	0.3	
Vittadinia gracilis		0.00								0.00								0.00						
Vittadinia pterochaeta		0.00							4	6.06	NT	NT	2	DD	0	edge of range	1	1.52	RA d(i,ii)	RA	3	DD	0	
Vittadinia pustulata		0.00								0.00								0.00						
Vittadinia sulcata		0.00								0.00								0.00						
Wahlenbergia aridicola		0.00							2	3.08	RA d(ii)	RA	3	0	0.3	annual		0.00						
Wahlenbergia communis		0.00							19	2.87	LC	LC	1	0	0.3	annual	5	0.75	LC	LC	1	0	0.3	annual
Wahlenbergia gracilenta		0.00							3	0.25	RA d(ii)	RA	3	0	0.3	responds to disturbance	10	0.82	NT	NT	2	0	0.3	responds to disturbance
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00							1	1.79	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	
Wahlenbergia queenslandica		0.00							5	8.33	LC	LC	1	0	0.3		3	5.00	LC	LC	1	0	0.3	
Wahlenbergia stricta ssp. stricta		0.00							1	0.07	RA d(i,ii)	RA	3	-	0.4	outlier; cattle a threat; query ID	5	0.37	RA d(i,ii)	RA	3	DD	0	
Wahlenbergia tumidifructa	2	0.44	LC	LC	1	0	0.3		14	3.08	LC	LC	1	0	0.3		21	4.62	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata	8	2.05	LC	LC	1	0	0.3			0.00								0.00						
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii		0.00								0.00								0.00						
Westringia rigida	1	0.06	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Wurmbea australis		0.00								0.00								0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina		0.00							4	7.41	NT	NT	2	0	0.3	endemic to SA; likes fire		0.00						
Wurmbea deserticola		0.00								0.00								0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00								0.00								0.00						
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum		0.00								0.00								0.00						
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00								0.00								0.00						
Zaleya galericulata ssp. australis		0.00								0.00							2	3.70	LC	LC	1	0	0.3	carried by stock
Zygochloa paradoxa		0.00							29	3.59	LC	LC	1	0	0.3		9	1.11	LC	LC	1	0	0.3	
Zygophyllum ammophilum		0.00							4	1.44	LC	LC	1	0	0.3	has been split from Z billardierei	8	2.89	LC	LC	1	0	0.3	has been split from Z billardierei
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum		0.00							2	0.13	NT	NT	2	0	0.3		7	0.46	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. aurantiacum	6	0.81	LC	LC	1	0	0.3		8	1.07	LC	LC	1	0	0.3		2	0.27	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum	1	1.92	NT	NT	2	DD	0		12	23.08	LC	LC	1	0	0.3		1	1.92	NT	NT	2	DD	0	
Zygophyllum aurantiacum ssp. simplicifolium	2	3.92	RA d(ii)	RA	3	DD	0		2	3.92	RA d(ii)	RA	3	DD	0			0.00						
Zygophyllum aurantiacum ssp. verticillatum		0.00							22	18.33	LC	LC	1	0	0.3			0.00						
Zygophyllum compressum	5	4.90	NT	NT	2	0	0.3		6	5.88	LC	LC	1	0	0.3		2	1.96	RA d(ii)	RA	3	0	0.3	
Zygophyllum confluens		0.00							2	0.58	RA d(ii)	RA	3	DD	0			0.00						
Zygophyllum crassissimum		0.00								0.00								0.00						
Zygophyllum crenatum		0.00							2	0.47	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Zygophyllum eichleri		0.00								0.00								0.00						
Zygophyllum emarginatum		0.00							1	0.88	RA d(i,ii)	RA	3	0	0.3		11	9.73	LC	LC	1	0	0.3	
Zygophyllum eremaeum	19	4.52	LC	LC	1	0	0.3			0.00								0.00						
Zygophyllum glaucum		0.00								0.00								0.00						
Zygophyllum howittii		0.00							14	3.67	LC	LC	1	0	0.3	likes sandy rises	14	3.67	LC	LC	1	0	0.3	likes sandy rises
Zygophyllum humillimum		0.00							5	5.75	RA d(ii)	RA	3	DD	0		14	16.09	LC	LC	1	0	0.3	
Zygophyllum hybridum		0.00							1	3.85	RA d(i,ii)	RA	3	0	0.3	gypseous flats; restricted habitat	10	38.46	NT	NT	2	0	0.3	gypseous flats; endemic to SA
Zygophyllum iodocarpum		0.00							19	5.83	LC	LC	1	0	0.3		18	5.52	LC	LC	1	0	0.3	
Zygophyllum kochii		0.00								0.00								0.00						
Zygophyllum marliesiae		0.00							3	10.34	RA d(ii)	RA	3	0	0.3	endemic to SA	11	37.93	LC	LC	1	0	0.3	endemic to SA
Zygophyllum ovatum	3	0.33	LC	LC	1	0	0.3		1	0.11	RA d(i,ii)	RA	3	0	0.3			0.00						
Zygophyllum prismatothecum		0.00							23	10.04	LC	LC	1	0	0.3		9	3.49	LC	LC	1	0	0.3	
Zygophyllum rowelliae		0.00								0.00							1	3.13	RA d(i,ii)	RA	3	DD	0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	13_Commonwealth Hill_Records	%_Commonwealth Hill	IUCN Status & Criteria (Commonwealth Hill)	Regional Status (Commonwealth Hill)	Regional Status Score (C'wealth Hill)	Trend (-, -, 0, +, ++) Commonwealth Hill	Trend Score (C'wealth Hill)	Comments (Commonwealth Hill)	14_Murnpeowie_Records	%_Murnpeowie	IUCN Status & Criteria (Murnpeowie)	Regional Status (Murnpeowie)	Regional Status Score (Murnpeowie)	Trend (-, -, 0, +, ++) Murnpeowie	Trend Score (Murnpeowie)	Comments (Murnpeowie)	15_Baltana_Records	%_Baltana	IUCN Status & Criteria (Baltana)	Regional Status (Baltana)	Regional Status Score (Baltana)	Trend (-, -, 0, +, ++) Baltana	Trend Score (Baltana)	Comments (Baltana)
Zygophyllum simile	7	1.60	LC	LC	1	0	0.3		20	4.58	LC	LC	1	0	0.3		14	3.20	LC	LC	1	0	0.3	
Zygophyllum tesquorum		0.00								0.00							1	12.50	RA d(i,ii)	RA	3	DD	0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Abutilon cryptopetalum ssp. cryptopetalum		0.00								0.00								0.00						
Abutilon fraseri ssp. diplotrichum		0.00								0.00							1	1.25	RA d(ii)	RA	3	DD	0	
Abutilon fraseri ssp. fraseri	4	5.71	LC	LC	1	0	0.3			0.00							4	5.71	NT	NT	2	0	0.3	
Abutilon halophilum	39	7.25	LC	LC	1	0	0.3		8	1.49	LC	LC	1	0	0.3		71	13.20	LC	LC	1	0	0.3	
Abutilon leucopetalum	27	3.26	LC	LC	1	0	0.3		17	2.05	LC	LC	1	0	0.3		27	3.26	LC	LC	1	0	0.3	
Abutilon macrum	6	13.04	RA d(ii)	RA	3	DD	0			0.00							1	2.17	RA d(ii)	RA	3	DD	0	edge of range
Abutilon malvaefolium	6	7.79	LC	LC	1	0	0.3			0.00							4	5.19	NT	NT	2	0	0.3	
Abutilon otocarpum	6	1.16	LC	LC	1	0	0.3			0.00							5	0.97	LC	LC	1	0	0.3	
Abutilon oxycarpum var. oxycarpum		0.00								0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00								0.00						
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura	61	12.63	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00							4	0.83	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia	17	10.69	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00							2	1.26	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. major	1	2.86	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00								0.00						
Acacia aneura var. microcarpa	1	2.94	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00							2	5.88	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. tenuis		0.00								0.00								0.00						
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana		0.00								0.00							1	3.13	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megaspherica		0.00								0.00								0.00						
Acacia brachystachya	5	3.88	LC	LC	1	0	0.3			0.00							5	3.88	LC	LC	1	0	0.3	
Acacia burkittii		0.00								0.00								0.00						
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola	44	28.95	LC	LC	1	0	0.3		3	1.97	NT	NT	2	0	0.3		31	20.39	LC	LC	1	0	0.3	
Acacia cambagei	17	6.61	LC	LC	1	0	0.3		5	1.95	LC	LC	1	0	0.3		65	25.29	LC	LC	1	0	0.3	
Acacia carneorum		0.00								0.00								0.00						
Acacia clelandii	5	9.62	LC	LC	1	0	0.3	taxonomic issues		0.00								0.00						
Acacia confluens		0.00								0.00								0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla		0.00								0.00								0.00						
Acacia dictyophleba		0.00								0.00								0.00						
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata	2	1.56	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Acacia georginae		0.00								0.00								0.00						
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00								0.00								0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana	33	7.59	LC	LC	1	0	0.3			0.00							8	1.84	NT	NT	2	0	0.3	
Acacia latzii		0.00								0.00								0.00						
Acacia ligulata	4	0.14	NT	NT	2	0	0.3		3	0.10	LC	LC	1	0	0.3		24	0.82	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00								0.00						
Acacia melleodora		0.00								0.00								0.00						
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura	3	1.72	RA d(ii)	RA	3	0	0.3	edge of range; taxonomic issues with other mulgas		0.00								0.00						
Acacia murrayana	2	0.41	RA d(ii)	RA	3	0	0.3			0.00							2	0.41	RA d(ii)	RA	3	0	0.3	
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla	4	0.44	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Acacia olgana	6	4.88	RA d(i,ii)	RA	3	DD	0	has had a name change; likes granites		0.00								0.00						
Acacia oswaldii	28	1.35	LC	LC	1	0	0.3	grazed by camels	1	0.05	NT	NT	2	0	0.3		16	0.77	LC	LC	1	0	0.3	grazed by camels
Acacia pachyacra		0.00								0.00								0.00						
Acacia papyrocarpa	40	3.45	LC	LC	1	0	0.3		1	0.09	NT	NT	2	0	0.3		20	1.73	NT	NT	2	DD	0	could be declining; lack of recruitment, white-fly
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura	6	15.00	NE	NE	-1			taxonomic issues, will be split into 2		0.00								0.00						
Acacia pickardii		0.00								0.00								0.00						
Acacia prainii		0.00								0.00								0.00						
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa		0.00								0.00								0.00						
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla	3	1.14	NE	NE	-1			some taxonomic issues; common on dunes		0.00							8	3.03	NE	NE	-1			some taxonomic issues; common on dunes
Acacia ramulosa var. ramulosa		0.00								0.00							3	3.09	NE	NE	-1			taxonomic issues
Acacia rhodophloia		0.00								0.00								0.00						
Acacia rigens		0.00								0.00								0.00						
Acacia rivalis		0.00								0.00								0.00						
Acacia salicina	10	1.74	LC	LC	1	0	0.3		3	0.52	LC	LC	1	0	0.3		21	3.65	LC	LC	1	0	0.3	
Acacia sericophylla		0.00								0.00								0.00						
Acacia sibirica	43	18.30	LC	LC	1	0	0.3		1	0.43	RA d(ii)	RA	3	DD	0		9	3.83	NT	NT	2	DD	0	
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla		0.00							3	0.39	LC	LC	1	0	0.3		25	3.23	LC	LC	1	0	0.3	
Acacia strongylophylla		0.00								0.00								0.00						
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00								0.00								0.00						
Acacia tetragonophylla	143	6.98	LC	LC	1	0	0.3		10	0.49	LC	LC	1	0	0.3		56	2.73	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00								0.00						
Acacia victoriae ssp. arida	4	4.76	NE	NE	-1			taxonomic issues		0.00								0.00						
Acacia victoriae ssp. victoriae	13	0.88	LC	LC	1	0	0.3		3	0.20	LC	LC	1	0	0.3		5	0.34	LC	LC	1	0	0.3	
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum	2	0.15	NT	NT	2	DD	0	undercollected		0.00							6	0.46	NT	NT	2	DD	0	undercollected
Adriana tomentosa var. hookeri		0.00								0.00								0.00						
Aeschynomene indica	3	4.11	RA d(ii)	RA	3	0	0.3			0.00							6	8.22	NT	NT	2	0	0.3	
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens	26	1.28	LC	LC	1	0	0.3			0.00							2	0.10	NT	NT	2	DD	0	out of range
Allocasuarina decaisneana		0.00								0.00								0.00						
Allocasuarina helmsii		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia	7	7.37	LC	LC	1	0	0.3	ephemeral in SA		0.00							16	16.84	LC	LC	1	0	0.3	ephemeral in SA
Alternanthera denticulata	4	1.10	LC	LC	1	0	0.3		1	0.28	LC	LC	1	0	0.3		17	4.70	LC	LC	1	0	0.3	
Alternanthera nana		0.00								0.00							1	6.25	NT	NT	2	0	0.3	
Alternanthera nodiflora	2	0.93	LC	LC	1	0	0.3			0.00							4	1.87	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. auriculata		0.00								0.00								0.00						
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00							1	1.72	DD	DD	0	DD	0	imprecise location; out of range
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana		0.00								0.00								0.00						
Amaranthus centralis	1	14.29	DD	DD	0	DD	0	records on loan & not databased; undercollected also		0.00								0.00						
Amaranthus cuspidifolius		0.00								0.00								0.00						
Amaranthus grandiflorus	2	2.08	NT	NT	2	0	0.3			0.00							1	1.04	NT	NT	2	0	0.3	
Amaranthus interruptus		0.00								0.00							1	4.00	RA d(ii)	RA	3	0	0.3	
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii	9	9.09	LC	LC	1	0	0.3	dislikes saline ground	2	2.02	LC	LC	1	0	0.3	dislikes saline ground	7	7.07	LC	LC	1	0	0.3	dislikes saline ground
Ammannia multiflora	5	4.67	LC	LC	1	0	0.3			0.00							3	2.80	LC	LC	1	0	0.3	
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus		0.00								0.00								0.00						
Amyema fitzgeraldii	1	7.14	RA d(i,ii)	RA	3	0	0.3	checked by P.Lang		0.00								0.00						
Amyema gibberula var. gibberula		0.00								0.00								0.00						
Amyema hilliana		0.00								0.00								0.00						
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii	42	6.98	LC	LC	1	0	0.3		1	0.17	LC	LC	1	0	0.3		4	0.66	LC	LC	1	0	0.3	
Amyema miquelii	6	0.38	RA d(i,ii)	RA	3	0	0.3	localised; lack of hosts		0.00								0.00						
Amyema miraculosa ssp. boormanii	3	1.01	RA d(i,ii)	RA	3	0	0.3		1	0.34	RA d(i,ii)	RA	3	0	0.3		4	1.34	RA d(i,ii)	RA	3	0	0.3	
Amyema preissii	27	2.80	LC	LC	1	0	0.3			0.00							11	1.14	LC	LC	1	0	0.3	
Amyema quandang var. quandang	7	1.85	LC	LC	1	0	0.3	host Acacia pyrocarpa & others		0.00							20	5.29	LC	LC	1	0	0.3	host Acacia pyrocarpa & others
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana		0.00								0.00							2	4.88	RA d(i,ii)	RA	3	DD	0	occurs in rocky crevices
Anemocarpa podolepidium	14	4.62	LC	LC	1	0	0.3			0.00							44	14.52	LC	LC	1	0	0.3	
Anemocarpa saxatilis	24	42.11	RA d(ii)	RA	3	0	0.3	likes rocks & sand dunes		0.00							14	24.56	RA d(ii)	RA	3	0	0.3	likes rocks & sand dunes
Angianthus brachypappus	2	4.00	RA d(ii)	RA	3	DD	0	ephemeral, likes heavy soils	1	2.00	NT	NT	2	DD	0	ephemeral, likes heavy soils	1	2.00	RA d(ii)	RA	3	DD	0	ephemeral, likes heavy soils
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus	1	0.17	RA d(ii)	RA	3	DD	0			0.00							2	0.35	RA d(ii)	RA	3	DD	0	
Anogramma leptophylla		0.00								0.00								0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena		0.00								0.00								0.00						
Arabidella filifolia	1	0.95	RA d(ii)	RA	3	0	0.3	grows on rocky cliffs	3	2.86	RA d(ii)	RA	3	0	0.3	grows on rocky cliffs		0.00						
Arabidella glaucescens	30	14.49	LC	LC	1	0	0.3		3	1.45	LC	LC	1	0	0.3		43	20.77	LC	LC	1	0	0.3	
Arabidella nasturtium		0.00							2	0.78	LC	LC	1	0	0.3		17	6.64	LC	LC	1	0	0.3	
Arabidella procumbens	2	4.08	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground	2	4.08	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground
Arabidella trisecta	14	2.39	LC	LC	1	0	0.3	likes rocky outcrops	2	0.34	LC	LC	1	0	0.3	likes rocky outcrops		0.00						
Aristida anthoxanthoides	14	8.00	LC	LC	1	0	0.3	short-lived; seasonal		0.00							27	15.43	LC	LC	1	0	0.3	short-lived; seasonal
Aristida arida	2	4.35	RA d(i,ii)	RA	3	DD	0			0.00							1	2.17	RA d(i,ii)	RA	3	DD	0	
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia	3	6.12	NT	NT	2	DD	0	perennial; grows on rocky ground		0.00								0.00						
Aristida contorta	89	4.46	LC	LC	1	0	0.3		10	0.50	LC	LC	1	0	0.3		84	4.21	LC	LC	1	0	0.3	
Aristida holathera var. holathera	6	0.66	LC	LC	1	0	0.3		2	0.22	LC	LC	1	0	0.3		8	0.88	LC	LC	1	0	0.3	tolerates grazing

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Aristida inaequiglumis	4	16.00	RA d(ii)	RA	3	DD	0	not ideal habitat		0.00								0.00						
Aristida jerichoensis var. subspinulifera	2	33.33	RA d(ii)	RA	3	DD	0	scattered throughout		0.00								0.00						
Aristida latifolia	4	3.64	LC	LC	1	0	0.3	stony, gibber habitat	2	1.82	LC	LC	1	0	0.3	stony, gibber habitat	10	9.09	LC	LC	1	0	0.3	stony, gibber habitat
Aristida nitidula	7	1.12	LC	LC	1	0	0.3	likes stony ranges	4	0.64	LC	LC	1	0	0.3	likes stony ranges	11	1.76	LC	LC	1	0	0.3	likes stony ranges
Aristida obscura	1	7.14	NT	NT	2	0	0.3	uncommon		0.00								0.00						
Aristida personata		0.00								0.00								0.00						
Aristida strigosa	19	31.67	LC	LC	1	0	0.3		1	1.67	LC	LC	1	0	0.3		14	23.33	LC	LC	1	0	0.3	
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum		0.00								0.00								0.00						
Asperula conferta		0.00								0.00								0.00						
Asperula gemella		0.00								0.00								0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea		0.00							1	0.98	LC	LC	1	0	0.3		12	11.76	LC	LC	1	0	0.3	
Astrebla pectinata	50	6.84	LC	LC	1	0	0.3		2	0.27	LC	LC	1	0	0.3		80	10.94	LC	LC	1	0	0.3	
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca		0.00								0.00								0.00						
Atriplex acutibractea ssp. acutibractea	1	0.35	RA d(ii)	RA	3	DD	0	grows along roadsides		0.00								0.00						
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba		0.00								0.00								0.00						
Atriplex angulata	8	1.40	LC	LC	1	0	0.3		2	0.35	LC	LC	1	0	0.3		32	5.61	LC	LC	1	0	0.3	
Atriplex cordifolia	4	9.30	NT	NT	2	0	0.3	not common; endemic		0.00								0.00						
Atriplex crassipes var. crassipes	3	5.17	NT	NT	2	0	0.3			0.00							5	8.62	NT	NT	2	0	0.3	
Atriplex eardleyae	1	0.36	RA d(ii)	RA	3	DD	0	edge of range		0.00							7	2.50	LC	LC	1	0	0.3	
Atriplex eichleri		0.00								0.00								0.00						
Atriplex elachophylla	5	4.17	LC	LC	1	0	0.3			0.00							1	0.83	LC	LC	1	0	0.3	
Atriplex fissivalvis	6	3.13	LC	LC	1	0	0.3	ephemeral	1	0.52	LC	LC	1	0	0.3	ephemeral	24	12.50	LC	LC	1	0	0.3	ephemeral
Atriplex holocarpa	19	1.98	LC	LC	1	0	0.3		4	0.42	LC	LC	1	0	0.3		70	7.30	LC	LC	1	0	0.3	
Atriplex humifusa	ble	0.00								0.00							1	16.67	RA d(ii)	RA	3	DD	0	undercollected; ephemeral; lack of data to call Vulnerat
Atriplex incrassata	5	8.47	RA d(ii)	RA	3	DD	0		1	1.69	RA d(ii)	RA	3	DD	0		6	10.17	RA d(ii)	RA	3	DD	0	
Atriplex intermedia		0.00								0.00							4	6.06	LC	LC	1	0	0.3	
Atriplex kochiana		0.00								0.00							1	2.94	VU B2ab(i,ii,iii)	VU	4	-	0.4	grazed by sheep; habitat degradation
Atriplex leptocarpa		0.00								0.00							1	0.34	RA d(ii)	RA	3	DD	0	edge of range
Atriplex limbata	1	0.23	LC	LC	1	0	0.3			0.00							14	3.27	LC	LC	1	0	0.3	
Atriplex lindleyi ssp. conduplicata	3	2.14	LC	LC	1	0	0.3	endemic to SA	1	0.71	LC	LC	1	0	0.3	endemic to SA	9	6.43	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. inflata	1	0.72	NT	NT	2	0	0.3	endemic to SA; undercollected		0.00								0.00						
Atriplex lindleyi ssp. lindleyi	4	1.88	RA d(ii)	RA	3	0	0.3	edge of range		0.00							2	0.94	LC	LC	1	0	0.3	endemic to SA
Atriplex lindleyi ssp. quadripartita		0.00								0.00								0.00						
Atriplex lobativalvis	2	3.45	LC	LC	1	0	0.3			0.00							2	3.45	LC	LC	1	0	0.3	
Atriplex macropterocarpa	1	3.70	RA d(ii)	RA	3	DD	0	perennial		0.00								0.00						
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri	1	1.92	NT	NT	2	DD	0			0.00								0.00						
Atriplex nummularia ssp. nummularia	1	0.53	NT	NT	2	0	0.3	limited habitat		0.00							6	3.21	LC	LC	1	0	0.3	
Atriplex nummularia ssp. omissa	11	6.55	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common where		0.00							56	33.33	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common
Atriplex obconica		0.00							1	2.04	LC	LC	1	0	0.3	endemic to SA	15	30.61	LC	LC	1	0	0.3	endemic to SA
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata	1	1.16	RA d(ii)	RA	3	DD	0			0.00							2	2.33	RA d(ii)	RA	3	DD	0	
Atriplex pumilio		0.00								0.00								0.00						
Atriplex quadrivalvata var. quadrivalvata	4	12.12	RA d(ii)	RA	3	DD	0	likes limestone; not common		0.00							6	18.18	RA d(ii)	RA	3	DD	0	likes limestone; not common
Atriplex quadrivalvata var. sessilifolia	3	15.79	RA d(ii)	RA	3	DD	0			0.00							2	10.53	RA d(ii)	RA	3	DD	0	
Atriplex quinii	73	41.24	LC	LC	1	0	0.3		2	1.13	LC	LC	1	0	0.3		17	9.60	LC	LC	1	0	0.3	
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa	19	2.73	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	5	0.72	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	68	9.78	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land
Atriplex stipitata	3	0.26	NT	NT	2	0	0.3	mallee sp.		0.00								0.00						
Atriplex suberecta		0.00								0.00							1	0.31	NT	NT	2	0	0.3	grows in flooded claypans
Atriplex turbinata	3	12.50	RA d(ii)	RA	3	DD	0	could have declined		0.00							2	8.33	RA d(ii)	RA	3	DD	0	could have declined
Atriplex velutinella	3	0.58	LC	LC	1	0	0.3			0.00							16	3.08	LC	LC	1	0	0.3	
Atriplex vesicaria ssp. calcicola		0.00								0.00								0.00						
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha		0.00								0.00								0.00						
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa	3	0.07	RA d(ii)	RA	3	0	0.3	probably surviving in artificial habitats		0.00								0.00						
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila	3	0.20	RA d(ii)	RA	3	DD	0			0.00								0.00						
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida	16	0.51	LC	LC	1	0	0.3			0.00							11	0.35	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Austrostipa nodosa		0.00								0.00								0.00						
Austrostipa nullanulla	2	3.17	RA d(ii)	RA	3	0	0.3			0.00							2	3.17	RA d(ii)	RA	3	0	0.3	
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta	2	0.36	NT	NT	2	DD	0			0.00							1	0.18	DD	DD	0	DD	0	1 old record
Austrostipa plumigera	1	3.13	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Austrostipa scabra ssp. falcata	1	0.10	RA d(ii)	RA	3	DD	0	on roadsides/tracks where water runs off		0.00								0.00						
Austrostipa scabra ssp. scabra	1	0.23	RA d(ii)	RA	3	DD	0			0.00							1	0.23	RA d(ii)	RA	3	DD	0	
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla		0.00								0.00								0.00						
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides		0.00								0.00								0.00						
Baeckea tuberculata		0.00								0.00								0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva		0.00								0.00								0.00						
Baumea arthrophylla		0.00							2	0.82	VU D2	VU	4	DD	0	needs permanent water		0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00							3	0.36	VU D2	VU	4	DD	0	in mound springs; needs good quality water		0.00						
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00								0.00						
Bergia occultipetala		0.00								0.00							1	5.56	NT	NT	2	0	0.3	
Bergia pedicellaris		0.00								0.00								0.00						
Bergia perennis ssp. exigua		0.00								0.00								0.00						
Bergia trimera	10	8.47	LC	LC	1	0	0.3	comes & goes		0.00							1	0.85	NT	NT	2	0	0.3	comes & goes
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens		0.00							1	1.54	NT	NT	2	0	0.3		1	1.54	NT	NT	2	0	0.3	
Blennodia pterosperma		0.00								0.00								0.00						
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea	5	2.94	LC	LC	1	0	0.3		2	1.18	LC	LC	1	0	0.3		8	4.71	LC	LC	1	0	0.3	
Boerhavia dominii	6	0.85	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	8	1.14	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	23	3.27	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance
Boerhavia repleta		0.00								0.00								0.00						
Boerhavia schomburgkiana		0.00								0.00							32	10.13	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii		0.00							2	0.53	NT	NT	2	0	0.3		11	2.89	NT	NT	2	0	0.3	
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta		0.00								0.00								0.00						
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana		0.00							1	2.00	RA d(ii)	RA	3	DD	0		2	4.00	RA d(ii)	RA	3	DD	0	
Bothriochloa macra	1	0.93						introduced		0.00								0.00						
Brachiaria gilesii		0.00								0.00							3	23.08	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent
Brachiaria notochthona		0.00								0.00							1	7.69	NT	NT	2	0	0.3	undercollected, ephemeral, rain dependent
Brachiaria piligera		0.00								0.00							7	13.73	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral
Brachiaria praetervisa	6	4.23	LC	LC	1	0	0.3	likes flooded areas; ephemeral	1	0.70	LC	LC	1	0	0.3	likes flooded areas; ephemeral	12	8.45	LC	LC	1	0	0.3	likes flooded areas; ephemeral
Brachyachne ciliaris		0.00								0.00							7	10.29	LC	LC	1	0	0.3	
Brachychiton gregorii		0.00								0.00								0.00						
Brachyscome blackii		0.00								0.00								0.00						
Brachyscome campylocarpa		0.00								0.00								0.00						
Brachyscome ciliaris var. ciliaris	3	0.28	LC	LC	1	0	0.3	under represented; taxonomic issues	2	0.18	LC	LC	1	0	0.3	under represented; taxonomic issues	6	0.55	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lanuginosa	13	2.20	LC	LC	1	0	0.3		3	0.51	LC	LC	1	0	0.3		10	1.69	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lyrifolia		0.00								0.00								0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00								0.00								0.00						
Brachyscome dichromosomatica var. dichromosomatica		0.00								0.00								0.00						
Brachyscome eriogona	5	7.14	LC	LC	1	DD	0	not all records databased; endemic to SA		0.00							14	20.00	LC	LC	1	DD	0	not all records databased; endemic to SA
Brachyscome iberidifolia		0.00								0.00								0.00						
Brachyscome lineariloba	4	0.27	LC	LC	1	0	0.3		1	0.07	LC	LC	1	0	0.3	under represented	6	0.41	LC	LC	1	0	0.3	
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum		0.00							4	17.39	RA d(i,ii)	RA	3	DD	0			0.00						
Brachyscome trachycarpa		0.00								0.00								0.00						
Bromus arenarius		0.00							1	0.26	NT	NT	2	0	0.3		1	0.26	NT	NT	2	0	0.3	
Brunonia australis	3	0.46	RA d(i,ii)	RA	3	DD	0			0.00							3	0.46	RA d(ii)	RA	3	DD	0	
Bulbine alata	11	3.59	LC	LC	1	0	0.3		1	0.33	LC	LC	1	0	0.3		32	10.46	LC	LC	1	0	0.3	
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata	3	0.28	LC	LC	1	0	0.3			0.00							9	0.84	LC	LC	1	0	0.3	
Bulbostylis barbata	1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral		0.00							2	6.67	NT	NT	2	0	0.3	common after summer rain; ephemeral
Bulbostylis pyriformis																			RA d(ii)	RA	3	DD	0	(no records) R Bates collected at Wirrida Lake 2003
Bulbostylis turbinata		0.00								0.00							1	14.29	RA d(ii)	RA	3	DD	0	
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis	1	0.95	NT	NT	2	0	0.3			0.00							2	1.90	NT	NT	2	0	0.3	
Calandrinia corrigioloides		0.00							1	0.95	RA d(i,ii)	RA	3	DD	0	outlier, query ID, to check		0.00						
Calandrinia disperma		0.00								0.00								0.00						
Calandrinia eremaea	14	1.07	LC	LC	1	0	0.3			0.00							8	0.61	LC	LC	1	0	0.3	
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra	3	2.80	NT	NT	2	0	0.3			0.00								0.00						
Calandrinia ptychosperma	3	2.75	NT	NT	2	DD	0			0.00							3	2.75	NT	NT	2	DD	0	
Calandrinia pumila	5	14.29	NT	NT	2	0	0.3			0.00							4	11.43	NT	NT	2	0	0.3	
Calandrinia remota	14	14.29	LC	LC	1	0	0.3			0.00							5	5.10	NT	NT	2	DD	0	could be more records on loan & not databased
Calandrinia reticulata		0.00								0.00							1	2.44	NT	NT	2	0	0.3	
Calandrinia stagnensis		0.00								0.00								0.00						
Calandrinia volubilis		0.00								0.00								0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi	1	4.35	RA d(ii)	RA	3	0	0.3	undercollected, very small, occurs in large numbers in floods		0.00							1	4.35	RA d(ii)	RA	3	0	0.3	undercollected, very small, occurs in large numbers in f
Callitris glaucophylla		0.00								0.00								0.00						
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii	3	5.66	RA d(ii)	RA	3	DD	0			0.00							1	1.89	RA d(ii)	RA	3	DD	0	
Calocephalus platycephalus	4	1.15	LC	LC	1	0	0.3		1	0.29	LC	LC	1	0	0.3		10	2.88	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00								0.00								0.00						
Calostemma luteum	1	3.57	NT	NT	2	0	0.3		1	3.57	NT	NT	2	0	0.3		4	14.29	NT	NT	2	0	0.3	
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa		0.00								0.00								0.00						
Calotis cymbacantha	3	0.90	LC	LC	1	0	0.3		1	0.30	LC	LC	1	0	0.3		5	1.49	LC	LC	1	0	0.3	
Calotis erinacea		0.00								0.00								0.00						
Calotis hispidula	34	1.60	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	3	0.14	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	59	2.78	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei	2	8.33	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing		0.00							3	12.50	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula	9	5.73	NT	NT	2	DD	0		2	1.27	RA d(i,ii)	RA	3	DD	0		2	1.27	RA d(i,ii)	RA	3	DD	0	
Calotis multicaulis	6	3.70	NT	NT	2	DD	0			0.00							5	3.09	NT	NT	2	DD	0	
Calotis plumulifera	18	4.35	LC	LC	1	0	0.3		2	0.48	LC	LC	1	0	0.3		27	6.52	LC	LC	1	0	0.3	
Calotis porphyroglossa		0.00								0.00							2	1.79	RA d(ii)	RA	3	DD	0	
Calotis scabiosifolia var. scabiosifolia		0.00								0.00								0.00						
Calytrix carinata		0.00								0.00								0.00						
Calytrix gypsophila	2	5.88	DD	DD	0	DD	0	found around gypseous soils/lagoons; lack of data & knowledg		0.00								0.00						
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii		0.00								0.00								0.00						
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca		0.00								0.00							4	12.50	RA d(ii)	RA	3	0	0.3	endemic to SA
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis		0.00								0.00								0.00						
Cassytha flindersii		0.00								0.00								0.00						
Casuarina pauper	5	0.31	LC	LC	1	0	0.3			0.00							2	0.12	NT	NT	2	-	0.4	grazed
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00								0.00						
Centipeda crateriformis ssp. crateriformis		0.00								0.00							3	3.45	LC	LC	1	0	0.3	
Centipeda cunninghamii	1	0.53	LC	LC	1	0	0.3			0.00							5	2.65	LC	LC	1	0	0.3	
Centipeda minima ssp. minima	1	1.67	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala		0.00								0.00							5	20.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral
Centipeda thespidioides	14	7.25	LC	LC	1	0	0.3			0.00							20	10.36	LC	LC	1	0	0.3	
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica		0.00							1	2.70	NT	NT	2	0	0.3		2	5.41	NT	NT	2	0	0.3	
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii		0.00								0.00								0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla	20	1.90	RA d(ii)	RA	3	0	0.3		2	0.19	RA d(ii)	RA	3	0	0.3		11	1.05	RA d(ii)	RA	3	0	0.3	
Cheilanthes sieberi ssp. pseudovellea	2	11.76	RA d(i,ii)	RA	3	DD	0	likes rich soils		0.00							1	5.88	RA d(i,ii)	RA	3	DD	0	likes rich soils
Cheilanthes sieberi ssp. sieberi	6	0.86	RA d(ii)	RA	3	DD	0		1	0.14	RA d(ii)	RA	3	DD	0		4	0.57	RA d(ii)	RA	3	DD	0	
Chenopodium auricomum		0.00								0.00							39	12.23	LC	LC	1	0	0.3	
Chenopodium curvispicatum		0.00								0.00							1	0.13	RA d(ii)	RA	3	0	0.3	
Chenopodium desertorum ssp. anidiophyllum	1	0.69	NT	NT	2	0	0.3	on creeklines		0.00								0.00						
Chenopodium desertorum ssp. desertorum	3	0.42	NT	NT	2	0	0.3			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Chenopodium desertorum ssp. microphyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00								0.00						
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum	13	4.45	LC	LC	1	0	0.3			0.00							6	2.05	LC	LC	1	0	0.3	
Chloris pectinata	2	1.47	LC	LC	1	0	0.3			0.00							28	20.59	LC	LC	1	0	0.3	
Chloris truncata		0.00								0.00								0.00						
Chrysocephalum apiculatum	5	0.43	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3	
Chrysocephalum eremaeum		0.00								0.00							1	0.35	RA d(i,ii)	RA	3	DD	0	edge of range
Chrysocephalum pterochaetum	15	4.34	LC	LC	1	0	0.3		1	0.29	NT	NT	2	0	0.3		2	0.58	NT	NT	2	0	0.3	
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax	1	4.35						introduced		0.00								0.00						
Chthonocephalus pseudevax		0.00							1	0.48	LC	LC	1	0	0.3		1	0.48	LC	LC	1	0	0.3	
Citrus glauca		0.00								0.00								0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens		0.00								0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa	3	2.46	LC	LC	1	0	0.3	common roadside spp	10	8.20	LC	LC	1	0	0.3		15	12.30	LC	LC	1	0	0.3	common roadside spp
Codonocarpus cotinifolius	1	0.35	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Codonocarpus pyramidalis		0.00								0.00								0.00						
Comesperma viscidulum		0.00								0.00								0.00						
Commelina ensifolia		0.00								0.00							1	33.33	DD	DD	0	DD	0	unlikely in this region; imprecise location
Commicarpus australis		0.00							2	1.46	RA d(i,ii)	RA	3	DD	0		1	0.73	RA d(i,ii)	RA	3	DD	0	
Convolvulus clementii	4	2.07	LC	LC	1	0	0.3			0.00							5	2.59	LC	LC	1	0	0.3	
Convolvulus crispifolius		0.00								0.00								0.00						
Convolvulus eyreanus		0.00							1	1.18	LC	LC	1	0	0.3		2	2.35	LC	LC	1	0	0.3	
Convolvulus microsepalus		0.00								0.00								0.00						
Convolvulus recurvatus ssp. nullarborensis		0.00								0.00								0.00						
Convolvulus recurvatus ssp. recurvatus		0.00								0.00								0.00						
Convolvulus remotus	24	1.37	LC	LC	1	0	0.3		3	0.17	LC	LC	1	0	0.3		18	1.03	LC	LC	1	0	0.3	
Convolvulus tedmoorei			NT	NT	2	0	0.3	(no records), newly recognised for SA																
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea	4	2.11	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis		0.00								0.00								0.00						
Corynotheca micrantha var. divaricata		0.00								0.00								0.00						
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata	2	0.17	NT	NT	2	0	0.3			0.00							2	0.17	NT	NT	2	0	0.3	
Crassula colorata var. colorata	1	0.17	NT	NT	2	0	0.3	along road sides, in crevices		0.00								0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera	1	0.60	NT	NT	2	0	0.3	records missing due to taxo changes		0.00							2	1.20	NT	NT	2	0	0.3	records missing due to taxo changes
Cratystylis conocephala		0.00								0.00								0.00						
Cremnothamnus thomsonii		0.00								0.00								0.00						
Cressa australis		0.00								0.00							3	1.16	LC	LC	1	0	0.3	likes clay, low-lying areas
Crinum flaccidum	2	1.08	LC	LC	1	0	0.3		1	0.54	LC	LC	1	0	0.3		4	2.15	LC	LC	1	0	0.3	
Crotalaria cunninghamii ssp. sturtii		0.00								0.00	LC	LC	1	0	0.3	(no records) records are under C cunninghamii		0.00						
Crotalaria eremaea ssp. eremaea	1	0.26	RA d(i,ii)	RA	3	0	0.3		1	0.26	RA d(i,ii)	RA	3	0	0.3		1	0.26	RA d(i,ii)	RA	3	0	0.3	
Crotalaria eremaea ssp. strehlowii	3	1.28	RA d(ii)	RA	3	0	0.3		6	2.55	LC	LC	1	0	0.3		32	13.62	LC	LC	1	0	0.3	
Crotalaria medicaginea var. neglecta		0.00								0.00							2	25.00	RA d(ii)	RA	3	DD	0	outlier - needs checking
Crotalaria novae-hollandiae ssp. lasiophylla		0.00								0.00								0.00						
Crotalaria smithiana		0.00								0.00							1	1.56	RA d(i,ii)	RA	3	DD	0	
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus		0.00							6	1.90	LC	LC	1	0	0.3	now known as C argenteus	7	2.22	LC	LC	1	0	0.3	now known as C argenteus
Cucumis melo		0.00								0.00							5	7.14	LC	LC	1	0	0.3	
Cullen australasicum	5	0.63	LC	LC	1	0	0.3		3	0.38	LC	LC	1	0	0.3		55	6.90	LC	LC	1	0	0.3	
Cullen cinereum	4	1.59	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.		0.00							23	9.13	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.
Cullen discolor		0.00								0.00							3	2.21	NT	NT	2	DD	0	
Cullen graveolens	10	4.52	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads easily		0.00							26	11.76	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas
Cullen pallidum	1	0.44	RA d(i,ii)	RA	3	DD	0	edge of range		0.00							4	1.77	NT	NT	2	DD	0	
Cullen parvum		0.00								0.00								0.00						
Cullen patens		0.00							1	1.72	RA d(ii)	RA	3	DD	0	edge of range	3	5.17	RA d(ii)	RA	3	DD	0	edge of range
Cuphonotus andraeanus	4	50.00	RA d(ii)	RA	3	0	0.3	likes rich red soils; locally common		0.00								0.00						
Cuphonotus humistratus	1	25.00	RA d(ii)	RA	3	DD	0	likes rich red soils; disjunct population		0.00							1	25.00	RA d(ii)	RA	3	DD	0	likes rich red soils; disjunct population
Cuscuta victoriana	1	2.94	NT	NT	2	0	0.3	parasitic sp; very cryptic	1	2.94	NT	NT	2	0	0.3	parasitic sp; very cryptic	2	5.88	NT	NT	2	0	0.3	parasitic sp; very cryptic
Cymbopogon ambiguus	2	0.20	RA d(ii)	RA	3	DD	0	in low granite hills	2	0.20	RA d(ii)	RA	3	DD	0			0.00						
Cymbopogon obtectus		0.00								0.00								0.00						
Cynanchum floribundum		0.00								0.00								0.00						
Cynoglossum australe		0.00								0.00								0.00						
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus	5	2.66	NT	NT	2	0	0.3	in creeks with seepage	1	0.53	NT	NT	2	0	0.3	in creeks with seepage	12	6.38	NT	NT	2	0	0.3	in creeks with seepage

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00							1	33.33	DD	DD	0	DD	0	taxonomic issues, lack of records, easy to find
Cyperus bifax		0.00								0.00								0.00						
Cyperus bulbosus	1	0.60	RA d(i,ii)	RA	3	0	0.3	needs drainage lines	1	0.60	RA d(i,ii)	RA	3	0	0.3	needs drainage lines	20	11.90	LC	LC	1	0	0.3	needs drainage lines
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis	1	1.37	RA d(i,ii)	RA	3	DD	0	edge of range		0.00							1	1.37	RA d(i,ii)	RA	3	DD	0	
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00								0.00							1	4.35	VU D2	VU	4	DD	0	
Cyperus difformis	1	0.99	RA d(ii)	RA	3	DD	0			0.00							4	3.96	NT	NT	2	0	0.3	
Cyperus exaltatus		0.00								0.00							5	5.10	NT	NT	2	0	0.3	in creek lines
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii	2	4.88	NT	NT	2	0	0.3			0.00							4	9.76	NT	NT	2	0	0.3	
Cyperus gymnocaulos		0.00							7	0.76	LC	LC	1	0	0.3		17	1.84	LC	LC	1	0	0.3	
Cyperus iria	7	8.43	LC	LC	1	0	0.3			0.00							13	15.66	LC	LC	1	0	0.3	
Cyperus laevigatus	1	0.27	RA d(i,ii)	RA	3	DD	0	edge of range, limited habitat	6	1.62	NT	NT	2	0	0.3	needs permanent water	15	4.05	NT	NT	2	0	0.3	needs permanent water
Cyperus nervulosus		0.00								0.00							1	12.50	RA d(i,ii)	RA	3	DD	0	outlier
Cyperus pygmaeus	1	1.54	RA d(ii)	RA	3	DD	0			0.00							1	1.54	RA d(ii)	RA	3	DD	0	
Cyperus rigidellus	5	4.27	NT	NT	2	0	0.3			0.00							6	5.13	LC	LC	1	0	0.3	
Cyperus squarrosus	3	3.75	NT	NT	2	0	0.3		1	1.25	NT	NT	2	0	0.3		4	5.00	LC	LC	1	0	0.3	
Cyperus vaginatus		0.00								0.00								0.00						
Cyperus victoriensis	2	1.02	RA d(ii)	RA	3	DD	0			0.00							24	12.18	LC	LC	1	0	0.3	
Dactyloctenium radulans	29	4.05	LC	LC	1	0	0.3		5	0.70	LC	LC	1	0	0.3		68	9.50	LC	LC	1	0	0.3	
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus	36	0.96	LC	LC	1	0	0.3		2	0.05	LC	LC	1	0	0.3		21	0.56	LC	LC	1	0	0.3	
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata		0.00							1	0.93	RA d(ii)	RA	3	0	0.3	grows on interdune swales	1	0.93	RA d(ii)	RA	3	0	0.3	grows on interdune swales
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius	1	0.87	LC	LC	1	0	0.3			0.00							6	5.22	LC	LC	1	0	0.3	ephemeral; tolerates disturbance
Dichanthium sericeum ssp. sericeum	3	1.75	RA d(ii)	RA	3	DD	0		1	0.58	RA d(ii)	RA	3	DD	0	perennial	4	2.34	RA d(ii)	RA	3	DD	0	perennial
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia	6	4.38	LC	LC	1	0	0.3		4	2.92	LC	LC	1	0	0.3		15	10.95	LC	LC	1	0	0.3	
Dicrastylis beveridgei var. beveridgei		0.00								0.00								0.00						
Dicrastylis beveridgei var. lanata		0.00								0.00							2	1.89	NT	NT	2	0	0.3	edge of range
Dicrastylis costelloi var. costelloi		0.00							1	2.22	RA d(ii)	RA	3	DD	0		5	11.11	LC	LC	1	0	0.3	
Dicrastylis costelloi var. eriantha		0.00								0.00							1	50.00	DD	DD	0	DD	0	
Dicrastylis costelloi var. globulifera		0.00								0.00							2	50.00	DD	DD	0	DD	0	
Dicrastylis costelloi var. violacea		0.00								0.00							2	9.52	RA d(ii)	RA	3	DD	0	
Dicrastylis exsuccosa var. tomentosa		0.00								0.00								0.00						
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila	1	0.62	NT	NT	2	DD	0		1	0.62	NT	NT	2	DD	0		7	4.35	LC	LC	1	0	0.3	
Digitaria brownii	14	1.73	LC	LC	1	0	0.3		3	0.37	LC	LC	1	0	0.3		17	2.11	LC	LC	1	0	0.3	
Digitaria coenicola	1	0.65	RA d(ii)	RA	3	DD	0			0.00							3	1.96	RA d(ii)	RA	3	DD	0	likes rocky areas
Digitaria ctenantha		0.00								0.00								0.00						
Dimorphocoma minutula	3	7.32	RA d(i,ii)	RA	3	DD	0		1	2.44	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Diplatia grandibractea	1	1.11	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00							8	8.89	LC	LC	1	0	0.3	lots of hosts
Dipteracanthus australasicus ssp. australasicus	1	6.67	RA d(i,ii)	RA	3	-	0.4	cattle a threat		0.00							1	6.67	RA d(i,ii)	RA	3	-	0.4	cattle a threat
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum		0.00								0.00								0.00						
Dissocarpus biflorus var. biflorus	5	0.89	NT	NT	2	0	0.3	edge of range	1	0.18	LC	LC	1	0	0.3		1	0.18	LC	LC	1	0	0.3	
Dissocarpus biflorus var. villosus	3	11.54	RA d(ii)	RA	3	DD	0			0.00								0.00						
Dissocarpus fontinalis	1	2.94	NT	NT	2	DD	0	edge of range		0.00								0.00						
Dissocarpus latifolius	1	5.26	NT	NT	2	DD	0			0.00								0.00						
Dissocarpus paradoxus	29	2.13	LC	LC	1	0	0.3			0.00							52	3.82	LC	LC	1	0	0.3	
Distichlis distichophylla		0.00								0.00								0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00								0.00								0.00						
Dodonaea microzyga var. microzyga	19	3.49	LC	LC	1	0	0.3	grows on rocks on edge of salt pans	3	0.55	LC	LC	1	0	0.3	grows on rocks on edge of salt pans	12	2.21	LC	LC	1	0	0.3	grows on rocks on edge of salt pans
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima	5	0.18	LC	LC	1	0	0.3			0.00							4	0.14	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Dodonaea viscosa ssp. mucronata	9	5.33	LC	LC	1	0	0.3			0.00								0.00						
Dodonaea viscosa ssp. spatulata	1	0.07	RA d(ii)	RA	3	DD	0			0.00							2	0.14	RA d(ii)	RA	3	DD	0	
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica	1	7.69	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00							2	15.38	RA d(ii)	RA	3	0	0.3	southern edge of range
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii		0.00								0.00								0.00						
Dysphania cristata		0.00								0.00							6	1.61	LC	LC	1	0	0.3	
Dysphania glomulifera ssp. eremaea	1	4.00	LC	LC	1	0	0.3	undercollected; ephemeral		0.00							4	16.00	LC	LC	1	0	0.3	undercollected; ephemeral
Dysphania glomulifera ssp. glomulifera		0.00								0.00								0.00						
Dysphania kalpari	7	25.00	LC	LC	1	0	0.3			0.00							1	3.57	LC	LC	1	0	0.3	
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa	3	2.14	LC	LC	1	0	0.3			0.00							1	0.71	LC	LC	1	0	0.3	
Dysphania plantaginella		0.00								0.00							2	3.77	LC	LC	1	0	0.3	
Dysphania platycarpa		0.00								0.00							2	4.44	NT	NT	2	0	0.3	
Dysphania pumilio	1	0.32	LC	LC	1	0	0.3			0.00							3	0.95	LC	LC	1	0	0.3	
Dysphania rhadinostachya ssp. rhadinostachya	1	4.55	NT	NT	2	DD	0			0.00								0.00						
Dysphania simulans		0.00								0.00							1	2.78	LC	LC	1	0	0.3	small, ephemeral, undercollected
Dysphania truncata		0.00								0.00								0.00						
Echinochloa inundata		0.00								0.00								0.00						
Echinochloa turneriana		0.00								0.00								0.00						
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa	1	5.00	RA d(i,ii)	RA	3	0	0.3	undercollected		0.00								0.00						
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	7	3.30	LC	LC	1	0	0.3			0.00							22	10.38	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans	4	0.30	NT	NT	2	0	0.3			0.00							3	0.22	NT	NT	2	0	0.3	
Einadia nutans ssp. oxycarpa		0.00								0.00								0.00						
Elachanthus pusillus	2	1.05	RA d(i,ii)	RA	3	DD	0	very small sp		0.00								0.00						
Elatine gratioloides	1	1.14	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens	7	4.35	LC	LC	1	0	0.3			0.00							13	8.07	LC	LC	1	0	0.3	
Eleocharis papillosa		0.00								0.00								0.00						
Eleocharis plana		0.00								0.00								0.00						
Eleocharis pusilla		0.00								0.00							2	3.57	RA d(ii)	RA	3	DD	0	short-lived; undercollected
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus	1	3.13	LC	LC	1	0	0.3	undercollected flood ephemeral		0.00							4	12.50	LC	LC	1	0	0.3	undercollected flood ephemeral
Embadium johnstonii	2	7.14	NT	NT	2	0	0.3			0.00							7	25.00	LC	LC	1	0	0.3	
Embadium uncinatum		0.00								0.00								0.00						
Enchylaena tomentosa var. glabra	9	6.92	LC	LC	1	0	0.3			0.00							27	20.77	LC	LC	1	0	0.3	
Enchylaena tomentosa var. tomentosa	11	0.18	LC	LC	1	0	0.3		3	0.05	LC	LC	1	0	0.3		9	0.15	LC	LC	1	0	0.3	
Enneapogon avenaceus	51	2.92	LC	LC	1	0	0.3		8	0.46	LC	LC	1	0	0.3		49	2.80	LC	LC	1	0	0.3	
Enneapogon caerulescens	7	3.47	LC	LC	1	0	0.3		1	0.50	RA d(ii)	RA	3	DD	0		2	0.99	RA d(ii)	RA	3	DD	0	
Enneapogon cylindricus	43	4.15	LC	LC	1	0	0.3		9	0.87	LC	LC	1	0	0.3		28	2.70	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius	2	4.00	NT	NT	2	0	0.3		1	2.00	NT	NT	2	0	0.3		1	2.00	NT	NT	2	0	0.3	
Enneapogon lindleyanus	1	1.92	RA d(ii)	RA	3	DD	0			0.00							1	1.92	RA d(ii)	RA	3	DD	0	
Enneapogon nigricans	2	0.29	NT	NT	2	0	0.3		1	0.14	NT	NT	2	0	0.3		2	0.29	NT	NT	2	0	0.3	
Enneapogon polyphyllus	38	2.99	LC	LC	1	0	0.3		6	0.47	LC	LC	1	0	0.3		59	4.63	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00								0.00						
Enteropogon acicularis	4	1.62	NT	NT	2	DD	0		3	1.21	NT	NT	2	DD	0		3	1.21	NT	NT	2	DD	0	
Enteropogon ramosus	26	8.05	LC	LC	1	0	0.3		3	0.93	NT	NT	2	DD	0		21	6.50	LC	LC	1	0	0.3	
Epaltes australis		0.00								0.00							1	0.42	RA d(i,ii)	RA	3	DD	0	edge of range
Epaltes cunninghamii		0.00								0.00							3	2.05	NT	NT	2	DD	0	
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica	5	1.52	LC	LC	1	0	0.3	clay pans, swamps	1	0.30	LC	LC	1	0	0.3	clay pans, swamps	16	4.85	LC	LC	1	0	0.3	clay pans, swamps
Eragrostis basedowii	1	0.85	NT	NT	2	DD	0		1	0.85	NT	NT	2	DD	0		4	3.42	NT	NT	2	DD	0	
Eragrostis confertiflora		0.00								0.00								0.00						
Eragrostis cumingii		0.00								0.00								0.00						
Eragrostis dielsii var. dielsii	5	0.76	LC	LC	1	0	0.3		5	0.76	LC	LC	1	0	0.3		27	4.13	LC	LC	1	0	0.3	
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda	11	1.41	LC	LC	1	0	0.3		2	0.26	LC	LC	1	0	0.3		19	2.44	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata	2	1.11	LC	LC	1	0	0.3	likes saline areas	1	0.56	LC	LC	1	0	0.3	likes saline areas	8	4.44	LC	LC	1	0	0.3	likes saline areas
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae		0.00								0.00								0.00						
Eragrostis lacunaria	1	1.45	RA d(ii)	RA	3	DD	0			0.00							2	2.90	RA d(ii)	RA	3	DD	0	around lagoons, creeks, river systems

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Eragrostis laniflora	4	1.56	LC	LC	1	0	0.3			0.00							4	1.56	LC	LC	1	0	0.3	
Eragrostis lanipes	2	4.26	NT	NT	2	DD	0			0.00								0.00						
Eragrostis leptocarpa	5	1.99	LC	LC	1	0	0.3		3	1.20	LC	LC	1	0	0.3		23	9.16	LC	LC	1	0	0.3	
Eragrostis parviflora	1	0.52	LC	LC	1	0	0.3			0.00							8	4.15	LC	LC	1	0	0.3	
Eragrostis pergracilis	9	16.07	LC	LC	1	0	0.3			0.00							2	3.57	NT	NT	2	DD	0	
Eragrostis setifolia	52	4.34	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3		113	9.42	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00								0.00								0.00						
Eragrostis speciosa		0.00								0.00								0.00						
Eragrostis tenellula	2	3.45	LC	LC	1	0	0.3			0.00							3	5.17	LC	LC	1	0	0.3	
Eragrostis xerophila	13	3.51	LC	LC	1	0	0.3		2	0.54	LC	LC	1	0	0.3		15	4.05	LC	LC	1	0	0.3	
Eremophea spinosa		0.00								0.00								0.00						
Eremophila alternifolia	7	0.57	LC	LC	1	0	0.3			0.00							2	0.16	RA d(ii)	RA	3	0	0.3	
Eremophila arachnoides ssp. tenera		0.00								0.00								0.00						
Eremophila arenaria		0.00								0.00								0.00						
Eremophila battii	2	3.77	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eremophila bignoniiflora		0.00								0.00							4	2.37	RA d(ii)	RA	3	0	0.3	limited habitat, localised
Eremophila clarkei	1	2.04	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti		0.00								0.00							2	0.29	RA d(ii)	RA	3	DD	0	
Eremophila duttonii	26	4.44	LC	LC	1	0	0.3			0.00							8	1.37	LC	LC	1	0	0.3	
Eremophila elderi		0.00								0.00								0.00						
Eremophila fallax		0.00								0.00								0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii	156	10.62	LC	LC	1	0	0.3		16	1.09	LC	LC	1	0	0.3		91	6.19	LC	LC	1	0	0.3	
Eremophila gibsonii		0.00								0.00								0.00						
Eremophila gilesii ssp. gilesii	18	9.14	LC	LC	1	0	0.3			0.00							4	2.03	LC	LC	1	0	0.3	
Eremophila glabra ssp. glabra	6	0.37	LC	LC	1	0	0.3		1	0.06	RA d(ii)	RA	3	DD	0		12	0.74	LC	LC	1	0	0.3	
Eremophila latrobei ssp. glabra	19	2.50	LC	LC	1	0	0.3		6	0.79	LC	LC	1	0	0.3		17	2.23	LC	LC	1	0	0.3	
Eremophila latrobei ssp. latrobei	38	26.03	LC	LC	1	0	0.3			0.00							13	8.90	LC	LC	1	0	0.3	
Eremophila longifolia	8	0.65	LC	LC	1	0	0.3		3	0.24	LC	LC	1	0	0.3		14	1.13	LC	LC	1	0	0.3	
Eremophila macdonnellii	2	0.80	RA d(ii)	RA	3	DD	0		1	0.40	RA d(ii)	RA	3	DD	0		24	9.60	LC	LC	1	0	0.3	
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata	5	1.61	NT	NT	2	0	0.3		1	0.32	NT	NT	2	0	0.3		23	7.42	LC	LC	1	0	0.3	
Eremophila neglecta	52	25.87	LC	LC	1	0	0.3			0.00							27	13.43	LC	LC	1	0	0.3	
Eremophila obovata ssp. obovata		0.00								0.00								0.00						
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia	3	0.64	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Eremophila paisleyi ssp. glandulosa		0.00								0.00							6	18.75	RA d(i,ii)	RA	3	DD	0	edge of range
Eremophila paisleyi ssp. paisleyi		0.00								0.00							2	1.61	RA d(ii)	RA	3	DD	0	
Eremophila pentaptera	1	3.57	VU D2	VU	4	DD	0	very localised		0.00							2	7.14	VU D2	VU	4	DD	0	very localised
Eremophila platythamnos ssp. exotrachys		0.00								0.00								0.00						
Eremophila polyclada		0.00								0.00								0.00						
Eremophila rotundifolia	66	26.29	LC	LC	1	0	0.3	endemic to SA	7	2.79	LC	LC	1	0	0.3	endemic to SA	23	9.16	LC	LC	1	0	0.3	endemic to SA
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia	9	0.72	LC	LC	1	0	0.3			0.00							5	0.40	NT	NT	2	0	0.3	limited habitat
Eremophila serrulata	41	7.81	LC	LC	1	0	0.3		2	0.38	LC	LC	1	0	0.3		7	1.33	LC	LC	1	0	0.3	
Eremophila sturtii	1	0.22	RA d(ii)	RA	3	0	0.3			0.00							1	0.22	RA d(ii)	RA	3	0	0.3	
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata		0.00								0.00								0.00						
Eremophila verrucosa ssp. verrucosa	10	52.63	RA d(ii)	RA	3	0	0.3	highly restricted; poorly collected; has been a variety		0.00								0.00						
Eremophila willsii ssp. integrifolia	1	0.61	RA d(i,ii)	RA	3	DD	0	edge of range		0.00							1	0.61	DD	DD	0	DD	0	old record
Eremophila willsii ssp. willsii	1	2.17	RA d(ii)	RA	3	DD	0	edge of range		0.00							2	4.35	RA d(ii)	RA	3	DD	0	edge of range
Eriachne aristidea		0.00								0.00							5	2.06	LC	LC	1	0	0.3	
Eriachne helmsii	11	4.33	LC	LC	1	0	0.3			0.00							1	0.39	LC	LC	1	0	0.3	
Eriachne mucronata	14	5.56	LC	LC	1	0	0.3	good habitat	1	0.40	RA d(ii)	RA	3	DD	0		7	2.78	NT	NT	2	0	0.3	
Eriachne ovata	7	3.74	LC	LC	1	0	0.3	small perennial; likes rocky drainage areas	1	0.53	NT	NT	2	0	0.3	small perennial; likes rocky drainage areas	37	19.79	LC	LC	1	0	0.3	small perennial; likes rocky drainage areas
Eriachne pulchella ssp. pulchella	2	5.88	LC	LC	1	0	0.3	undercollected		0.00							2	5.88	RA d(ii)	RA	3	DD	0	
Erigeron sessilifolius		0.00								0.00							1	20.00	RA d(ii)	RA	3	DD	0	
Eriocaulon carsonii ssp. carsonii		0.00								0.00								0.00						
Eriochiton sclerolaenoides	11	0.66	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3		8	0.48	LC	LC	1	0	0.3	
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea	4	5.56	LC	LC	1	0	0.3			0.00							9	12.50	LC	LC	1	0	0.3	
Eriochloa australiensis	3	1.79	LC	LC	1	0	0.3		1	0.60	LC	LC	1	0	0.3		15	8.93	LC	LC	1	0	0.3	
Eriochloa crebra		0.00								0.00							1	4.35	NT	NT	2	DD	0	
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha	2	1.82	LC	LC	1	0	0.3	common on roadsides		0.00							1	0.91	LC	LC	1	0	0.3	
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum	6	2.38	LC	LC	1	0	0.3			0.00							7	2.78	LC	LC	1	0	0.3	
Erodium crinitum	6	0.54	LC	LC	1	0	0.3			0.00							4	0.36	LC	LC	1	0	0.3	
Erodium cygnorum	6	3.66	LC	LC	1	0	0.3			0.00							1	0.61	NT	NT	2	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum		0.00								0.00								0.00						
Eucalyptus camaldulensis ssp. arida	5	#DIV/0!	NT	NT	2	0	0.3	E camaldulensis ssp arida		#DIV/0!	DD	DD	0	DD	0	(no records) E camaldulensis ssp arida		#DIV/0!	RA d(i,ii)	RA	3	0	0.3	(no records) E camaldulensis ssp arida; limited habitat
Eucalyptus camaldulensis ssp. minima		0.00								0.00								0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00								0.00						
Eucalyptus coolabah	22	4.04	LC	LC	1	0	0.3		3	0.55	LC	LC	1	0	0.3		64	11.74	LC	LC	1	0	0.3	
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla		0.00								0.00								0.00						
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa		0.00								0.00								0.00						
Eucalyptus gongylocarpa		0.00								0.00								0.00						
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta	5	0.79	RA d(i,ii)	RA	3	0	0.3			0.00							1	0.16	DD	DD	0	DD	0	
Eucalyptus largiflorens		0.00								0.00								0.00						
Eucalyptus leptophylla		0.00								0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00								0.00								0.00						
Eucalyptus minnirritchi		0.00								0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra		0.00								0.00								0.00						
Eucalyptus peeneri		0.00								0.00								0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica	2	1.55	RA d(i,ii)	RA	3	0	0.3	long -lived		0.00								0.00						
Eucalyptus socialis ssp. socialis	12	1.63	NE	NE	-1			taxonomic issues		0.00							9	1.23	NE	NE	-1			taxonomic issues
Eucalyptus socialis ssp. victoriensis		0.00								0.00								0.00						
Eucalyptus sparsa		0.00								0.00								0.00						
Eucalyptus trivalvis	2	4.17	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana	10	6.17	RA d(i,ii)	RA	3	0	0.3	limited habitat		0.00								0.00						
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus	3	0.66	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Eulalia aurea	9	3.85	LC	LC	1	0	0.3	limited to waterways	6	2.56	LC	LC	1	0	0.3	limited to waterways	19	8.12	LC	LC	1	0	0.3	limited to waterways
Euphorbia alsiniflora		0.00								0.00								0.00						
Euphorbia australis	4	7.27	NT	NT	2	0	0.3		2	3.64	NT	NT	2	0	0.3		4	7.27	NT	NT	2	0	0.3	
Euphorbia centralis		0.00	LC	LC	1	0	0.3	(no records) name change from Chamaesyce		0.00	LC	LC	1	0	0.3	(no records) name change from Chamaesyce		0.00	LC	LC	1	0	0.3	(no records) name change from Chamaesyce
Euphorbia drummondii	8	2.52	LC	LC	1	0	0.3	very common; small, tough; undercollected		0.00							4	1.26	LC	LC	1	0	0.3	very common; small, tough; undercollected
Euphorbia inappendiculata		0.00								0.00							2	5.26	NT	NT	2	0	0.3	localised
Euphorbia mitchelliana		0.00								0.00							1	5.00	DD	DD	0	DD	0	unlikely
Euphorbia parvicaruncula		0.00								0.00							3	2.73	NT	NT	2	0	0.3	limited habitat
Euphorbia stevenii	6	3.90	LC	LC	1	0	0.3			0.00							17	11.04	LC	LC	1	0	0.3	
Euphorbia tannensis ssp. eremophila	23	2.01	LC	LC	1	0	0.3		3	0.26	LC	LC	1	0	0.3		19	1.66	LC	LC	1	0	0.3	
Euphorbia wheeleri		0.00								0.00								0.00						
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens		0.00								0.00								0.00						
Evolvulus alsinoides var. villosicalyx		0.00								0.00							1	1.22	RA d(ii)	RA	3	DD	0	
Exocarpos aphyllus	10	0.37	RA d(ii)	RA	3	DD	0			0.00							1	0.04	RA d(i,ii)	RA	3	DD	0	
Exocarpos sparteus	2	0.18	RA d(ii)	RA	3	DD	0	limited habitat		0.00								0.00						
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda	8	7.77	LC	LC	1	0	0.3	lives on rocks		0.00								0.00						
Fimbristylis dichotoma	1	0.58	NT	NT	2	0	0.3		4	2.33	LC	LC	1	0	0.3		3	1.74	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00								0.00								0.00						
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia	1	4.35	NT	NT	2	0	0.3	likes roadsides, heavy clay soils, native?		0.00								0.00						
Frankenia cinerea		0.00								0.00								0.00						
Frankenia cordata	2	8.70	DD	DD	0	DD	0			0.00								0.00						
Frankenia crispa		0.00							1	4.55	DD	DD	0	DD	0			0.00						
Frankenia cupularis		0.00								0.00							2	2.35	DD	DD	0	DD	0	
Frankenia foliosa	1	0.41	DD	DD	0	DD	0		2	0.82	LC	LC	1	0	0.3		17	6.97	LC	LC	1	0	0.3	
Frankenia pauciflora var. gunnii		0.00								0.00								0.00						
Frankenia plicata	11	14.10	DD	DD	0	DD	0	lots of wrong ID's		0.00							7	8.97	DD	DD	0	DD	0	lots of wrong ID's

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Frankenia serpyllifolia	54	7.16	LC	LC	1	0	0.3		5	0.66	LC	LC	1	0	0.3		57	7.56	LC	LC	1	0	0.3	
Frankenia subteres		0.00								0.00							1	2.17	DD	DD	0	DD	0	unlikely
Gahnia trifida		0.00							3	0.54	EN D2	EN	5	DD	0	in springs	1	0.18	EN D2	EN	5	DD	0	in springs
Galium bulliformis		0.00								0.00								0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora		0.00								0.00							3	9.38	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected
Glinus lotoides	6	2.31	LC	LC	1	0	0.3			0.00							6	2.31	LC	LC	1	0	0.3	
Glinus oppositifolius		0.00								0.00								0.00						
Glinus orygioides		0.00								0.00								0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00								0.00						
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens		0.00							1	1.59	RA d(i,ii)	RA	3	DD	0		1	1.59	RA d(i,ii)	RA	3	DD	0	
Glossostigma cleistanthum		0.00								0.00							2	18.18	RA d(ii)	RA	3	0	0.3	extreme flood ephemeral, undercollected
Glossostigma diandrum	1	3.03	NT	NT	2	0	0.3	extreme flood ephemeral, undercollected		0.00								0.00						
Glossostigma drummondii	2	33.33	RA d(ii)	RA	3	DD	0	extreme flood ephemeral, undercollected		0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	17	5.82	LC	LC	1	0	0.3		7	2.40	LC	LC	1	0	0.3		10	3.42	LC	LC	1	0	0.3	
Glycine rubiginosa		0.00								0.00								0.00						
Glycyrrhiza acanthocarpa		0.00								0.00								0.00						
Gnaphalium diamantinense		0.00								0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00								0.00							3	1.01	NE	NE	-1			taxonomic issues; may not be in region
Gnephosis arachnoidea	56	10.20	LC	LC	1	0	0.3		2	0.36	LC	LC	1	0	0.3		21	3.83	LC	LC	1	0	0.3	
Gnephosis eriocarpa	8	2.89	LC	LC	1	0	0.3			0.00							19	6.86	LC	LC	1	0	0.3	
Gnephosis tenuissima	3	0.77	LC	LC	1	0	0.3	undercollected		0.00							2	0.52	LC	LC	1	0	0.3	undercollected
Gomphrena lanata		0.00								0.00							1	33.33	DD	DD	0	DD	0	1 old record, could be posted
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta		0.00								0.00							3	12.00	RA d(i,ii)	RA	3	0	0.3	could be increasing
Goodenia berardiana	13	7.39	LC	LC	1	0	0.3		1	0.57	NT	NT	2	0	0.3		5	2.84	LC	LC	1	0	0.3	
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata	26	17.45	LC	LC	1	0	0.3			0.00							3	2.01	NT	NT	2	0	0.3	
Goodenia centralis		0.00								0.00								0.00						
Goodenia chambersii	42	55.26	LC	LC	1	0	0.3	habitat specialist	2	2.63	NT	NT	2	0	0.3	habitat specialist	15	19.74	NT	NT	2	0	0.3	habitat specialist
Goodenia cycloptera	3	0.81	NT	NT	2	0	0.3		2	0.54	LC	LC	1	0	0.3		10	2.70	LC	LC	1	0	0.3	
Goodenia fascicularis	22	2.07	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		60	5.65	LC	LC	1	0	0.3	
Goodenia gibbosa	1	3.45	NT	NT	2	0	0.3	sparse in SA		0.00							2	6.90	NT	NT	2	0	0.3	sparse in SA
Goodenia glabra		0.00								0.00								0.00						
Goodenia glandulosa		0.00								0.00								0.00						
Goodenia glauca		0.00								0.00							6	4.44	LC	LC	1	0	0.3	perennial; common in floodouts
Goodenia grandiflora		#DIV/0!								#DIV/0!														
Goodenia havilandii	1	0.61	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00							1	0.61	RA d(i,ii)	RA	3	DD	0	limited habitat
Goodenia heterochila	2	4.76	RA d(ii)	RA	3	0	0.3	edge of range		0.00							1	2.38	DD	DD	0	DD	0	old record
Goodenia heteromera	4	9.30	RA d(ii)	RA	3	DD	0	likes heavy soils, cracking clays		0.00								0.00						
Goodenia lobata	7	13.46	NT	NT	2	0	0.3	endemic to SA		0.00							5	9.62	NT	NT	2	0	0.3	endemic to SA
Goodenia lunata	23	5.60	LC	LC	1	0	0.3		3	0.73	LC	LC	1	0	0.3		31	7.54	LC	LC	1	0	0.3	
Goodenia modesta	7	20.59	RA d(ii)	RA	3	0	0.3			0.00							1	2.94	RA d(i,ii)	RA	3	DD	0	
Goodenia mueckeana		0.00								0.00								0.00						
Goodenia occidentalis		0.00								0.00								0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida	5	0.38	RA d(ii)	RA	3	DD	0		1	0.08	RA d(ii)	RA	3	DD	0			0.00						
Goodenia pusilliflora	2	0.21	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Goodenia ramelii		0.00								0.00								0.00						
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila		0.00								0.00								0.00						
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum		0.00								0.00								0.00						
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora	1	33.33	DD	DD	0	DD	0	new taxa		0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya		0.00								0.00								0.00						
Grevillea huegelii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Grevillea juncifolia ssp. juncifolia	1	0.33	RA d(i,ii)	RA	3	DD	0	likes sandy, dune habitat		0.00								0.00						
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla	9	3.17	LC	LC	1	0	0.3			0.00							6	2.11	LC	LC	1	0	0.3	
Grevillea pterosperma		0.00								0.00								0.00						
Grevillea stenobotrya		0.00								0.00							1	0.32	RA d(i,ii)	RA	3	-	0.4	
Grevillea striata	4	6.56	LC	LC	1	0	0.3			0.00								0.00						
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva	2	6.25	RA d(i,ii)	RA	3	DD	0	edge of range; outlier		0.00								0.00						
Gunniopsis kochii		0.00								0.00							1	3.03	RA d(ii)	RA	3	DD	0	
Gunniopsis papillata	22	15.94	LC	LC	1	0	0.3	likes mineralised breakaways		0.00							13	9.42	LC	LC	1	0	0.3	likes mineralised breakaways
Gunniopsis quadrifida	3	0.68	LC	LC	1	0	0.3		1	0.23	LC	LC	1	0	0.3		21	4.76	LC	LC	1	0	0.3	
Gunniopsis septifraga		0.00								0.00							1	2.70	NT	NT	2	0	0.3	
Gunniopsis tenuifolia	14	35.00	NT	NT	2	DD	0	specific habitat' breakaway country		0.00							3	7.50	RA d(ii)	RA	3	DD	0	specific habitat' breakaway country
Gunniopsis zygophylloides	45	40.91	LC	LC	1	0	0.3			0.00							19	17.27	LC	LC	1	0	0.3	
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus		0.00								0.00								0.00						
Gyrostemon tepperi		0.00								0.00								0.00						
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata		0.00								0.00								0.00						
Hakea ednieana		0.00								0.00								0.00						
Hakea eyreana		0.00								0.00								0.00						
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	6	0.74	LC	LC	1	0	0.3			0.00							11	1.35	LC	LC	1	0	0.3	
Hakea lorea ssp. lorea	10	4.39	LC	LC	1	0	0.3			0.00							2	0.88	RA d(ii)	RA	3	-	0.4	
Hakea minyma		0.00								0.00								0.00						
Halgania cyanea		0.00								0.00								0.00						
Halgania erecta		0.00								0.00								0.00						
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera	1	0.14	RA d(i,ii)	RA	3	0	0.3	edge of range	1	0.14	LC	LC	1	0	0.3		9	1.22	LC	LC	1	0	0.3	
Haloragis glauca forma glauca		0.00								0.00								0.00						
Haloragis glauca forma sclopetifera		0.00								0.00								0.00						
Haloragis gossei		0.00								0.00								0.00						
Haloragis odontocarpa forma octoforma		0.00								0.00								0.00						
Haloragis odontocarpa forma pterocarpa	1	2.63	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Haloragis odontocarpa forma rugosa	1	3.85	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Haloragis uncatipila		0.00								0.00								0.00						
Hannafordia bissillii ssp. bissillii		0.00								0.00								0.00						
Harmsiodoxa blennodioides		0.00								0.00							1	0.50	NT	NT	2	0	0.3	sandhill sp; long curly pods
Harmsiodoxa brevipes var. brevipes		0.00								0.00								0.00						
Harmsiodoxa brevipes var. major		0.00								0.00							6	26.09	RA d(ii)	RA	3	DD	0	
Harmsiodoxa puberula	1	2.33	RA d(ii)	RA	3	DD	0			0.00							1	2.33	RA d(ii)	RA	3	DD	0	
Helichrysum luteoalbum		0.00								0.00								0.00						
Heliotropium ammophilum		0.00							2	6.45	NT	NT	2	0	0.3		5	16.13	NT	NT	2	0	0.3	
Heliotropium asperrimum	4	1.36	NT	NT	2	0	0.3			0.00							5	1.70	NT	NT	2	0	0.3	
Heliotropium cunninghamii		0.00								0.00							1	5.88	RA d(ii)	RA	3	DD	0	
Heliotropium europaeum	7	1.59	NT	NT	2	0	0.3	native form is H glandulosum	1	0.23	NT	NT	2	0	0.3	native form is H glandulosum	6	1.37	NT	NT	2	0	0.3	native form is H glandulosum
Heliotropium filaginoides		0.00								0.00							6	15.79	LC	LC	1	0	0.3	
Heliotropium moorei	1	5.56	NT	NT	2	0	0.3		1	5.56	NT	NT	2	0	0.3		4	22.22	NT	NT	2	0	0.3	
Heliotropium tanythrix		0.00								0.00							2	6.67	NT	NT	2	0	0.3	undercollected
Hemichroa diandra		0.00								0.00							3	1.20	RA d(ii)	RA	3	0	0.3	likes sandy, salty claypans
Hemichroa mesembryanthema	ertain d	0.00							1	4.00	VU D2	VU	4	DD	0	highly localised; threatened by roadworks, tourists, unc	4	16.00	VU D2	VU	4	DD	0	highly localised; threatened by roadworks, tourists, unc
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus	2	100.00	RA d(i,ii)	RA	3	DD	0	southern edge of range - northern spp		0.00								0.00						
Hibiscus brachysiphonius	2	1.90	NT	NT	2	0	0.3		3	2.86	LC	LC	1	0	0.3		10	9.52	LC	LC	1	0	0.3	
Hibiscus krichauffianus	4	1.45	LC	LC	1	0	0.3		2	0.72	LC	LC	1	0	0.3		5	1.81	LC	LC	1	0	0.3	
Hibiscus solanifolius		0.00								0.00								0.00						
Hibiscus sturtii var. grandiflorus	4	2.01	NT	NT	2	0	0.3			0.00								0.00						
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii	1	25.00	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile		0.00								0.00								0.00						
Hybanthus aurantiacus		0.00								0.00								0.00						
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus		0.00								0.00								0.00						
Hydrocotyle callicarpa		0.00							1	0.15	RA d(i,ii)	RA	3	DD	0	odd, disjunct pop.		0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa	7	4.24	NT	NT	2	0	0.3	in rock crevices		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Hydrocotyle verticillata		0.00								0.00								0.00						
Hypericum gramineum	2	0.47	RA d(ii)	RA	3	DD	0	could be split into 2 spp		0.00							1	0.23	RA d(ii)	RA	3	DD	0	could be split into 2 spp
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00								0.00						
Indigofera australis ssp. australis		0.00								0.00								0.00						
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii		0.00							1	5.56	DD	DD	0	DD	0	questionable ID		0.00						
Indigofera colutea		0.00								0.00								0.00						
Indigofera cornuligera ssp cornuligera		0.00								0.00								0.00						
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei	3	6.52	RA d(i,ii)	RA	3	DD	0	localised		0.00								0.00						
Indigofera helmsii		0.00								0.00								0.00						
Indigofera leucotricha		0.00							5	10.64	NE	NE	-1			taxonomic issues	1	2.13	NE	NE	-1			taxonomic issues
Indigofera linifolia		0.00								0.00								0.00						
Indigofera linnaei		0.00								0.00							2	3.70	LC	LC	1	0	0.3	
Indigofera longibractea		0.00							1	4.76	NE	NE	-1			taxonomic issues; records on loan		0.00						
Indigofera psammophila		0.00							1	1.20	RA d(ii)	RA	3	DD	0	limited habitat	1	1.20	RA d(ii)	RA	3	DD	0	limited habitat
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla	2	4.88	LC	LC	1	0	0.3	needs clay flats; plenty of habitat here		0.00							2	4.88	NT	NT	2	0	0.3	needs clay flats
Ipomoea muelleri		0.00								0.00							2	3.39	LC	LC	1	0	0.3	
Ipomoea polymorpha		0.00							1	1.92	NT	NT	2	0	0.3		2	3.85	NT	NT	2	0	0.3	
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum	15	16.85	LC	LC	1	0	0.3			0.00								0.00						
Iseilema membranaceum	3	1.90	LC	LC	1	0	0.3			0.00							26	16.46	LC	LC	1	0	0.3	
Iseilema vaginiflorum	2	1.96	NT	NT	2	0	0.3			0.00							10	9.80	LC	LC	1	0	0.3	
Isoetes muelleri	3	8.82	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly ephemer		0.00							1	2.94	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly e
Isoetopsis graminifolia		0.00								0.00							1	0.14	RA d(i,ii)	RA	3	DD	0	outlier
Isolepis australiensis		0.00								0.00							1	1.23	RA d(i,ii)	RA	3	DD	0	very tiny
Isolepis cernua		0.00								0.00								0.00						
Isolepis congrua		0.00								0.00								0.00						
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea	7	1.81	NT	NT	2	0	0.3		3	0.78	LC	LC	1	0	0.3		3	0.78	NT	NT	2	0	0.3	
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri		0.00							2	4.65	RA d(i,ii)	RA	3	DD	0			0.00						
Ixiochlamys cuneifolia	4	1.44	NT	NT	2	0	0.3	likes sandy creek banks	7	2.53	LC	LC	1	0	0.3	likes sandy creek banks	11	3.97	LC	LC	1	0	0.3	likes sandy creek banks
Ixiochlamys filicifolia	3	4.00	NT	NT	2	DD	0			0.00							1	1.33	RA d(i,ii)	RA	3	DD	0	
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana	3	4.29	NT	NT	2	DD	0	probably undercollected; likes degraded ground	4	5.71	NT	NT	2	DD	0	probably undercollected; likes degraded ground	2	2.86	NT	NT	2	DD	0	probably undercollected; likes degraded ground
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare		0.00								0.00								0.00						
Josephinia eugeniae		0.00								0.00							1	4.00	RA d(ii)	RA	3	DD	0	grows under shrubs
Juncus aridicola		0.00								0.00							1	0.71	RA d(i,ii)	RA	3	DD	0	easily spread
Juncus bufonius		0.00								0.00								0.00						
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00							2	0.29	RA d(i,ii)	RA	3	DD	0	around mound springs	4	0.59	NT	NT	2	DD	0	around mound springs
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens		0.00								0.00								0.00						
Keraudrenia nephrosperma		0.00								0.00								0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								0.00								0.00						
Kippistia suaedifolia		0.00								0.00							3	2.86	RA d(i,ii)	RA	3	DD	0	restricted habitat
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis		0.00								0.00								0.00						
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii	4	1.67	RA d(ii)	RA	3	0	0.3			0.00							3	1.26	RA d(ii)	RA	3	0	0.3	edge of range
Lawrencia glomerata	11	2.44	LC	LC	1	0	0.3	taxon now has 3 ssp		0.00							13	2.88	LC	LC	1	0	0.3	taxon now has 3 ssp
Lawrencia squamata	6	0.76	LC	LC	1	0	0.3			0.00							2	0.25	LC	LC	1	0	0.3	
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata		0.00								0.00								0.00						
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta		0.00								0.00								0.00						
Leiocarpa leptolepis	27	5.93	LC	LC	1	0	0.3	widespread, on roadsides		0.00							80	17.58	LC	LC	1	0	0.3	widespread, on roadsides
Leiocarpa semicalva ssp. semicalva	5	0.65	LC	LC	1	0	0.3	likes small rocky outcrops		0.00							2	0.26	NT	NT	2	0	0.3	likes small rocky outcrops
Leiocarpa semicalva ssp. vinacea		0.00								0.00								0.00						
Leiocarpa tomentosa	5	2.76	NT	NT	2	DD	0			0.00							5	2.76	NT	NT	2	DD	0	
Leiocarpa websteri	16	2.31	LC	LC	1	0	0.3		4	0.58	LC	LC	1	0	0.3		50	7.22	LC	LC	1	0	0.3	
Lemna disperma	s	0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Lemooria burkittii	33	17.93	LC	LC	1	0	0.3		1	0.54	RA d(i,ii)	RA	3	DD	0	edge of range	7	3.80	NT	NT	2	0	0.3	
Lepidium fasciculatum		0.00								0.00								0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi	8	2.82	LC	LC	1	0	0.3			0.00							19	6.69	LC	LC	1	0	0.3	
Lepidium oxytrichum	31	4.70	LC	LC	1	0	0.3		3	0.45	LC	LC	1	0	0.3		57	8.64	LC	LC	1	0	0.3	
Lepidium papillosum	3	0.86	RA d(ii)	RA	3	DD	0			0.00							9	2.57	RA d(ii)	RA	3	DD	0	
Lepidium phlebopetalum	17	2.17	LC	LC	1	0	0.3		2	0.26	LC	LC	1	0	0.3		12	1.53	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum	2	2.94	RA d(ii)	RA	3	0	0.3		1	1.47	NT	NT	2	0	0.3		2	2.94	NT	NT	2	0	0.3	
Lepidium strongylophyllum	6	22.22	RA d(ii)	RA	3	0	0.3	on rocky slopes		0.00							2	7.41	RA d(i,ii)	RA	3	0	0.3	on rocky slopes
Lepidosperma avium		0.00								0.00								0.00						
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis		0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata		0.00								0.00							9	18.00	LC	LC	1	0	0.3	
Leptochloa fusca ssp. fusca		0.00								0.00								0.00						
Leptochloa fusca ssp. muelleri	3	1.57	LC	LC	1	0	0.3		3	1.57	LC	LC	1	0	0.3		7	3.66	LC	LC	1	0	0.3	
Leptorhynchos baileyi	7	13.21	RA d(i,ii)	RA	3	DD	0	ephemeral; not often seen; highly localised		0.00							1	1.89	RA d(i,ii)	RA	3	DD	0	ephemeral; not often seen; highly localised
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii		0.00								0.00								0.00						
Leucochrysum fitzgibbonii	25	13.51	LC	LC	1	0	0.3			0.00							13	7.03	LC	LC	1	0	0.3	
Leucochrysum molle	4	4.76	NT	NT	2	DD	0			0.00							3	3.57	NT	NT	2	DD	0	
Leucochrysum stipitatum	14	7.18	LC	LC	1	0	0.3			0.00							8	4.10	LC	LC	1	0	0.3	
Levenhookia dubia		0.00								0.00								0.00						
Limosella australis		0.00								0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00								0.00								0.00						
Lipocarpha microcephala	2	8.33	RA d(ii)	RA	3	0	0.3	ephemeral; abundant in a wet year		0.00							1	4.17	RA d(ii)	RA	3	0	0.3	ephemeral; abundant in a wet year
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla		0.00								0.00								0.00						
Logania centralis		0.00								0.00								0.00						
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta	1	0.11	RA d(ii)	RA	3	0	0.3	scattered & uncommon		0.00								0.00						
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus	16	1.37	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3		53	4.52	LC	LC	1	0	0.3	
Lycium australe	6	0.54	LC	LC	1	0	0.3			0.00								0.00						
Lysiana exocarpi ssp. exocarpi	40	2.01	LC	LC	1	0	0.3		10	0.50	LC	LC	1	0	0.3		5	0.25	LC	LC	1	0	0.3	
Lysiana murrayi	12	5.43	LC	LC	1	0	0.3	host: mulga		0.00								0.00						
Lysiana subfalcata		0.00								0.00							1	1.32	NT	NT	2	DD	0	
Lythrum hyssopifolia		0.00								0.00							3	0.60	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes
Lythrum paradoxum		0.00								0.00								0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii	2	2.90	RA d(ii)	RA	3	0	0.3			0.00							3	4.35	LC	LC	1	0	0.3	
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	59	6.42	LC	LC	1	0	0.3		6	0.65	LC	LC	1	0	0.3		67	7.29	LC	LC	1	0	0.3	
Maireana appressa	10	2.25	LC	LC	1	0	0.3			0.00							2	0.45	LC	LC	1	0	0.3	
Maireana astrotricha	65	5.75	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threa	11	0.97	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a thre	12	1.06	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threa
Maireana brevifolia		0.00								0.00								0.00						
Maireana campanulata	32	33.68	LC	LC	1	0	0.3			0.00							2	2.11	NT	NT	2	0	0.3	
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa	16	40.00	LC	LC	1	0	0.3			0.00	RA d(i,ii)	RA	3	DD	0	(no records)		0.00						
Maireana ciliata	1	0.50	LC	LC	1	0	0.3		1	0.50	LC	LC	1	0	0.3		8	4.00	LC	LC	1	0	0.3	
Maireana coronata	6	2.87	LC	LC	1	0	0.3		2	0.96	LC	LC	1	0	0.3		32	15.31	LC	LC	1	0	0.3	
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha	19	9.22	LC	LC	1	0	0.3		1	0.49	LC	LC	1	0	0.3		17	8.25	LC	LC	1	0	0.3	
Maireana erioclada	1	0.07	NT	NT	2	0	0.3			0.00							4	0.28	LC	LC	1	0	0.3	
Maireana excavata		0.00								0.00								0.00						
Maireana georgei	56	6.54	LC	LC	1	0	0.3		2	0.23	LC	LC	1	0	0.3		14	1.64	LC	LC	1	0	0.3	
Maireana integra	7	2.06	LC	LC	1	0	0.3		4	1.18	LC	LC	1	0	0.3		4	1.18	LC	LC	1	0	0.3	
Maireana lanosa		0.00								0.00								0.00						
Maireana lobiflora	1	0.80	RA d(ii)	RA	3	0	0.3	edge of range		0.00							4	3.20	RA d(ii)	RA	3	0	0.3	edge of range
Maireana luehmannii		0.00								0.00								0.00						
Maireana melanocarpa		0.00								0.00								0.00						
Maireana microcarpa		0.00								0.00							1	1.09	RA d(ii)	RA	3	DD	0	western edge of range
Maireana oppositifolia		0.00								0.00								0.00						
Maireana ovata	10	14.08	LC	LC	1	0	0.3			0.00							2	2.82	RA d(ii)	RA	3	0	0.3	limited habitat
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Maireana pentatropis	8	0.66	NT	NT	2	0	0.3			0.00								0.00						
Maireana planifolia	6	5.71	LC	LC	1	0	0.3			0.00							1	0.95	NT	NT	2	DD	0	edge of range; limited habitat
Maireana pyramidata	20	0.98	LC	LC	1	0	0.3		3	0.15	LC	LC	1	0	0.3		8	0.39	LC	LC	1	0	0.3	
Maireana radiata	2	0.28	RA d(ii)	RA	3	DD	0	outlier		0.00								0.00						
Maireana schistocarpa	5	20.00	NT	NT	2	0	0.3			0.00								0.00						
Maireana scleroptera	2	4.65	NT	NT	2	0	0.3	edge of range		0.00							1	2.33	RA d(ii)	RA	3	0	0.3	edge of range
Maireana sedifolia	14	0.54	LC	LC	1	0	0.3			0.00							4	0.16	RA d(ii)	RA	3	DD	0	edge of range
Maireana spongiocarpa	20	14.18	LC	LC	1	0	0.3	tolerates disturbance		0.00							16	11.35	LC	LC	1	0	0.3	tolerates disturbance
Maireana tomentosa ssp. urceolata	3	3.57	NT	NT	2	DD	0			0.00							1	1.19	RA d(ii)	RA	3	DD	0	
Maireana trichoptera	13	1.00	LC	LC	1	0	0.3			0.00							5	0.39	LC	LC	1	0	0.3	
Maireana triptera	43	12.25	LC	LC	1	0	0.3			0.00							7	1.99	LC	LC	1	0	0.3	
Maireana turbinata	4	0.61	NT	NT	2	0	0.3			0.00							2	0.30	NT	NT	2	0	0.3	
Maireana villosa	1	0.74	RA d(ii)	RA	3	DD	0			0.00							2	1.48	RA d(ii)	RA	3	DD	0	edge of range
Malacocera albolanata		0.00								0.00								0.00						
Malacocera biflora	1	1.82	RA d(ii)	RA	3	0	0.3			0.00							7	12.73	LC	LC	1	0	0.3	heartland
Malacocera gracilis		0.00								0.00								0.00						
Malacocera tricornis	1	0.63	NT	NT	2	0	0.3			0.00							12	7.59	LC	LC	1	0	0.3	
Malva preissiana	3	0.36	LC	LC	1	0	0.3	now known as M weinmanniana		0.00							17	2.01	LC	LC	1	0	0.3	now known as M weinmanniana
Malvastrum americanum var. americanum	44	6.59	LC	LC	1	0	0.3	spreading	5	0.75	LC	LC	1	0	0.3	spreading	34	5.09	LC	LC	1	0	0.3	spreading
Marsdenia australis	25	4.46	LC	LC	1	0	0.3			0.00							3	0.54	LC	LC	1	0	0.3	
Marsilea costulifera		0.00								0.00							2	3.33	RA d(i,ii)	RA	3	0	0.3	
Marsilea cryptocarpa		#DIV/0!	RA d(ii)	RA	3	DD	0	new species		#DIV/0!								#DIV/0!						
Marsilea drummondii	2	0.69	LC	LC	1	0	0.3		1	0.35	LC	LC	1	0	0.3		6	2.08	LC	LC	1	0	0.3	
Marsilea exarata	6	8.00	LC	LC	1	0	0.3	undercollected		0.00							13	17.33	LC	LC	1	0	0.3	
Marsilea hirsuta	12	5.13	LC	LC	1	0	0.3			0.00							37	15.81	LC	LC	1	0	0.3	
Melaleuca bracteata		0.00								0.00								0.00						
Melaleuca dissitiflora		0.00								0.00								0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata	4	0.90	RA d(ii)	RA	3	DD	0			0.00							1	0.23	DD	DD	0	DD	0	
Melaleuca interioris	2	3.28	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00							3	4.92	RA d(i,ii)	RA	3	0	0.3	edge of range
Melaleuca lanceolata		0.00								0.00								0.00						
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila		0.00								0.00								0.00						
Melhania oblongifolia		0.00								0.00								0.00						
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis	1	1.06	NT	NT	2	0	0.3	annual; easily dispersed	1	1.06	NT	NT	2	0	0.3	annual; easily dispersed	2	2.13	NT	NT	2	0	0.3	annual; easily dispersed
Menkea crassa	2	1.77	NT	NT	2	0	0.3	annual, grows on stony ground	3	2.65	LC	LC	1	0	0.3	annual, grows on stony ground	20	17.70	LC	LC	1	0	0.3	annual, grows on stony ground
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa		0.00								0.00							1	1.49	DD	DD	0	DD	0	questionable ID
Menkea villosula	14	16.67	LC	LC	1	0	0.3	grows on red soils		0.00							2	2.38	NT	NT	2	0	0.3	grows on red soils
Mentha australis	2	1.50	RA d(ii)	RA	3	0	0.3			0.00							16	12.03	LC	LC	1	0	0.3	
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana		0.00								0.00								0.00						
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00								0.00						
Micromyrtus flaviflora		0.00								0.00								0.00						
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii		0.00								0.00							2	14.29	NT	NT	2	0	0.3	have been taxonomic splits; should be more records; c
Millotia greevesii ssp. helmsii		0.00								0.00								0.00						
Millotia incurva		0.00								0.00								0.00						
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia		0.00								0.00								0.00						
Millotia perpusilla		0.00								0.00								0.00						
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis		0.00								0.00								0.00						
Mimulus prostratus		0.00								0.00								0.00						
Mimulus repens	1	0.63	RA d(i,ii)	RA	3	0	0.3			0.00							1	0.63	RA d(i,ii)	RA	3	0	0.3	
Minuria annua	4	5.06	NT	NT	2	0	0.3			0.00							15	18.99	NT	NT	2	0	0.3	
Minuria cunninghamii	15	2.19	LC	LC	1	0	0.3			0.00							22	3.22	LC	LC	1	0	0.3	
Minuria denticulata	32	5.21	LC	LC	1	0	0.3		2	0.33	LC	LC	1	0	0.3		75	12.21	LC	LC	1	0	0.3	
Minuria integerrima	13	6.02	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts		0.00							10	4.63	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts
Minuria leptophylla	13	1.13	LC	LC	1	0	0.3		3	0.26	LC	LC	1	0	0.3		8	0.69	LC	LC	1	0	0.3	
Minuria rigida		0.00							2	0.71	LC	LC	1	0	0.3	likes gypseous soils	72	25.62	LC	LC	1	0	0.3	likes gypseous soils
Mollugo cerviana	1	0.94	LC	LC	1	0	0.3	undercollected; very small	1	0.94	LC	LC	1	0	0.3		6	5.66	LC	LC	1	0	0.3	
Momordica balsamina		0.00								0.00								0.00						
Monachather paradoxus	15	3.43	LC	LC	1	0	0.3			0.00							3	0.69	LC	LC	1	0	0.3	
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Muehlenbeckia florulenta	9	0.75	LC	LC	1	0	0.3			0.00							31	2.57	LC	LC	1	0	0.3	
Muelleranthus stipularis	6	14.63	NT	NT	2	DD	0			0.00								0.00						
Murchisonia volubilis		0.00								0.00								0.00						
Myoporum brevipes		0.00								0.00								0.00						
Myoporum montanum		0.00								0.00							10	1.44	NT	NT	2	0	0.3	
Myoporum platycarpum ssp. platycarpum		0.00								0.00								0.00						
Myosurus minimus var. australis	2	2.33	RA d(ii)	RA	3	0	0.3			0.00							1	1.16	RA d(ii)	RA	3	0	0.3	
Myriocephalus pluriflorus	1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of recent rec		0.00							3	7.32	NT	NT	2	DD	0	could be common; appears after good rains; lack of rec
Myriocephalus rhizocephalus	1	1.16	RA d(i,ii)	RA	3	DD	0			0.00							2	2.33	RA d(i,ii)	RA	3	DD	0	
Myriocephalus rudallii	7	14.58	LC	LC	1	0	0.3			0.00							2	4.17	NT	NT	2	DD	0	
Myriocephalus squamatus		0.00								0.00							1	8.33	RA d(i,ii)	RA	3	DD	0	
Myriophyllum verrucosum		0.00								0.00							3	1.41	NT	NT	2	0	0.3	
Neobassia proceriflora	8	3.14	LC	LC	1	0	0.3			0.00							41	16.08	LC	LC	1	0	0.3	
Neptunia dimorphantha	2	3.45	NT	NT	2	DD	0	edge of range		0.00							2	3.45	NT	NT	2	DD	0	edge of range
Neurachne lanigera		0.00								0.00								0.00						
Neurachne munroi	5	7.69	LC	LC	1	0	0.3	long-lived, tough perennial	1	1.54	NT	NT	2	0	0.3	lack of records	5	7.69	LC	LC	1	0	0.3	
Newcastelia bracteosa		0.00								0.00								0.00						
Newcastelia cephalantha var. cephalantha		0.00								0.00								0.00						
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00								0.00						
Newcastelia spodiotricha		0.00								0.00								0.00						
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior	1	1.09	DD	DD	0	DD	0			0.00							1	1.09	DD	DD	0	DD	0	old record
Nicotiana goodspeedii		0.00								0.00								0.00						
Nicotiana gossei	5	15.63	NT	NT	2	DD	0			0.00								0.00						
Nicotiana occidentalis ssp. obliqua	2	1.57	NT	NT	2	0	0.3		2	1.57	NT	NT	2	0	0.3		3	2.36	NT	NT	2	0	0.3	
Nicotiana rosulata ssp. ingulba		0.00								0.00								0.00						
Nicotiana rosulata ssp. rosulata	2	16.67	RA d(ii)	RA	3	DD	0			0.00								0.00						
Nicotiana simulans	25	9.96	LC	LC	1	0	0.3		3	1.20	LC	LC	1	0	0.3		15	5.98	LC	LC	1	0	0.3	
Nicotiana truncata		0.00								0.00							2	7.41	RA d(ii)	RA	3	0	0.3	
Nicotiana velutina	3	0.29	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3		14	1.34	LC	LC	1	0	0.3	
Nitraria billardierei	2	0.12	RA d(ii)	RA	3	0	0.3		3	0.17	LC	LC	1	+	0.2		39	2.26	LC	LC	1	+	0.2	
Nymphoides crenata		0.00								0.00							1	9.09	EN B2ab(i,ii,iii); D2	EN	5	-	0.4	limited occurrence
Olearia arckaringensis	28	100.00	EN B2ab(i,ii)	EN	5	-	0.4	grazed occasionally; endemic to 2 locations, relict populations		0.00								0.00						
Olearia arida		0.00								0.00								0.00						
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00								0.00								0.00						
Olearia ferresii		0.00								0.00								0.00						
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri		0.00								0.00								0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii	1	0.72	RA d(i,ii)	RA	3	DD	0	perennial; on rocky hills	2	1.45	RA d(i,ii)	RA	3	DD	0	perennial; on rocky hills		0.00						
Olearia subspicata	1	0.73	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava	9	0.95	LC	LC	1	0	0.3		2	0.21	LC	LC	1	0	0.3		5	0.53	LC	LC	1	0	0.3	
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum		0.00								0.00								0.00						
Ophioglossum polyphyllum		0.00							1	6.25	RA d(i,ii)	RA	3	DD	0	likes loam over rocks		0.00						
Orobanche cernua var. australiana		0.00								0.00								0.00						
Osteocarpum acropterum var. acropterum		0.00								0.00							1	0.33	NT	NT	2	0	0.3	
Osteocarpum acropterum var. deminutum		0.00								0.00							1	6.67	RA d(ii)	RA	3	DD	0	
Osteocarpum dipterocarpum	12	2.66	LC	LC	1	0	0.3		5	1.11	LC	LC	1	0	0.3		73	16.19	LC	LC	1	0	0.3	
Osteocarpum pentapterum		0.00								0.00								0.00						
Osteocarpum salsuginosum		0.00								0.00							3	2.94	RA d(ii)	RA	3	0	0.3	
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula		0.00								0.00								0.00						
Oxalis perennans	4	0.40	NT	NT	2	0	0.3	Bio-survey records missing, ID issues with other oxalis	3	0.30	NT	NT	2	0	0.3	Bio-survey records missing, ID issues with other oxalis spp.		0.00						
Oxalis radicosa		0.00								0.00								0.00						
Oxychloris scariosa		0.00								0.00							4	30.77	NT	NT	2	DD	0	
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana	5	7.35	RA d(i,ii)	RA	3	0	0.3	limited to north		0.00								0.00						
Panicum decompositum var. decompositum	30	8.36	LC	LC	1	0	0.3		2	0.56	LC	LC	1	0	0.3		45	12.53	LC	LC	1	0	0.3	
Panicum effusum var. effusum	2	0.78	LC	LC	1	0	0.3	common after floods		0.00							2	0.78	NT	NT	2	DD	0	common after floods
Panicum laevinode	3	3.37	NT	NT	2	DD	0			0.00							10	11.24	LC	LC	1	0	0.3	
Paraceterach reynoldsii		0.00								0.00								0.00						
Paractaenum novae-hollandiae ssp. reversum	1	0.51	LC	LC	1	0	0.3			0.00							2	1.02	LC	LC	1	0	0.3	
Paractaenum refractum	2	0.89	NT	NT	2	DD	0			0.00							1	0.44	NT	NT	2	DD	0	
Paraneurachne muelleri		0.00								0.00								0.00						
Parietaria australis	1	2.38	NT	NT	2	DD	0			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Parietaria cardiostegia	2	0.79	NT	NT	2	0	0.3		2	0.79	NT	NT	2	0	0.3		1	0.40	NT	NT	2	0	0.3	
Parietaria debilis	4	1.13	NT	NT	2	0	0.3			0.00								0.00						
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum	5	27.78	NT	NT	2	0	0.3	lots of records not databased		0.00							2	11.11	NT	NT	2	0	0.3	lots of records not databased
Peplidium foecundum		0.00								0.00							2	8.70	NT	NT	2	0	0.3	likes gibber plains & crabholes; records not databased
Peplidium sp. Marla (W.R.Barker 3535)	6	66.67	RA d(ii)	RA	3	0	0.3	likes water run-off		0.00							1	11.11	RA d(ii)	RA	3	0	0.3	likes water run-off
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides		0.00								0.00								0.00						
Petalostylis labicheoides	2	1.28	RA d(ii)	RA	3	DD	0	outliers		0.00							4	2.56	RA d(ii)	RA	3	DD	0	outliers
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00								0.00								0.00						
Phlegmatospermum cochlearinum	1	0.57	RA d(i,ii)	RA	3	0	0.3		1	0.57	NT	NT	2	0	0.3		4	2.27	NT	NT	2	0	0.3	
Phlegmatospermum eremaeum		0.00								0.00							4	0.00						
Phragmites australis		0.00							3	0.41	RA d(i,iii)	RA	3	0	0.3	limited habitat	8	1.09	RA d(i,ii)	RA	3	0	0.3	limited habitat
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii		0.00							1	0.66	RA d(ii)	RA	3	0	0.3		1	0.66	RA d(ii)	RA	3	0	0.3	limited habitat
Phyllanthus lacunarius		0.00								0.00							2	1.83	LC	LC	1	0	0.3	
Phyllanthus lacunellus		0.00								0.00								0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00								0.00								0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata	in flow	0.00								0.00								0.00						
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00								0.00								0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala	2	0.20	RA d(ii)	RA	3	DD	0		1	0.10	RA d(ii)	RA	3	DD	0		1	0.10	RA d(ii)	RA	3	DD	0	
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris		0.00								0.00								0.00						
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua	8	6.02	LC	LC	1	0	0.3		1	0.75	LC	LC	1	0	0.3		5	3.76	LC	LC	1	0	0.3	
Pimelea simplex ssp. simplex	3	0.66	LC	LC	1	0	0.3			0.00							7	1.54	LC	LC	1	0	0.3	
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya	3	1.39	LC	LC	1	0	0.3			0.00								0.00						
Pittosporum angustifolium	32	0.98	LC	LC	1	0	0.3		3	0.09	LC	LC	1	0	0.3		13	0.40	LC	LC	1	0	0.3	
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus	3	1.36	NT	NT	2	0	0.3		1	0.45	NT	NT	2	0	0.3		7	3.17	LC	LC	1	0	0.3	
Plantago cunninghamii	1	0.93	NT	NT	2	0	0.3	comes up after rain		0.00							2	1.87	NT	NT	2	0	0.3	comes up after rain
Plantago debilis		0.00								0.00								0.00						
Plantago drummondii	37	3.40	LC	LC	1	0	0.3		3	0.28	LC	LC	1	0	0.3		61	5.61	LC	LC	1	0	0.3	
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa		0.00								0.00								0.00						
Plantago turrifera	2	3.64	RA d(ii)	RA	3	DD	0			0.00							1	1.82	RA d(ii)	RA	3	DD	0	
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus		0.00								0.00								0.00						
Pleurosorus rutifolius		0.00							1	0.20	RA d(i,ii)	RA	3	DD	0	localised		0.00						
Pleurosorus subglandulosus		0.00								0.00								0.00						
Pluchea dentex		0.00							2	1.92	RA d(i,ii)	RA	3	DD	0		2	1.92	DD	DD	0	DD	0	
Pluchea dunlopii	1	2.00	NT	NT	2	DD	0	sparse, scattered populations		0.00							2	4.00	NT	NT	2	DD	0	sparse, scattered populations
Pluchea rubelliflora		0.00							2	2.67	RA d(i,ii)	RA	3	0	0.3	grows in creek lines	2	2.67	RA d(i,ii)	RA	3	0	0.3	grows in creek lines
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana		0.00								0.00								0.00						
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens	7	1.79	LC	LC	1	0	0.3			0.00							3	0.77	NT	NT	2	DD	0	
Podolepis capillaris	7	0.54	LC	LC	1	0	0.3		1	0.08	LC	LC	1	0	0.3		10	0.77	LC	LC	1	0	0.3	
Podolepis davisiana		0.00							3	5.36	RA d(i,ii)	RA	3	DD	0		5	8.93	RA d(i,ii)	RA	3	DD	0	
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Polycalymma stuartii	2	0.20	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3		12	1.22	LC	LC	1	0	0.3	
Polycarpaea arida	1	1.32	NT	NT	2	0	0.3		1	1.32	NT	NT	2	0	0.3		7	9.21	LC	LC	1	0	0.3	
Polycarpaea breviflora		0.00							1	5.26	RA d(i,ii)	RA	3	DD	0		1	5.26	RA d(i,ii)	RA	3	DD	0	
Polygala isingii	4	30.77	LC	LC	1	0	0.3	ephemeral, very small, undercollected		0.00							2	15.38	LC	LC	1	0	0.3	ephemeral, very small, undercollected
Polygonum plebeium	3	1.71	LC	LC	1	0	0.3	responds to rainfall events		0.00							3	1.71	LC	LC	1	0	0.3	responds to rainfall events
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata		0.00								0.00								0.00						
Poranthera leiosperma		0.00								0.00								0.00						
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia		0.00								0.00								0.00						
Portulaca intraterranea		0.00							2	0.67	LC	LC	1	0	0.3	sand dune spp	5	1.68	LC	LC	1	0	0.3	sand dune spp
Portulaca oleracea	18	2.12	LC	LC	1	0	0.3		5	0.59	LC	LC	1	0	0.3		76	8.93	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus		0.00								0.00								0.00						
Potamogeton tricarinatus		0.00								0.00								0.00						
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia		0.00								0.00								0.00						
Prostanthera nudula		0.00								0.00								0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora	11	1.63	LC	LC	1	0	0.3		4	0.59	LC	LC	1	0	0.3		2	0.30	RA d(ii)	RA	3	DD	0	
Prostanthera wilkieana		0.00								0.00								0.00						
Pseudoraphis spinescens		0.00								0.00								0.00						
Psydrax ammophila		0.00								0.00								0.00						
Psydrax latifolia	1	7.14	DD	DD	0	DD	0	imprecise location		0.00								0.00						
Psydrax suaveolens		0.00								0.00								0.00						
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum	1	12.50	RA d(ii)	RA	3	DD	0		1	12.50	RA d(ii)	RA	3	DD	0			0.00						
Pterocaulon sphacelatum	12	1.81	LC	LC	1	0	0.3		5	0.76	LC	LC	1	0	0.3		25	3.78	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri	18	51.43	RA d(i,ii)	RA	3	0	0.3	habitat limited to gypsum mounds; emdemic to SA		0.00							10	28.57	RA d(i,ii)	RA	3	0	0.3	habitat limited to gypsum mounds; emdemic to SA
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens		0.00								0.00								0.00						
Ptilotus disparilis		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. gaudichaudii	2	2.86	NT	NT	2	0	0.3			0.00							1	1.43	NT	NT	2	0	0.3	
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides	1	2.78	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Ptilotus incanus	1	7.14	RA d(i,ii)	RA	3	0	0.3	could be more records		0.00								0.00						
Ptilotus latifolius		0.00								0.00								0.00						
Ptilotus macrocephalus	5	3.85	NT	NT	2	0	0.3			0.00							3	2.31	NT	NT	2	0	0.3	
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)	1	20.00	LC	LC	1	0	0.3	
Ptilotus obovatus	3	3.66	LC	LC	1	0	0.3	lots of NC records	3	3.66	LC	LC	1	0	0.3	lots of NC records	6	7.32	LC	LC	1	0	0.3	lots of NC records
Ptilotus parvifolius	9	30.00	RA d(ii)	RA	3	DD	0	has been split into 4 entities		0.00							1	3.33	RA d(ii)	RA	3	DD	0	has been split into 4 entities
Ptilotus polystachyus	6	1.74	LC	LC	1	0	0.3	likes sand		0.00							1	0.29	LC	LC	1	0	0.3	
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides	1	25.00	NT	NT	2	0	0.3	should be more records from a variety		0.00								0.00	NT	NT	2	0	0.3	(no records) should be more records from a variety
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii		0.00	RA d(i,ii)	RA	3	DD	0	(no records)		0.00								0.00						
Ptilotus sessilifolius	4	1.35	LC	LC	1	0	0.3			0.00							6	2.02	LC	LC	1	0	0.3	
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei	18	75.00	RA d(ii)	RA	3	DD	0	has been split from P parviflorus into 4 entities	1	4.17	RA d(ii)	RA	3	DD	0	has been split from P parviflorus into 4 entities		0.00						
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00							1	0.88	DD	DD	0	DD	0	1 old record
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus	2	2.22	LC	LC	1	0	0.3	likes low-lying cracking clay soil		0.00							30	33.33	LC	LC	1	0	0.3	likes low-lying cracking clay soil
Pycnosorus globosus		0.00								0.00							1	2.86	VU D2	VU	4	DD	0	unusual outlier
Pycnosorus melleus		0.00								0.00								0.00						
Pycnosorus pleiocephalus	7	1.09	LC	LC	1	0	0.3			0.00							12	1.87	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Radyera farragei		0.00								0.00								0.00						
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00								0.00								0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus	9	5.88	LC	LC	1	0	0.3	grows on interdune swales after rain		0.00							19	12.42	LC	LC	1	0	0.3	grows on interdune swales after rain
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio		0.00								0.00								0.00						
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00								0.00						
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea		0.00								0.00							1	0.32	NT	NT	2	0	0.3	
Rhagodia parabolica	2	0.13	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	88	3.54	LC	LC	1	0	0.3		6	0.24	LC	LC	1	0	0.3		40	1.61	LC	LC	1	0	0.3	
Rhagodia ulicina	7	1.18	LC	LC	1	0	0.3	restricted to southern parts		0.00							3	0.50	NT	NT	2	0	0.3	
Rhodanthe charsleyae	42	18.92	LC	LC	1	0	0.3		1	0.45	LC	LC	1	0	0.3		38	17.12	LC	LC	1	0	0.3	
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina	3	5.45	LC	LC	1	0	0.3			0.00								0.00						
Rhodanthe corymbiflora		0.00								0.00							1	0.25	RA d(ii)	RA	3	DD	0	
Rhodanthe floribunda	40	2.92	LC	LC	1	0	0.3		2	0.15	LC	LC	1	0	0.3		73	5.32	LC	LC	1	0	0.3	
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa	31	5.12	LC	LC	1	0	0.3		5	0.83	LC	LC	1	0	0.3		53	8.75	LC	LC	1	0	0.3	
Rhodanthe moschata	3	0.33	LC	LC	1	0	0.3		3	0.33	LC	LC	1	0	0.3		18	1.97	LC	LC	1	0	0.3	
Rhodanthe polygalifolia	1	0.24	RA d(i,ii)	RA	3	DD	0		2	0.48	RA d(i,ii)	RA	3	DD	0		1	0.24	RA d(i,ii)	RA	3	DD	0	
Rhodanthe pygmaea	3	0.22	NT	NT	2	DD	0	edge of range		0.00								0.00						
Rhodanthe stricta	28	3.67	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3		54	7.08	LC	LC	1	0	0.3	
Rhodanthe stuartiana		0.00								0.00							2	0.90	RA d(ii)	RA	3	DD	0	
Rhodanthe tietkensii	6	2.67	NT	NT	2	DD	0	edge of range		0.00							2	0.89	RA d(ii)	RA	3	DD	0	
Rhodanthe troedelii		0.00								0.00								0.00						
Rhodanthe uniflora	6	3.13	LC	LC	1	0	0.3			0.00							30	15.63	LC	LC	1	0	0.3	
Rhyncharrhena linearis	3	1.11	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Rhynchosia australis		0.00								0.00								0.00						
Rhynchosia minima		0.00								0.00								0.00						
Roripppa eustylis		0.00								0.00								0.00						
Rostellularia adscendens var. clementii		0.00								0.00								0.00						
Rostellularia adscendens var. latifolia	1	50.00	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Rostellularia adscendens var. pogonanthera	6	3.08	LC	LC	1	0	0.3		2	1.03	LC	LC	1	0	0.3		21	10.77	LC	LC	1	0	0.3	
Rulingia loxophylla	1	1.19	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus		0.00								0.00							2	1.53	LC	LC	1	0	0.3	
Ruppia maritima		0.00								0.00							2	4.65	RA d(i,ii)	RA	3	DD	0	ephemeral, relies on floods
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides	14	3.60	LC	LC	1	0	0.3		5	1.29	LC	LC	1	0	0.3		17	4.37	LC	LC	1	0	0.3	
Salsola tragus	87	1.98	LC	LC	1	0	0.3		13	0.30	LC	LC	1	0	0.3		111	2.53	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens		0.00							1	0.10	RA d(i,ii)	RA	3	0	0.3	limited habitat around springs	1	0.10	RA d(i,ii)	RA	3	0	0.3	limited habitat around springs
Santalum acuminatum	11	0.52	LC	LC	1	0	0.3			0.00							4	0.19	RA d(ii)	RA	3	0	0.3	edge of range
Santalum lanceolatum	43	4.90	LC	LC	1	0	0.3		6	0.68	LC	LC	1	0	0.3		48	5.47	LC	LC	1	0	0.3	
Santalum spicatum	3	0.94	RA d(i,ii)	RA	3	-	0.4	edge of range		0.00								0.00						
Sarcocornia blackiana		0.00								0.00								0.00						
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe	8	3.70	NT	NT	2	0	0.3			0.00							13	6.02	NT	NT	2	0	0.3	
Sarcozona praecox		0.00								0.00								0.00						
Sauropus ramosissimus		0.00								0.00								0.00						
Sauropus rigens		0.00								0.00								0.00						
Sauropus trachyspermus		0.00								0.00							8	3.19	LC	LC	1	0	0.3	
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis		0.00								0.00								0.00						
Scaevola basedowii		0.00								0.00								0.00						
Scaevola collaris		0.00								0.00							2	0.77	RA d(i,ii)	RA	3	0	0.3	likes damp sand; undercollected
Scaevola collina		0.00								0.00								0.00						
Scaevola depauperata		0.00								0.00								0.00						
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata		0.00							3	0.74	LC	LC	1	0	0.3		7	1.72	LC	LC	1	0	0.3	
Scaevola parvifolia ssp. parvifolia		0.00								0.00								0.00						
Scaevola spinescens	10	0.76	LC	LC	1	0	0.3		2	0.15	LC	LC	1	0	0.3		7	0.53	LC	LC	1	0	0.3	
Schenkia australis		0.00								0.00								0.00						
Schoenia ayersii	3	3.49	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Schoenia cassiniana	18	7.26	LC	LC	1	0	0.3			0.00							6	2.42	LC	LC	1	0	0.3	
Schoenia ramosissima	16	9.52	LC	LC	1	0	0.3		1	0.60	LC	LC	1	0	0.3		11	6.55	LC	LC	1	0	0.3	
Schoenoplectus dissachanthus	4	9.52	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats		0.00							2	4.76	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats
Schoenoplectus laevis		0.00								0.00							2	100.00	RA d(i,ii)	RA	3	DD	0	southern edge of range; outliers; Northern Aust sp.
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens		0.00								0.00								0.00						
Schoenoplectus subulatus		0.00								0.00								0.00						
Schoenoplectus validus		0.00								0.00								0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00								0.00							4	6.35	NT	NT	2	0	0.3	ephemeral; grows on degraded areas
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata	1	5.26	RA d(ii)	RA	3	DD	0			0.00							1	5.26	RA d(ii)	RA	3	DD	0	
Sclerolaena bicornis var. bicornis	2	0.44	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3		46	10.07	LC	LC	1	0	0.3	
Sclerolaena bicuspis		0.00								0.00								0.00						
Sclerolaena birchii		0.00								0.00								0.00						
Sclerolaena blackiana	6	5.83	LC	LC	1	0	0.3			0.00							24	23.30	LC	LC	1	0	0.3	
Sclerolaena brachyptera	16	1.51	LC	LC	1	0	0.3		11	1.04	LC	LC	1	0	0.3		71	6.70	LC	LC	1	0	0.3	
Sclerolaena calcarata		0.00								0.00							16	15.09	LC	LC	1	0	0.3	
Sclerolaena clelandii		0.00								0.00								0.00						
Sclerolaena constricta	1	0.67	NT	NT	2	DD	0			0.00							15	10.07	LC	LC	1	0	0.3	
Sclerolaena convexula	6	1.66	LC	LC	1	0	0.3			0.00							2	0.55	NT	NT	2	0	0.3	
Sclerolaena cornishiana	1	33.33	RA d(ii)	RA	3	DD	0			0.00								0.00						
Sclerolaena costata		0.00								0.00							2	6.25	NT	NT	2	0	0.3	
Sclerolaena cristata		0.00								0.00								0.00						
Sclerolaena cuneata	26	7.10	LC	LC	1	0	0.3			0.00							24	6.56	LC	LC	1	0	0.3	
Sclerolaena decurrens	1	0.34	NT	NT	2	0	0.3			0.00							4	1.38	LC	LC	1	0	0.3	
Sclerolaena deserticola	2	5.56	NT	NT	2	0	0.3			0.00								0.00						
Sclerolaena diacantha	22	0.73	LC	LC	1	0	0.3	good stock food		0.00							25	0.83	LC	LC	1	0	0.3	good stock food
Sclerolaena divaricata	33	3.54	LC	LC	1	0	0.3		5	0.54	LC	LC	1	0	0.3		40	4.29	LC	LC	1	0	0.3	
Sclerolaena eriacantha	54	17.82	LC	LC	1	0	0.3		4	1.32	LC	LC	1	0	0.3		16	5.28	LC	LC	1	0	0.3	
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra	3	2.61	LC	LC	1	0	0.3			0.00							5	4.35	LC	LC	1	0	0.3	
Sclerolaena holtiana	10	4.37	LC	LC	1	0	0.3		4	1.75	LC	LC	1	0	0.3		17	7.42	LC	LC	1	0	0.3	
Sclerolaena intricata	28	3.15	LC	LC	1	0	0.3		2	0.22	LC	LC	1	0	0.3		72	8.10	LC	LC	1	0	0.3	
Sclerolaena johnsonii		0.00								0.00							3	2.50	LC	LC	1	0	0.3	
Sclerolaena lanicuspis	50	5.68	LC	LC	1	0	0.3		5	0.57	LC	LC	1	0	0.3		38	4.32	LC	LC	1	0	0.3	
Sclerolaena limbata		0.00								0.00								0.00						
Sclerolaena longicuspis	28	8.05	LC	LC	1	0	0.3			0.00							7	2.01	LC	LC	1	0	0.3	
Sclerolaena muricata var. muricata		0.00								0.00								0.00						
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis	10	0.37	LC	LC	1	0	0.3			0.00							3	0.11	LC	LC	1	0	0.3	
Sclerolaena parallelicuspis	13	3.99	LC	LC	1	0	0.3		2	0.61	LC	LC	1	0	0.3		39	11.96	LC	LC	1	0	0.3	
Sclerolaena parviflora		0.00								0.00								0.00						
Sclerolaena patenticuspis	6	0.53	LC	LC	1	0	0.3			0.00							10	0.88	LC	LC	1	0	0.3	
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei	1	1.10	NT	NT	2	0	0.3		1	1.10	NT	NT	2	0	0.3		5	5.49	NT	NT	2	0	0.3	endemic to SA; long-lived
Sclerolaena tricuspis	5	1.86	NT	NT	2	DD	0			0.00							1	0.37	NT	NT	2	DD	0	
Sclerolaena uniflora	1	0.10	LC	LC	1	0	0.3			0.00							3	0.31	LC	LC	1	0	0.3	grows on bare limestone
Sclerolaena ventricosa	14	1.87	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3		39	5.21	LC	LC	1	0	0.3	
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00								0.00								0.00						
Senecio depressicola		0.00								0.00								0.00						
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola	2	33.33	RA d(i,ii)	RA	3	DD	0	undercollected		0.00								0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus	7	0.89	LC	LC	1	0	0.3	in interdune swales	1	0.13	LC	LC	1	0	0.3	in interdune swales	13	1.66	LC	LC	1	0	0.3	in interdune swales
Senecio gregorii	5	0.64	LC	LC	1	0	0.3	on sand dunes, widespread	1	0.13	LC	LC	1	0	0.3	on sand dunes, widespread	25	3.18	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola	3	23.08	RA d(i,ii)	RA	3	DD	0	restricted habitat; gypseous; naturally rare		0.00							2	15.38	RA d(i,ii)	RA	3	DD	0	restricted habitat; gypseous; naturally rare
Senecio laceratus	1	1.69	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Senecio lacustrinus		0.00							1	0.85	LC	LC	1	0	0.3		1	0.85	LC	LC	1	0	0.3	
Senecio lanibracteus	42	12.92	LC	LC	1	0	0.3			0.00							8	2.46	LC	LC	1	0	0.3	
Senecio magnificus	17	2.00	LC	LC	1	0	0.3		3	0.35	LC	LC	1	0	0.3		11	1.29	LC	LC	1	0	0.3	
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius		0.00								0.00								0.00						
Senecio spanomerus	1	0.19	NE	NE	-1			taxonomic issues		0.00							1	0.19	NE	NE	-1			taxonomic issues
Senna artemisioides ssp. alicia	7	6.93	LC	LC	1	0	0.3		1	0.99	NT	NT	2	0	0.3		2	1.98	NT	NT	2	0	0.3	
Senna artemisioides ssp. artemisioides	35	4.44	LC	LC	1	0	0.3			0.00							4	0.51	RA d(i,ii)	RA	3	DD	0	western edge of range
Senna artemisioides ssp. coriacea	51	3.50	LC	LC	1	0	0.3			0.00							4	0.27	LC	LC	1	0	0.3	
Senna artemisioides ssp. filifolia	46	3.87	LC	LC	1	0	0.3			0.00							12	1.01	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Senna artemisioides ssp. helmsii	25	7.29	LC	LC	1	0	0.3		1	0.29	LC	LC	1	0	0.3		15	4.37	LC	LC	1	0	0.3	
Senna artemisioides ssp. oligophylla	5	2.36	LC	LC	1	0	0.3			0.00							17	8.02	LC	LC	1	0	0.3	
Senna artemisioides ssp. petiolaris	5	0.50	LC	LC	1	0	0.3			0.00							9	0.89	LC	LC	1	0	0.3	
Senna artemisioides ssp. quadrifolia	3	1.61	NT	NT	2	DD	0			0.00							5	2.69	LC	LC	1	0	0.3	
Senna artemisioides ssp. sturtii	13	8.44	LC	LC	1	0	0.3		1	0.65	NT	NT	2	DD	0		2	1.30	LC	LC	1	0	0.3	
Senna artemisioides ssp. zygophylla		0.00								0.00							3	4.29	NT	NT	2	DD	0	
Senna cardiosperma ssp. gawlerensis	6	1.46	LC	LC	1	0	0.3			0.00							7	1.70	LC	LC	1	0	0.3	
Senna cardiosperma ssp. microphylla	3	8.57	NT	NT	2	DD	0			0.00								0.00						
Senna glutinosa ssp. glutinosa		0.00								0.00								0.00						
Senna glutinosa ssp. pruinosa	4	11.43	NT	NT	2	DD	0			0.00							5	14.29	NT	NT	2	0	0.3	
Senna notabilis	6	60.00						introduction		0.00								0.00						
Senna phyllodinea	6	3.73	LC	LC	1	0	0.3			0.00							7	4.35	LC	LC	1	0	0.3	
Senna planitiicola		0.00								0.00							1	2.70	DD	DD	0	DD	0	highly unlikely
Senna pleurocarpa var. pleurocarpa	2	0.60	RA d(i,ii)	RA	3	DD	0	fire responsive		0.00							2	0.60	RA d(ii)	RA	3	DD	0	fire responsive
Sesbania cannabina var. cannabina		0.00								0.00								0.00						
Setaria basiclada	3	3.03	NT	NT	2	DD	0	likes rocky hills		0.00							5	5.05	NT	NT	2	DD	0	likes rocky hills
Setaria clementii	6	5.94	LC	LC	1	0	0.3	easily overlooked; likes low, rocky rises		0.00							1	0.99	RA d(ii)	RA	3	0	0.3	easily overlooked; likes low, rocky rises
Setaria constricta	4	0.74	RA d(ii)	RA	3	DD	0	uncommon		0.00							1	0.19	RA d(ii)	RA	3	DD	0	
Setaria dielsii	1	0.80	RA d(ii)	RA	3	DD	0	in creeks, drainage lines; ephemeral	2	1.60	RA d(ii)	RA	3	DD	0	in creeks, drainage lines; ephemeral	9	7.20	NT	NT	2	0	0.3	in creeks, drainage lines; ephemeral
Setaria jubiflora	1	0.41	RA d(ii)	RA	3	DD	0	in creek lines		0.00							6	2.49	RA d(ii)	RA	3	DD	0	in creek lines
Setaria reflexa	4	7.27	RA d(ii)	RA	3	DD	0			0.00								0.00						
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	2	0.32	LC	LC	1	0	0.3			0.00							7	1.12	LC	LC	1	0	0.3	
Sida argillacea		0.00								0.00								0.00						
Sida calyxhymenia	3	1.53	NT	NT	2	0	0.3			0.00								0.00						
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata		0.00								0.00								0.00						
Sida cunninghamii		0.00								0.00								0.00						
Sida everistiana	1	20.00	RA d(ii)	RA	3	DD	0			0.00							1	20.00	RA d(ii)	RA	3	DD	0	
Sida fibulifera	53	3.46	LC	LC	1	0	0.3		6	0.39	LC	LC	1	0	0.3		50	3.27	LC	LC	1	0	0.3	
Sida filiformis		0.00								0.00								0.00						
Sida goniocarpa	1	3.33	NT	NT	2	DD	0			0.00								0.00						
Sida intricata	20	3.23	LC	LC	1	0	0.3		3	0.48	LC	LC	1	0	0.3		25	4.04	LC	LC	1	0	0.3	
Sida petrophila	15	1.03	LC	LC	1	0	0.3		5	0.34	LC	LC	1	0	0.3		8	0.55	LC	LC	1	0	0.3	
Sida phaeotricha	5	2.81	NT	NT	2	0	0.3			0.00								0.00						
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae		0.00	RA d(i,ii)	RA	3	DD	0	(no records)		0.00							1	3.23	DD	DD	0	DD	0	old record
Sida sp. B (C.Dunlop 1739)		0.00								0.00								0.00						
Sida sp. Everard Ranges (D.J.Whibley 1085)	2	20.00	NT	NT	2	DD	0			0.00								0.00						
Sida sp. F (Latz 7459)		0.00								0.00							3	7.89	NE	NE	-1			taxonomic issues
Sida sp. L (A.M.Ashby 4202)	3	25.00	NE	NE	-1			taxonomic issues		0.00								0.00						
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00								0.00						
Sida spodochroma	2	1.20	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Sida trichopoda	9	2.14	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3		23	5.48	LC	LC	1	0	0.3	
Sigesbeckia australiensis		0.00								0.00								0.00						
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale	3	1.92	NT	NT	2	DD	0	edge of range		0.00							2	1.28	NT	NT	2	DD	0	edge of range
Solanum chenopodinum		0.00								0.00							5	9.43	NT	NT	2	0	0.3	
Solanum cleistogamum	5	5.38	NT	NT	2	0	0.3			0.00							4	4.30	NT	NT	2	0	0.3	
Solanum coactiliferum	1	0.16	RA d(ii)	RA	3	DD	0			0.00							1	0.16	RA d(ii)	RA	3	DD	0	
Solanum eardleyae	2	2.04	RA d(ii)	RA	3	0	0.3	possibly increasing, moving south		0.00								0.00						
Solanum ellipticum	59	3.99	LC	LC	1	0	0.3		12	0.81	LC	LC	1	0	0.3		29	1.96	LC	LC	1	0	0.3	
Solanum esuriale	5	1.27	LC	LC	1	0	0.3			0.00							16	4.05	LC	LC	1	0	0.3	
Solanum ferocissimum	2	5.41	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Solanum lacunarium		0.00								0.00							4	5.97	NT	NT	2	0	0.3	
Solanum lasiophyllum	6	7.89	NT	NT	2	DD	0			0.00							5	6.58	NT	NT	2	DD	0	
Solanum oligacanthum		0.00							1	0.37	RA d(i,ii)	RA	3	0	0.3	limited habitat	1	0.37	RA d(i,ii)	RA	3	0	0.3	limited habitat
Solanum orbiculatum ssp. orbiculatum		0.00								0.00								0.00						
Solanum petrophilum	5	0.48	LC	LC	1	0	0.3			0.00							1	0.10	RA d(ii)	RA	3	0	0.3	
Solanum quadriloculatum	52	15.66	LC	LC	1	0	0.3		1	0.30	RA d(i,ii)	RA	3	0	0.3		14	4.22	LC	LC	1	0	0.3	
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum	6	0.92	NT	NT	2	0	0.3			0.00								0.00						
Sonchus hydrophilus		0.00								0.00							1	0.38	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.
Spartothamnella teucriiflora	10	12.05	NT	NT	2	0	0.3			0.00							2	2.41	NT	NT	2	0	0.3	
Spergularia brevifolia		0.00								0.00							1	1.47	DD	DD	0	DD	0	records on loan
Spergularia diandroides		0.00								0.00								0.00						
Spergularia marina	1	0.38	NT	NT	2	0	0.3	in low-lying salty areas	1	0.38	NT	NT	2	0	0.3	in low-lying salty areas	13	4.91	LC	LC	1	0	0.3	in low-lying salty areas

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus	13	2.38	LC	LC	1	0	0.3		6	1.10	LC	LC	1	0	0.3		68	12.45	LC	LC	1	0	0.3	
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei	1	10.00	NT	NT	2	0	0.3			0.00								0.00						
Sporobolus caroli	1	1.59	RA d(ii)	RA	3	DD	0			0.00								0.00						
Sporobolus mitchellii	1	0.29	RA d(ii)	RA	3	DD	0	restricted to river systems		0.00							1	0.29	RA d(ii)	RA	3	DD	0	restricted to river systems
Sporobolus virginicus		0.00							2	0.44	RA d(ii)	RA	3	0	0.3	hardy sp, likes salt	8	1.77	LC	LC	1	0	0.3	hardy sp, likes salt
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii	11	19.64	NT	NT	2	0	0.3			0.00							3	5.36	RA d(i,ii)	RA	3	0	0.3	
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00								0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	1	0.16	NT	NT	2	0	0.3		2	0.31	LC	LC	1	0	0.3		10	1.56	LC	LC	1	0	0.3	
Stemodia glabella		0.00								0.00								0.00						
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00							1	4.76	RA d(i,ii)	RA	3	0	0.3	
Stemodia viscosa	1	2.70	RA d(i,ii)	RA	3	0	0.3	likes granites		0.00								0.00						
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum	6	11.11	NT	NT	2	0	0.3	edge of range; grows on flats, sands, rises		0.00								0.00						
Stenopetalum decipiens		0.00								0.00								0.00						
Stenopetalum lineare	23	3.72	LC	LC	1	0	0.3	a complex of species, could be split	3	0.48	LC	LC	1	0	0.3	a complex of species, could be split	17	2.75	LC	LC	1	0	0.3	a complex of species, could be split
Stenopetalum nutans	6	6.98	LC	LC	1	0	0.3			0.00								0.00						
Stenopetalum sphaerocarpum		0.00							1	0.44	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Stenopetalum velutinum	2	0.99	NT	NT	2	0	0.3		4	1.97	NT	NT	2	0	0.3		5	2.46	LC	LC	1	0	0.3	
Streptoglossa adscendens	3	0.94	LC	LC	1	0	0.3			0.00							47	14.69	LC	LC	1	0	0.3	
Streptoglossa cylindriceps	3	6.25	LC	LC	1	0	0.3		2	4.17	LC	LC	1	0	0.3		9	18.75	LC	LC	1	0	0.3	
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides	6	3.61	LC	LC	1	0	0.3		5	3.01	LC	LC	1	0	0.3		17	10.24	LC	LC	1	0	0.3	
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum		0.00								0.00							1	20.00	VU D2	VU	4	DD	0	disjunct pop, Ingomar Station; threatened by cattle
Suaeda australis		0.00								0.00								0.00						
Swainsona acuticarinata		0.00								0.00								0.00						
Swainsona adenophylla		0.00							1	1.27	RA d(i,ii)	RA	3	DD	0	edge of salt lakes		0.00						
Swainsona affinis		0.00								0.00								0.00						
Swainsona burkittii		0.00								0.00								0.00						
Swainsona campylantha	12	4.10	LC	LC	1	0	0.3		4	1.37	LC	LC	1	0	0.3		54	18.43	LC	LC	1	0	0.3	
Swainsona canescens	4	3.64	RA d(ii)	RA	3	DD	0	limited habitat		0.00								0.00						
Swainsona colutoides		0.00								0.00								0.00						
Swainsona disjuncta		0.00								0.00								0.00						
Swainsona eremaea		0.00								0.00							5	16.13	LC	LC	1	0	0.3	taxonimic problems; endemic to SA
Swainsona extrajacens		0.00								0.00								0.00						
Swainsona fissimontana		0.00								0.00								0.00						
Swainsona flavicarinata	1	1.35	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Swainsona formosa	4	1.83	NT	NT	2	0	0.3		1	0.46	NT	NT	2	0	0.3		5	2.28	NT	NT	2	0	0.3	
Swainsona laxa		0.00								0.00							3	4.35	NT	NT	2	DD	0	
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx		0.00								0.00								0.00						
Swainsona microphylla		0.00								0.00								0.00						
Swainsona minutiflora		0.00								0.00							1	7.14	VU D2	VU	4	0	0.3	in calcareous drainage lines
Swainsona oligophylla	2	2.13	NT	NT	2	DD	0			0.00							20	21.28	LC	LC	1	0	0.3	
Swainsona oliveri	6	6.82	LC	LC	1	0	0.3			0.00							1	1.14	RA d(ii)	RA	3	DD	0	
Swainsona oroboides	8	7.27	LC	LC	1	0	0.3		1	0.91	NT	NT	2	DD	0		13	11.82	LC	LC	1	0	0.3	
Swainsona phacoides		0.00							2	0.52	LC	LC	1	0	0.3		16	4.13	LC	LC	1	0	0.3	
Swainsona purpurea	2	1.92	NT	NT	2	0	0.3			0.00							21	20.19	LC	LC	1	0	0.3	
Swainsona stipularis	5	1.68	NT	NT	2	DD	0			0.00							5	1.68	NT	NT	2	DD	0	
Swainsona swainsonioides		0.00								0.00								0.00						
Swainsona tenuis	7	9.72	NT	NT	2	0	0.3			0.00							3	4.17	NT	NT	2	DD	0	
Swainsona tephrotricha		0.00								0.00								0.00						
Swainsona unifoliolata	1	7.14	VU D2	VU	4	DD	0	restricted habitat		0.00								0.00						
Swainsona vestita		0.00								0.00							2	100.00	VU B2ab(i,ii,iii)	VU	4	-	0.4	threatened by mining works; restricted; along roadsides
Swainsona villosa	8	5.84	LC	LC	1	0	0.3			0.00							3	2.19	LC	LC	1	0	0.3	
Swainsona viridis		0.00								0.00								0.00						
Synaptantha tillaeacea var. hispidula		0.00								0.00								0.00						
Synaptantha tillaeacea var. tillaeacea	2	3.23	LC	LC	1	0	0.3	undercollected		0.00							6	9.68	LC	LC	1	0	0.3	undercollected
Tecticornia arbuscula		0.00								0.00							2	0.74	RA d(ii)	RA	3	DD	0	Very old records
Tecticornia cupuliformis	1	7.69	RA d(ii)	RA	3	DD	0	ephemeral; undercollected; hard to ID; likes heavy clay; no kn		0.00								0.00						
Tecticornia disarticulata	2	1.08	LC	LC	1	0	0.3		1	0.54	NT	NT	2	0	0.3		5	2.70	LC	LC	1	0	0.3	
Tecticornia fontinalis		0.00								0.00							1	11.11	VU D2	VU	4	DD	0	endemic to SA; habitat degraded
Tecticornia halocnemoides ssp. halocnemoides		0.00								0.00							1	0.27	RA d(ii)	RA	3	DD	0	endemic to SA
Tecticornia halocnemoides ssp. longispicata		0.00								0.00							4	3.88	LC	LC	1	0	0.3	
Tecticornia halocnemoides ssp. tenuis		0.00								0.00							1	6.67	RA d(ii)	RA	3	0	0.3	southern edge of range

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Tecticornia indica ssp. bidens		0.00								0.00								0.00						
Tecticornia indica ssp. leiostachya		0.00							1	0.21	LC	LC	1	0	0.3		5	1.03	LC	LC	1	0	0.3	
Tecticornia medullosa	8	6.61	LC	LC	1	0	0.3	likes rocks	1	0.83	LC	LC	1	0	0.3	likes rocks	22	18.18	LC	LC	1	0	0.3	likes rocks
Tecticornia nitida		0.00								0.00								0.00						
Tecticornia pergranulata ssp. divaricata	1	1.72	RA d(ii)	RA	3	0	0.3			0.00							4	6.90	LC	LC	1	0	0.3	
Tecticornia pergranulata ssp. elongata		0.00								0.00								0.00						
Tecticornia pergranulata ssp. pergranulata		0.00								0.00								0.00						
Tecticornia pruniflora		0.00								0.00							1	2.22	LC	LC	1	0	0.3	
Tecticornia pruinosa		0.00								0.00								0.00						
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00							1	2.27	RA d(ii)	RA	3	DD	0	
Tecticornia tenuis	2	0.67	LC	LC	1	0	0.3	arid sp.		0.00							31	10.37	LC	LC	1	0	0.3	arid sp.
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena	5	1.22	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora		0.00								0.00							5	1.72	LC	LC	1	0	0.3	
Tephrosia supina		0.00								0.00								0.00						
Tetragonia eremaea	20	1.69	LC	LC	1	0	0.3		3	0.25	LC	LC	1	0	0.3		19	1.60	LC	LC	1	0	0.3	
Tetragonia moorei		0.00								0.00								0.00						
Tetragonia tetragonioides	acords	0.00								0.00								0.00						
Teucrium albicaule		0.00								0.00								0.00						
Teucrium corymbosum		0.00								0.00								0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum	6	0.72	LC	LC	1	0	0.3			0.00							24	2.87	LC	LC	1	0	0.3	
Teucrium reidii		0.00								0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea	1	5.56	NT	NT	2	-	0.4	grazed by cattle		0.00								0.00						
Themeda triandra	12	0.79	LC	LC	1	0	0.3		2	0.13	RA d(ii)	RA	3	DD	0		7	0.46	RA d(ii)	RA	3	DD	0	
Threlkeldia inchoata	12	16.44	LC	LC	1	0	0.3	likes rich soils & stony rises	1	1.37	RA d(ii)	RA	3	DD	0	likes rich soils & stony rises	15	20.55	LC	LC	1	0	0.3	likes rich soils & stony rises
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana	5	3.97	LC	LC	1	0	0.3			0.00								0.00						
Thyridolepis multiculmis	4	7.02	NT	NT	2	DD	0	edge of range		0.00							1	1.75	NT	NT	2	DD	0	
Thyridolepis xerophila	2	13.33	RA d(ii)	RA	3	DD	0			0.00							1	6.67	RA d(ii)	RA	3	DD	0	
Thysanotus baueri	3	0.35	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Thysanotus exiliflorus	2	5.13	RA d(ii)	RA	3	0	0.3			0.00							1	2.56	RA d(ii)	RA	3	0	0.3	
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae		0.00								0.00								0.00						
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	6	2.13	LC	LC	1	0	0.3		3	1.06	LC	LC	1	0	0.3		6	2.13	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus	7	1.85	LC	LC	1	0	0.3		1	0.26	LC	LC	1	0	0.3		29	7.65	LC	LC	1	0	0.3	
Trianthema pilosa		0.00								0.00								0.00						
Trianthema triquetra	30	3.68	LC	LC	1	0	0.3		3	0.37	LC	LC	1	0	0.3		63	7.73	LC	LC	1	0	0.3	
Tribulus astrocarpus	4	14.81	NT	NT	2	0	0.3			0.00								0.00						
Tribulus eichlerianus	8	2.71	LC	LC	1	0	0.3		5	1.69	LC	LC	1	0	0.3		10	3.39	LC	LC	1	0	0.3	
Tribulus hystrix		0.00							1	0.46	LC	LC	1	0	0.3	likes big red sand hills	9	4.15	LC	LC	1	0	0.3	likes big red sand hills
Tribulus macrocarpus		0.00								0.00								0.00						
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00								0.00							2	8.33	NT	NT	2	0	0.3	poorly collected
Trichanthodium skirrophorum	29	4.22	LC	LC	1	0	0.3			0.00							23	3.34	LC	LC	1	0	0.3	
Trichodesma zeylanicum var. zeylanicum	6	0.82	LC	LC	1	0	0.3		9	1.23	LC	LC	1	0	0.3		12	1.63	LC	LC	1	0	0.3	
Triglochin hexagona	der he	0.00								0.00								0.00						
Triglochin isingiana	1	0.70	RA d(ii)	RA	3	DD	0	comes up in floods; localised; habitat specific		0.00							5	3.52	LC	LC	1	0	0.3	
Triglochin multifructa	by catt	0.00								0.00							1	50.00	VU D2	VU	4	DD	0	in permanent waterholes; localised; prone to degrading
Triglochin nana		0.00								0.00								0.00						
Triglochin sp. A (N.N.Donner 3596)		0.00								0.00								0.00						
Triglochin striata																								
Trigonella suavissima	4	1.32	LC	LC	1	0	0.3			0.00							27	8.94	LC	LC	1	0	0.3	
Triodia basedowii		0.00								0.00								0.00						
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii		0.00								0.00								0.00						
Triodia irritans		0.00							2	0.17	RA d(i,ii)	RA	3	0	0.3			0.00						
Triodia longiceps		0.00								0.00								0.00						
Triodia pungens		0.00								0.00								0.00						
Triodia scariosa		0.00								0.00								0.00						
Triodia schinzii		0.00								0.00								0.00						
Tripogon loliiformis	18	2.47	LC	LC	1	0	0.3		4	0.55	LC	LC	1	0	0.3		56	7.69	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Triraphis mollis	6	0.85	LC	LC	1	0	0.3		3	0.42	LC	LC	1	0	0.3		21	2.97	LC	LC	1	0	0.3	
Typha domingensis		0.00							2	0.45	RA d(ii)	RA	3	DD	0		3	0.68	RA d(ii)	RA	3	DD	0	
Typhonium alismifolium		0.00								0.00							2	15.38	RA d(i,ii)	RA	3	0	0.3	
Uranthoecium truncatum	1	5.56	NT	NT	2	DD	0	poorly collected		0.00							3	16.67	NT	NT	2	DD	0	poorly collected
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00								0.00								0.00						
Velleia arguta	1	0.23	DD	DD	0	DD	0	query ID		0.00								0.00						
Velleia connata		0.00								0.00								0.00						
Velleia glabrata	4	6.15	NT	NT	2	0	0.3			0.00							1	1.54	RA d(i,ii)	RA	3	DD	0	edge of range
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia		0.00								0.00							1	6.67	RA d(i,ii)	RA	3	0	0.3	occurs in small patches
Vittadinia arida	1	1.15	RA d(ii)	RA	3	DD	0			0.00							2	2.30	RA d(ii)	RA	3	DD	0	
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis		0.00								0.00								0.00						
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata	1	0.13	NE	NE	-1			taxonomic issues		0.00								0.00						
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta		0.00								0.00								0.00						
Vittadinia eremaea	14	3.33	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3		3	0.71	LC	LC	1	0	0.3	
Vittadinia gracilis		0.00								0.00								0.00						
Vittadinia pterochaeta		0.00								0.00								0.00						
Vittadinia pustulata		0.00								0.00								0.00						
Vittadinia sulcata	11	5.88	NT	NT	2	DD	0	undercollected		0.00							10	5.35	NT	NT	2	DD	0	undercollected
Wahlenbergia aridicola	2	3.08	RA d(ii)	RA	3	0	0.3	annual	1	1.54	RA d(ii)	RA	3	0	0.3	annual	1	1.54	RA d(ii)	RA	3	0	0.3	annual
Wahlenbergia communis	6	0.90	LC	LC	1	0	0.3	annual	1	0.15	LC	LC	1	0	0.3	annual	7	1.06	LC	LC	1	0	0.3	annual
Wahlenbergia gracilenta	1	0.08	RA d(ii)	RA	3	0	0.3	responds to disturbance	1	0.08	RA d(ii)	RA	3	0	0.3	responds to disturbance	2	0.16	RA d(ii)	RA	3	0	0.3	responds to disturbance
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00								0.00						
Wahlenbergia queenslandica	2	3.33	LC	LC	1	0	0.3		2	3.33	LC	LC	1	0	0.3			0.00						
Wahlenbergia stricta ssp. stricta		0.00								0.00							2	0.15	RA d(i,ii)	RA	3	DD	0	
Wahlenbergia tumidifructa	17	3.74	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3		25	5.49	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata	8	2.05	LC	LC	1	0	0.3			0.00							4	1.03	LC	LC	1	0	0.3	
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii		0.00								0.00								0.00						
Westringia rigida		0.00								0.00								0.00						
Wurmbea australis		0.00								0.00								0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina		0.00								0.00								0.00						
Wurmbea deserticola		0.00								0.00								0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00							5	100.00	VU D2	VU	4	0	0.3	grows on red rocky soils		0.00						
Wurmbea stellata	2	10.00	RA d(i,ii)	RA	3	0	0.3			0.00							1	5.00	RA d(i,ii)	RA	3	0	0.3	
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum		0.00								0.00								0.00						
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00								0.00								0.00						
Zaleya galericulata ssp. australis		0.00								0.00							4	7.41	LC	LC	1	0	0.3	carried by stock
Zygochloa paradoxa		0.00							1	0.12	LC	LC	1	0	0.3		8	0.99	LC	LC	1	0	0.3	
Zygophyllum ammophilum	2	0.72	LC	LC	1	0	0.3	has been split from Z billardierei		0.00							7	2.53	LC	LC	1	0	0.3	has been split from Z billardierei
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum	14	0.93	LC	LC	1	0	0.3		1	0.07	LC	LC	1	0	0.3			0.00						
Zygophyllum aurantiacum ssp. aurantiacum	7	0.94	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3		17	2.28	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum		0.00							1	1.92	NT	NT	2	DD	0		1	1.92	NT	NT	2	DD	0	
Zygophyllum aurantiacum ssp. simplicifolium		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. verticillatum		0.00								0.00							1	0.83	RA d(ii)	RA	3	0	0.3	
Zygophyllum compressum		0.00								0.00							1	0.98	RA d(ii)	RA	3	0	0.3	
Zygophyllum confluens	1	0.29	RA d(ii)	RA	3	DD	0	query ID		0.00								0.00						
Zygophyllum crassissimum	26	56.52	NT	NT	2	0	0.3	likes gypeous breakaways		0.00							1	2.17	RA d(i,ii)	RA	3	0	0.3	likes gypeous breakaways
Zygophyllum crenatum		0.00								0.00							1	0.24	RA d(i,ii)	RA	3	DD	0	outlier
Zygophyllum eichleri		0.00								0.00								0.00						
Zygophyllum emarginatum	15	13.27	LC	LC	1	0	0.3			0.00							11	9.73	LC	LC	1	0	0.3	
Zygophyllum eremaeum	8	1.90	LC	LC	1	0	0.3	undercollected		0.00							1	0.24	NT	NT	2	0	0.3	undercollected
Zygophyllum glaucum	1	0.19	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Zygophyllum howittii	1	0.26	RA d(ii)	RA	3	DD	0	likes sandy rises		0.00							13	3.41	LC	LC	1	0	0.3	likes sandy rises
Zygophyllum humillimum		0.00								0.00							6	6.90	LC	LC	1	0	0.3	
Zygophyllum hybridum		0.00								0.00							8	30.77	RA d(ii)	RA	3	0	0.3	gypseous flats; endemic to SA
Zygophyllum iodocarpum	3	0.92	NT	NT	2	DD	0	western edge of range		0.00							19	5.83	LC	LC	1	0	0.3	
Zygophyllum kochii		0.00								0.00							1	4.35	RA d(i,ii)	RA	3	DD	0	
Zygophyllum marliesiae		0.00							2	6.90	RA d(ii)	RA	3	0	0.3	endemic to SA		0.00						
Zygophyllum ovatum	9	0.98	LC	LC	1	0	0.3			0.00								0.00						
Zygophyllum prismatothecum	8	3.49	LC	LC	1	0	0.3		2	0.87	LC	LC	1	0	0.3		2	0.87	NT	NT	2	0	0.3	
Zygophyllum rowelliae	15	46.88	LC	LC	1	0	0.3	stronghold		0.00							5	15.63	LC	LC	1	0	0.3	stronghold

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	16_Breakaways_Records	%_Breakaways	IUCN Status & Criteria (Breakaways)	Regional Status (Breakaways)	Regional Status Score (Breakaways)	Trend (-, -, 0, +, ++) Breakaways	Trend Score (Breakaways)	Comments (Breakaways)	17_Peake-Dennison Inlier_Records	%_Peake-Dennison Inlier	IUCN Status & Criteria (Peake-Dennison Inlier)	Regional Status (Peake-Dennison Inlier)	Regional Status Score (PDI)	Trend (-, -, 0, +, ++) Peake-Dennison Inlier	Trend Score (PDI)	Comments (Peake-Dennison Inlier)	18_Oodnadatta_Records	%_Oodnadatta	IUCN Status & Criteria (Oodnadatta)	Regional Status (Oodnadatta)	Regional Status Score (Oodna)	Trend (-, -, 0, +, ++) Oodnadatta	Trend Score (Oodna)	Comments (Oodnadatta)
Zygophyllum simile	4	0.92	LC	LC	1	0	0.3		4	0.92	LC	LC	1	0	0.3		5	1.14	LC	LC	1	0	0.3	
Zygophyllum tesquorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Abutilon cryptopetalum ssp. cryptopetalum		0.00								0.00								0.00						
Abutilon fraseri ssp. diplotrichum		0.00								0.00								0.00						
Abutilon fraseri ssp. fraseri		0.00							1	1.43	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Abutilon halophilum	5	0.93	LC	LC	1	0	0.3		65	12.08	LC	LC	1	0	0.3			0.00						
Abutilon leucopetalum	1	0.12	NT	NT	2	DD	0		18	2.17	LC	LC	1	0	0.3			0.00						
Abutilon macrum		0.00							1	2.17	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Abutilon malvaefolium	1	1.30	NT	NT	2	0	0.3		9	11.69	LC	LC	1	0	0.3			0.00						
Abutilon otocarpum	6	1.16	LC	LC	1	0	0.3		10	1.93	LC	LC	1	0	0.3		6	1.16	LC	LC	1	0	0.3	
Abutilon oxycarpum var. oxycarpum		0.00							2	40.00	RA d(ii)	RA	3	DD	0	lack of records		0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00								0.00						
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura		0.00							4	0.83	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	8	1.66	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia		0.00								0.00							1	0.62	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. major		0.00							1	2.86	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00						
Acacia aneura var. microcarpa		0.00								0.00								0.00						
Acacia aneura var. tenuis		0.00								0.00								0.00						
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana		0.00								0.00							1	3.13	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megaspherica		0.00								0.00								0.00						
Acacia brachystachya		0.00								0.00							1	0.78	LC	LC	1	0	0.3	
Acacia burkittii		0.00								0.00								0.00						
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola	1	0.66	RA d(i,ii)	RA	3	0	0.3	edge of range	1	0.66	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Acacia cambagei	11	4.28	LC	LC	1	0	0.3		64	24.90	LC	LC	1	0	0.3		2	0.78	NT	NT	2	0	0.3	
Acacia carneorum		0.00								0.00								0.00						
Acacia clelandii		0.00							2	3.85	LC	LC	1	0	0.3	taxonomic issues	1	1.92	LC	LC	1	0	0.3	taxonomic issues
Acacia confluens		0.00								0.00								0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla		0.00							27	25.71	LC	LC	1	0	0.3			0.00						
Acacia dictyophleba		0.00								0.00								0.00						
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata	2	1.56	RA d(i,ii)	RA	3	DD	0	edge of range	1	0.78	DD	DD	0	DD	0	imprecise location	8	6.25	RA d(ii)	RA	3	DD	0	
Acacia georginae		0.00							1	4.35	RA d(i,ii)	RA	3	0	0.3	northern sp, long-lived		0.00						
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00								0.00								0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana	1	0.23	RA d(i,ii)	RA	3	DD	0			0.00							1	0.23	RA d(i,ii)	RA	3	DD	0	
Acacia latzii		0.00							1	50.00	RA d(i,ii)	RA	3	DD	0	edge of range; lack of info.		0.00						
Acacia ligulata	34	1.16	LC	LC	1	0	0.3		36	1.22	LC	LC	1	0	0.3		12	0.41	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00								0.00						
Acacia melleodora		0.00								0.00								0.00						
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura		0.00								0.00							3	1.72	RA d(ii)	RA	3	0	0.3	edge of range; taxonomic issues with other mulgas
Acacia murrayana	4	0.83	LC	LC	1	0	0.3		15	3.10	LC	LC	1	0	0.3		2	0.41	NT	NT	2	0	0.3	
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla		0.00								0.00								0.00						
Acacia olgana		0.00								0.00								0.00						
Acacia oswaldii	5	0.24	NT	NT	2	0	0.3		11	0.53	LC	LC	1	0	0.3	grazed by camels	1	0.05	NT	NT	2	0	0.3	lots of northern records will become A sessilliseps
Acacia pachyacra		0.00								0.00								0.00						
Acacia papyrocarpa		0.00								0.00								0.00						
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura	2	5.00	NE	NE	-1			taxonomic issues, will be split into 2		0.00							5	12.50	NE	NE	-1			taxonomic issues, will be split into 2
Acacia pickardii		0.00								0.00								0.00						
Acacia prainii		0.00								0.00								0.00						
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa		0.00								0.00								0.00						
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla		0.00							2	0.76	NE	NE	-1			some taxonomic issues; common on dunes		0.00						
Acacia ramulosa var. ramulosa	4	4.12	NE	NE	-1			taxonomic issues	2	2.06	NE	NE	-1			taxonomic issues	1	1.03	NE	NE	-1			taxonomic issues
Acacia rhodophloia		0.00								0.00								0.00						
Acacia rigens		0.00								0.00								0.00						
Acacia rivalis		0.00								0.00								0.00						
Acacia salicina	31	5.38	LC	LC	1	0	0.3		58	10.07	LC	LC	1	0	0.3			0.00						
Acacia sericophylla		0.00								0.00								0.00						
Acacia sibirica	1	0.43	RA d(i,ii)	RA	3	DD	0		9	3.83	NT	NT	2	DD	0			0.00						
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla	27	3.49	LC	LC	1	0	0.3		11	1.42	LC	LC	1	0	0.3		1	0.13	RA d(i,ii)	RA	3	DD	0	
Acacia strongylophylla		0.00								0.00								0.00						
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00								0.00								0.00						
Acacia tetragonophylla	11	0.54	LC	LC	1	0	0.3		82	4.00	LC	LC	1	0	0.3		11	0.54	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00								0.00						
Acacia victoriae ssp. arida	1	1.19	NE	NE	-1			taxonomic issues	1	1.19	NE	NE	-1			taxonomic issues		0.00						
Acacia victoriae ssp. victoriae	4	0.27	NT	NT	2	0	0.3		14	0.95	LC	LC	1	0	0.3			0.00						
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum		0.00								0.00								0.00						
Adriana tomentosa var. hookeri		0.00							1	2.94	NE	NE	-1			taxonomic issues		0.00						
Aeschynomene indica	5	6.85	RA d(ii)	RA	3	DD	0		15	20.55	LC	LC	1	0	0.3			0.00						
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens		0.00								0.00								0.00						
Allocasuarina decaisneana		0.00								0.00								0.00						
Allocasuarina helmsii		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia	2	2.11	LC	LC	1	0	0.3	ephemeral in SA	16	16.84	LC	LC	1	0	0.3	ephemeral in SA	2	2.11	NT	NT	2	0	0.3	ephemeral in SA
Alternanthera denticulata	5	1.38	LC	LC	1	0	0.3		26	7.18	LC	LC	1	0	0.3		1	0.28	LC	LC	1	0	0.3	
Alternanthera nana		0.00								0.00								0.00						
Alternanthera nodiflora	5	2.34	LC	LC	1	0	0.3		14	6.54	LC	LC	1	0	0.3			0.00						
Aluta maisonneuvei ssp. auriculata		0.00								0.00								0.00						
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00								0.00						
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana		0.00							1	1.09	RA d(ii)	RA	3	DD	0	outlier		0.00						
Amaranthus centralis		0.00								0.00								0.00						
Amaranthus cuspidifolius	1	3.03	DD	DD	0	DD	0	records on loan	1	3.03	DD	DD	0	DD	0	records on loan	1	3.03	DD	DD	0	DD	0	records on loan
Amaranthus grandiflorus		0.00							1	1.04	NT	NT	2	0	0.3		1	1.04	NT	NT	2	0	0.3	
Amaranthus interruptus	2	8.00	RA d(ii)	RA	3	0	0.3		1	4.00	RA d(ii)	RA	3	0	0.3		2	8.00	RA d(ii)	RA	3	0	0.3	
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii		0.00							5	5.05	LC	LC	1	0	0.3	dislikes saline ground		0.00						
Ammannia multiflora	5	4.67	LC	LC	1	0	0.3		13	12.15	LC	LC	1	0	0.3			0.00						
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus		0.00								0.00							5	0.86	LC	LC	1	0	0.3	
Amyema fitzgeraldii		0.00								0.00								0.00						
Amyema gibberula var. gibberula		0.00								0.00							2	4.08	NT	NT	2	-	0.4	dependent on grevilleas & hakeas - host trees which ar
Amyema hilliana		0.00								0.00														
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii	10	1.66	LC	LC	1	0	0.3		15	2.49	LC	LC	1	0	0.3			0.00						
Amyema miquelii		0.00								0.00								0.00						
Amyema miraculosa ssp. boormanii		0.00								0.00								0.00						
Amyema preissii	3	0.31	LC	LC	1	0	0.3		11	1.14	LC	LC	1	0	0.3		2	0.21	LC	LC	1	0	0.3	
Amyema quandang var. quandang	2	0.53	NT	NT	2	DD	0	edge of range; host Acacia pyrocarpa & others	7	1.85	LC	LC	1	0	0.3	host Acacia pyrocarpa & others		0.00						
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana		0.00								0.00								0.00						
Anemocarpa podolepidium	2	0.66	RA d(i,ii)	RA	3	DD	0	edge of range	19	6.27	LC	LC	1	0	0.3			0.00						
Anemocarpa saxatilis		0.00								0.00								0.00						
Angianthus brachypappus	1	2.00	RA d(ii)	RA	3	DD	0	ephemeral, likes heavy soils	1	2.00	RA d(ii)	RA	3	DD	0	ephemeral, likes heavy soils		0.00						
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus	2	0.35	RA d(ii)	RA	3	DD	0			0.00								0.00						
Anogramma leptophylla		0.00								0.00								0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena		0.00								0.00								0.00						
Arabidella filifolia		0.00								0.00								0.00						
Arabidella glaucescens	2	0.97	LC	LC	1	0	0.3		9	4.35	LC	LC	1	0	0.3			0.00						
Arabidella nasturtium	1	0.39	NT	NT	2	0	0.3		9	3.52	LC	LC	1	0	0.3			0.00						
Arabidella procumbens		0.00							1	2.04	NT	NT	2	0	0.3	comes up after rain on clay pans & bare ground		0.00						
Arabidella trisecta		0.00							1	0.17	NT	NT	2	0	0.3			0.00						
Aristida anthoxanthoides	6	3.43	LC	LC	1	0	0.3	short-lived; seasonal	13	7.43	LC	LC	1	0	0.3	short-lived; seasonal		0.00						
Aristida arida		0.00								0.00								0.00						
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia		0.00								0.00								0.00						
Aristida contorta	22	1.10	LC	LC	1	0	0.3		81	4.06	LC	LC	1	0	0.3		18	0.90	LC	LC	1	0	0.3	
Aristida holathera var. holathera	10	1.10	LC	LC	1	0	0.3		23	2.53	LC	LC	1	0	0.3		22	2.42	LC	LC	1	0	0.3	tolerates grazing

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Aristida inaequiglumis		0.00								0.00							1	4.00	RA d(ii)	RA	3	DD	0	
Aristida jerichoensis var. subspinulifera		0.00								0.00							1	16.67	RA d(ii)	RA	3	DD	0	scattered throughout
Aristida latifolia		0.00							19	17.27	LC	LC	1	0	0.3	stony, gibber habitat	2	1.82	LC	LC	1	0	0.3	stony, gibber habitat
Aristida nitidula		0.00							4	0.64	RA d(i,ii)	RA	3	DD	0	likes stony ranges		0.00						
Aristida obscura		0.00							2	14.29	NT	NT	2	0	0.3	uncommon	1	7.14	NT	NT	2	0	0.3	uncommon
Aristida personata		0.00								0.00								0.00						
Aristida strigosa		0.00							4	6.67	LC	LC	1	0	0.3			0.00						
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum		0.00								0.00								0.00						
Asperula conferta		0.00								0.00								0.00						
Asperula gemella		0.00								0.00								0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea	1	0.98	LC	LC	1	0	0.3			0.00								0.00						
Astrebla pectinata	11	1.50	LC	LC	1	0	0.3		83	11.35	LC	LC	1	0	0.3			0.00						
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca		0.00							19	8.80	LC	LC	1	0	0.3			0.00						
Atriplex acutibractea ssp. acutibractea		0.00								0.00								0.00						
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba		0.00							4	21.05	RA d(ii)	RA	3	DD	0	not a lot around		0.00						
Atriplex angulata	4	0.70	LC	LC	1	0	0.3		15	2.63	LC	LC	1	0	0.3		1	0.18	RA d(ii)	RA	3	DD	0	edge of range
Atriplex cordifolia		0.00								0.00								0.00						
Atriplex crassipes var. crassipes		0.00							3	5.17	NT	NT	2	0	0.3			0.00						
Atriplex eardleyae		0.00								0.00								0.00						
Atriplex eichleri		0.00								0.00								0.00						
Atriplex elachophylla	2	1.67	LC	LC	1	0	0.3		12	10.00	LC	LC	1	0	0.3		1	0.83	LC	LC	1	0	0.3	
Atriplex fissivalvis	3	1.56	LC	LC	1	0	0.3	ephemeral	10	5.21	LC	LC	1	0	0.3	ephemeral		0.00						
Atriplex holocarpa	3	0.31	LC	LC	1	0	0.3		27	2.82	LC	LC	1	0	0.3			0.00						
Atriplex humifusa	ble	0.00								0.00								0.00						
Atriplex incrassata	1	1.69	RA d(ii)	RA	3	DD	0		11	18.64	NT	NT	2	DD	0			0.00						
Atriplex intermedia	4	6.06	LC	LC	1	0	0.3		2	3.03	LC	LC	1	0	0.3			0.00						
Atriplex kochiana		0.00								0.00								0.00						
Atriplex leptocarpa		0.00								0.00								0.00						
Atriplex limbata	3	0.70	LC	LC	1	0	0.3		13	3.04	LC	LC	1	0	0.3		1	0.23	LC	LC	1	0	0.3	
Atriplex lindleyi ssp. conduplicata	2	1.43	LC	LC	1	0	0.3	endemic to SA	11	7.86	LC	LC	1	0	0.3	endemic to SA		0.00						
Atriplex lindleyi ssp. inflata		0.00							1	0.72	NT	NT	2	0	0.3	endemic to SA; undercollected		0.00						
Atriplex lindleyi ssp. lindleyi		0.00							2	0.94	LC	LC	1	0	0.3	endemic to SA		0.00						
Atriplex lindleyi ssp. quadripartita		0.00								0.00								0.00						
Atriplex lobativalvis	6	10.34	LC	LC	1	0	0.3		2	3.45	LC	LC	1	0	0.3			0.00						
Atriplex macropterocarpa		0.00								0.00								0.00						
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri		0.00							1	1.92	NT	NT	2	DD	0	edge of range		0.00						
Atriplex nummularia ssp. nummularia	27	14.44	LC	LC	1	0	0.3		10	5.35	LC	LC	1	0	0.3			0.00						
Atriplex nummularia ssp. omissa	where	0.00							24	14.29	LC	LC	1	0	0.3	found in drainage channels in subsaline soils; common where		0.00						
Atriplex obconica	1	2.04	RA d(ii)	RA	3	DD	0	northern edge of range	2	4.08	RA d(ii)	RA	3	DD	0	endemic to SA		0.00						
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata		0.00							1	1.16	RA d(ii)	RA	3	DD	0			0.00						
Atriplex pumilio		0.00								0.00								0.00						
Atriplex quadrivalvata var. quadrivalvata		0.00								0.00								0.00						
Atriplex quadrivalvata var. sessilifolia		0.00								0.00								0.00						
Atriplex quinii		0.00							14	7.91	LC	LC	1	0	0.3			0.00						
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa	12	1.73	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land	30	4.32	LC	LC	1	0	0.3	will be split into ssp; increases on degraded land		0.00						
Atriplex stipitata		0.00								0.00								0.00						
Atriplex suberecta		0.00							1	0.31	NT	NT	2	0	0.3	grows in flooded claypans		0.00						
Atriplex turbinata	1	4.17	RA d(ii)	RA	3	DD	0	could have declined	4	16.67	RA d(ii)	RA	3	DD	0	could have declined		0.00						
Atriplex velutinella	9	1.73	LC	LC	1	0	0.3		12	2.31	LC	LC	1	0	0.3			0.00						
Atriplex vesicaria ssp. calcicola		0.00								0.00								0.00						
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha		0.00								0.00								0.00						
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa		0.00								0.00								0.00						
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila		0.00								0.00								0.00						
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida	1	0.03	LC	LC	1	0	0.3			0.00							1	0.03	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Austrostipa nodosa		0.00								0.00								0.00						
Austrostipa nullanulla		0.00								0.00								0.00						
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta		0.00								0.00								0.00						
Austrostipa plumigera		0.00								0.00								0.00						
Austrostipa scabra ssp. falcata		0.00								0.00								0.00						
Austrostipa scabra ssp. scabra		0.00								0.00								0.00						
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla		0.00								0.00								0.00						
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides		0.00								0.00								0.00						
Baeckea tuberculata		0.00								0.00								0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva		0.00								0.00								0.00						
Baumea arthrophylla		0.00							4	1.64	VU D2	VU	4	DD	0	needs permanent water		0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00								0.00								0.00						
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00								0.00						
Bergia occultipetala		0.00							2	11.11	NT	NT	2	0	0.3			0.00						
Bergia pedicellaris		0.00								0.00								0.00						
Bergia perennis ssp. exigua		0.00								0.00								0.00						
Bergia trimera		0.00							9	7.63	LC	LC	1	0	0.3	comes & goes		0.00						
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens		0.00							1	1.54	NT	NT	2	0	0.3			0.00						
Blennodia pterosperma	1	0.85	NT	NT	2	0	0.3		1	0.85	NT	NT	2	0	0.3			0.00						
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea	5	2.94	LC	LC	1	0	0.3		12	7.06	LC	LC	1	0	0.3		1	0.59	LC	LC	1	0	0.3	
Boerhavia dominii	3	0.43	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	3	0.43	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	2	0.28	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance
Boerhavia repleta		0.00								0.00								0.00						
Boerhavia schomburgkiana	4	1.27	LC	LC	1	0	0.3	undercollected; grows in summer	20	6.33	LC	LC	1	0	0.3	undercollected; grows in summer	1	0.32	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii		0.00							15	3.95	NT	NT	2	0	0.3			0.00						
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta		0.00								0.00								0.00						
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana	1	2.00	RA d(ii)	RA	3	DD	0			0.00								0.00						
Bothriochloa macra		0.00								0.00								0.00						
Brachiaria gilesii		0.00							1	7.69	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent	1	7.69	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent
Brachiaria notochthona		0.00								0.00								0.00						
Brachiaria piligera	1	1.96	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral	1	1.96	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral		0.00						
Brachiaria praetervisa	1	0.70	LC	LC	1	0	0.3	likes flooded areas; ephemeral	5	3.52	LC	LC	1	0	0.3	likes flooded areas; ephemeral		0.00						
Brachyachne ciliaris		0.00							7	10.29	LC	LC	1	0	0.3			0.00						
Brachychiton gregorii		0.00								0.00								0.00						
Brachyscome blackii		0.00							1	3.85	RA d(i,ii)	RA	3	DD	0	check ID		0.00						
Brachyscome campylocarpa		0.00								0.00								0.00						
Brachyscome ciliaris var. ciliaris	1	0.09	LC	LC	1	0	0.3	under represented; taxonomic issues		0.00							1	0.09	LC	LC	1	0	0.3	under represented; taxonomic issues
Brachyscome ciliaris var. lanuginosa	2	0.34	LC	LC	1	0	0.3	under represented	10	1.69	LC	LC	1	0	0.3		5	0.85	LC	LC	1	0	0.3	under represented
Brachyscome ciliaris var. lyrifolia		0.00								0.00								0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00								0.00								0.00						
Brachyscome dichromosomatica var. dichromosomatica		0.00								0.00								0.00						
Brachyscome eriogona		0.00							2	2.86	LC	LC	1	DD	0	not all records databased; endemic to SA		0.00						
Brachyscome iberidifolia	1	0.72	LC	LC	1	0	0.3	undercollected	3	2.16	LC	LC	1	0	0.3	undercollected	4	2.88	LC	LC	1	0	0.3	undercollected
Brachyscome lineariloba		0.00								0.00								0.00						
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum		0.00							4	17.39	RA d(i,ii)	RA	3	DD	0			0.00						
Brachyscome trachycarpa		0.00								0.00								0.00						
Bromus arenarius		0.00								0.00								0.00						
Brunonia australis		0.00								0.00							3	0.46	NT	NT	2	0	0.3	poorly collected
Bulbine alata	1	0.33	LC	LC	1	0	0.3		10	3.27	LC	LC	1	0	0.3		2	0.65	LC	LC	1	0	0.3	
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata		0.00							1	0.09	LC	LC	1	0	0.3			0.00						
Bulbostylis barbata	2	6.67	NT	NT	2	0	0.3	common after summer rain; ephemeral		0.00							1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral
Bulbostylis pyriformis																								
Bulbostylis turbinata		0.00								0.00								0.00						
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis		0.00								0.00							1	0.95	NT	NT	2	0	0.3	
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma		0.00								0.00								0.00						
Calandrinia eremaea		0.00							2	0.15	LC	LC	1	0	0.3			0.00						
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra	2	1.87	NT	NT	2	0	0.3			0.00								0.00						
Calandrinia ptychosperma	1	0.92	NT	NT	2	DD	0		10	9.17	LC	LC	1	0	0.3		3	2.75	NT	NT	2	DD	0	
Calandrinia pumila		0.00							2	5.71	NT	NT	2	0	0.3			0.00						
Calandrinia remota		0.00							4	4.08	NT	NT	2	DD	0	could be more records on loan & not databased	1	1.02	NT	NT	2	DD	0	could be more records on loan & not databased
Calandrinia reticulata		0.00								0.00							1	2.44	NT	NT	2	0	0.3	
Calandrinia stagnensis	1	14.29	DD	DD	0	DD	0	query ID		0.00								0.00						
Calandrinia volubilis		0.00								0.00								0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi	loods	0.00							1	4.35	RA d(ii)	RA	3	0	0.3	undercollected, very small, occurs in large numbers in floods		0.00						
Callitris glaucophylla		0.00								0.00								0.00						
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii		0.00								0.00								0.00						
Calocephalus platycephalus	5	1.44	LC	LC	1	0	0.3		2	0.58	LC	LC	1	0	0.3		2	0.58	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00								0.00								0.00						
Calostemma luteum		0.00								0.00								0.00						
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa		0.00								0.00								0.00						
Calotis cymbacantha	1	0.30	LC	LC	1	0	0.3			0.00							1	0.30	LC	LC	1	0	0.3	
Calotis erinacea	4	0.91	LC	LC	1	0	0.3		10	2.28	LC	LC	1	0	0.3		6	1.37	LC	LC	1	0	0.3	
Calotis hispidula	10	0.47	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	29	1.37	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	4	0.19	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei	1	4.17	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing	1	4.17	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing	2	8.33	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula		0.00							2	1.27	NT	NT	2	DD	0	edge of range		0.00						
Calotis multicaulis		0.00							5	3.09	NT	NT	2	DD	0		1	0.62	NT	NT	2	DD	0	
Calotis plumulifera	4	0.97	LC	LC	1	0	0.3		30	7.25	LC	LC	1	0	0.3		3	0.72	LC	LC	1	0	0.3	
Calotis porphyroglossa	6	5.36	RA d(ii)	RA	3	DD	0		2	1.79	RA d(ii)	RA	3	DD	0			0.00						
Calotis scabiosifolia var. scabiosifolia		0.00								0.00								0.00						
Calytrix carinata		0.00								0.00								0.00						
Calytrix gypsophila		0.00								0.00								0.00						
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii		0.00								0.00								0.00						
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca	1	3.13	RA d(ii)	RA	3	0	0.3	endemic to SA	2	6.25	RA d(ii)	RA	3	0	0.3	endemic to SA		0.00						
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis		0.00								0.00								0.00						
Cassytha flindersii		0.00								0.00								0.00						
Casuarina pauper		0.00								0.00								0.00						
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00								0.00						
Centipeda crateriformis ssp. crateriformis	1	1.15	LC	LC	1	0	0.3		6	6.90	LC	LC	1	0	0.3			0.00						
Centipeda cunninghamii	1	0.53	LC	LC	1	0	0.3		7	3.70	LC	LC	1	0	0.3			0.00						
Centipeda minima ssp. minima	1	1.67	RA d(i,ii)	RA	3	DD	0		4	6.67	RA d(i,ii)	RA	3	DD	0			0.00						
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala	1	4.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral	2	8.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral		0.00						
Centipeda thespidioides		0.00							15	7.77	LC	LC	1	0	0.3		1	0.52	LC	LC	1	0	0.3	
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica	1	2.70	NT	NT	2	0	0.3			0.00								0.00						
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii		0.00								0.00								0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla	1	0.10	RA d(ii)	RA	3	0	0.3		7	0.67	RA d(ii)	RA	3	0	0.3			0.00						
Cheilanthes sieberi ssp. pseudovellea		0.00								0.00								0.00						
Cheilanthes sieberi ssp. sieberi		0.00							7	1.00	RA d(ii)	RA	3	DD	0			0.00						
Chenopodium auricomum	18	5.64	LC	LC	1	0	0.3		24	7.52	LC	LC	1	0	0.3		1	0.31	NT	NT	2	0	0.3	
Chenopodium curvispicatum		0.00							1	0.13	RA d(i,ii)	RA	3	DD	0			0.00						
Chenopodium desertorum ssp. anidiophyllum		0.00							1	0.69	NT	NT	2	0	0.3	on creeklines	1	0.69	NT	NT	2	0	0.3	on creeklines
Chenopodium desertorum ssp. desertorum	1	0.14	RA d(i,ii)	RA	3	DD	0			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Chenopodium desertorum ssp. microphyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00								0.00						
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum		0.00							2	0.68	LC	LC	1	0	0.3			0.00						
Chloris pectinata	2	1.47	LC	LC	1	0	0.3		6	4.41	LC	LC	1	0	0.3			0.00						
Chloris truncata		0.00								0.00								0.00						
Chrysocephalum apiculatum	1	0.09	LC	LC	1	0	0.3		9	0.78	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3	
Chrysocephalum eremaeum	1	0.35	RA d(i,ii)	RA	3	DD	0	edge of range	10	3.53	LC	LC	1	0	0.3		18	6.36	LC	LC	1	0	0.3	
Chrysocephalum pterochaetum	1	0.29	NT	NT	2	0	0.3		3	0.87	NT	NT	2	0	0.3		3	0.87	NT	NT	2	0	0.3	
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax		0.00								0.00								0.00						
Chthonocephalus pseudevax		0.00								0.00								0.00						
Citrus glauca		0.00								0.00								0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens		0.00								0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa	4	3.28	LC	LC	1	0	0.3		17	13.93	LC	LC	1	0	0.3		2	1.64	LC	LC	1	0	0.3	common roadside spp
Codonocarpus cotinifolius		0.00							3	1.06	RA d(ii)	RA	3	DD	0		7	2.46	LC	LC	1	0	0.3	
Codonocarpus pyramidalis		0.00								0.00								0.00						
Comesperma viscidulum		0.00								0.00								0.00						
Commelina ensifolia		0.00								0.00								0.00						
Commicarpus australis		0.00								0.00								0.00						
Convolvulus clementii		0.00							1	0.52	LC	LC	1	0	0.3		2	1.04	LC	LC	1	0	0.3	
Convolvulus crispifolius		0.00								0.00								0.00						
Convolvulus eyreanus		0.00							1	1.18	NT	NT	2	0	0.3			0.00						
Convolvulus microsepalus		0.00								0.00								0.00						
Convolvulus recurvatus ssp. nullarborensis		0.00								0.00								0.00						
Convolvulus recurvatus ssp. recurvatus		0.00							1	5.26	NT	NT	2	0	0.3	undercollected; comes up after rain		0.00						
Convolvulus remotus		0.00							14	0.80	LC	LC	1	0	0.3		1	0.06	LC	LC	1	0	0.3	
Convolvulus tedmoorei		#DIV/0!																						
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea		0.00								0.00								0.00						
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis		0.00								0.00								0.00						
Corynotheca micrantha var. divaricata		0.00							1	3.23	RA d(ii)	RA	3	DD	0		1	3.23	RA d(ii)	RA	3	DD	0	
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata		0.00							5	0.42	LC	LC	1	0	0.3		1	0.08	LC	LC	1	0	0.3	
Crassula colorata var. colorata		0.00								0.00								0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera		0.00							1	0.60	NT	NT	2	0	0.3	records missing due to taxo changes		0.00						
Cratystylis conocephala		0.00								0.00								0.00						
Cremnothamnus thomsonii		0.00								0.00								0.00						
Cressa australis	1	0.39	LC	LC	1	0	0.3	likes clay, low-lying areas	4	1.54	LC	LC	1	0	0.3	likes clay, low-lying areas		0.00						
Crinum flaccidum	3	1.61	LC	LC	1	0	0.3		11	5.91	LC	LC	1	0	0.3		1	0.54	RA d(ii)	RA	3	0	0.3	
Crotalaria cunninghamii ssp. sturtii	4	2.78	LC	LC	1	0	0.3	more records under C cunninghamii	2	1.39	LC	LC	1	0	0.3	more records under C cunninghamii	1	0.69	RA d(ii)	RA	3	0	0.3	more records under C cunninghamii
Crotalaria eremaea ssp. eremaea	2	0.53	RA d(ii)	RA	3	0	0.3		7	1.84	LC	LC	1	0	0.3		2	0.53	NT	NT	2	0	0.3	
Crotalaria eremaea ssp. strehlowii	19	8.09	LC	LC	1	0	0.3		12	5.11	LC	LC	1	0	0.3		16	6.81	LC	LC	1	0	0.3	
Crotalaria medicaginea var. neglecta		0.00								0.00								0.00						
Crotalaria novae-hollandiae ssp. lasiophylla		0.00							2	9.09	RA d(ii)	RA	3	DD	0			0.00						
Crotalaria smithiana	3	4.69	NT	NT	2	0	0.3		12	18.75	LC	LC	1	0	0.3			0.00						
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus	2	0.63	LC	LC	1	0	0.3	now known as C argenteus	6	1.90	LC	LC	1	0	0.3	now known as C argenteus		0.00						
Cucumis melo		0.00							1	1.43	RA d(ii)	RA	3	0	0.3			0.00						
Cullen australasicum	10	1.25	LC	LC	1	0	0.3		33	4.14	LC	LC	1	0	0.3		1	0.13	NT	NT	2	0	0.3	
Cullen cinereum	9	3.57	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.	9	3.57	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.		0.00						
Cullen discolor	4	2.94	NT	NT	2	0	0.3		1	0.74	NT	NT	2	DD	0			0.00						
Cullen graveolens	5	2.26	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads eas	13	5.88	LC	LC	1	0	0.3	ephemeral, likes stony country, flood-outs, spreads easily		0.00						
Cullen pallidum	2	0.88	NT	NT	2	DD	0		4	1.77	NT	NT	2	DD	0		1	0.44	NT	NT	2	DD	0	
Cullen parvum		0.00								0.00								0.00						
Cullen patens	1	1.72	RA d(ii)	RA	3	DD	0	edge of range	1	1.72	RA d(ii)	RA	3	DD	0	edge of range	1	1.72	RA d(ii)	RA	3	DD	0	edge of range
Cuphonotus andraeanus		0.00								0.00								0.00						
Cuphonotus humistratus		0.00								0.00								0.00						
Cuscuta victoriana		0.00							1	2.94	NT	NT	2	0	0.3	parasitic sp; very cryptic		0.00						
Cymbopogon ambiguus		0.00								0.00								0.00						
Cymbopogon obtectus		0.00								0.00								0.00						
Cynanchum floribundum	1	0.40	NT	NT	2	0	0.3		1	0.40	NT	NT	2	0	0.3			0.00						
Cynoglossum australe		0.00								0.00								0.00						
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus	2	1.06	NT	NT	2	0	0.3	in creeks with seepage	11	5.85	NT	NT	2	0	0.3	in creeks with seepage	1	0.53	NT	NT	2	0	0.3	in creeks with seepage

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00							1	33.33	DD	DD	0	DD	0	taxonomic issues, lack of records, easy to find		0.00						
Cyperus bifax		0.00							4	26.67	RA d(ii)	RA	3	DD	0			0.00						
Cyperus bulbosus	5	2.98	LC	LC	1	0	0.3	needs drainage lines	6	3.57	LC	LC	1	0	0.3	needs drainage lines	2	1.19	LC	LC	1	0	0.3	needs drainage lines
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis	1	1.37	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00							2	8.70	VU D2	VU	4	DD	0			0.00						
Cyperus difformis	3	2.97	NT	NT	2	0	0.3		3	2.97	NT	NT	2	0	0.3			0.00						
Cyperus exaltatus	3	3.06	NT	NT	2	0	0.3	in creek lines	9	9.18	NT	NT	2	0	0.3	in creek lines		0.00						
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii	1	2.44	NT	NT	2	0	0.3		6	14.63	NT	NT	2	0	0.3			0.00						
Cyperus gymnocaulos	9	0.98	LC	LC	1	0	0.3		29	3.14	LC	LC	1	0	0.3			0.00						
Cyperus iria	5	6.02	LC	LC	1	0	0.3		4	4.82	LC	LC	1	0	0.3		2	2.41	NT	NT	2	DD	0	
Cyperus laevigatus		0.00							16	4.32	NT	NT	2	0	0.3	needs permanent water		0.00						
Cyperus nervulosus		0.00								0.00								0.00						
Cyperus pygmaeus		0.00							2	3.08	RA d(ii)	RA	3	0	0.3		1	1.54	DD	DD	0	DD	0	imprecise location
Cyperus rigidellus		0.00							6	5.13	LC	LC	1	0	0.3			0.00						
Cyperus squarrosus	4	5.00	LC	LC	1	0	0.3		1	1.25	RA d(ii)	RA	3	0	0.3		2	2.50	NT	NT	2	0	0.3	
Cyperus vaginatus		0.00								0.00								0.00						
Cyperus victoriensis	13	6.60	LC	LC	1	0	0.3		32	16.24	LC	LC	1	0	0.3		2	1.02	NT	NT	2	0	0.3	
Dactyloctenium radulans	5	0.70	LC	LC	1	0	0.3		38	5.31	LC	LC	1	0	0.3			0.00						
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus		0.00							14	0.37	LC	LC	1	0	0.3		1	0.03	LC	LC	1	0	0.3	
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata	5	4.67	LC	LC	1	0	0.3	grows on interdune swales	4	3.74	NT	NT	2	0	0.3	grows on interdune swales		0.00						
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius	5	4.35	LC	LC	1	0	0.3	ephemeral; tolerates disturbance	8	6.96	LC	LC	1	0	0.3	ephemeral; tolerates disturbance		0.00						
Dichanthium sericeum ssp. sericeum		0.00							1	0.58	RA d(ii)	RA	3	DD	0			0.00						
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia		0.00							11	8.03	LC	LC	1	0	0.3			0.00						
Dicrastylis beveridgei var. beveridgei		0.00								0.00								0.00						
Dicrastylis beveridgei var. lanata		0.00								0.00								0.00						
Dicrastylis costelloi var. costelloi	1	2.22	LC	LC	1	0	0.3		8	17.78	LC	LC	1	0	0.3		6	13.33	LC	LC	1	0	0.3	
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00								0.00								0.00						
Dicrastylis costelloi var. violacea		0.00							3	14.29	NT	NT	2	DD	0		4	19.05	NT	NT	2	DD	0	
Dicrastylis exsuccosa var. tomentosa		0.00								0.00								0.00						
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila		0.00							6	3.73	LC	LC	1	0	0.3		2	1.24	NT	NT	2	DD	0	
Digitaria brownii	1	0.12	LC	LC	1	0	0.3		23	2.85	LC	LC	1	0	0.3		13	1.61	LC	LC	1	0	0.3	
Digitaria coenicola	1	0.65	RA d(ii)	RA	3	DD	0	likes rocky areas	2	1.31	RA d(ii)	RA	3	DD	0	likes rocky areas		0.00						
Digitaria ctenantha		0.00							1	33.33	VU D2	VU	4	DD	0	highly localised; Northern Territory sp, no known threats		0.00						
Dimorphocoma minutula		0.00								0.00								0.00						
Diplatia grandibractea	5	5.56	LC	LC	1	0	0.3	lots of hosts	3	3.33	LC	LC	1	0	0.3	lots of hosts		0.00						
Dipteracanthus australasicus ssp. australasicus		0.00							7	46.67	NT	NT	2	-	0.4			0.00						
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum		0.00								0.00								0.00						
Dissocarpus biflorus var. biflorus		0.00							2	0.36	LC	LC	1	0	0.3			0.00						
Dissocarpus biflorus var. villosus		0.00								0.00								0.00						
Dissocarpus fontinalis		0.00								0.00								0.00						
Dissocarpus latifolius		0.00								0.00								0.00						
Dissocarpus paradoxus	16	1.18	LC	LC	1	0	0.3		36	2.65	LC	LC	1	0	0.3		3	0.22	LC	LC	1	0	0.3	
Distichlis distichophylla		0.00								0.00								0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00								0.00								0.00						
Dodonaea microzyga var. microzyga		0.00							1	0.18	NT	NT	2	DD	0	limited habitat; edge of range		0.00						
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima		0.00							2	0.07	LC	LC	1	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Dodonaea viscosa ssp. mucronata		0.00							1	0.59	NT	NT	2	DD	0	edge of range	1	0.59	NT	NT	2	DD	0	edge of range
Dodonaea viscosa ssp. spatulata		0.00							1	0.07	RA d(ii)	RA	3	DD	0			0.00						
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica		0.00							1	7.69	RA d(ii)	RA	3	0	0.3	southern edge of range	1	7.69	RA d(ii)	RA	3	0	0.3	southern edge of range
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii		0.00								0.00								0.00						
Dysphania cristata	1	0.27	LC	LC	1	0	0.3		8	2.15	LC	LC	1	0	0.3			0.00						
Dysphania glomulifera ssp. eremaea		0.00								0.00								0.00						
Dysphania glomulifera ssp. glomulifera		0.00								0.00								0.00						
Dysphania kalpari		0.00								0.00								0.00						
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa		0.00								0.00							1	0.71	LC	LC	1	0	0.3	
Dysphania plantaginella	1	1.89	LC	LC	1	0	0.3		2	3.77	LC	LC	1	0	0.3			0.00						
Dysphania platycarpa	1	2.22	NT	NT	2	0	0.3		5	11.11	NT	NT	2	0	0.3			0.00						
Dysphania pumilio		0.00							3	0.95	LC	LC	1	0	0.3			0.00						
Dysphania rhadinostachya ssp. rhadinostachya		0.00								0.00								0.00						
Dysphania simulans		0.00							3	8.33	LC	LC	1	0	0.3	small, ephemeral, undercollected		0.00						
Dysphania truncata		0.00								0.00								0.00						
Echinochloa inundata		0.00								0.00								0.00						
Echinochloa turneriana		0.00								0.00								0.00						
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa	2	10.00	RA d(i,ii)	RA	3	0	0.3	undercollected		0.00								0.00						
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	1	0.47	LC	LC	1	0	0.3		15	7.08	LC	LC	1	0	0.3		1	0.47	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans	2	0.15	NT	NT	2	0	0.3		8	0.60	NT	NT	2	0	0.3			0.00						
Einadia nutans ssp. oxycarpa		0.00								0.00								0.00						
Elachanthus pusillus		0.00								0.00								0.00						
Elatine gratioloides		0.00							2	2.27	RA d(ii)	RA	3	DD	0			0.00						
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00							7	77.78	EN D	EN	5	DD	0	Dalhousie only; tourists/soap - threats		0.00						
Eleocharis pallens	1	0.62	NT	NT	2	0	0.3		6	3.73	LC	LC	1	0	0.3			0.00						
Eleocharis papillosa	1	16.67	RA d(ii)	RA	3	DD	0	short-lived; undercollected		0.00								0.00						
Eleocharis plana		0.00								0.00								0.00						
Eleocharis pusilla		0.00							1	1.79	RA d(ii)	RA	3	DD	0	short-lived; undercollected		0.00						
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus		0.00							5	15.63	LC	LC	1	0	0.3	undercollected flood ephemeral		0.00						
Embadium johnstonii		0.00								0.00								0.00						
Embadium uncinatum		0.00								0.00								0.00						
Enchylaena tomentosa var. glabra	5	3.85	LC	LC	1	0	0.3		17	13.08	LC	LC	1	0	0.3			0.00						
Enchylaena tomentosa var. tomentosa	4	0.07	LC	LC	1	0	0.3		20	0.33	LC	LC	1	0	0.3		10	0.17	LC	LC	1	0	0.3	
Enneapogon avenaceus	12	0.69	LC	LC	1	0	0.3		31	1.77	LC	LC	1	0	0.3		3	0.17	LC	LC	1	0	0.3	
Enneapogon caerulescens		0.00								0.00								0.00						
Enneapogon cylindricus	3	0.29	LC	LC	1	0	0.3		16	1.54	LC	LC	1	0	0.3		3	0.29	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius		0.00								0.00								0.00						
Enneapogon lindleyanus		0.00								0.00								0.00						
Enneapogon nigricans		0.00							1	0.14	NT	NT	2	0	0.3			0.00						
Enneapogon polyphyllus	7	0.55	LC	LC	1	0	0.3		32	2.51	LC	LC	1	0	0.3		9	0.71	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00								0.00						
Enteropogon acicularis		0.00							5	2.02	NT	NT	2	DD	0		1	0.40	NT	NT	2	DD	0	
Enteropogon ramosus	1	0.31	RA d(ii)	RA	3	DD	0		27	8.36	LC	LC	1	0	0.3			0.00						
Epaltes australis	6	2.51	LC	LC	1	0	0.3	floodplain sp.	10	4.18	LC	LC	1	0	0.3	floodplain sp.		0.00						
Epaltes cunninghamii	3	2.05	RA d(i,ii)	RA	3	DD	0		1	0.68	RA d(i,ii)	RA	3	DD	0			0.00						
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica	6	1.82	LC	LC	1	0	0.3	clay pans, swamps	9	2.73	LC	LC	1	0	0.3	clay pans, swamps	1	0.30	RA d(i,ii)	RA	3	DD	0	
Eragrostis basedowii	4	3.42	NT	NT	2	DD	0		6	5.13	NT	NT	2	DD	0	could be confused with E cumingii	1	0.85	RA d(ii)	RA	3	DD	0	limited habitat
Eragrostis confertiflora		0.00								0.00								0.00						
Eragrostis cumingii		0.00								0.00	RA d(ii)	RA	3	DD	0	no records but sighted by R Bates		0.00						
Eragrostis dielsii var. dielsii	8	1.22	LC	LC	1	0	0.3		23	3.52	LC	LC	1	0	0.3		2	0.31	LC	LC	1	0	0.3	
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda	3	0.39	LC	LC	1	0	0.3		4	0.51	LC	LC	1	0	0.3		26	3.34	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata		0.00							11	6.11	LC	LC	1	0	0.3	likes saline areas		0.00						
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae		0.00							1	4.35	LC	LC	1	0	0.3	ephemeral; small grass, undercollected; plentiful after r	1	4.35	LC	LC	1	0	0.3	ephemeral; small grass, undercollected; plentiful after r
Eragrostis lacunaria		0.00							2	2.90	RA d(ii)	RA	3	DD	0	around lagoons, creeks, river systems		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Eragrostis laniflora	1	0.39	NT	NT	2	0	0.3		4	1.56	LC	LC	1	0	0.3		5	1.95	LC	LC	1	0	0.3	
Eragrostis lanipes		0.00								0.00							2	4.26	LC	LC	1	0	0.3	prob undercollected
Eragrostis leptocarpa	4	1.59	LC	LC	1	0	0.3		21	8.37	LC	LC	1	0	0.3		1	0.40	LC	LC	1	0	0.3	
Eragrostis parviflora		0.00							18	9.33	LC	LC	1	0	0.3		3	1.55	LC	LC	1	0	0.3	
Eragrostis pergracilis		0.00							3	5.36	LC	LC	1	0	0.3			0.00						
Eragrostis setifolia	30	2.50	LC	LC	1	0	0.3		102	8.51	LC	LC	1	0	0.3		3	0.25	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00							1	50.00	RA d(ii)	RA	3	DD	0	Now called E. Calcicola; likes limestone patches		0.00						
Eragrostis speciosa	3	16.67	RA d(ii)	RA	3	DD	0	edge of range	6	33.33	NT	NT	2	DD	0		1	5.56	RA d(ii)	RA	3	DD	0	
Eragrostis tenellula	4	6.90	LC	LC	1	0	0.3		3	5.17	LC	LC	1	0	0.3		1	1.72	NT	NT	2	DD	0	
Eragrostis xerophila	7	1.89	LC	LC	1	0	0.3		25	6.76	LC	LC	1	0	0.3		2	0.54	LC	LC	1	0	0.3	
Eremophea spinosa		0.00								0.00								0.00						
Eremophila alternifolia		0.00								0.00								0.00						
Eremophila arachnoides ssp. tenera		0.00								0.00								0.00						
Eremophila arenaria		0.00								0.00								0.00						
Eremophila battii	1	1.89	RA d(ii)	RA	3	DD	0		3	5.66	RA d(ii)	RA	3	DD	0		24	45.28	LC	LC	1	0	0.3	
Eremophila bignoniiflora		0.00								0.00								0.00						
Eremophila clarkei		0.00								0.00								0.00						
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti		0.00								0.00								0.00						
Eremophila duttonii	2	0.34	RA d(ii)	RA	3	DD	0		7	1.19	LC	LC	1	0	0.3		4	0.68	LC	LC	1	0	0.3	
Eremophila elderi		0.00								0.00								0.00						
Eremophila fallax		0.00								0.00								0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii	5	0.34	LC	LC	1	0	0.3		87	5.92	LC	LC	1	0	0.3		6	0.41	LC	LC	1	0	0.3	
Eremophila gibsonii		0.00								0.00								0.00						
Eremophila gilesii ssp. gilesii		0.00							2	1.02	NT	NT	2	0	0.3		2	1.02	NT	NT	2	0	0.3	
Eremophila glabra ssp. glabra		0.00								0.00								0.00						
Eremophila latrobei ssp. glabra		0.00							14	1.84	LC	LC	1	0	0.3		26	3.42	LC	LC	1	0	0.3	
Eremophila latrobei ssp. latrobei		0.00							20	13.70	LC	LC	1	0	0.3		6	4.11	LC	LC	1	0	0.3	
Eremophila longifolia	3	0.24	LC	LC	1	0	0.3		16	1.29	LC	LC	1	0	0.3		12	0.97	LC	LC	1	0	0.3	
Eremophila macdonnellii	13	5.20	LC	LC	1	0	0.3		30	12.00	LC	LC	1	0	0.3		7	2.80	LC	LC	1	0	0.3	
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata	3	0.97	NT	NT	2	0	0.3		6	1.94	NT	NT	2	0	0.3		2	0.65	NT	NT	2	0	0.3	
Eremophila neglecta	6	2.99	LC	LC	1	0	0.3		11	5.47	LC	LC	1	0	0.3		3	1.49	NT	NT	2	DD	0	
Eremophila obovata ssp. obovata		0.00								0.00								0.00						
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia		0.00								0.00								0.00						
Eremophila paisleyi ssp. glandulosa		0.00								0.00								0.00						
Eremophila paisleyi ssp. paisleyi	1	0.81	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eremophila pentaptera		0.00							12	42.86	VU D2	VU	4	DD	0	very localised	2	7.14	VU D2	VU	4	DD	0	very localised
Eremophila platythamnos ssp. exotrachys		0.00								0.00								0.00						
Eremophila polyclada		0.00								0.00								0.00						
Eremophila rotundifolia		0.00								0.00								0.00						
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia		0.00							2	0.16	VU D2	VU	4	DD	0	outlier; in one location		0.00						
Eremophila serrulata		0.00							15	2.86	LC	LC	1	0	0.3		1	0.19	LC	LC	1	0	0.3	
Eremophila sturtii		0.00								0.00							1	0.22	RA d(ii)	RA	3	0	0.3	
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata		0.00								0.00								0.00						
Eremophila verrucosa ssp. verrucosa		0.00								0.00								0.00						
Eremophila willsii ssp. integrifolia		0.00								0.00								0.00						
Eremophila willsii ssp. willsii	1	2.17	RA d(ii)	RA	3	DD	0	edge of range	7	15.22	NT	NT	2	0	0.3		13	28.26	LC	LC	1	0	0.3	
Eriachne aristidea	6	2.47	LC	LC	1	0	0.3		12	4.94	LC	LC	1	0	0.3		10	4.12	LC	LC	1	0	0.3	
Eriachne helmsii	2	0.79	LC	LC	1	0	0.3		1	0.39	LC	LC	1	0	0.3		20	7.87	LC	LC	1	0	0.3	
Eriachne mucronata	1	0.40	RA d(ii)	RA	3	DD	0		3	1.19	NT	NT	2	0	0.3		1	0.40	NT	NT	2	0	0.3	
Eriachne ovata	9	4.81	LC	LC	1	0	0.3	small perennial; likes rocky drainage areas	54	28.88	LC	LC	1	0	0.3	small perennial; likes rocky drainage areas		0.00						
Eriachne pulchella ssp. pulchella		0.00							3	8.82	LC	LC	1	0	0.3	undercollected		0.00						
Erigeron sessilifolius		0.00								0.00								0.00						
Eriocaulon carsonii ssp. carsonii		0.00								0.00								0.00						
Eriochiton sclerolaenoides	1	0.06	LC	LC	1	0	0.3		2	0.12	LC	LC	1	0	0.3			0.00						
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea	2	2.78	NT	NT	2	DD	0		1	1.39	NT	NT	2	0	0.3			0.00						
Eriochloa australiensis	5	2.98	LC	LC	1	0	0.3		6	3.57	LC	LC	1	0	0.3		1	0.60	NT	NT	2	DD	0	limited habitat
Eriochloa crebra		0.00								0.00								0.00						
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha	1	0.91	LC	LC	1	0	0.3		5	4.55	LC	LC	1	0	0.3			0.00						
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum	3	1.19	LC	LC	1	0	0.3	missing Bio-survey records	4	1.59	LC	LC	1	0	0.3	missing Bio-survey records		0.00	LC	LC	1	0	0.3	(no records) missing Bio-survey records
Erodium crinitum		0.00							2	0.18	LC	LC	1	0	0.3			0.00						
Erodium cygnorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum		0.00								0.00								0.00						
Eucalyptus camaldulensis ssp. arida		#DIV/0!	RA d(i,ii)	RA	3	0	0.3	(no records) E camaldulensis ssp arida; limited habitat		#DIV/0!	RA d(ii)	RA	3	0	0.3	(NC records) E camaldulensis ssp arida; restricted to waterhol		#DIV/0!	DD	DD	0	DD	0	(lack of records) E camaldulensis ssp arida
Eucalyptus camaldulensis ssp. minima		0.00								0.00								0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00								0.00						
Eucalyptus coolabah	37	6.79	LC	LC	1	0	0.3		55	10.09	LC	LC	1	0	0.3		3	0.55	LC	LC	1	0	0.3	
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla		0.00								0.00								0.00						
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa		0.00								0.00								0.00						
Eucalyptus gongylocarpa		0.00								0.00								0.00						
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta		0.00							2	0.31	RA d(i,ii)	RA	3	0	0.3			0.00						
Eucalyptus largiflorens		0.00								0.00								0.00						
Eucalyptus leptophylla		0.00								0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00								0.00								0.00						
Eucalyptus minnirritchi		0.00								0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra		0.00								0.00								0.00						
Eucalyptus peeneri		0.00								0.00								0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica	1	0.78	NE	NE	-1			taxonomic issues		0.00								0.00						
Eucalyptus socialis ssp. socialis	1	0.14	NE	NE	-1			taxonomic issues		0.00								0.00						
Eucalyptus socialis ssp. victoriensis		0.00								0.00								0.00						
Eucalyptus sparsa		0.00								0.00								0.00						
Eucalyptus trivalvis		0.00								0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana		0.00								0.00								0.00						
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus		0.00								0.00								0.00						
Eulalia aurea	11	4.70	LC	LC	1	0	0.3	limited to waterways	45	19.23	LC	LC	1	0	0.3	limited to waterways	4	1.71	LC	LC	1	0	0.3	limited to waterways
Euphorbia alsiniflora		0.00	RA d(ii)	RA	3	DD	0	(no records) more records under Chamaesyce coghlanii & Eup		0.00	RA d(ii)	RA	3	DD	0	(no records) more records under Chamaesyce coghlanii & Eup		0.00						
Euphorbia australis		0.00							2	3.64	NT	NT	2	0	0.3			0.00						
Euphorbia centralis		0.00	LC	LC	1	0	0.3	(no records) name change from Chamaesyce		0.00	NT	NT	2	0	0.3	(no records) name change from Chamaesyce		0.00	NT	NT	2	0	0.3	(no records) name change from Chamaesyce
Euphorbia drummondii	1	0.31	LC	LC	1	0	0.3	very common; small, tough; undercollected	4	1.26	LC	LC	1	0	0.3	very common; small, tough; undercollected	1	0.31	LC	LC	1	0	0.3	very common; small, tough; undercollected
Euphorbia inappendiculata		0.00								0.00								0.00						
Euphorbia mitchelliana		0.00								0.00								0.00						
Euphorbia parvicaruncula		0.00							2	1.82	NT	NT	2	0	0.3			0.00						
Euphorbia stevenii	2	1.30	LC	LC	1	0	0.3		3	1.95	LC	LC	1	0	0.3			0.00						
Euphorbia tannensis ssp. eremophila	8	0.70	LC	LC	1	0	0.3		40	3.49	LC	LC	1	0	0.3		10	0.87	LC	LC	1	0	0.3	
Euphorbia wheeleri		0.00							2	2.67	LC	LC	1	0	0.3		1	1.33	NT	NT	2	0	0.3	trampling a threat
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens		0.00								0.00								0.00						
Evolvulus alsinoides var. villosicalyx	1	1.22	RA d(ii)	RA	3	DD	0		5	6.10	LC	LC	1	0	0.3		1	1.22	RA d(ii)	RA	3	DD	0	
Exocarpos aphyllus		0.00								0.00								0.00						
Exocarpos sparteus		0.00								0.00								0.00						
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda		0.00								0.00								0.00						
Fimbristylis dichotoma	1	0.58	NT	NT	2	0	0.3		15	8.72	LC	LC	1	0	0.3			0.00						
Fimbristylis ferruginea		0.00								0.00								0.00						
Fimbristylis sieberiana		0.00							5	100.00	VU D2	VU	4	DD	0	only 1 location at Dalhousie Springs		0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia		0.00								0.00								0.00						
Frankenia cinerea		0.00								0.00								0.00						
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa		0.00								0.00								0.00						
Frankenia cupularis	2	2.35	DD	DD	0	DD	0			0.00								0.00						
Frankenia foliosa	1	0.41	DD	DD	0	DD	0		23	9.43	LC	LC	1	0	0.3			0.00						
Frankenia pauciflora var. gunnii		0.00							1	0.60	DD	DD	0	DD	0	query ID		0.00						
Frankenia plicata		0.00							7	8.97	DD	DD	0	DD	0	lots of wrong ID's		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Frankenia serpyllifolia	7	0.93	LC	LC	1	0	0.3		60	7.96	LC	LC	1	0	0.3			0.00						
Frankenia subteres		0.00								0.00								0.00						
Gahnia trifida		0.00								0.00								0.00						
Galium bulliformis		0.00								0.00								0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora	3	9.38	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected	2	6.25	NT	NT	2	0	0.3	ephemeral, comes up after floods, undercollected		0.00						
Glinus lotoides	7	2.69	LC	LC	1	0	0.3		25	9.62	LC	LC	1	0	0.3			0.00						
Glinus oppositifolius	8	25.81	RA d(i,ii)	RA	3	DD	0	naturally rare, restricted to larger water holes	1	3.23	RA d(i,ii)	RA	3	DD	0	naturally rare, restricted to larger water holes		0.00						
Glinus orygioides	2	13.33	RA d(i,ii)	RA	3	DD	0	cattle trampling a threat; perennial	2	13.33	RA d(i,ii)	RA	3	DD	0	cattle trampling a threat; perennial		0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00								0.00						
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens		0.00								0.00								0.00						
Glossostigma cleistanthum		0.00							1	9.09	RA d(ii)	RA	3	0	0.3	extreme flood ephemeral, undercollected		0.00						
Glossostigma diandrum		0.00							2	6.06	NT	NT	2	0	0.3	extreme flood ephemeral, undercollected	1	3.03	NT	NT	2	0	0.3	extreme flood ephemeral, undercollected
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	3	1.03	LC	LC	1	0	0.3		9	3.08	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Glycine rubiginosa		0.00								0.00								0.00						
Glycyrrhiza acanthocarpa		0.00								0.00								0.00						
Gnaphalium diamantinense		0.00								0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00								0.00								0.00						
Gnephosis arachnoidea	1	0.18	LC	LC	1	0	0.3		32	5.83	LC	LC	1	0	0.3			0.00						
Gnephosis eriocarpa	11	3.97	LC	LC	1	0	0.3		23	8.30	LC	LC	1	0	0.3		1	0.36	LC	LC	1	0	0.3	
Gnephosis tenuissima		0.00							1	0.26	LC	LC	1	0	0.3	undercollected		0.00						
Gomphrena lanata		0.00								0.00								0.00						
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta	1	4.00	RA d(i,ii)	RA	3	0	0.3	could be increasing	9	36.00	RA d(i,ii)	RA	3	0	0.3	could be increasing		0.00						
Goodenia berardiana	1	0.57	NT	NT	2	0	0.3		8	4.55	LC	LC	1	0	0.3		6	3.41	LC	LC	1	0	0.3	
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata		0.00							3	2.01	RA d(i,ii)	RA	3	0	0.3	localised		0.00						
Goodenia centralis		0.00								0.00								0.00						
Goodenia chambersii		0.00								0.00								0.00						
Goodenia cycloptera	3	0.81	LC	LC	1	0	0.3		13	3.51	LC	LC	1	0	0.3		6	1.62	LC	LC	1	0	0.3	
Goodenia fascicularis	2	0.19	LC	LC	1	0	0.3		48	4.52	LC	LC	1	0	0.3		2	0.19	LC	LC	1	0	0.3	
Goodenia gibbosa		0.00								0.00							3	10.34	NT	NT	2	0	0.3	sparse in SA
Goodenia glabra		0.00								0.00							2	1.89	RA d(ii)	RA	3	0	0.3	
Goodenia glandulosa		0.00								0.00								0.00						
Goodenia glauca		0.00							1	0.74	RA d(i,ii)	RA	3	0	0.3			0.00						
Goodenia grandiflora		#DIV/0!																#DIV/0!						
Goodenia havilandii		0.00								0.00								0.00						
Goodenia heterochila		0.00								0.00							1	2.38	RA d(i,ii)	RA	3	DD	0	
Goodenia heteromera		0.00							1	2.33	RA d(ii)	RA	3	DD	0	likes heavy soils, cracking clays		0.00						
Goodenia lobata		0.00								0.00								0.00						
Goodenia lunata	7	1.70	LC	LC	1	0	0.3		18	4.38	LC	LC	1	0	0.3			0.00						
Goodenia modesta		0.00							1	2.94	RA d(i,ii)	RA	3	DD	0			0.00						
Goodenia mueckeana		0.00								0.00								0.00						
Goodenia occidentalis		0.00								0.00								0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida		0.00								0.00								0.00						
Goodenia pusilliflora		0.00								0.00								0.00						
Goodenia ramelii		0.00								0.00								0.00						
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila		0.00								0.00								0.00						
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum		0.00							1	0.65	NT	NT	2	0	0.3			0.00						
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora		0.00								0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya		0.00								0.00								0.00						
Grevillea huegelii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Grevillea juncifolia ssp. juncifolia		0.00							4	1.30	NT	NT	2	DD	0	likes sandy, dune habitat	5	1.63	LC	LC	1	0	0.3	likes sandy, dune habitat
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla		0.00							3	1.06	LC	LC	1	0	0.3		2	0.70	LC	LC	1	0	0.3	
Grevillea pterosperma		0.00								0.00							1	0.27	RA d(i,ii)	RA	3	DD	0	
Grevillea stenobotrya	5	1.59	LC	LC	1	0	0.3		7	2.22	LC	LC	1	0	0.3		12	3.81	LC	LC	1	0	0.3	
Grevillea striata		0.00								0.00								0.00						
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva		0.00								0.00								0.00						
Gunniopsis kochii		0.00							2	6.06	RA d(i,ii)	RA	3	DD	0			0.00						
Gunniopsis papillata		0.00							9	6.52	LC	LC	1	0	0.3	likes mineralised breakaways		0.00						
Gunniopsis quadrifida	10	2.27	LC	LC	1	0	0.3		7	1.59	LC	LC	1	0	0.3		1	0.23	LC	LC	1	0	0.3	
Gunniopsis septifraga		0.00								0.00								0.00						
Gunniopsis tenuifolia		0.00								0.00								0.00						
Gunniopsis zygophylloides	6	5.45	LC	LC	1	0	0.3		5	4.55	LC	LC	1	0	0.3			0.00						
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus		0.00								0.00								0.00						
Gyrostemon tepperi		0.00								0.00								0.00						
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata		0.00								0.00								0.00						
Hakea ednieana		0.00								0.00								0.00						
Hakea eyreana		0.00								0.00								0.00						
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	10	1.23	LC	LC	1	0	0.3		12	1.47	LC	LC	1	0	0.3		2	0.25	LC	LC	1	0	0.3	
Hakea lorea ssp. lorea	3	1.32	RA d(i,ii)	RA	3	DD	0		3	1.32	RA d(i,ii)	RA	3	DD	0		3	1.32	LC	LC	1	0	0.3	
Hakea minyma		0.00								0.00								0.00						
Halgania cyanea		0.00								0.00							4	0.52	NT	NT	2	0	0.3	
Halgania erecta		0.00								0.00							1	5.88	RA d(i,ii)	RA	3	DD	0	outlier
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera	13	1.76	LC	LC	1	0	0.3		9	1.22	LC	LC	1	0	0.3			0.00						
Haloragis glauca forma glauca		0.00							2	18.18	RA d(i,ii)	RA	3	0	0.3			0.00						
Haloragis glauca forma sclopetifera		0.00								0.00							1	16.67	RA d(i,ii)	RA	3	DD	0	
Haloragis gossei		0.00							1	2.44	RA d(ii)	RA	3	0	0.3			0.00						
Haloragis odontocarpa forma octoforma		0.00								0.00								0.00						
Haloragis odontocarpa forma pterocarpa	1	2.63	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Haloragis odontocarpa forma rugosa		0.00								0.00								0.00						
Haloragis uncatipila		0.00								0.00								0.00						
Hannafordia bissillii ssp. bissillii		0.00								0.00								0.00						
Harmsiodoxa blennodioides		0.00							1	0.50	NT	NT	2	0	0.3	sandhill sp; long curly pods		0.00						
Harmsiodoxa brevipes var. brevipes		0.00							1	0.82	RA d(i,ii)	RA	3	DD	0	weeds; lack of winter rain, threats		0.00						
Harmsiodoxa brevipes var. major		0.00							2	8.70	RA d(ii)	RA	3	DD	0	could be ID problems with var brevipes		0.00						
Harmsiodoxa puberula		0.00								0.00								0.00						
Helichrysum luteoalbum		0.00							3	0.97	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing		0.00						
Heliotropium ammophilum	6	19.35	NT	NT	2	0	0.3		1	3.23	NT	NT	2	0	0.3		3	9.68	NT	NT	2	0	0.3	
Heliotropium asperrimum	3	1.02	NT	NT	2	0	0.3		2	0.68	NT	NT	2	0	0.3		4	1.36	NT	NT	2	0	0.3	
Heliotropium cunninghamii		0.00								0.00								0.00						
Heliotropium europaeum		0.00								0.00								0.00						
Heliotropium filaginoides	2	5.26	LC	LC	1	0	0.3		13	34.21	LC	LC	1	0	0.3			0.00						
Heliotropium moorei	2	11.11	NT	NT	2	0	0.3			0.00							2	11.11	NT	NT	2	0	0.3	
Heliotropium tanythrix		0.00							2	6.67	LC	LC	1	0	0.3	undercollected		0.00						
Hemichroa diandra		0.00							7	2.79	RA d(ii)	RA	3	0	0.3	likes sandy, salty claypans		0.00						
Hemichroa mesembryanthema	ertain c	0.00								0.00								0.00						
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius		0.00							15	14.29	LC	LC	1	0	0.3			0.00						
Hibiscus krichauffianus	6	2.17	LC	LC	1	0	0.3		8	2.90	LC	LC	1	0	0.3		10	3.62	LC	LC	1	0	0.3	
Hibiscus solanifolius		0.00								0.00								0.00						
Hibiscus sturtii var. grandiflorus		0.00								0.00							2	1.01	NT	NT	2	0	0.3	
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii		0.00								0.00								0.00						
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile		0.00								0.00								0.00						
Hybanthus auranticacus		0.00								0.00								0.00						
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus		0.00								0.00								0.00						
Hydrocotyle callicarpa		0.00								0.00								0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Hydrocotyle verticillata		0.00							5	3.05	VU D2	VU	4	DD	0	climate sensitive		0.00						
Hypericum gramineum		0.00								0.00								0.00						
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00							11	9.17	EN B2ab(i,ii,iii)	EN	5	-	0.4	only in Dalhousie Springs; threats = visitors, disturbance		0.00						
Indigastrum parviflorum		0.00								0.00	RA d(ii)	RA	3	DD	0	(no records) short lived		0.00						
Indigofera australis ssp. australis		0.00								0.00								0.00						
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii		0.00								0.00								0.00						
Indigofera colutea	2	4.76						introduced, spread by stock, weedy spp, not sure if nat	1	2.38						introduced, spread by stock, weedy spp, not sure if nat	1	2.38						introduced, spread by stock, weedy spp, not sure if nati
Indigofera cornuligera ssp cornuligera		0.00								0.00								0.00						
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei		0.00							9	19.57	LC	LC	1	0	0.3		2	4.35	LC	LC	1	0	0.3	
Indigofera helmsii		0.00								0.00								0.00						
Indigofera leucotricha		0.00							1	2.13	NE	NE	-1			taxonomic issues		0.00						
Indigofera linifolia	1	3.33	NT	NT	2	+	0.2	southern edge of range; could be introduced	1	3.33	NT	NT	2	+	0.2	southern edge of range; could be introduced	1	3.33	NT	NT	2	+	0.2	southern edge of range; could be introduced
Indigofera linnaei	1	1.85	LC	LC	1	0	0.3		6	11.11	LC	LC	1	0	0.3		2	3.70	LC	LC	1	0	0.3	
Indigofera longibractea		0.00								0.00								0.00						
Indigofera psammophila	4	4.82	NT	NT	2	0	0.3			0.00							3	3.61	LC	LC	1	0	0.3	
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla		0.00							1	2.44	RA d(ii)	RA	3	DD	0	needs clay flats		0.00						
Ipomoea muelleri	4	6.78	LC	LC	1	0	0.3		13	22.03	LC	LC	1	0	0.3		5	8.47	LC	LC	1	0	0.3	
Ipomoea polymorpha	1	1.92	NT	NT	2	0	0.3		2	3.85	NT	NT	2	0	0.3			0.00						
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum	2	2.25	LC	LC	1	0	0.3		2	2.25	LC	LC	1	0	0.3			0.00						
Iseilema membranaceum	1	0.63	LC	LC	1	0	0.3		13	8.23	LC	LC	1	0	0.3			0.00						
Iseilema vaginiflorum	2	1.96	NT	NT	2	0	0.3	undercollected	13	12.75	LC	LC	1	0	0.3			0.00						
Isoetes muelleri	ophemer	0.00							1	2.94	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly epheme		0.00						
Isoetopsis graminifolia		0.00								0.00								0.00						
Isolepis australiensis	2	2.47	RA d(i,ii)	RA	3	DD	0			0.00							1	1.23	RA d(i,ii)	RA	3	DD	0	very tiny
Isolepis cernua		0.00							3	0.80	VU D2	VU	4	DD	0	isolated outlier; water quality/visitors threats; grows in springs		0.00						
Isolepis congrua		0.00								0.00								0.00						
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea	1	0.26	NT	NT	2	0	0.3		5	1.29	NT	NT	2	0	0.3			0.00						
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri		0.00							3	6.98	NT	NT	2	0	0.3	edge of range	2	4.65	NT	NT	2	0	0.3	edge of range
Ixiochlamys cuneifolia		0.00							4	1.44	NT	NT	2	0	0.3	likes sandy creek banks		0.00						
Ixiochlamys filicifolia		0.00								0.00							2	2.67	RA d(i,ii)	RA	3	DD	0	
Ixiochlamys integerrima		0.00							1	100.00	RA d(i,ii)	RA	3	DD	0	edge of range; only record for SA		0.00						
Ixiochlamys nana		0.00							1	1.43	NT	NT	2	DD	0	probably undercollected; likes degraded ground		0.00						
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare		0.00								0.00								0.00						
Josephinia eugeniae	3	12.00	RA d(ii)	RA	3	DD	0	grows under shrubs	1	4.00	RA d(ii)	RA	3	DD	0	grows under shrubs		0.00						
Juncus aridicola	1	0.71	RA d(i,ii)	RA	3	DD	0	easily spread		0.00								0.00						
Juncus bufonius		0.00								0.00								0.00						
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00							17	2.50	RA d(i,ii)	RA	3	0	0.3	limited habitat; around mound springs		0.00						
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens		0.00								0.00								0.00						
Keraudrenia nephrosperma		0.00								0.00								0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								0.00								0.00						
Kippistia suaedifolia		0.00							1	0.95	RA d(i,ii)	RA	3	DD	0	restricted habitat		0.00						
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis		0.00								0.00								0.00						
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii	2	0.84	RA d(ii)	RA	3	0	0.3	edge of range	1	0.42	RA d(ii)	RA	3	0	0.3	edge of range	5	2.09	LC	LC	1	0	0.3	
Lawrencia glomerata	1	0.22	NT	NT	2	0	0.3	taxon now has 3 ssp	17	3.77	LC	LC	1	0	0.3	taxon now has 3 ssp		0.00						
Lawrencia squamata		0.00							11	1.39	LC	LC	1	0	0.3			0.00						
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata	1	0.43	RA d(ii)	RA	3	DD	0	edge of range	10	4.29	LC	LC	1	0	0.3		1	0.43	RA d(ii)	RA	3	DD	0	edge of range
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta		0.00							7	14.89	DD	DD	0	DD	0	check ID		0.00						
Leiocarpa leptolepis	5	1.10	LC	LC	1	0	0.3		42	9.23	LC	LC	1	0	0.3	widespread, on roadsides	2	0.44	LC	LC	1	0	0.3	
Leiocarpa semicalva ssp. semicalva		0.00								0.00								0.00						
Leiocarpa semicalva ssp. vinacea		0.00								0.00								0.00						
Leiocarpa tomentosa	1	0.55	NT	NT	2	DD	0	little known		0.00							2	1.10	NT	NT	2	DD	0	little known
Leiocarpa websteri	2	0.29	LC	LC	1	0	0.3		8	1.15	LC	LC	1	0	0.3			0.00						
Lemna disperma		0.00							5	4.81	VU D2	VU	4	DD	0	limited habitat; Dalhousie Springs		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Lemooria burkittii		0.00								0.00								0.00						
Lepidium fasciculatum		0.00								0.00								0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi	11	3.87	LC	LC	1	0	0.3		12	4.23	LC	LC	1	0	0.3		5	1.76	LC	LC	1	0	0.3	
Lepidium oxytrichum	4	0.61	LC	LC	1	0	0.3		16	2.42	LC	LC	1	0	0.3		1	0.15	LC	LC	1	0	0.3	
Lepidium papillosum		0.00							3	0.86	RA d(ii)	RA	3	DD	0			0.00						
Lepidium phlebopetalum	8	1.02	LC	LC	1	0	0.3		53	6.77	LC	LC	1	0	0.3		3	0.38	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum		0.00							2	2.94	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Lepidium strongylophyllum		0.00								0.00								0.00						
Lepidosperma avium		0.00							1	2.70	VU D2	VU	4	DD	0	outlier		0.00						
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis		0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata	1	2.00	NT	NT	2	DD	0	lack of records	4	8.00	NT	NT	2	DD	0	lack of records		0.00						
Leptochloa fusca ssp. fusca		0.00							1	9.09	RA d(ii)	RA	3	DD	0	has been split from ssp muelleri		0.00						
Leptochloa fusca ssp. muelleri	1	0.52	LC	LC	1	0	0.3		6	3.14	LC	LC	1	0	0.3		1	0.52	LC	LC	1	0	0.3	
Leptorhynchos baileyi		0.00								0.00								0.00						
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii		0.00								0.00								0.00						
Leucochrysum fitzgibbonii	1	0.54	NT	NT	2	DD	0		2	1.08	NT	NT	2	DD	0		1	0.54	NT	NT	2	DD	0	
Leucochrysum molle		0.00							2	2.38	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Leucochrysum stipitatum		0.00							1	0.51	LC	LC	1	0	0.3		6	3.08	LC	LC	1	0	0.3	
Levenhookia dubia		0.00								0.00								0.00						
Limosella australis		0.00								0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00								0.00								0.00						
Lipocarpha microcephala		0.00								0.00								0.00						
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla		0.00								0.00								0.00						
Logania centralis		0.00								0.00								0.00						
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta		0.00							5	0.54	RA d(ii)	RA	3	0	0.3	scattered & uncommon	6	0.65	RA d(ii)	RA	3	0	0.3	scattered & uncommon
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus	6	0.51	LC	LC	1	0	0.3		29	2.47	LC	LC	1	0	0.3			0.00						
Lycium australe		0.00								0.00								0.00						
Lysiana exocarpi ssp. exocarpi		0.00							23	1.16	LC	LC	1	0	0.3		1	0.05	LC	LC	1	0	0.3	undercollected
Lysiana murrayi	4	1.81	LC	LC	1	0	0.3	host: mulga	3	1.36	LC	LC	1	0	0.3	host: mulga	2	0.90	LC	LC	1	0	0.3	host: mulga
Lysiana subfalcata		0.00								0.00								0.00						
Lythrum hyssopifolia		0.00								0.00								0.00						
Lythrum paradoxum		0.00								0.00								0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii		0.00							1	1.45	RA d(ii)	RA	3	0	0.3			0.00						
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	16	1.74	LC	LC	1	0	0.3		56	6.09	LC	LC	1	0	0.3			0.00						
Maireana appressa	3	0.68	LC	LC	1	0	0.3		8	1.80	LC	LC	1	0	0.3		1	0.23	NT	NT	2	0	0.3	limited habitat
Maireana astrotricha	9	0.80	LC	LC	1	0	0.3		15	1.33	LC	LC	1	0	0.3		4	0.35	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threa
Maireana brevifolia		0.00								0.00								0.00						
Maireana campanulata		0.00							3	3.16	NT	NT	2	0	0.3		1	1.05	NT	NT	2	0	0.3	
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa		0.00							4	10.00	RA d(ii)	RA	3	DD	0			0.00						
Maireana ciliata	2	1.00	LC	LC	1	0	0.3		15	7.50	LC	LC	1	0	0.3			0.00						
Maireana coronata	2	0.96	LC	LC	1	0	0.3		14	6.70	LC	LC	1	0	0.3			0.00						
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha		0.00							7	3.40	LC	LC	1	0	0.3			0.00						
Maireana erioclada		0.00								0.00								0.00						
Maireana excavata		0.00								0.00								0.00						
Maireana georgei	1	0.12	LC	LC	1	0	0.3		29	3.39	LC	LC	1	0	0.3		8	0.93	LC	LC	1	0	0.3	
Maireana integra		0.00							1	0.29	RA d(ii)	RA	3	DD	0	edge of range, limited habitat	3	0.88	LC	LC	1	0	0.3	
Maireana lanosa		0.00								0.00								0.00						
Maireana lobiflora	1	0.80	RA d(ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Maireana luehmannii		0.00							14	93.33	VU D2	VU	4	DD	0	localised around Dalhousie & mound springs; southern outlier		0.00						
Maireana melanocarpa		0.00							1	2.33	RA d(ii)	RA	3	DD	0	endemic to SA, grazing a threat		0.00						
Maireana microcarpa	2	2.17	RA d(ii)	RA	3	DD	0	western edge of range	3	3.26	RA d(ii)	RA	3	DD	0			0.00						
Maireana oppositifolia		0.00								0.00								0.00						
Maireana ovata		0.00							1	1.41	RA d(i,ii)	RA	3	DD	0			0.00						
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Maireana pentatropis	1	0.08	RA d(ii)	RA	3	DD	0	lack of suitable habitat	16	1.31	VU D2	VU	4	DD	0	edge of range, limited habitat; grows on saline soils; people/vis		0.00						
Maireana planifolia		0.00							3	2.86	LC	LC	1	0	0.3		1	0.95	LC	LC	1	0	0.3	
Maireana pyramidata	3	0.15	LC	LC	1	0	0.3		5	0.25	LC	LC	1	0	0.3		2	0.10	RA d(ii)	RA	3	DD	0	out of range
Maireana radiata		0.00								0.00								0.00						
Maireana schistocarpa		0.00								0.00								0.00						
Maireana scleroptera		0.00								0.00							1	2.33	RA d(ii)	RA	3	0	0.3	
Maireana sedifolia		0.00								0.00								0.00						
Maireana spongiocarpa	1	0.71	NT	NT	2	0	0.3	tolerates disturbance	11	7.80	LC	LC	1	0	0.3	tolerates disturbance		0.00						
Maireana tomentosa ssp. urceolata		0.00								0.00							1	1.19	RA d(ii)	RA	3	DD	0	
Maireana trichoptera		0.00								0.00							1	0.08	RA d(ii)	RA	3	DD	0	
Maireana triptera	1	0.28	NT	NT	2	0	0.3		2	0.57	LC	LC	1	0	0.3			0.00						
Maireana turbinata		0.00								0.00								0.00						
Maireana villosa	1	0.74	RA d(ii)	RA	3	DD	0	edge of range		0.00							6	4.44	LC	LC	1	0	0.3	
Malacocera albolanata		0.00								0.00								0.00						
Malacocera biflora		0.00							1	1.82	NT	NT	2	DD	0	limited habitat		0.00						
Malacocera gracilis		0.00								0.00								0.00						
Malacocera tricornis	2	1.27	LC	LC	1	0	0.3		3	1.90	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Malva preissiana	4	0.47	LC	LC	1	0	0.3	now known as M weinmanniana	10	1.18	LC	LC	1	0	0.3	now known as M weinmanniana		0.00						
Malvastrum americanum var. americanum	9	1.35	LC	LC	1	0	0.3	spreading	44	6.59	LC	LC	1	0	0.3	spreading		0.00						
Marsdenia australis		0.00							6	1.07	NT	NT	2	0	0.3			0.00						
Marsilea costulifera		0.00							2	3.33	RA d(i,ii)	RA	3	0	0.3			0.00						
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii	2	0.69	LC	LC	1	0	0.3		4	1.39	LC	LC	1	0	0.3			0.00						
Marsilea exarata	1	1.33	NT	NT	2	DD	0		16	21.33	LC	LC	1	0	0.3		2	2.67	RA d(ii)	RA	3	DD	0	limited habitat
Marsilea hirsuta	4	1.71	LC	LC	1	0	0.3		25	10.68	LC	LC	1	0	0.3		2	0.85	RA d(i,ii)	RA	3	DD	0	edge of range
Melaleuca bracteata		0.00								0.00								0.00						
Melaleuca dissitiflora		0.00								0.00								0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata		0.00							29	6.53	VU D2	VU	4	0	0.3	highly localised; needs consistent waterflow		0.00						
Melaleuca interioris		0.00								0.00								0.00						
Melaleuca lanceolata		0.00								0.00								0.00						
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila		0.00								0.00								0.00						
Melhania oblongifolia		0.00							2	4.17	RA d(ii)	RA	3	0	0.3			0.00						
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis		0.00								0.00								0.00						
Menkea crassa		0.00							1	0.88	RA d(ii)	RA	3	0	0.3	annual, grows on stony ground	1	0.88	RA d(ii)	RA	3	0	0.3	annual, grows on stony ground
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa		0.00								0.00								0.00						
Menkea villosula		0.00								0.00							2	2.38	NT	NT	2	0	0.3	grows on red soils
Mentha australis	4	3.01	NT	NT	2	0	0.3		8	6.02	NT	NT	2	0	0.3			0.00						
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana		0.00								0.00								0.00						
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00								0.00						
Micromyrtus flaviflora		0.00								0.00								0.00						
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii	ould be	0.00								0.00								0.00						
Millotia greevesii ssp. helmsii		0.00								0.00								0.00						
Millotia incurva		0.00								0.00								0.00						
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia		0.00								0.00								0.00						
Millotia perpusilla		0.00								0.00								0.00						
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis		0.00								0.00								0.00						
Mimulus prostratus		0.00								0.00								0.00						
Mimulus repens	1	0.63	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Minuria annua		0.00							2	2.53	NT	NT	2	0	0.3			0.00						
Minuria cunninghamii	1	0.15	LC	LC	1	0	0.3		2	0.29	LC	LC	1	0	0.3			0.00						
Minuria denticulata	9	1.47	LC	LC	1	0	0.3		55	8.96	LC	LC	1	0	0.3		2	0.33	LC	LC	1	0	0.3	
Minuria integerrima	1	0.46	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts	21	9.72	LC	LC	1	0	0.3	in swails, floodplains, creek lines, indeserts		0.00						
Minuria leptophylla		0.00							10	0.87	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3	
Minuria rigida	5	1.78	LC	LC	1	0	0.3	likes gypseous soils	3	1.07	RA d(i,ii)	RA	3	DD	0	around springs, localised		0.00						
Mollugo cerviana	2	1.89	LC	LC	1	0	0.3	undercollected; very small		0.00							2	1.89	LC	LC	1	0	0.3	undercollected; very small
Momordica balsamina		0.00							1	11.11	RA d(ii)	RA	3	0	0.3			0.00						
Monachather paradoxus	5	1.14	LC	LC	1	0	0.3		1	0.23	LC	LC	1	0	0.3		26	5.95	LC	LC	1	0	0.3	
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides	4	4.30	NT	NT	2	0	0.3	edge of range		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Muehlenbeckia florulenta	16	1.33	LC	LC	1	0	0.3		22	1.83	LC	LC	1	0	0.3		1	0.08	NT	NT	2	DD	0	
Muelleranthus stipularis	1	2.44	NT	NT	2	DD	0			0.00							2	4.88	LC	LC	1	0	0.3	undercollected
Murchisonia volubilis		0.00								0.00								0.00						
Myoporum brevipes		0.00								0.00								0.00						
Myoporum montanum	2	0.29	NT	NT	2	0	0.3		33	4.74	NT	NT	2	0	0.3	limited habitat	1	0.14	RA d(i,ii)	RA	3	0	0.3	
Myoporum platycarpum ssp. platycarpum		0.00								0.00								0.00						
Myosurus minimus var. australis		0.00								0.00								0.00						
Myriocephalus pluriflorus	1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of recent rec		0.00								0.00						
Myriocephalus rhizocephalus		0.00							2	2.33	RA d(i,ii)	RA	3	DD	0			0.00						
Myriocephalus rudallii	4	8.33	LC	LC	1	0	0.3		3	6.25	NT	NT	2	DD	0			0.00						
Myriocephalus squamatus		0.00								0.00								0.00						
Myriophyllum verrucosum	3	1.41	NT	NT	2	0	0.3		4	1.88	NT	NT	2	0	0.3			0.00						
Neobassia proceriflora	14	5.49	LC	LC	1	0	0.3		32	12.55	LC	LC	1	0	0.3			0.00						
Neptunia dimorphantha	2	3.45	NT	NT	2	DD	0	edge of range	17	29.31	LC	LC	1	0	0.3			0.00						
Neurachne lanigera		0.00								0.00								0.00						
Neurachne munroi		0.00								0.00								0.00						
Newcastelia bracteosa		0.00								0.00								0.00						
Newcastelia cephalantha var. cephalantha		0.00							1	2.33	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00								0.00						
Newcastelia spodiotricha		0.00								0.00								0.00						
Nicotiana burbidgeae		0.00							6	100.00	VU D2	VU	4	0	0.3	endemic to SA		0.00						
Nicotiana excelsior		0.00							1	1.09	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Nicotiana goodspeedii		0.00								0.00								0.00						
Nicotiana gossei		0.00								0.00								0.00						
Nicotiana occidentalis ssp. obliqua		0.00							3	2.36	NT	NT	2	0	0.3			0.00						
Nicotiana rosulata ssp. ingulba		0.00								0.00								0.00						
Nicotiana rosulata ssp. rosulata		0.00							1	8.33	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Nicotiana simulans	4	1.59	LC	LC	1	0	0.3		17	6.77	LC	LC	1	0	0.3			0.00						
Nicotiana truncata		0.00								0.00								0.00						
Nicotiana velutina	13	1.24	LC	LC	1	0	0.3		11	1.05	LC	LC	1	0	0.3		5	0.48	LC	LC	1	0	0.3	
Nitraria billardierei	14	0.81	LC	LC	1	+	0.2		27	1.56	LC	LC	1	+	0.2			0.00						
Nymphoides crenata		0.00								0.00								0.00						
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida		0.00								0.00								0.00						
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00								0.00								0.00						
Olearia ferresii		0.00								0.00								0.00						
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri		0.00								0.00								0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii		0.00								0.00								0.00						
Olearia subspicata		0.00								0.00								0.00						
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava		0.00							3	0.32	LC	LC	1	0	0.3			0.00						
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum		0.00								0.00								0.00						
Ophioglossum polyphyllum		0.00							2	12.50	RA d(i,ii)	RA	3	DD	0	likes loam over rocks		0.00						
Orobanche cernua var. australiana		0.00								0.00								0.00						
Osteocarpum acropterum var. acropterum	4	1.31	LC	LC	1	0	0.3		1	0.33	NT	NT	2	0	0.3			0.00						
Osteocarpum acropterum var. deminutum		0.00								0.00								0.00						
Osteocarpum dipterocarpum	11	2.44	LC	LC	1	0	0.3		39	8.65	LC	LC	1	0	0.3			0.00						
Osteocarpum pentapterum		0.00								0.00								0.00						
Osteocarpum salsuginosum		0.00								0.00								0.00						
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula		0.00								0.00								0.00						
Oxalis perennans		0.00								0.00								0.00						
Oxalis radicosa		0.00								0.00								0.00						
Oxychloris scariosa		0.00								0.00								0.00						
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana		0.00								0.00								0.00						
Panicum decompositum var. decompositum	1	0.28	LC	LC	1	0	0.3		25	6.96	LC	LC	1	0	0.3		1	0.28	LC	LC	1	0	0.3	
Panicum effusum var. effusum		0.00								0.00								0.00						
Panicum laevinode	4	4.49	NT	NT	2	DD	0		5	5.62	LC	LC	1	0	0.3			0.00						
Paraceterach reynoldsii		0.00								0.00								0.00						
Paractaenum novae-hollandiae ssp. reversum		0.00								0.00								0.00						
Paractaenum refractum	3	1.33	LC	LC	1	0	0.3		7	3.11	LC	LC	1	0	0.3		2	0.89	NT	NT	2	DD	0	
Paraneurachne muelleri		0.00								0.00								0.00						
Parietaria australis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Parietaria cardiostegia		0.00							1	0.40	NT	NT	2	0	0.3			0.00						
Parietaria debilis		0.00								0.00								0.00						
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum		0.00							1	5.56	NT	NT	2	0	0.3	lots of records not databased	1	5.56	NT	NT	2	0	0.3	lots of records not databased
Peplidium foecundum	1	4.35	NT	NT	2	0	0.3	likes gibber plains & crabholes; records not databased	3	13.04	NT	NT	2	0	0.3	likes gibber plains & crabholes; records not databased	1	4.35	NT	NT	2	0	0.3	likes gibber plains & crabholes; records not databased
Peplidium sp. Marla (W.R.Barker 3535)		0.00								0.00								0.00						
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides		0.00								0.00								0.00						
Petalostylis labicheoides		0.00								0.00								0.00						
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00								0.00								0.00						
Phlegmatospermum cochlearinum		0.00							1	0.57	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Phlegmatospermum eremaeum		0.00								0.00								0.00						
Phragmites australis		0.00							12	1.64	RA d(i,ii)	RA	3	0	0.3	limited habitat		0.00						
Phragmites vallatoria		#DIV/0!								#DIV/0!	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	(no records)		#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii	3	1.97	LC	LC	1	0	0.3		9	5.92	LC	LC	1	0	0.3		2	1.32	LC	LC	1	0	0.3	
Phyllanthus lacunarius	1	0.92	LC	LC	1	0	0.3		2	1.83	LC	LC	1	0	0.3		1	0.92	RA d(ii)	RA	3	0	0.3	edge of range
Phyllanthus lacunellus		0.00								0.00								0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00							2	25.00	RA d(i,ii)	RA	3	DD	0	southern edge of range; northern Aust spp; recent taxonomic c		0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata		0.00								0.00								0.00						
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00								0.00								0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala		0.00							10	1.01	RA d(ii)	RA	3	DD	0			0.00						
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris		0.00								0.00								0.00						
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua		0.00							16	12.03	LC	LC	1	0	0.3			0.00						
Pimelea simplex ssp. simplex		0.00								0.00								0.00						
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya	3	1.39	LC	LC	1	0	0.3		5	2.31	LC	LC	1	0	0.3		2	0.93	LC	LC	1	0	0.3	
Pittosporum angustifolium		0.00							14	0.43	LC	LC	1	0	0.3			0.00						
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus		0.00							2	0.90	RA d(ii)	RA	3	DD	0			0.00						
Plantago cunninghamii		0.00							2	1.87	NT	NT	2	0	0.3	comes up after rain		0.00						
Plantago debilis		0.00								0.00								0.00						
Plantago drummondii	2	0.18	LC	LC	1	0	0.3		32	2.94	LC	LC	1	0	0.3			0.00						
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa		0.00							1	16.67	RA d(ii)	RA	3	DD	0	in claypans & interdunal swales; lack of records & knowledge		0.00						
Plantago turrifera		0.00								0.00							1	1.82	RA d(ii)	RA	3	DD	0	
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus		0.00								0.00								0.00						
Pleurosorus rutifolius		0.00								0.00								0.00						
Pleurosorus subglandulosus		0.00								0.00								0.00						
Pluchea dentex		0.00							1	0.96	RA d(i,ii)	RA	3	DD	0			0.00						
Pluchea dunlopii	3	6.00	NT	NT	2	DD	0	sparse, scattered populations		0.00								0.00						
Pluchea rubelliflora	4	5.33	LC	LC	1	0	0.3	grows in creek lines	8	10.67	LC	LC	1	0	0.3	grows in creek lines	1	1.33	NT	NT	2	0	0.3	grows in creek lines
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana		0.00								0.00								0.00						
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens		0.00							4	1.02	NT	NT	2	DD	0		6	1.53	LC	LC	1	0	0.3	
Podolepis capillaris	12	0.93	LC	LC	1	0	0.3		13	1.01	LC	LC	1	0	0.3		8	0.62	LC	LC	1	0	0.3	
Podolepis davisiana		0.00								0.00								0.00						
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Polycalymma stuartii	13	1.32	LC	LC	1	0	0.3		8	0.81	LC	LC	1	0	0.3		3	0.30	LC	LC	1	0	0.3	
Polycarpaea arida	1	1.32	NT	NT	2	0	0.3		11	14.47	LC	LC	1	0	0.3			0.00						
Polycarpaea breviflora	3	15.79	RA d(i,ii)	RA	3	DD	0			0.00							1	5.26	RA d(i,ii)	RA	3	DD	0	
Polygala isingii	1	7.69	NT	NT	2	0	0.3	ephemeral, very small, undercollected		0.00								0.00						
Polygonum plebeium	1	0.57	LC	LC	1	0	0.3	responds to rainfall events	5	2.86	LC	LC	1	0	0.3	responds to rainfall events	1	0.57	LC	LC	1	0	0.3	responds to rainfall events
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata		0.00								0.00								0.00						
Poranthera leiosperma		0.00								0.00								0.00						
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia		0.00							16	31.37	LC	LC	1	0	0.3		1	1.96	NT	NT	2	DD	0	
Portulaca intraterranea	2	0.67	LC	LC	1	0	0.3	sand dune spp	7	2.36	LC	LC	1	0	0.3	sand dune spp		0.00						
Portulaca oleracea	18	2.12	LC	LC	1	0	0.3		30	3.53	LC	LC	1	0	0.3		5	0.59	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus		0.00								0.00								0.00						
Potamogeton tricarinatus		0.00								0.00								0.00						
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia		0.00								0.00							6	6.59	LC	LC	1	0	0.3	sand plain spp
Prostanthera nudula		0.00								0.00								0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora		0.00								0.00								0.00						
Prostanthera wilkieana		0.00								0.00								0.00						
Pseudoraphis spinescens		0.00								0.00								0.00						
Psydrax ammophila		0.00								0.00							2	9.09	RA d(ii)	RA	3	DD	0	central Aust sp.
Psydrax latifolia		0.00							3	21.43	NT	NT	2	0	0.3			0.00						
Psydrax suaveolens		0.00								0.00								0.00						
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum	1	12.50	RA d(ii)	RA	3	DD	0		1	12.50	RA d(ii)	RA	3	DD	0			0.00						
Pterocaulon sphacelatum	10	1.51	LC	LC	1	0	0.3		45	6.80	LC	LC	1	0	0.3		4	0.60	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00							1	100.00	RA d(ii)	RA	3	0	0.3	1 old record; locally common, some records under old names		0.00						
Ptilotus barkeri		0.00								0.00								0.00						
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens		0.00								0.00								0.00						
Ptilotus disparilis		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides		0.00							6	16.67	LC	LC	1	0	0.3			0.00						
Ptilotus incanus		0.00								0.00								0.00						
Ptilotus latifolius		0.00							2	3.77	RA d(i,ii)	RA	3	0	0.3			0.00						
Ptilotus macrocephalus	1	0.77	RA d(i,ii)	RA	3	DD	0	limited habitat	7	5.38	LC	LC	1	0	0.3		1	0.77	RA d(i,ii)	RA	3	0	0.3	
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)
Ptilotus obovatus	1	1.22	LC	LC	1	0	0.3	lots of NC records	6	7.32	LC	LC	1	0	0.3	lots of NC records		0.00						
Ptilotus parvifolius		0.00							2	6.67	RA d(ii)	RA	3	DD	0	has been split into 4 entities		0.00						
Ptilotus polystachyus		0.00							3	0.87	LC	LC	1	0	0.3		3	0.87	LC	LC	1	0	0.3	
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides		0.00							1	25.00	NT	NT	2	0	0.3	should be more records from a variety		0.00						
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii		0.00								0.00								0.00						
Ptilotus sessilifolius	4	1.35	LC	LC	1	0	0.3		3	1.01	LC	LC	1	0	0.3		10	3.37	LC	LC	1	0	0.3	
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei		0.00								0.00								0.00						
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus	1	1.11	LC	LC	1	0	0.3	likes low-lying cracking clay soil	9	10.00	LC	LC	1	0	0.3	likes low-lying cracking clay soil	1	1.11	LC	LC	1	0	0.3	likes low-lying cracking clay soil
Pycnosorus globosus		0.00								0.00								0.00						
Pycnosorus melleus		0.00								0.00								0.00						
Pycnosorus pleiocephalus		0.00							6	0.93	LC	LC	1	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Radyera farragei		0.00								0.00								0.00						
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00								0.00								0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus		0.00							2	1.31	NT	NT	2	0	0.3	grows on interdune swales after rain		0.00						
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio		0.00								0.00								0.00						
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00								0.00						
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea		0.00								0.00							12	3.80	LC	LC	1	0	0.3	
Rhagodia parabolica		0.00								0.00								0.00						
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	15	0.60	LC	LC	1	0	0.3		59	2.37	LC	LC	1	0	0.3		13	0.52	LC	LC	1	0	0.3	
Rhagodia ulicina		0.00								0.00								0.00						
Rhodanthe charsleyae	7	3.15	LC	LC	1	0	0.3		15	6.76	LC	LC	1	0	0.3		4	1.80	LC	LC	1	0	0.3	
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina		0.00								0.00								0.00						
Rhodanthe corymbiflora		0.00								0.00								0.00						
Rhodanthe floribunda	12	0.87	LC	LC	1	0	0.3		35	2.55	LC	LC	1	0	0.3			0.00						
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa	3	0.50	LC	LC	1	0	0.3		26	4.29	LC	LC	1	0	0.3			0.00						
Rhodanthe moschata	7	0.77	LC	LC	1	0	0.3		10	1.10	LC	LC	1	0	0.3		5	0.55	LC	LC	1	0	0.3	
Rhodanthe polygalifolia		0.00								0.00								0.00						
Rhodanthe pygmaea		0.00								0.00								0.00						
Rhodanthe stricta	3	0.39	LC	LC	1	0	0.3		28	3.67	LC	LC	1	0	0.3		1	0.13	LC	LC	1	0	0.3	
Rhodanthe stuartiana		0.00								0.00								0.00						
Rhodanthe tietkensii		0.00							1	0.44	RA d(ii)	RA	3	DD	0	edge of range	2	0.89	LC	LC	1	0	0.3	
Rhodanthe troedelii		0.00								0.00								0.00						
Rhodanthe uniflora		0.00							4	2.06	LC	LC	1	0	0.3			0.00						
Rhyncharrhena linearis		0.00							2	0.74	RA d(ii)	RA	3	0	0.3		5	1.85	NT	NT	2	0	0.3	
Rhynchosia australis		0.00								0.00								0.00						
Rhynchosia minima		0.00								0.00								0.00						
Rorippa eustylis		0.00								0.00								0.00						
Rostellularia adscendens var. clementii		0.00							1	20.00	DD	DD	0	DD	0	1 record		0.00						
Rostellularia adscendens var. latifolia		0.00								0.00								0.00						
Rostellularia adscendens var. pogonanthera		0.00							19	9.74	LC	LC	1	0	0.3			0.00						
Rulingia loxophylla		0.00								0.00								0.00						
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus	1	0.76	LC	LC	1	0	0.3		1	0.76	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Ruppia maritima		0.00							2	4.65	RA d(i,ii)	RA	3	DD	0	ephemeral, relies on floods		0.00						
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides	5	1.29	LC	LC	1	0	0.3		30	7.71	LC	LC	1	0	0.3			0.00						
Salsola tragus	39	0.89	LC	LC	1	0	0.3		95	2.17	LC	LC	1	0	0.3		16	0.36	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens		0.00							5	0.52	RA d(i,ii)	RA	3	0	0.3	limited habitat around springs		0.00						
Santalum acuminatum		0.00								0.00								0.00						
Santalum lanceolatum	5	0.57	LC	LC	1	0	0.3		31	3.53	LC	LC	1	0	0.3		6	0.68	LC	LC	1	0	0.3	
Santalum spicatum		0.00								0.00								0.00						
Sarcocornia blackiana		0.00								0.00								0.00						
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe		0.00							11	5.09	NT	NT	2	0	0.3			0.00						
Sarcozona praecox		0.00								0.00								0.00						
Sauropus ramosissimus		0.00								0.00								0.00						
Sauropus rigens		0.00								0.00								0.00						
Sauropus trachyspermus	1	0.40	LC	LC	1	0	0.3		1	0.40	LC	LC	1	0	0.3			0.00						
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis		0.00								0.00								0.00						
Scaevola basedowii		0.00								0.00								0.00						
Scaevola collaris	5	1.92	NT	NT	2	0	0.3	likes damp sand; undercollected	11	4.21	RA d(i,ii)	RA	3	0	0.3	limited habitat		0.00						
Scaevola collina		0.00								0.00								0.00						
Scaevola depauperata	2	1.50	RA d(i,ii)	RA	3	DD	0	limited habitat	5	3.76	NT	NT	2	0	0.3		14	10.53	LC	LC	1	0	0.3	
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata	5	1.23	LC	LC	1	0	0.3		6	1.48	LC	LC	1	0	0.3		1	0.25	RA d(i,ii)	RA	3	0	0.3	
Scaevola parvifolia ssp. parvifolia		0.00								0.00								0.00						
Scaevola spinescens		0.00							17	1.30	LC	LC	1	0	0.3		7	0.53	LC	LC	1	0	0.3	
Schenkia australis	1	0.51	NT	NT	2	0	0.3		1	0.51	NT	NT	2	0	0.3			0.00						
Schoenia ayersii	1	1.16	RA d(i,ii)	RA	3	DD	0		2	2.33	RA d(ii)	RA	3	DD	0		1	1.16	RA d(i,ii)	RA	3	DD	0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Schoenia cassiniana	2	0.81	NT	NT	2	DD	0		1	0.40	RA d(i,ii)	RA	3	DD	0	edge of range	9	3.63	LC	LC	1	0	0.3	
Schoenia ramosissima		0.00							2	1.19	LC	LC	1	0	0.3			0.00						
Schoenoplectus dissachanthus	1	2.38	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats	1	2.38	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats	3	7.14	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens		0.00								0.00								0.00						
Schoenoplectus subulatus		0.00								0.00								0.00						
Schoenoplectus validus		0.00								0.00								0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00								0.00								0.00						
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata		0.00							6	31.58	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena bicornis var. bicornis	31	6.78	LC	LC	1	0	0.3		56	12.25	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3	
Sclerolaena bicuspis		0.00								0.00								0.00						
Sclerolaena birchii		0.00								0.00								0.00						
Sclerolaena blackiana		0.00							1	0.97	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Sclerolaena brachyptera	1	0.09	LC	LC	1	0	0.3		17	1.60	LC	LC	1	0	0.3		1	0.09	LC	LC	1	0	0.3	
Sclerolaena calcarata	1	0.94	NT	NT	2	0	0.3		1	0.94	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena clelandii		0.00							3	27.27	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena constricta	1	0.67	LC	LC	1	0	0.3		11	7.38	LC	LC	1	0	0.3			0.00						
Sclerolaena convexula		0.00							6	1.66	LC	LC	1	0	0.3		6	1.66	LC	LC	1	0	0.3	
Sclerolaena cornishiana		0.00								0.00								0.00						
Sclerolaena costata		0.00							1	3.13	NT	NT	2	0	0.3		1	3.13	NT	NT	2	0	0.3	
Sclerolaena cristata		0.00								0.00								0.00						
Sclerolaena cuneata	3	0.82	LC	LC	1	0	0.3		21	5.74	LC	LC	1	0	0.3		1	0.27	LC	LC	1	0	0.3	
Sclerolaena decurrens	6	2.07	LC	LC	1	0	0.3		6	2.07	LC	LC	1	0	0.3			0.00						
Sclerolaena deserticola		0.00								0.00								0.00						
Sclerolaena diacantha	18	0.60	LC	LC	1	0	0.3	good stock food	12	0.40	LC	LC	1	0	0.3	good stock food	3	0.10	LC	LC	1	0	0.3	good stock food
Sclerolaena divaricata		0.00							10	1.07	LC	LC	1	0	0.3			0.00						
Sclerolaena eriacantha	3	0.99	LC	LC	1	0	0.3		21	6.93	LC	LC	1	0	0.3		2	0.66	LC	LC	1	0	0.3	
Sclerolaena fontinalis		0.00							3	18.75	VU D2	VU	4	DD	0	restricted to mound springs; endemic to SA		0.00						
Sclerolaena glabra	1	0.87	LC	LC	1	0	0.3		25	21.74	LC	LC	1	0	0.3		2	1.74	LC	LC	1	0	0.3	
Sclerolaena holtiana	7	3.06	LC	LC	1	0	0.3		3	1.31	LC	LC	1	0	0.3		1	0.44	LC	LC	1	0	0.3	
Sclerolaena intricata	28	3.15	LC	LC	1	0	0.3		76	8.55	LC	LC	1	0	0.3			0.00						
Sclerolaena johnsonii	1	0.83	LC	LC	1	0	0.3		4	3.33	LC	LC	1	0	0.3		11	9.17	LC	LC	1	0	0.3	
Sclerolaena lanicuspis	5	0.57	LC	LC	1	0	0.3		51	5.80	LC	LC	1	0	0.3		1	0.11	LC	LC	1	0	0.3	
Sclerolaena limbata		0.00								0.00								0.00						
Sclerolaena longicuspis	2	0.57	LC	LC	1	0	0.3		25	7.18	LC	LC	1	0	0.3			0.00						
Sclerolaena muricata var. muricata		0.00							2	1.48	RA d(ii)	RA	3	DD	0	heavy clays on rivers or cane grass swamps		0.00						
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis		0.00								0.00							1	0.04	LC	LC	1	0	0.3	
Sclerolaena parallelicuspis	5	1.53	LC	LC	1	0	0.3		34	10.43	LC	LC	1	0	0.3		3	0.92	LC	LC	1	0	0.3	
Sclerolaena parviflora		0.00								0.00								0.00						
Sclerolaena patenticuspis	1	0.09	NT	NT	2	DD	0			0.00								0.00						
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei		0.00							1	1.10	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena tricuspis		0.00								0.00								0.00						
Sclerolaena uniflora	2	0.20	LC	LC	1	0	0.3		26	2.66	LC	LC	1	0	0.3	grows on bare limestone	4	0.41	LC	LC	1	0	0.3	grows on bare limestone
Sclerolaena ventricosa	3	0.40	LC	LC	1	0	0.3		7	0.93	LC	LC	1	0	0.3			0.00						
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00								0.00								0.00						
Senecio depressicola		0.00								0.00								0.00						
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola		0.00								0.00								0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus		0.00							4	0.51	LC	LC	1	0	0.3	in interdune swales	2	0.26	LC	LC	1	0	0.3	in interdune swales
Senecio gregorii	13	1.65	LC	LC	1	0	0.3	on sand dunes, widespread	8	1.02	LC	LC	1	0	0.3	on sand dunes, widespread	6	0.76	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00								0.00						
Senecio laceratus		0.00								0.00								0.00						
Senecio lacustrinus		0.00							1	0.85	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Senecio lanibracteus	1	0.31	LC	LC	1	0	0.3		5	1.54	LC	LC	1	0	0.3			0.00						
Senecio magnificus	1	0.12	LC	LC	1	0	0.3		2	0.23	LC	LC	1	0	0.3			0.00						
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius		0.00							1	0.93	RA d(i,ii)	RA	3	DD	0	scattered pops		0.00						
Senecio spanomerus		0.00								0.00								0.00						
Senna artemisioides ssp. alicia	1	0.99	NT	NT	2	0	0.3		10	9.90	LC	LC	1	0	0.3		4	3.96	LC	LC	1	0	0.3	
Senna artemisioides ssp. artemisioides		0.00							18	2.28	LC	LC	1	0	0.3		2	0.25	LC	LC	1	0	0.3	
Senna artemisioides ssp. coriacea		0.00							28	1.92	LC	LC	1	0	0.3		2	0.14	NT	NT	2	0	0.3	
Senna artemisioides ssp. filifolia	15	1.26	LC	LC	1	0	0.3		20	1.68	LC	LC	1	0	0.3		30	2.53	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Senna artemisioides ssp. helmsii		0.00							22	6.41	LC	LC	1	0	0.3		2	0.58	NT	NT	2	0	0.3	
Senna artemisioides ssp. oligophylla	6	2.83	LC	LC	1	0	0.3		23	10.85	LC	LC	1	0	0.3		2	0.94	NT	NT	2	DD	0	
Senna artemisioides ssp. petiolaris		0.00							3	0.30	NT	NT	2	0	0.3			0.00						
Senna artemisioides ssp. quadrifolia	9	4.84	LC	LC	1	0	0.3		14	7.53	LC	LC	1	0	0.3		5	2.69	LC	LC	1	0	0.3	
Senna artemisioides ssp. sturtii	1	0.65	NT	NT	2	DD	0		12	7.79	LC	LC	1	0	0.3		1	0.65	LC	LC	1	0	0.3	
Senna artemisioides ssp. zygophylla	2	2.86	NT	NT	2	DD	0		8	11.43	LC	LC	1	0	0.3		1	1.43	NT	NT	2	DD	0	
Senna cardiosperma ssp. gawlerensis	1	0.24	RA d(ii)	RA	3	DD	0			0.00								0.00						
Senna cardiosperma ssp. microphylla		0.00								0.00								0.00						
Senna glutinosa ssp. glutinosa	1	11.11	NE	NE	-1			taxonomic issues		0.00								0.00						
Senna glutinosa ssp. pruinosa	1	2.86	NT	NT	2	DD	0		5	14.29	NT	NT	2	DD	0			0.00						
Senna notabilis		0.00								0.00								0.00						
Senna phyllodinea		0.00							6	3.73	LC	LC	1	0	0.3			0.00						
Senna planitiicola		0.00								0.00								0.00						
Senna pleurocarpa var. pleurocarpa	5	1.49	LC	LC	1	0	0.3	fire responsive	9	2.69	LC	LC	1	0	0.3	fire responsive	12	3.58	LC	LC	1	0	0.3	fire responsive
Sesbania cannabina var. cannabina		0.00								0.00								0.00						
Setaria basiclada	1	1.01	NT	NT	2	DD	0	likes rocky hills	1	1.01	NT	NT	2	DD	0	likes rocky hills	2	2.02	NT	NT	2	DD	0	likes rocky hills
Setaria clementii		0.00							4	3.96	LC	LC	1	0	0.3	easily overlooked; likes low, rocky rises		0.00						
Setaria constricta	1	0.19	RA d(ii)	RA	3	DD	0		1	0.19	RA d(ii)	RA	3	DD	0			0.00						
Setaria dielsii	1	0.80	RA d(ii)	RA	3	DD	0	in creeks, drainage lines; ephemeral	6	4.80	RA d(ii)	RA	3	0	0.3	in creeks, drainage lines; ephemeral	1	0.80	RA d(ii)	RA	3	0	0.3	in creeks, drainage lines; ephemeral
Setaria jubiflora	3	1.24	RA d(ii)	RA	3	DD	0	in creek lines	4	1.66	RA d(ii)	RA	3	DD	0	in creek lines		0.00						
Setaria reflexa		0.00								0.00								0.00						
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	11	1.76	LC	LC	1	0	0.3		9	1.44	LC	LC	1	0	0.3		2	0.32	LC	LC	1	0	0.3	
Sida argillacea		0.00							2	16.67	NT	NT	2	0	0.3	seasonally abundant		0.00						
Sida calyxhymenia		0.00								0.00								0.00						
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata		0.00								0.00								0.00						
Sida cunninghamii	7	3.33	LC	LC	1	0	0.3		4	1.90	LC	LC	1	0	0.3		2	0.95	LC	LC	1	0	0.3	
Sida everistiana		0.00								0.00								0.00						
Sida fibulifera	15	0.98	LC	LC	1	0	0.3		72	4.71	LC	LC	1	0	0.3		1	0.07	LC	LC	1	0	0.3	
Sida filiformis		0.00							6	10.71	NT	NT	2	0	0.3	persistent		0.00						
Sida goniocarpa		0.00								0.00								0.00						
Sida intricata	3	0.48	LC	LC	1	0	0.3		3	0.48	LC	LC	1	0	0.3		2	0.32	LC	LC	1	0	0.3	
Sida petrophila		0.00							1	0.07	RA d(ii)	RA	3	DD	0			0.00						
Sida phaeotricha		0.00								0.00								0.00						
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae		0.00								0.00								0.00						
Sida sp. B (C.Dunlop 1739)		0.00							3	11.11	NE	NE	-1			taxonomic issues		0.00						
Sida sp. Everard Ranges (D.J.Whibley 1085)		0.00								0.00								0.00						
Sida sp. F (Latz 7459)	1	2.63	NE	NE	-1			taxonomic issues	29	76.32	NE	NE	-1			taxonomic issues		0.00						
Sida sp. L (A.M.Ashby 4202)		0.00								0.00								0.00						
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00								0.00						
Sida spodochroma		0.00								0.00								0.00						
Sida trichopoda	2	0.48	LC	LC	1	0	0.3		20	4.76	LC	LC	1	0	0.3			0.00						
Sigesbeckia australiensis		0.00								0.00								0.00						
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale		0.00								0.00								0.00						
Solanum chenopodinum	1	1.89	RA d(ii)	RA	3	DD	0			0.00								0.00						
Solanum cleistogamum		0.00							1	1.08	NT	NT	2	0	0.3			0.00						
Solanum coactiliferum		0.00								0.00							2	0.32	NT	NT	2	DD	0	
Solanum eardleyae		0.00								0.00								0.00						
Solanum ellipticum	10	0.68	LC	LC	1	0	0.3		35	2.37	LC	LC	1	0	0.3		23	1.56	LC	LC	1	0	0.3	
Solanum esuriale	10	2.53	LC	LC	1	0	0.3		11	2.78	LC	LC	1	0	0.3			0.00						
Solanum ferocissimum		0.00								0.00								0.00						
Solanum lacunarium		0.00							2	2.99	RA d(i,ii)	RA	3	0	0.3			0.00						
Solanum lasiophyllum		0.00								0.00							1	1.32	DD	DD	0	DD	0	query ID
Solanum oligacanthum	4	1.50	LC	LC	1	0	0.3			0.00								0.00						
Solanum orbiculatum ssp. orbiculatum		0.00								0.00								0.00						
Solanum petrophilum	2	0.19	LC	LC	1	0	0.3			0.00								0.00						
Solanum quadriloculatum		0.00							31	9.34	LC	LC	1	0	0.3		3	0.90	LC	LC	1	0	0.3	
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum		0.00							4	0.61	NT	NT	2	0	0.3		1	0.15	NT	NT	2	0	0.3	
Sonchus hydrophilus		0.00							8	3.01	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.		0.00						
Spartothamnella teucriiflora		0.00							4	4.82	NT	NT	2	0	0.3		4	4.82	NT	NT	2	0	0.3	
Spergularia brevifolia		0.00								0.00								0.00						
Spergularia diandroides		0.00								0.00								0.00						
Spergularia marina		0.00							1	0.38	NT	NT	2	0	0.3	in low-lying salty areas		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus	4	0.73	LC	LC	1	0	0.3		49	8.97	LC	LC	1	0	0.3			0.00						
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei		0.00							1	10.00	NT	NT	2	0	0.3			0.00						
Sporobolus caroli		0.00							6	9.52	LC	LC	1	0	0.3			0.00						
Sporobolus mitchellii		0.00							1	0.29	RA d(ii)	RA	3	DD	0	restricted to river systems		0.00						
Sporobolus virginicus		0.00							23	5.10	RA d(i,ii)	RA	3	0	0.3	restricted; hardy sp, likes salt		0.00						
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii		0.00								0.00								0.00						
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00							1	14.29	NE	NE	-1			taxonomic issues		0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	10	1.56	LC	LC	1	0	0.3		11	1.71	LC	LC	1	0	0.3		2	0.31	LC	LC	1	0	0.3	
Stemodia glabella		0.00								0.00								0.00						
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00								0.00						
Stemodia viscosa		0.00								0.00								0.00						
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum		0.00								0.00								0.00						
Stenopetalum decipiens		0.00								0.00								0.00						
Stenopetalum lineare	3	0.48	LC	LC	1	0	0.3		13	2.10	LC	LC	1	0	0.3	a complex of species, could be split	2	0.32	LC	LC	1	0	0.3	
Stenopetalum nutans	3	3.49	LC	LC	1	0	0.3		6	6.98	LC	LC	1	0	0.3			0.00						
Stenopetalum sphaerocarpum		0.00								0.00								0.00						
Stenopetalum velutinum		0.00							8	3.94	LC	LC	1	0	0.3			0.00						
Streptoglossa adscendens	10	3.13	LC	LC	1	0	0.3		25	7.81	LC	LC	1	0	0.3			0.00						
Streptoglossa cylindriceps	1	2.08	LC	LC	1	0	0.3		18	37.50	LC	LC	1	0	0.3		1	2.08	LC	LC	1	0	0.3	
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides	6	3.61	LC	LC	1	0	0.3		30	18.07	LC	LC	1	0	0.3			0.00						
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum		0.00								0.00								0.00						
Suaeda australis		0.00								0.00								0.00						
Swainsona acuticarinata		0.00								0.00								0.00						
Swainsona adenophylla		0.00								0.00							1	1.27	RA d(i,ii)	RA	3	DD	0	edge of salt lakes
Swainsona affinis		0.00								0.00							4	6.78	RA d(i,ii)	RA	3	DD	0	
Swainsona burkittii		0.00								0.00								0.00						
Swainsona campylantha	1	0.34	LC	LC	1	0	0.3		25	8.53	LC	LC	1	0	0.3			0.00						
Swainsona canescens		0.00								0.00								0.00						
Swainsona colutoides		0.00								0.00								0.00						
Swainsona disjuncta		0.00								0.00								0.00						
Swainsona eremaea	2	6.45	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Swainsona extrajacens		0.00								0.00								0.00						
Swainsona fissimontana		0.00								0.00								0.00						
Swainsona flavicarinata		0.00							4	5.41	RA d(i,ii)	RA	3	0	0.3			0.00						
Swainsona formosa		0.00							2	0.91	RA d(ii)	RA	3	DD	0		4	1.83	LC	LC	1	0	0.3	
Swainsona laxa	1	1.45	NT	NT	2	DD	0			0.00							1	1.45	RA d(ii)	RA	3	DD	0	
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx		0.00								0.00								0.00						
Swainsona microphylla		0.00								0.00								0.00						
Swainsona minutiflora		0.00								0.00								0.00						
Swainsona oligophylla	3	3.19	NT	NT	2	DD	0		5	5.32	LC	LC	1	0	0.3			0.00						
Swainsona oliveri		0.00								0.00							1	1.14	RA d(ii)	RA	3	DD	0	
Swainsona oroboides		0.00							7	6.36	LC	LC	1	0	0.3			0.00						
Swainsona phacoides	8	2.07	LC	LC	1	0	0.3		13	3.36	LC	LC	1	0	0.3		3	0.78	LC	LC	1	0	0.3	
Swainsona purpurea		0.00							1	0.96	RA d(i,ii)	RA	3	DD	0			0.00						
Swainsona stipularis	1	0.34	NT	NT	2	DD	0			0.00								0.00						
Swainsona swainsonioides		0.00								0.00								0.00						
Swainsona tenuis	1	1.39	RA d(i,ii)	RA	3	DD	0	edge of range		0.00							1	1.39	RA d(ii)	RA	3	DD	0	
Swainsona tephrotricha		0.00								0.00								0.00						
Swainsona unifoliolata		0.00								0.00								0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa		0.00								0.00								0.00						
Swainsona viridis		0.00								0.00								0.00						
Synaptantha tillaeacea var. hispidula	2	6.45	NT	NT	2	0	0.3	perennial; comes up after good rain	3	9.68	NT	NT	2	0	0.3	perennial; comes up after good rain		0.00						
Synaptantha tillaeacea var. tillaeacea	1	1.61	LC	LC	1	0	0.3	undercollected	7	11.29	LC	LC	1	0	0.3	undercollected		0.00						
Tecticornia arbuscula		0.00								0.00								0.00						
Tecticornia cupuliformis		0.00								0.00								0.00						
Tecticornia disarticulata		0.00								0.00								0.00						
Tecticornia fontinalis		0.00							2	22.22	VU D2	VU	4	DD	0	endemic to SA; habitat degraded		0.00						
Tecticornia halocnemoides ssp. halocnemoides		0.00							4	1.09	RA d(ii)	RA	3	DD	0	endemic to SA		0.00						
Tecticornia halocnemoides ssp. longispicata		0.00							18	17.48	RA d(i,ii)	RA	3	0	0.3			0.00						
Tecticornia halocnemoides ssp. tenuis		0.00							1	6.67	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Tecticornia indica ssp. bidens	1	1.54	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Tecticornia indica ssp. leiostachya	14	2.89	LC	LC	1	0	0.3	common	13	2.68	LC	LC	1	0	0.3	common		0.00						
Tecticornia medullosa		0.00							9	7.44	LC	LC	1	0	0.3	likes rocks		0.00						
Tecticornia nitida		0.00								0.00								0.00						
Tecticornia pergranulata ssp. divaricata	5	8.62	LC	LC	1	0	0.3		5	8.62	NT	NT	2	0	0.3			0.00						
Tecticornia pergranulata ssp. elongata	2	15.38	RA d(ii)	RA	3	0	0.3		2	15.38	NT	NT	2	0	0.3			0.00						
Tecticornia pergranulata ssp. pergranulata	1	0.22	NT	NT	2	0	0.3			0.00								0.00						
Tecticornia pruliflora		0.00							10	22.22	NT	NT	2	0	0.3			0.00						
Tecticornia pruinosa		0.00								0.00								0.00						
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00								0.00						
Tecticornia tenuis	3	1.00	LC	LC	1	0	0.3	arid sp.	31	10.37	LC	LC	1	0	0.3	arid sp.		0.00						
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00							1	100.00	VU D2	VU	4	DD	0	only 1 record at Dalhousie Springs; outlier		0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena		0.00							3	0.73	RA d(ii)	RA	3	0	0.3		3	0.73	RA d(ii)	RA	3	0	0.3	
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora	11	3.79	LC	LC	1	0	0.3		7	2.41	LC	LC	1	0	0.3		1	0.34	LC	LC	1	0	0.3	
Tephrosia supina		0.00								0.00								0.00						
Tetragonia eremaea	5	0.42	LC	LC	1	0	0.3		6	0.51	LC	LC	1	0	0.3		1	0.08	LC	LC	1	0	0.3	
Tetragonia moorei	1	1.32	NT	NT	2	0	0.3	likes summer rain; grows around bores; edge of range	1	1.32	NT	NT	2	0	0.3	likes summer rain; grows around bores; edge of range		0.00						
Tetragonia tetragonioides		0.00								0.00								0.00						
Teucrium albicaule		0.00								0.00								0.00						
Teucrium corymbosum		0.00								0.00								0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum	16	1.92	LC	LC	1	0	0.3		20	2.40	LC	LC	1	0	0.3			0.00						
Teucrium reidii		0.00								0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea		0.00							3	16.67	NT	NT	2	DD	0			0.00						
Themeda triandra		0.00							7	0.46	LC	LC	1	0	0.3		2	0.13	RA d(ii)	RA	3	DD	0	
Threlkeldia inchoata		0.00							23	31.51	LC	LC	1	0	0.3	likes rich soils & stony rises	2	2.74	NT	NT	2	DD	0	likes rich soils & stony rises
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana		0.00								0.00							1	0.79	NT	NT	2	DD	0	
Thyridolepis multiculmis		0.00								0.00								0.00						
Thyridolepis xerophila		0.00								0.00								0.00						
Thysanotus baueri		0.00								0.00								0.00						
Thysanotus exiliflorus		0.00								0.00							1	2.56	RA d(ii)	RA	3	0	0.3	
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae		0.00								0.00								0.00						
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	2	0.71	LC	LC	1	0	0.3		9	3.19	LC	LC	1	0	0.3		1	0.35	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus	9	2.37	LC	LC	1	0	0.3		6	1.58	LC	LC	1	0	0.3		1	0.26	LC	LC	1	0	0.3	
Trianthema pilosa		0.00							2	3.08	LC	LC	1	0	0.3			0.00						
Trianthema triquetra	8	0.98	LC	LC	1	0	0.3		87	10.67	LC	LC	1	0	0.3		5	0.61	LC	LC	1	0	0.3	
Tribulus astrocarpus		0.00							1	3.70	NT	NT	2	0	0.3	edge of range	8	29.63	LC	LC	1	0	0.3	
Tribulus eichlerianus	1	0.34	LC	LC	1	0	0.3		13	4.41	LC	LC	1	0	0.3		2	0.68	LC	LC	1	0	0.3	
Tribulus hystrix	8	3.69	LC	LC	1	0	0.3	likes big red sand hills	3	1.38	LC	LC	1	0	0.3	likes big red sand hills	1	0.46	NT	NT	2	0	0.3	likes big red sand hills
Tribulus macrocarpus		0.00								0.00							1	25.00	VU D2	VU	4	DD	0	
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00								0.00								0.00						
Trichanthodium skirrophorum	5	0.73	LC	LC	1	0	0.3		17	2.47	LC	LC	1	0	0.3			0.00						
Trichodesma zeylanicum var. zeylanicum	3	0.41	LC	LC	1	0	0.3		8	1.09	LC	LC	1	0	0.3			0.00						
Triglochin hexagona		0.00								0.00								0.00						
Triglochin isingiana		0.00							2	1.41	RA d(i,ii)	RA	3	DD	0			0.00						
Triglochin multifructa	by catt	0.00	VU D2	VU	4	DD	0	(no records) in permanent waterholes; localised; prone to degr		0.00								0.00						
Triglochin nana		0.00								0.00	RA d(ii)	RA	3	DD	0	marginal		0.00						
Triglochin sp. A (N.N.Donner 3596)		0.00								0.00								0.00						
Triglochin striata																								
Trigonella suavissima		0.00							9	2.98	LC	LC	1	0	0.3			0.00						
Triodia basedowii	3	0.47	LC	LC	1	0	0.3		5	0.78	LC	LC	1	0	0.3			0.00						
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii	2	7.69	NT	NT	2	0	0.3			0.00							7	26.92	LC	LC	1	0	0.3	
Triodia irritans		0.00								0.00								0.00						
Triodia longiceps		0.00								0.00								0.00						
Triodia pungens		0.00								0.00								0.00						
Triodia scariosa		0.00								0.00								0.00						
Triodia schinzii		0.00							1	20.00	RA d(ii)	RA	3	DD	0		1	20.00	RA d(ii)	RA	3	DD	0	
Tripogon loliiformis	3	0.41	LC	LC	1	0	0.3		75	10.30	LC	LC	1	0	0.3		1	0.14	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Triraphis mollis	10	1.41	LC	LC	1	0	0.3		12	1.70	LC	LC	1	0	0.3		4	0.57	LC	LC	1	0	0.3	
Typha domingensis		0.00							12	2.73	NT	NT	2	0	0.3			0.00						
Typhonium alismifolium		0.00								0.00								0.00						
Uranthoecium truncatum		0.00							3	16.67	NT	NT	2	DD	0	poorly collected		0.00						
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00								0.00								0.00						
Velleia arguta		0.00								0.00								0.00						
Velleia connata		0.00								0.00								0.00						
Velleia glabrata		0.00								0.00								0.00						
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia	5	33.33	RA d(i,ii)	RA	3	0	0.3	occurs in small patches	2	13.33	RA d(i,ii)	RA	3	0	0.3	occurs in small patches		0.00						
Vittadinia arida		0.00							1	1.15	RA d(ii)	RA	3	DD	0			0.00						
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis		0.00								0.00								0.00						
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata		0.00								0.00								0.00						
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta		0.00								0.00								0.00						
Vittadinia eremaea		0.00							2	0.48	LC	LC	1	0	0.3			0.00						
Vittadinia gracilis		0.00								0.00								0.00						
Vittadinia pterochaeta		0.00								0.00								0.00						
Vittadinia pustulata		0.00								0.00								0.00						
Vittadinia sulcata		0.00								0.00								0.00						
Wahlenbergia aridicola		0.00								0.00								0.00						
Wahlenbergia communis		0.00							1	0.15	RA d(ii)	RA	3	0	0.3	annual		0.00						
Wahlenbergia gracilenta		0.00							3	0.25	RA d(ii)	RA	3	0	0.3	responds to disturbance		0.00						
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00								0.00						
Wahlenbergia queenslandica		0.00							4	6.67	LC	LC	1	0	0.3		1	1.67	LC	LC	1	0	0.3	
Wahlenbergia stricta ssp. stricta		0.00							1	0.07	RA d(i,ii)	RA	3	DD	0			0.00						
Wahlenbergia tumidifructa	2	0.44	LC	LC	1	0	0.3		14	3.08	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata		0.00								0.00							2	0.51	LC	LC	1	0	0.3	
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii		0.00								0.00								0.00						
Westringia rigida		0.00								0.00								0.00						
Wurmbea australis		0.00								0.00								0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina		0.00								0.00								0.00						
Wurmbea deserticola		0.00								0.00								0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00								0.00								0.00						
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum		0.00								0.00								0.00						
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00								0.00								0.00						
Zaleya galericulata ssp. australis	1	1.85	LC	LC	1	0	0.3	carried by stock	2	3.70	LC	LC	1	0	0.3	carried by stock		0.00						
Zygochloa paradoxa	36	4.46	LC	LC	1	0	0.3		13	1.61	LC	LC	1	0	0.3		3	0.37	LC	LC	1	0	0.3	
Zygophyllum ammophilum	6	2.17	LC	LC	1	0	0.3	has been split from Z billardierei	2	0.72	LC	LC	1	0	0.3	has been split from Z billardierei	1	0.36	LC	LC	1	0	0.3	has been split from Z billardierei
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum	1	0.07	LC	LC	1	0	0.3			0.00								0.00						
Zygophyllum aurantiacum ssp. aurantiacum	6	0.81	LC	LC	1	0	0.3		6	0.81	LC	LC	1	0	0.3			0.00						
Zygophyllum aurantiacum ssp. cuneatum		0.00							1	1.92	NT	NT	2	DD	0			0.00						
Zygophyllum aurantiacum ssp. simplicifolium		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. verticillatum		0.00								0.00								0.00						
Zygophyllum compressum		0.00							4	3.92	RA d(ii)	RA	3	0	0.3	limited habitat		0.00						
Zygophyllum confluens		0.00								0.00								0.00						
Zygophyllum crassissimum	1	2.17	RA d(i,ii)	RA	3	0	0.3	likes gypeous breakaways	10	21.74	RA d(i,ii)	RA	3	0	0.3	likes gypeous breakaways		0.00						
Zygophyllum crenatum		0.00								0.00								0.00						
Zygophyllum eichleri	1	2.44	RA d(ii)	RA	3	0	0.3	edge of range	1	2.44	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Zygophyllum emarginatum		0.00							17	15.04	LC	LC	1	0	0.3		2	1.77	LC	LC	1	0	0.3	
Zygophyllum eremaeum		0.00							2	0.48	NT	NT	2	0	0.3	undercollected	2	0.48	NT	NT	2	0	0.3	undercollected
Zygophyllum glaucum		0.00							2	0.38	VU B2ab(i,ii,iii)	VU	4	-	0.4			0.00						
Zygophyllum howittii	7	1.84	LC	LC	1	0	0.3	likes sandy rises	8	2.10	LC	LC	1	0	0.3	likes sandy rises	4	1.05	LC	LC	1	0	0.3	likes sandy rises
Zygophyllum humillimum	3	3.45	NT	NT	2	0	0.3			0.00								0.00						
Zygophyllum hybridum		0.00							1	3.85	RA d(i,ii)	RA	3	0	0.3	gypseous flats; endemic to SA		0.00						
Zygophyllum iodocarpum	1	0.31	NT	NT	2	DD	0		1	0.31	RA d(i,ii)	RA	3	DD	0			0.00						
Zygophyllum kochii		0.00								0.00								0.00						
Zygophyllum marliesiae		0.00								0.00								0.00						
Zygophyllum ovatum		0.00								0.00								0.00						
Zygophyllum prismatothecum	3	1.31	LC	LC	1	0	0.3		3	1.31	LC	LC	1	0	0.3			0.00						
Zygophyllum rowelliae		0.00							1	3.13	RA d(i,ii)	RA	3	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	19_Macumba_Records	%_Macumba	IUCN Status & Criteria (Macumba)	Regional Status (Macumba)	Regional Status Score (Macumba)	Trend (-, -, 0, +, ++) Macumba	Trend Score (Macumba)	Comments (Macumba)	20_Witjira_Records	%_Witjira	IUCN Status & Criteria (Witjira)	Regional Status (Witjira)	Regional Status Score (Witjira)	Trend (-, -, 0, +, ++) Witjira	Trend Score (Witjira)	Comments (Witjira)	21_Pedirka_Records	%_Pedirka	IUCN Status & Criteria (Pedirka)	Regional Status (Pedirka)	Regional Status Score (Pedirka)	Trend (-, -, 0, +, ++) Pedirka	Trend Score (Pedirka)	Comments (Pedirka)
Zygophyllum simile	3	0.69	LC	LC	1	0	0.3		9	2.06	LC	LC	1	0	0.3			0.00						
Zygophyllum tesquorum		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Abutilon cryptopetalum ssp. cryptopetalum		0.00							1	4.17	NT	NT	2	0	0.3	undercollected		0.00						
Abutilon fraseri ssp. diplotrichum		0.00								0.00								0.00						
Abutilon fraseri ssp. fraseri	4	5.71	LC	LC	1	0	0.3			0.00							2	2.86	NT	NT	2	0	0.3	
Abutilon halophilum		0.00								0.00								0.00						
Abutilon leucopetalum	6	0.72	LC	LC	1	0	0.3		4	0.48	LC	LC	1	0	0.3		12	1.45	LC	LC	1	0	0.3	
Abutilon macrum	5	10.87	LC	LC	1	0	0.3		2	4.35	RA d(i,ii)	RA	3	0	0.3		4	8.70	NT	NT	2	0	0.3	limited habitat
Abutilon malvaefolium	2	2.60	NT	NT	2	0	0.3			0.00								0.00						
Abutilon otocarpum	7	1.35	LC	LC	1	0	0.3		17	3.29	LC	LC	1	0	0.3		23	4.45	LC	LC	1	0	0.3	
Abutilon oxycarpum var. oxycarpum		0.00								0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00							9	6.43	RA d(i,ii)	RA	3	0	0.3	outlier
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00								0.00								0.00						
Acacia aneura var. aneura	67	13.87	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	12	2.48	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	15	3.11	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia	34	21.38	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	4	2.52	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	3	1.89	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. major		0.00							4	11.43	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00						
Acacia aneura var. microcarpa		0.00							1	2.94	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	1	2.94	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. tenuis		0.00							3	7.89	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00						
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana	2	6.25	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura		0.00							2	6.25	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii		0.00								0.00								0.00						
Acacia beckleri ssp. megaspherica		0.00								0.00								0.00						
Acacia brachystachya	4	3.10	LC	LC	1	0	0.3		6	4.65	LC	LC	1	0	0.3			0.00						
Acacia burkittii		0.00							3	0.58	NT	NT	2	DD	0			0.00						
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola		0.00							16	10.53	LC	LC	1	0	0.3			0.00						
Acacia cambagei		0.00								0.00								0.00						
Acacia carneorum		0.00								0.00								0.00						
Acacia clelandii		0.00							1	1.92	LC	LC	1	0	0.3	taxonomic issues		0.00						
Acacia confluens		0.00								0.00								0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla		0.00								0.00								0.00						
Acacia dictyophleba		0.00								0.00								0.00						
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata	30	23.44	LC	LC	1	0	0.3		1	0.78	RA d(i,ii)	RA	3	DD	0		7	5.47	NT	NT	2	0	0.3	
Acacia georginae		0.00								0.00								0.00						
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00								0.00								0.00						
Acacia helmsiana		0.00								0.00							4	19.05	RA d(i,ii)	RA	3	0	0.3	sand-system sp.
Acacia inaequilatera		0.00								0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana	53	12.18	LC	LC	1	0	0.3		10	2.30	LC	LC	1	0	0.3		51	11.72	LC	LC	1	0	0.3	
Acacia latzii	1	50.00	RA d(i,ii)	RA	3	DD	0	edge of range; lack of info.		0.00								0.00						
Acacia ligulata	5	0.17	LC	LC	1	0	0.3		29	0.99	LC	LC	1	0	0.3		102	3.47	LC	LC	1	0	0.3	
Acacia maitlandii		0.00								0.00							42	53.85	LC	LC	1	0	0.3	on ranges & sand plains
Acacia melleodora		0.00								0.00							14	33.33	LC	LC	1	0	0.3	
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura	34	19.54	LC	LC	1	0	0.3	taxonomic issues with other mulgas	15	8.62	LC	LC	1	0	0.3	taxonomic issues with other mulgas	51	29.31	LC	LC	1	0	0.3	taxonomic issues with other mulgas
Acacia murrayana	36	7.44	LC	LC	1	0	0.3		43	8.88	LC	LC	1	0	0.3		49	10.12	LC	LC	1	0	0.3	
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla		0.00							1	0.11	RA d(i,ii)	RA	3	DD	0		7	0.77	NT	NT	2	0	0.3	
Acacia olgana	7	5.69	NT	NT	2	0	0.3	has had a name change; likes granites		0.00							8	6.50	RA d(ii)	RA	3	0	0.3	limited habitat
Acacia oswaldii	15	0.73	LC	LC	1	0	0.3	grazed by camels	32	1.55	LC	LC	1	0	0.3	grazed by camels	19	0.92	LC	LC	1	0	0.3	grazed by camels
Acacia pachyacra		0.00								0.00							20	37.04	LC	LC	1	0	0.3	sand plain sp.
Acacia papyrocarpa	4	0.35	RA d(i,ii)	RA	3	DD	0		11	0.95	NT	NT	2	DD	0	could be declining; lack of recruitment, white-fly		0.00						
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura	2	5.00	NE	NE	-1			taxonomic issues, will be split into 2	1	2.50	NE	NE	-1			taxonomic issues, will be split into 2	7	17.50	NE	NE	-1			taxonomic issues, will be split into 2
Acacia pickardii		0.00								0.00								0.00						
Acacia prainii		0.00								0.00							18	18.00	LC	LC	1	0	0.3	sand plain sp.
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa		0.00								0.00							6	46.15	RA d(i,ii)	RA	3	0	0.3	likes sandy, rocky plains & limestone; localised
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla		0.00							11	4.17	NE	NE	-1			some taxonomic issues; common on dunes	4	1.52	NE	NE	-1			some taxonomic issues; common on dunes
Acacia ramulosa var. ramulosa	1	1.03	NE	NE	-1			taxonomic issues	2	2.06	NE	NE	-1			taxonomic issues	5	5.15	NE	NE	-1			taxonomic issues
Acacia rhodophloia		0.00							1	20.00	VU D1 + D2	VU	4	DD	0			0.00						
Acacia rigens		0.00								0.00							5	0.50	RA d(i,ii)	RA	3	0	0.3	limestone plains, localised, outliers
Acacia rivalis		0.00								0.00								0.00						
Acacia salicina		0.00								0.00								0.00						
Acacia sericophylla		0.00								0.00							3	11.54	RA d(i,ii)	RA	3	DD	0	localised at Mt Moulden
Acacia sibirica	8	3.40	LC	LC	1	0	0.3		49	20.85	LC	LC	1	0	0.3		2	0.85	RA d(ii)	RA	3	DD	0	
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla		0.00							1	0.13	RA d(i,ii)	RA	3	DD	0			0.00						
Acacia strongylophylla		0.00								0.00							4	5.19	RA d(ii)	RA	3	0	0.3	prickly
Acacia symonii		0.00								0.00								0.00						
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior		0.00								0.00								0.00						
Acacia tenuissima		0.00								0.00							5	45.45	RA d(i,ii)	RA	3	DD	0	localised
Acacia tetragonophylla	22	1.07	LC	LC	1	0	0.3		78	3.81	LC	LC	1	0	0.3		58	2.83	LC	LC	1	0	0.3	
Acacia validinervia		0.00								0.00							7	29.17	RA d(ii)	RA	3	0	0.3	
Acacia victoriae ssp. arida	3	3.57	NE	NE	-1			taxonomic issues		0.00								0.00						
Acacia victoriae ssp. victoriae	2	0.14	NT	NT	2	0	0.3			0.00							2	0.14	RA d(i,ii)	RA	3	0	0.3	
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum	11	0.84	LC	LC	1	0	0.3		1	0.08	NT	NT	2	DD	0	edge of range	10	0.76	LC	LC	1	0	0.3	buffel grass potential threat
Adriana tomentosa var. hookeri		0.00								0.00							9	26.47	LC	LC	1	0	0.3	
Aeschynomene indica		0.00								0.00								0.00						
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens		0.00								0.00								0.00						
Allocasuarina decaisneana		0.00								0.00							13	25.49	LC	LC	1	0	0.3	likes sandy plains
Allocasuarina helmsii		0.00								0.00							18	19.15	RA d(i,ii)	RA	3	DD	0	highly localised; likes good soils
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia		0.00							1	1.05	NT	NT	2	0	0.3	ephemeral in SA		0.00						
Alternanthera denticulata		0.00							13	3.59	LC	LC	1	0	0.3		2	0.55	LC	LC	1	0	0.3	
Alternanthera nana	2	12.50	LC	LC	1	0	0.3		2	12.50	LC	LC	1	0	0.3			0.00						
Alternanthera nodiflora		0.00							1	0.47	RA d(ii)	RA	3	0	0.3			0.00						
Aluta maisonneuvei ssp. auriculata		0.00							4	7.02	LC	LC	1	0	0.3	eastern edge of range; not palatable, on dune systems	4	7.02	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. maisonneuvei		0.00								0.00							23	39.66	LC	LC	1	0	0.3	
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana		0.00							1	1.09	RA d(ii)	RA	3	DD	0	edge of range	37	40.22	LC	LC	1	0	0.3	fire responsive
Amaranthus centralis	1	14.29	DD	DD	0	DD	0	records on loan & not databased; undercollected also		0.00								0.00						
Amaranthus cuspidifolius		0.00								0.00								0.00						
Amaranthus grandiflorus		0.00								0.00								0.00						
Amaranthus interruptus		0.00								0.00								0.00						
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii		0.00							3	3.03	LC	LC	1	0	0.3	dislikes saline ground	2	2.02	LC	LC	1	0	0.3	dislikes saline ground
Ammannia multiflora		0.00								0.00								0.00						
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus	2	0.34	LC	LC	1	0	0.3		9	1.54	LC	LC	1	0	0.3		43	7.38	LC	LC	1	0	0.3	
Amyema fitzgeraldii		0.00							1	7.14	NT	NT	2	0	0.3		2	14.29	NT	NT	2	0	0.3	
Amyema gibberula var. gibberula	1	2.04	NT	NT	2	-	0.4	dependent on grevilleas & hakeas - host trees which ar	6	12.24	NT	NT	2	0	0.3	dependent on grevilleas & hakeas - host trees which ar	4	8.16	NT	NT	2	0	0.3	uncommon; dependent on grevilleas & hakeas - host tr
Amyema hilliana																			RA d(i,ii)	RA	3	DD	0	(no records) rarest mistletoe in SA; host - ironwood; 2 s
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii	14	2.33	LC	LC	1	0	0.3		17	2.82	LC	LC	1	0	0.3		21	3.49	LC	LC	1	0	0.3	
Amyema miquelii		0.00								0.00							16	1.02	LC	LC	1	0	0.3	
Amyema miraculosa ssp. boormanii		0.00								0.00								0.00						
Amyema preissii	21	2.18	LC	LC	1	0	0.3		15	1.56	LC	LC	1	0	0.3		12	1.24	LC	LC	1	0	0.3	
Amyema quandang var. quandang		0.00								0.00								0.00						
Amyema sanguinea var. sanguinea		0.00								0.00								0.00						
Anacampseros australiana		0.00								0.00								0.00						
Anemocarpa podolepidium	1	0.33	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Anemocarpa saxatilis		0.00							2	3.51	RA d(ii)	RA	3	0	0.3	likes rocks & sand dunes		0.00						
Angianthus brachypappus		0.00								0.00							1	2.00	RA d(ii)	RA	3	DD	0	ephemeral, likes heavy soils
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus		0.00								0.00								0.00						
Anogramma leptophylla		0.00								0.00								0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena		0.00								0.00								0.00						
Arabidella filifolia		0.00								0.00								0.00						
Arabidella glaucescens		0.00								0.00							1	0.48	LC	LC	1	0	0.3	
Arabidella nasturtium		0.00								0.00								0.00						
Arabidella procumbens		0.00								0.00								0.00						
Arabidella trisecta	1	0.17	NT	NT	2	0	0.3			0.00								0.00						
Aristida anthoxanthoides		0.00							5	2.86	LC	LC	1	0	0.3	short-lived; seasonal		0.00						
Aristida arida		0.00							1	2.17	RA d(i,ii)	RA	3	DD	0			0.00						
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia		0.00							1	2.04	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Aristida contorta	26	1.30	LC	LC	1	0	0.3		89	4.46	LC	LC	1	0	0.3		83	4.16	LC	LC	1	0	0.3	
Aristida holathera var. holathera	9	0.99	LC	LC	1	0	0.3	tolerates grazing	72	7.91	LC	LC	1	0	0.3		74	8.13	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Aristida inaequiglumis	3	12.00	RA d(ii)	RA	3	DD	0		2	8.00	RA d(ii)	RA	3	DD	0			0.00						
Aristida jerichoensis var. subspinulifera		0.00							1	16.67	RA d(ii)	RA	3	DD	0	scattered throughout	2	33.33	RA d(ii)	RA	3	DD	0	scattered throughout
Aristida latifolia		0.00							1	0.91	NT	NT	2	0	0.3	edge of range	1	0.91	RA d(ii)	RA	3	DD	0	stony, gibber habitat
Aristida nitidula	5	0.80	LC	LC	1	0	0.3	likes stony ranges		0.00							8	1.28	LC	LC	1	0	0.3	likes stony ranges
Aristida obscura	1	7.14	NT	NT	2	0	0.3	uncommon	1	7.14	NT	NT	2	0	0.3	uncommon	4	28.57	NT	NT	2	0	0.3	
Aristida personata		0.00								0.00								0.00						
Aristida strigosa	2	3.33	LC	LC	1	0	0.3		2	3.33	NT	NT	2	DD	0	edge of range		0.00						
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum		0.00								0.00								0.00						
Asperula conferta		0.00								0.00								0.00						
Asperula gemella		0.00								0.00								0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea		0.00								0.00								0.00						
Astrebla pectinata	1	0.14	LC	LC	1	0	0.3			0.00								0.00						
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca		0.00								0.00								0.00						
Atriplex acutibractea ssp. acutibractea		0.00								0.00								0.00						
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba		0.00								0.00								0.00						
Atriplex angulata	1	0.18	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Atriplex cordifolia		0.00								0.00								0.00						
Atriplex crassipes var. crassipes		0.00								0.00								0.00						
Atriplex eardleyae		0.00								0.00								0.00						
Atriplex eichleri		0.00								0.00								0.00						
Atriplex elachophylla	9	7.50	LC	LC	1	0	0.3		1	0.83	RA d(ii)	RA	3	DD	0	edge of range	11	9.17	LC	LC	1	0	0.3	
Atriplex fissivalvis		0.00								0.00								0.00						
Atriplex holocarpa	2	0.21	LC	LC	1	0	0.3		2	0.21	LC	LC	1	0	0.3			0.00						
Atriplex humifusa		0.00								0.00								0.00						
Atriplex incrassata		0.00								0.00								0.00						
Atriplex intermedia		0.00								0.00								0.00						
Atriplex kochiana		0.00								0.00								0.00						
Atriplex leptocarpa		0.00								0.00								0.00						
Atriplex limbata	3	0.70	LC	LC	1	0	0.3			0.00							4	0.93	NT	NT	2	DD	0	
Atriplex lindleyi ssp. conduplicata	2	1.43	LC	LC	1	0	0.3	endemic to SA		0.00								0.00						
Atriplex lindleyi ssp. inflata		0.00								0.00								0.00						
Atriplex lindleyi ssp. lindleyi		0.00								0.00								0.00						
Atriplex lindleyi ssp. quadripartita		0.00								0.00								0.00						
Atriplex lobativalvis		0.00								0.00								0.00						
Atriplex macropterocarpa		0.00								0.00								0.00						
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri		0.00							1	1.92	NT	NT	2	DD	0			0.00						
Atriplex nummularia ssp. nummularia	2	1.07	LC	LC	1	0	0.3			0.00							2	1.07	LC	LC	1	0	0.3	
Atriplex nummularia ssp. omissa		0.00								0.00								0.00						
Atriplex obconica		0.00								0.00								0.00						
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata	2	2.33	RA d(ii)	RA	3	DD	0		1	1.16	RA d(ii)	RA	3	DD	0			0.00						
Atriplex pumilio		0.00								0.00								0.00						
Atriplex quadrivalvata var. quadrivalvata		0.00							1	3.03	RA d(ii)	RA	3	DD	0	likes limestone; not common		0.00						
Atriplex quadrivalvata var. sessilifolia		0.00							1	5.26	RA d(ii)	RA	3	DD	0			0.00						
Atriplex quinii		0.00							1	0.56	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa		0.00								0.00								0.00						
Atriplex stipitata	6	0.51	NT	NT	2	0	0.3	mallee sp.	5	0.43	NT	NT	2	0	0.3	mallee sp.		0.00						
Atriplex suberecta		0.00								0.00								0.00						
Atriplex turbinata		0.00								0.00								0.00						
Atriplex velutinella		0.00							5	0.96	LC	LC	1	0	0.3			0.00						
Atriplex vesicaria ssp. calcicola		0.00								0.00								0.00						
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha		0.00								0.00								0.00						
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa		0.00								0.00								0.00						
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila		0.00								0.00								0.00						
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida	9	0.28	LC	LC	1	0	0.3		24	0.76	LC	LC	1	0	0.3		16	0.51	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Austrostipa nodosa	1	0.07	DD	DD	0	DD	0	outlier; odd record		0.00								0.00						
Austrostipa nullanulla		0.00							1	1.59	VU D2	VU	4	DD	0			0.00						
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta		0.00								0.00							2	0.36	RA d(ii)	RA	3	DD	0	outlier
Austrostipa plumigera		0.00								0.00							6	18.75	RA d(ii)	RA	3	DD	0	undercollected; black-oak habitat; grazing a threat
Austrostipa scabra ssp. falcata		0.00								0.00								0.00						
Austrostipa scabra ssp. scabra	2	0.45	RA d(ii)	RA	3	DD	0			0.00							8	1.81	LC	LC	1	0	0.3	
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla	9	1.97	NT	NT	2	DD	0			0.00								0.00						
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides		0.00								0.00								0.00						
Baeckea tuberculata		0.00							9	36.00	NT	NT	2	DD	0	found in deep sands; not dominant, in low #'s		0.00						
Basedowia tenerrima		0.00								0.00								0.00						
Bauhinia gilva		0.00								0.00								0.00						
Baumea arthrophylla		0.00								0.00								0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00								0.00								0.00						
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00								0.00						
Bergia occultipetala	1	5.56	NT	NT	2	0	0.3			0.00								0.00						
Bergia pedicellaris		0.00								0.00								0.00						
Bergia perennis ssp. exigua		0.00							2	40.00	RA d(ii)	RA	3	DD	0			0.00						
Bergia trimera	1	0.85	LC	LC	1	0	0.3	comes & goes		0.00								0.00						
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens	7	10.77	LC	LC	1	0	0.3		2	3.08	NT	NT	2	0	0.3			0.00						
Blennodia pterosperma		0.00								0.00								0.00						
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea	1	0.59	LC	LC	1	0	0.3		1	0.59	LC	LC	1	0	0.3		4	2.35	LC	LC	1	0	0.3	
Boerhavia dominii	1	0.14	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance		0.00								0.00						
Boerhavia repleta		0.00								0.00							5	41.67	RA d(ii)	RA	3	DD	0	very little known, genus under review
Boerhavia schomburgkiana	2	0.63	LC	LC	1	0	0.3	undercollected; grows in summer		0.00							2	0.63	LC	LC	1	0	0.3	undercollected; grows in summer
Bolboschoenus caldwellii		0.00								0.00								0.00						
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta		0.00								0.00							24	40.68	LC	LC	1	0	0.3	
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana		0.00								0.00								0.00						
Bothriochloa macra		0.00								0.00								0.00						
Brachiaria gilesii		0.00								0.00								0.00						
Brachiaria notochthona		0.00								0.00								0.00						
Brachiaria piligera	2	3.92	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral		0.00								0.00						
Brachiaria praetervisa		0.00							1	0.70	LC	LC	1	0	0.3	likes flooded areas; ephemeral		0.00						
Brachyachne ciliaris		0.00							2	2.94	NT	NT	2	0	0.3	limited habitat		0.00						
Brachychiton gregorii		0.00								0.00							13	18.84	NT	NT	2	0	0.3	
Brachyscome blackii	1	3.85	DD	DD	0	DD	0	questionable record		0.00							2	7.69	RA d(i,ii)	RA	3	DD	0	buffel grass potential threat
Brachyscome campylocarpa		0.00								0.00								0.00						
Brachyscome ciliaris var. ciliaris	5	0.46	LC	LC	1	0	0.3			0.00							2	0.18	LC	LC	1	0	0.3	under represented; taxonomic issues
Brachyscome ciliaris var. lanuginosa	22	3.73	LC	LC	1	0	0.3			0.00							24	4.07	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lyrifolia		0.00								0.00								0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00								0.00								0.00						
Brachyscome dichromosomatica var. dichromosomatica		0.00								0.00								0.00						
Brachyscome eriogona		0.00								0.00								0.00						
Brachyscome iberidifolia	14	10.07	LC	LC	1	0	0.3		29	20.86	LC	LC	1	0	0.3		4	2.88	LC	LC	1	0	0.3	undercollected
Brachyscome lineariloba		0.00								0.00								0.00						
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum	4	17.39	RA d(i,ii)	RA	3	DD	0			0.00							1	4.35	RA d(i,ii)	RA	3	DD	0	
Brachyscome trachycarpa		0.00							1	0.80	NT	NT	2	DD	0	edge of range		0.00						
Bromus arenarius	1	0.26	NT	NT	2	0	0.3			0.00								0.00						
Brunonia australis	2	0.31	RA d(ii)	RA	3	0	0.3	limited habitat	27	4.16	LC	LC	1	0	0.3		20	3.08	LC	LC	1	0	0.3	
Bulbine alata	3	0.98	LC	LC	1	0	0.3			0.00								0.00						
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata		0.00								0.00								0.00						
Bulbostylis barbata	1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral	1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral	1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral
Bulbostylis pyriformis			RA d(ii)	RA	3	DD	0	(no records)																
Bulbostylis turbinata		0.00							2	28.57	RA d(ii)	RA	3	DD	0			0.00						
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis	3	2.86	NT	NT	2	0	0.3		26	24.76	LC	LC	1	0	0.3		19	18.10	LC	LC	1	0	0.3	
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma		0.00								0.00							2	4.35	NT	NT	2	0	0.3	
Calandrinia eremaea	3	0.23	LC	LC	1	0	0.3		7	0.54	LC	LC	1	0	0.3		3	0.23	LC	LC	1	0	0.3	
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra		0.00							19	17.76	LC	LC	1	0	0.3		27	25.23	LC	LC	1	0	0.3	
Calandrinia ptychosperma	3	2.75	NT	NT	2	DD	0		3	2.75	NT	NT	2	DD	0		2	1.83	NT	NT	2	DD	0	
Calandrinia pumila		0.00							2	5.71	NT	NT	2	0	0.3			0.00						
Calandrinia remota		0.00							8	8.16	LC	LC	1	0	0.3			0.00						
Calandrinia reticulata	1	2.44	NT	NT	2	0	0.3		3	7.32	NT	NT	2	0	0.3		9	21.95	LC	LC	1	0	0.3	
Calandrinia stagnensis		0.00								0.00								0.00						
Calandrinia volubilis		0.00								0.00								0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi		0.00								0.00								0.00						
Callitris glaucophylla		0.00								0.00							9	0.78	LC	LC	1	0	0.3	isolated trees
Callitris verrucosa		0.00								0.00							3	0.33	DD	DD	0	DD	0	fire a threat; likes sand dunes
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii	8	15.09	RA d(ii)	RA	3	DD	0		20	37.74	RA d(ii)	RA	3	DD	0		6	11.32	RA d(ii)	RA	3	DD	0	
Calocephalus platycephalus	4	1.15	LC	LC	1	0	0.3		2	0.58	LC	LC	1	0	0.3			0.00						
Calostemma abdicatum		0.00								0.00							1	4.17	RA d(i,ii)	RA	3	0	0.3	grows in cracks & run-off
Calostemma luteum		0.00								0.00								0.00						
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa		0.00								0.00								0.00						
Calotis cymbacantha	4	1.19	LC	LC	1	0	0.3		3	0.90	LC	LC	1	0	0.3			0.00						
Calotis erinacea	2	0.46	LC	LC	1	0	0.3		2	0.46	LC	LC	1	0	0.3			0.00						
Calotis hispidula	17	0.80	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	7	0.33	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	15	0.71	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei	2	8.33	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing		0.00							2	8.33	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula	13	8.28	LC	LC	1	DD	0		1	0.64	NT	NT	2	DD	0	edge of range	5	3.18	LC	LC	1	DD	0	
Calotis multicaulis		0.00							1	0.62	NT	NT	2	DD	0		3	1.85	NT	NT	2	DD	0	
Calotis plumulifera	5	1.21	LC	LC	1	0	0.3		11	2.66	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3	
Calotis porphyroglossa		0.00							3	2.68	RA d(ii)	RA	3	DD	0			0.00						
Calotis scabiosifolia var. scabiosifolia		0.00								0.00								0.00						
Calytrix carinata		0.00								0.00							7	46.67	LC	LC	1	0	0.3	dune spp; not frequently collected
Calytrix gypsophila		0.00							2	5.88	DD	DD	0	DD	0	found around gypseous soils/lagoons; lack of data & knowledg		0.00						
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii		0.00								0.00								0.00						
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca		0.00								0.00								0.00						
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis		0.00								0.00								0.00						
Cassytha flindersii		0.00								0.00								0.00						
Casuarina pauper		0.00							6	0.37	LC	LC	1	0	0.3		11	0.68	LC	LC	1	0	0.3	
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00								0.00						
Centipeda crateriformis ssp. crateriformis		0.00							1	1.15	NT	NT	2	0	0.3	edge of range		0.00						
Centipeda cunninghamii		0.00							2	1.06	NT	NT	2	0	0.3			0.00						
Centipeda minima ssp. minima		0.00								0.00								0.00						
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala		0.00								0.00								0.00						
Centipeda thespidioides		0.00								0.00								0.00						
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica		0.00								0.00								0.00						
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii	2	1.11	RA d(i,ii)	RA	3	DD	0	edge of range; little known here		0.00								0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla	8	0.76	RA d(ii)	RA	3	0	0.3		2	0.19	RA d(ii)	RA	3	0	0.3		24	2.29	LC	LC	1	0	0.3	
Cheilanthes sieberi ssp. pseudovellea		0.00								0.00							1	5.88	RA d(i,ii)	RA	3	DD	0	likes rich soils
Cheilanthes sieberi ssp. sieberi	9	1.29	RA d(ii)	RA	3	DD	0		4	0.57	RA d(ii)	RA	3	DD	0		18	2.58	LC	LC	1	0	0.3	
Chenopodium auricomum		0.00								0.00								0.00						
Chenopodium curvispicatum		0.00							4	0.52	NT	NT	2	0	0.3	edge of range		0.00						
Chenopodium desertorum ssp. anidiophyllum	13	8.97	LC	LC	1	0	0.3	on creeklines		0.00							3	2.07	LC	LC	1	0	0.3	on creeklines
Chenopodium desertorum ssp. desertorum		0.00							14	1.94	LC	LC	1	0	0.3		3	0.42	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Chenopodium desertorum ssp. microphyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. rectum		0.00								0.00							16	13.68	LC	LC	1	0	0.3	
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum	3	1.03	LC	LC	1	0	0.3		8	2.74	LC	LC	1	0	0.3			0.00						
Chloris pectinata		0.00								0.00								0.00						
Chloris truncata		0.00								0.00								0.00						
Chrysocephalum apiculatum	2	0.17	LC	LC	1	0	0.3		2	0.17	RA d(i,ii)	RA	3	DD	0		15	1.30	LC	LC	1	0	0.3	
Chrysocephalum eremaeum	4	1.41	LC	LC	1	0	0.3			0.00							33	11.66	LC	LC	1	0	0.3	
Chrysocephalum pterochaetum	18	5.20	LC	LC	1	0	0.3		22	6.36	LC	LC	1	0	0.3		11	3.18	LC	LC	1	0	0.3	
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax		0.00								0.00								0.00						
Chthonocephalus pseudevax	9	4.31	LC	LC	1	0	0.3		3	1.44	LC	LC	1	0	0.3		16	7.66	LC	LC	1	0	0.3	
Citrus glauca		0.00								0.00								0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens		0.00								0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa		0.00							4	3.28	LC	LC	1	0	0.3	common roadside spp	6	4.92	LC	LC	1	0	0.3	common roadside spp
Codonocarpus cotinifolius	1	0.35	RA d(i,ii)	RA	3	DD	0		35	12.32	LC	LC	1	0	0.3		34	11.97	LC	LC	1	0	0.3	
Codonocarpus pyramidalis		0.00								0.00								0.00						
Comesperma viscidulum		0.00								0.00							16	59.26	LC	LC	1	0	0.3	sand plains
Commelina ensifolia		0.00								0.00								0.00						
Commicarpus australis		0.00								0.00								0.00						
Convolvulus clementii	6	3.11	LC	LC	1	0	0.3			0.00								0.00						
Convolvulus crispifolius		0.00								0.00								0.00						
Convolvulus eyreanus		0.00								0.00								0.00						
Convolvulus microsepalus		0.00								0.00								0.00						
Convolvulus recurvatus ssp. nullarborensis		0.00								0.00								0.00						
Convolvulus recurvatus ssp. recurvatus		0.00								0.00								0.00						
Convolvulus remotus	2	0.11	LC	LC	1	0	0.3			0.00							1	0.06	LC	LC	1	0	0.3	
Convolvulus tedmoorei										#DIV/0!														
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea	4	2.11	LC	LC	1	0	0.3			0.00							21	11.05	LC	LC	1	0	0.3	
Corymbia opaca		0.00								0.00								0.00						
Corymbia terminalis		0.00								0.00								0.00						
Corynotheca micrantha var. divaricata		0.00								0.00							1	3.23	RA d(ii)	RA	3	DD	0	
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata	6	0.51	LC	LC	1	0	0.3			0.00							1	0.08	LC	LC	1	0	0.3	
Crassula colorata var. colorata		0.00								0.00								0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera		0.00								0.00							5	2.99	LC	LC	1	0	0.3	records missing due to taxo changes
Cratystylis conocephala		0.00								0.00								0.00						
Cremnothamnus thomsonii	1	6.67	VU D2	VU	4	DD	0			0.00								0.00						
Cressa australis		0.00								0.00								0.00						
Crinum flaccidum		0.00								0.00								0.00						
Crotalaria cunninghamii ssp. sturtii		0.00							2	1.39	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00	RA d(ii)	RA	3	0	0.3	(no records) edge of range
Crotalaria eremaea ssp. eremaea		0.00								0.00								0.00						
Crotalaria eremaea ssp. strehlowii	7	2.98	NT	NT	2	0	0.3		26	11.06	LC	LC	1	0	0.3		2	0.85	NT	NT	2	0	0.3	
Crotalaria medicaginea var. neglecta		0.00								0.00								0.00						
Crotalaria novae-hollandiae ssp. lasiophylla		0.00								0.00								0.00						
Crotalaria smithiana		0.00								0.00								0.00						
Cryptandra aridicola		0.00								0.00							9	81.82	RA d(ii)	RA	3	DD	0	eastern outlier
Cucumis maderaspatanus	2	0.63	LC	LC	1	0	0.3	now known as C argenteus	1	0.32	NT	NT	2	0	0.3	now known as C argenteus	19	6.01	LC	LC	1	0	0.3	now known as C argenteus
Cucumis melo		0.00							1	1.43	RA d(ii)	RA	3	0	0.3			0.00						
Cullen australasicum		0.00							2	0.25	RA d(i,ii)	RA	3	DD	0	lack of habitat	2	0.25	NT	NT	2	0	0.3	
Cullen cinereum		0.00							4	1.59	LC	LC	1	0	0.3	ephemeral, opportunistic, flood spp.		0.00						
Cullen discolor		0.00								0.00								0.00						
Cullen graveolens		0.00								0.00							1	0.45	RA d(i,ii)	RA	3	DD	0	ephemeral, likes stony country, flood-outs, spreads eas
Cullen pallidum		0.00								0.00								0.00						
Cullen parvum		0.00								0.00								0.00						
Cullen patens		0.00								0.00								0.00						
Cuphonotus andraeanus		0.00								0.00								0.00						
Cuphonotus humistratus		0.00								0.00								0.00						
Cuscuta victoriana		0.00								0.00								0.00						
Cymbopogon ambiguus		0.00								0.00							6	0.59	LC	LC	1	0	0.3	
Cymbopogon obtectus	3	1.05	LC	LC	1	0	0.3		2	0.70	RA d(ii)	RA	3	DD	0	limited habitat	37	12.98	LC	LC	1	0	0.3	
Cynanchum floribundum		0.00								0.00								0.00						
Cynoglossum australe		0.00								0.00							7	1.60	LC	LC	1	0	0.3	
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00								0.00						
Cyperus bifax		0.00								0.00								0.00						
Cyperus bulbosus	1	0.60	RA d(i,ii)	RA	3	0	0.3	needs drainage lines	2	1.19	LC	LC	1	0	0.3	needs drainage lines		0.00						
Cyperus castaneus		0.00							1	50.00	VU D2	VU	4	DD	0	ephemeral; highly localised; lack of records/data		0.00						
Cyperus centralis	1	1.37	RA d(i,ii)	RA	3	DD	0			0.00							4	5.48	RA d(i,ii)	RA	3	DD	0	
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00								0.00								0.00						
Cyperus difformis		0.00								0.00								0.00						
Cyperus exaltatus		0.00								0.00								0.00						
Cyperus flaccidus		0.00								0.00								0.00						
Cyperus gilesii		0.00								0.00								0.00						
Cyperus gymnocaulos	2	0.22	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Cyperus iria		0.00							2	2.41	RA d(i,ii)	RA	3	0	0.3	edge of range	2	2.41	NT	NT	2	0	0.3	
Cyperus laevigatus		0.00								0.00								0.00						
Cyperus nervulosus		0.00								0.00								0.00						
Cyperus pygmaeus	1	1.54	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Cyperus rigidellus		0.00							4	3.42	NT	NT	2	0	0.3			0.00						
Cyperus squarrosus	1	1.25	NT	NT	2	0	0.3		1	1.25	RA d(i,ii)	RA	3	0	0.3	edge of range	2	2.50	NT	NT	2	0	0.3	
Cyperus vaginatus		0.00								0.00								0.00						
Cyperus victoriensis	2	1.02	NT	NT	2	0	0.3		3	1.52	RA d(ii)	RA	3	0	0.3			0.00						
Dactyloctenium radulans	2	0.28	LC	LC	1	0	0.3			0.00								0.00						
Damasonium minus		0.00							2	6.06	RA d(i,ii)	RA	3	DD	0	annual; comes up in good rainfall years; should have state rati		0.00						
Dampiera cinerea		0.00								0.00							1	50.00	RA d(ii)	RA	3	DD	0	comes up after fire; edge of range
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei		0.00								0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus	4	0.11	LC	LC	1	0	0.3		1	0.03	NT	NT	2	0	0.3			0.00						
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata		0.00								0.00								0.00						
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata		0.00								0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius		0.00							1	0.87	LC	LC	1	0	0.3			0.00						
Dichanthium sericeum ssp. sericeum		0.00							1	0.58	RA d(ii)	RA	3	DD	0	perennial		0.00						
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia	2	1.46	LC	LC	1	0	0.3			0.00								0.00						
Dicrastylis beveridgei var. beveridgei		0.00							5	10.87	NT	NT	2	0	0.3		2	4.35	RA d(ii)	RA	3	DD	0	prob stable
Dicrastylis beveridgei var. lanata		0.00							19	17.92	LC	LC	1	0	0.3		2	1.89	RA d(ii)	RA	3	DD	0	
Dicrastylis costelloi var. costelloi		0.00							2	4.44	RA d(ii)	RA	3	DD	0			0.00						
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00								0.00								0.00						
Dicrastylis costelloi var. violacea		0.00								0.00								0.00						
Dicrastylis exsuccosa var. tomentosa		0.00								0.00							5	33.33	NT	NT	2	0	0.3	localised, edge of range
Dicrastylis gilesii var. bagotensis		0.00								0.00							1	100.00	RA d(i,ii)	RA	3	DD	0	edge of range
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila	7	4.35	LC	LC	1	0	0.3		2	1.24	NT	NT	2	DD	0	edge of range	22	13.66	LC	LC	1	0	0.3	
Digitaria brownii	17	2.11	LC	LC	1	0	0.3		13	1.61	LC	LC	1	0	0.3		44	5.45	LC	LC	1	0	0.3	
Digitaria coenicola	5	3.27	RA d(ii)	RA	3	DD	0	likes rocky areas		0.00							5	3.27	RA d(ii)	RA	3	DD	0	likes rocky areas
Digitaria ctenantha		0.00								0.00								0.00						
Dimorphocoma minutula		0.00								0.00								0.00						
Diplatia grandibractea		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. australasicus		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum		0.00								0.00								0.00						
Dissocarpus biflorus var. biflorus		0.00								0.00							2	0.36	RA d(ii)	RA	3	0	0.3	edge of range
Dissocarpus biflorus var. villosus		0.00							1	3.85	RA d(ii)	RA	3	DD	0			0.00						
Dissocarpus fontinalis		0.00								0.00								0.00						
Dissocarpus latifolius		0.00							2	10.53	NT	NT	2	DD	0			0.00						
Dissocarpus paradoxus	14	1.03	LC	LC	1	0	0.3		7	0.51	LC	LC	1	0	0.3		2	0.15	LC	LC	1	0	0.3	
Distichlis distichophylla		0.00								0.00								0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00								0.00								0.00						
Dodonaea microzyga var. microzyga	2	0.37	NT	NT	2	DD	0		23	4.23	LC	LC	1	0	0.3		4	0.74	NT	NT	2	DD	0	
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima	11	0.39	LC	LC	1	0	0.3		33	1.16	LC	LC	1	0	0.3		77	2.76	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Dodonaea viscosa ssp. mucronata	7	4.14	LC	LC	1	0	0.3			0.00							17	10.06	LC	LC	1	0	0.3	
Dodonaea viscosa ssp. spatulata	2	0.14	RA d(ii)	RA	3	DD	0			0.00								0.00						
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica		0.00							1	7.69	RA d(ii)	RA	3	0	0.3	southern edge of range		0.00						
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii		0.00							11	3.99	LC	LC	1	0	0.3		39	14.13	LC	LC	1	0	0.3	
Dysphania cristata	4	1.08	LC	LC	1	0	0.3			0.00							1	0.27	LC	LC	1	0	0.3	
Dysphania glomulifera ssp. eremaea		0.00								0.00								0.00						
Dysphania glomulifera ssp. glomulifera		0.00								0.00								0.00						
Dysphania kalpari		0.00							8	28.57	LC	LC	1	0	0.3		4	14.29	LC	LC	1	0	0.3	
Dysphania melanocarpa forma leucocarpa		0.00								0.00								0.00						
Dysphania melanocarpa forma melanocarpa	11	7.86	LC	LC	1	0	0.3		2	1.43	LC	LC	1	0	0.3		6	4.29	LC	LC	1	0	0.3	
Dysphania plantaginella		0.00								0.00							1	1.89	NT	NT	2	0	0.3	edge of range
Dysphania platycarpa		0.00							1	2.22	NT	NT	2	0	0.3			0.00						
Dysphania pumilio		0.00								0.00								0.00						
Dysphania rhadinostachya ssp. rhadinostachya		0.00							2	9.09	NT	NT	2	DD	0			0.00						
Dysphania simulans		0.00								0.00								0.00						
Dysphania truncata		0.00								0.00								0.00						
Echinochloa inundata		0.00								0.00								0.00						
Echinochloa turneriana		0.00								0.00								0.00						
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa		0.00							1	5.00	RA d(i,ii)	RA	3	0	0.3	undercollected		0.00						
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	4	1.89	LC	LC	1	0	0.3		2	0.94	LC	LC	1	0	0.3		3	1.42	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans		0.00							2	0.15	NT	NT	2	0	0.3		1	0.07	NT	NT	2	0	0.3	
Einadia nutans ssp. oxycarpa	3	11.54	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Elachanthus pusillus		0.00								0.00								0.00						
Elatine gratioloides		0.00								0.00								0.00						
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens		0.00							1	0.62	RA d(i,ii)	RA	3	DD	0			0.00						
Eleocharis papillosa		0.00								0.00								0.00						
Eleocharis plana		0.00								0.00								0.00						
Eleocharis pusilla		0.00							1	1.79	RA d(ii)	RA	3	DD	0	short-lived; undercollected		0.00						
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus		0.00								0.00								0.00						
Embadium johnstonii		0.00								0.00								0.00						
Embadium uncinatum		0.00								0.00								0.00						
Enchylaena tomentosa var. glabra		0.00								0.00								0.00						
Enchylaena tomentosa var. tomentosa	20	0.33	LC	LC	1	0	0.3		68	1.14	LC	LC	1	0	0.3		63	1.05	LC	LC	1	0	0.3	
Enneapogon avenaceus	17	0.97	LC	LC	1	0	0.3		16	0.91	LC	LC	1	0	0.3		28	1.60	LC	LC	1	0	0.3	
Enneapogon caerulescens		0.00							4	1.98	NT	NT	2	0	0.3		3	1.49	LC	LC	1	0	0.3	
Enneapogon cylindricus	5	0.48	LC	LC	1	0	0.3		5	0.48	LC	LC	1	0	0.3		9	0.87	LC	LC	1	0	0.3	
Enneapogon eremophilus		0.00								0.00								0.00						
Enneapogon intermedius		0.00							1	2.00	NT	NT	2	0	0.3			0.00						
Enneapogon lindleyanus		0.00								0.00								0.00						
Enneapogon nigricans	3	0.43	NT	NT	2	0	0.3	on roadsides		0.00							4	0.57	NT	NT	2	0	0.3	
Enneapogon polyphyllus	20	1.57	LC	LC	1	0	0.3		35	2.75	LC	LC	1	0	0.3		66	5.18	LC	LC	1	0	0.3	
Enneapogon robustissimus		0.00								0.00							1	10.00	RA d(ii)	RA	3	DD	0	southern edge of range
Enteropogon acicularis	3	1.21	NT	NT	2	DD	0			0.00							2	0.81	RA d(ii)	RA	3	DD	0	
Enteropogon ramosus	16	4.95	LC	LC	1	0	0.3		2	0.62	RA d(i,ii)	RA	3	DD	0		3	0.93	RA d(ii)	RA	3	DD	0	
Epaltes australis		0.00								0.00								0.00						
Epaltes cunninghamii		0.00								0.00								0.00						
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica	2	0.61	RA d(ii)	RA	3	DD	0		2	0.61	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Eragrostis basedowii	2	1.71	RA d(ii)	RA	3	DD	0	limited habitat	4	3.42	RA d(ii)	RA	3	DD	0	limited habitat		0.00						
Eragrostis confertiflora		0.00								0.00								0.00						
Eragrostis cumingii		0.00								0.00								0.00						
Eragrostis dielsii var. dielsii	2	0.31	LC	LC	1	0	0.3		5	0.76	NT	NT	2	0	0.3		5	0.76	NT	NT	2	0	0.3	
Eragrostis elongata		0.00								0.00								0.00						
Eragrostis eriopoda	6	0.77	LC	LC	1	0	0.3		92	11.81	LC	LC	1	0	0.3		51	6.55	LC	LC	1	0	0.3	
Eragrostis exigua		0.00							1	20.00	DD	DD	0	DD	0	ID has been questioned; ephemeral; only record		0.00						
Eragrostis falcata		0.00							14	7.78	LC	LC	1	0	0.3	likes saline areas		0.00						
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae	ain	0.00							5	21.74	LC	LC	1	0	0.3	ephemeral; small grass, undercollected; plentiful after rain		0.00						
Eragrostis lacunaria	2	2.90	RA d(ii)	RA	3	DD	0	around lagoons, creeks, river systems		0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Eragrostis laniflora	34	13.23	LC	LC	1	0	0.3		16	6.23	LC	LC	1	0	0.3		42	16.34	LC	LC	1	0	0.3	
Eragrostis lanipes	3	6.38	LC	LC	1	0	0.3	prob undercollected	8	17.02	LC	LC	1	0	0.3			0.00						
Eragrostis leptocarpa	3	1.20	LC	LC	1	0	0.3		3	1.20	LC	LC	1	0	0.3			0.00						
Eragrostis parviflora	1	0.52	LC	LC	1	0	0.3	undercollected		0.00							11	5.70	LC	LC	1	0	0.3	
Eragrostis pergracilis		0.00							3	5.36	NT	NT	2	DD	0	limited habitat		0.00						
Eragrostis setifolia	11	0.92	LC	LC	1	0	0.3		42	3.50	LC	LC	1	0	0.3		6	0.50	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)	1	50.00	RA d(ii)	RA	3	DD	0	now called E. Calcicola; likes limestone patches		0.00								0.00						
Eragrostis speciosa	1	5.56	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eragrostis tenellula		0.00								0.00								0.00						
Eragrostis xerophila	1	0.27	LC	LC	1	0	0.3		9	2.43	LC	LC	1	0	0.3		10	2.70	LC	LC	1	0	0.3	
Eremophea spinosa	5	12.82	LC	LC	1	0	0.3	likes red sand	3	7.69	LC	LC	1	0	0.3	likes red sand	7	17.95	LC	LC	1	0	0.3	likes red sand
Eremophila alternifolia	1	0.08	RA d(ii)	RA	3	0	0.3		6	0.49	NT	NT	2	0	0.3		13	1.05	LC	LC	1	0	0.3	
Eremophila arachnoides ssp. tenera		0.00								0.00								0.00						
Eremophila arenaria		0.00								0.00							25	71.43	RA d(ii)	RA	3	DD	0	
Eremophila battii	2	3.77	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eremophila bignoniiflora		0.00								0.00								0.00						
Eremophila clarkei		0.00								0.00							19	38.78	LC	LC	1	0	0.3	
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti		0.00								0.00								0.00						
Eremophila duttonii		0.00							7	1.19	LC	LC	1	0	0.3			0.00						
Eremophila elderi		0.00								0.00							2	7.14	RA d(i,ii)	RA	3	0	0.3	
Eremophila fallax		0.00								0.00								0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00							3	100.00	VU D2	VU	4	DD	0	could be extinct - Bob Chinnock
Eremophila forrestii ssp. viridis		0.00								0.00							1	100.00	VU D2	VU	4	DD	0	could be extinct - Bob Chinnock
Eremophila freelingii	19	1.29	LC	LC	1	0	0.3		44	3.00	LC	LC	1	0	0.3		1	0.07	RA d(i,ii)	RA	3	0	0.3	
Eremophila gibsonii		0.00								0.00							26	21.67	LC	LC	1	0	0.3	
Eremophila gilesii ssp. gilesii	5	2.54	LC	LC	1	0	0.3		23	11.68	LC	LC	1	0	0.3		2	1.02	NT	NT	2	0	0.3	
Eremophila glabra ssp. glabra	4	0.25	LC	LC	1	0	0.3		18	1.11	LC	LC	1	0	0.3		33	2.04	LC	LC	1	0	0.3	
Eremophila latrobei ssp. glabra	6	0.79	LC	LC	1	0	0.3		96	12.61	LC	LC	1	0	0.3		46	6.04	LC	LC	1	0	0.3	
Eremophila latrobei ssp. latrobei	7	4.79	LC	LC	1	0	0.3		2	1.37	RA d(i,ii)	RA	3	DD	0	edge of range	3	2.05	RA d(i,ii)	RA	3	DD	0	edge of range
Eremophila longifolia	12	0.97	LC	LC	1	0	0.3		34	2.75	LC	LC	1	0	0.3		72	5.83	LC	LC	1	0	0.3	
Eremophila macdonnellii	1	0.40	RA d(ii)	RA	3	DD	0		8	3.20	LC	LC	1	0	0.3		4	1.60	LC	LC	1	0	0.3	
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata	3	0.97	NT	NT	2	0	0.3		4	1.29	NT	NT	2	0	0.3			0.00						
Eremophila neglecta	15	7.46	LC	LC	1	0	0.3		17	8.46	LC	LC	1	0	0.3		4	1.99	RA d(ii)	RA	3	DD	0	edge of range
Eremophila obovata ssp. obovata		0.00								0.00								0.00						
Eremophila oppositifolia ssp. angustifolia		0.00							1	33.33	VU D2	VU	4	DD	0	outlier; could be in Maralinga due to imprecise location		0.00						
Eremophila oppositifolia ssp. oppositifolia		0.00								0.00								0.00						
Eremophila paisleyi ssp. glandulosa	3	9.38	NT	NT	2	DD	0		11	34.38	NT	NT	2	0	0.3		2	6.25	RA d(i,ii)	RA	3	DD	0	old records; edge of range
Eremophila paisleyi ssp. paisleyi		0.00							3	2.42	RA d(ii)	RA	3	DD	0		4	3.23	RA d(ii)	RA	3	DD	0	
Eremophila pentaptera		0.00								0.00								0.00						
Eremophila platythamnos ssp. exotrachys		0.00								0.00							48	57.14	LC	LC	1	0	0.3	sand plain spp
Eremophila polyclada		0.00								0.00								0.00						
Eremophila rotundifolia		0.00							1	0.40	RA d(i,ii)	RA	3	0	0.3	endemic to SA; edge of range	1	0.40	RA d(i,ii)	RA	3	0	0.3	endemic to SA; edge of range
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia		0.00							7	0.56	LC	LC	1	0	0.3			0.00						
Eremophila serrulata	7	1.33	LC	LC	1	0	0.3		13	2.48	LC	LC	1	0	0.3		14	2.67	LC	LC	1	0	0.3	
Eremophila sturtii	10	2.21	LC	LC	1	0	0.3		18	3.97	LC	LC	1	0	0.3		12	2.65	LC	LC	1	0	0.3	
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata		0.00								0.00								0.00						
Eremophila verrucosa ssp. verrucosa		0.00								0.00								0.00						
Eremophila willsii ssp. integrifolia	2	1.21	RA d(ii)	RA	3	0	0.3		23	13.94	LC	LC	1	0	0.3		10	6.06	LC	LC	1	0	0.3	
Eremophila willsii ssp. willsii	3	6.52	NT	NT	2	0	0.3		2	4.35	NT	NT	2	DD	0		6	13.04	NT	NT	2	DD	0	
Eriachne aristidea		0.00								0.00								0.00						
Eriachne helmsii	25	9.84	LC	LC	1	0	0.3		29	11.42	LC	LC	1	0	0.3		51	20.08	LC	LC	1	0	0.3	
Eriachne mucronata	5	1.98	LC	LC	1	0	0.3	likes rocky outcrops	36	14.29	RA d(ii)	RA	3	DD	0	limited habitat	12	4.76	LC	LC	1	0	0.3	likes rocky outcrops
Eriachne ovata		0.00							1	0.53	NT	NT	2	0	0.3	edge of range; limited habitat		0.00						
Eriachne pulchella ssp. pulchella	2	5.88	LC	LC	1	0	0.3	undercollected	13	38.24	LC	LC	1	0	0.3			0.00						
Erigeron sessilifolius		0.00							2	40.00	RA d(ii)	RA	3	DD	0			0.00						
Eriocaulon carsonii ssp. carsonii		0.00								0.00								0.00						
Eriochiton sclerolaenoides	5	0.30	LC	LC	1	0	0.3		2	0.12	NT	NT	2	0	0.3		4	0.24	LC	LC	1	0	0.3	
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea	3	4.17	LC	LC	1	0	0.3			0.00								0.00						
Eriochloa australiensis		0.00								0.00								0.00						
Eriochloa crebra		0.00								0.00								0.00						
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha		0.00								0.00								0.00						
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum		0.00							2	0.79	NT	NT	2	0	0.3		1	0.40	NT	NT	2	0	0.3	
Erodium crinitum	11	1.00	LC	LC	1	0	0.3			0.00							22	1.99	LC	LC	1	0	0.3	
Erodium cygnorum	2	1.22	LC	LC	1	0	0.3		6	3.66	LC	LC	1	0	0.3		9	5.49	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum		0.00								0.00								0.00						
Eucalyptus camaldulensis ssp. arida		#DIV/0!	LC	LC	1	0	0.3	(no records) E camaldulensis ssp arida		#DIV/0!								#DIV/0!	RA d(i,ii)	RA	3	0	0.3	(NC records) E camaldulensis ssp arida
Eucalyptus camaldulensis ssp. minima		0.00								0.00								0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00							1	0.23	RA d(i,ii)	RA	3	0	0.3	edge of range
Eucalyptus coolabah		0.00							7	1.28	RA d(i)	RA	3	0	0.3	western edge of range; limited habitat		0.00						
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla		0.00								0.00							16	29.09	LC	LC	1	0	0.3	
Eucalyptus gillenii		0.00								0.00								0.00						
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa		0.00								0.00							33	28.70	LC	LC	1	0	0.3	
Eucalyptus gongylocarpa		0.00								0.00							15	16.13	NT	NT	2	0	0.3	
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta	2	0.31	VU D2	VU	4	0	0.3			0.00							7	1.10	RA d(i)	RA	3	0	0.3	
Eucalyptus largiflorens		0.00								0.00								0.00						
Eucalyptus leptophylla		0.00								0.00								0.00						
Eucalyptus mannensis ssp. mannensis		0.00							5	6.85	RA d(ii)	RA	3	0	0.3		36	49.32	NT	NT	2	0	0.3	
Eucalyptus minnirritchi		0.00								0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra		0.00							1	0.60	DD	DD	0	DD	0	old record	70	41.92	LC	LC	1	0	0.3	
Eucalyptus peeneri		0.00							1	4.76	RA d(i,ii)	RA	3	DD	0	lack of knowledge on this spp		0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans		0.00								0.00								0.00						
Eucalyptus socialis ssp. eucentrica	2	1.55	NE	NE	-1			taxonomic issues	6	4.65	NE	NE	-1			taxonomic issues	9	6.98	NE	NE	-1			taxonomic issues
Eucalyptus socialis ssp. socialis		0.00								0.00								0.00						
Eucalyptus socialis ssp. victoriensis	2	1.39	NE	NE	-1			taxonomic issues	4	2.78	NE	NE	-1			taxonomic issues	4	2.78	NE	NE	-1			taxonomic issues
Eucalyptus sparsa		0.00								0.00							29	33.72	RA d(ii)	RA	3	0	0.3	on rocky outcrops
Eucalyptus trivalvis		0.00								0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana		0.00							5	3.09	NT	NT	2	0	0.3		19	11.73	RA d(i)	RA	3	0	0.3	locally common
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus	1	0.22	NT	NT	2	DD	0	edge of range		0.00							3	0.66	LC	LC	1	0	0.3	
Eulalia aurea	4	1.71	LC	LC	1	0	0.3	limited to waterways		0.00							1	0.43	DD	DD	0	DD	0	old record, questionable
Euphorbia alsiniflora		0.00								0.00								0.00						
Euphorbia australis		0.00								0.00								0.00						
Euphorbia centralis		0.00	LC	LC	1	0	0.3	(no records) name change from Chamaesyce	1	3.33	RA d(i,ii)	RA	3	0	0.3	limited habitat, edge of range	3	10.00	LC	LC	1	0	0.3	
Euphorbia drummondii		0.00							2	0.63	LC	LC	1	0	0.3	very common; small, tough; undercollected		0.00						
Euphorbia inappendiculata	2	5.26	LC	LC	1	0	0.3		17	44.74	NT	NT	2	0	0.3	some ID issues	6	15.79	LC	LC	1	0	0.3	
Euphorbia mitchelliana		0.00								0.00								0.00						
Euphorbia parvicaruncula		0.00								0.00								0.00						
Euphorbia stevenii		0.00								0.00								0.00						
Euphorbia tannensis ssp. eremophila	8	0.70	LC	LC	1	0	0.3		45	3.92	LC	LC	1	0	0.3		38	3.31	LC	LC	1	0	0.3	
Euphorbia wheeleri		0.00								0.00								0.00						
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens		0.00								0.00								0.00						
Evolvulus alsinoides var. villosicalyx	2	2.44	NT	NT	2	0	0.3			0.00							3	3.66	NT	NT	2	DD	0	
Exocarpos aphyllus		0.00								0.00								0.00						
Exocarpos sparteus		0.00								0.00							33	2.92	LC	LC	1	0	0.3	
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda	6	5.83	LC	LC	1	0	0.3	lives on rocks		0.00							11	10.68	LC	LC	1	0	0.3	lives on rocks
Fimbristylis dichotoma	6	3.49	LC	LC	1	0	0.3		1	0.58	RA d(ii)	RA	3	DD	0	edge of range	11	6.40	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00								0.00								0.00						
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia		0.00								0.00								0.00						
Frankenia cinerea		0.00								0.00							1	6.67	DD	DD	0	DD	0	
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa		0.00								0.00								0.00						
Frankenia cupularis		0.00								0.00								0.00						
Frankenia foliosa		0.00								0.00								0.00						
Frankenia pauciflora var. gunnii		0.00								0.00								0.00						
Frankenia plicata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Frankenia serpyllifolia		0.00								0.00							2	0.27	DD	DD	0	DD	0	
Frankenia subteres		0.00								0.00								0.00						
Gahnia trifida		0.00								0.00								0.00						
Galium bulliformis		0.00								0.00								0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora		0.00								0.00								0.00						
Glinus lotoides		0.00							1	0.38	NT	NT	2	0	0.3	edge of range; limited hbitat	1	0.38	NT	NT	2	0	0.3	edge of range; limited hbitat
Glinus oppositifolius		0.00							1	3.23	RA d(i,ii)	RA	3	DD	0	naturally rare, restricted to larger water holes		0.00						
Glinus orygioides		0.00								0.00								0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00							5	5.95	RA d(ii)	RA	3	0	0.3	sand plain sp., undercollected
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens		0.00								0.00								0.00						
Glossostigma cleistanthum		0.00								0.00								0.00						
Glossostigma diandrum		0.00								0.00							4	12.12	NT	NT	2	0	0.3	
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	5	1.71	LC	LC	1	0	0.3			0.00							13	4.45	LC	LC	1	0	0.3	
Glycine rubiginosa		0.00								0.00								0.00						
Glycyrrhiza acanthocarpa		0.00								0.00								0.00						
Gnaphalium diamantinense		0.00								0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00								0.00								0.00						
Gnephosis arachnoidea	11	2.00	LC	LC	1	0	0.3		2	0.36	LC	LC	1	0	0.3	undercollected?	2	0.36	NT	NT	2	0	0.3	edge of range
Gnephosis eriocarpa	2	0.72	LC	LC	1	0	0.3			0.00								0.00						
Gnephosis tenuissima	15	3.87	LC	LC	1	0	0.3	undercollected	21	5.41	LC	LC	1	0	0.3		8	2.06	LC	LC	1	0	0.3	
Gomphrena lanata		0.00								0.00								0.00						
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta		0.00								0.00								0.00						
Goodenia berardiana		0.00							4	2.27	NT	NT	2	0	0.3			0.00						
Goodenia brunnea		0.00								0.00								0.00						
Goodenia calcarata		0.00								0.00								0.00						
Goodenia centralis		0.00							1	1.54	RA d(i,ii)	RA	3	DD	0	edge of range	29	44.62	LC	LC	1	0	0.3	
Goodenia chambersii		0.00								0.00								0.00						
Goodenia cycloptera	3	0.81	NT	NT	2	0	0.3		10	2.70	LC	LC	1	0	0.3			0.00						
Goodenia fascicularis	1	0.09	LC	LC	1	0	0.3		1	0.09	RA d(i,ii)	RA	3	0	0.3	edge of range	6	0.56	LC	LC	1	0	0.3	
Goodenia gibbosa		0.00								0.00								0.00						
Goodenia glabra		0.00							21	19.81	LC	LC	1	0	0.3		5	4.72	NT	NT	2	0	0.3	undercollected
Goodenia glandulosa		0.00								0.00							1	12.50	RA d(i,ii)	RA	3	DD	0	
Goodenia glauca		0.00								0.00								0.00						
Goodenia grandiflora		#DIV/0!								#DIV/0!								#DIV/0!						
Goodenia havilandii		0.00							1	0.61	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00						
Goodenia heterochila	3	7.14	NT	NT	2	0	0.3		1	2.38	RA d(i,ii)	RA	3	0	0.3	edge of range	4	9.52	LC	LC	1	0	0.3	
Goodenia heteromera		0.00							1	2.33	RA d(ii)	RA	3	DD	0	likes heavy soils, cracking clays		0.00						
Goodenia lobata		0.00								0.00								0.00						
Goodenia lunata	2	0.49	RA d(ii)	RA	3	0	0.3		1	0.24	RA d(i,ii)	RA	3	0	0.3			0.00						
Goodenia modesta		0.00							6	17.65	RA d(ii)	RA	3	0	0.3			0.00						
Goodenia mueckeana		0.00								0.00							6	66.67	NT	NT	2	DD	0	
Goodenia occidentalis		0.00							2	6.67	RA d(i,ii)	RA	3	0	0.3	eastern edge of range; sparse distribution		0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida		0.00							1	0.08	RA d(ii)	RA	3	DD	0			0.00						
Goodenia pusilliflora		0.00								0.00								0.00						
Goodenia ramelii	2	6.25	RA d(ii)	RA	3	DD	0	edge of range		0.00							5	15.63	RA d(ii)	RA	3	DD	0	southern edge of range
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila		0.00								0.00							6	24.00	LC	LC	1	0	0.3	
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae		0.00								0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum		0.00								0.00							2	1.31	LC	LC	1	0	0.3	
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora	1	33.33	DD	DD	0	DD	0	new taxa		0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya		0.00								0.00							17	60.71	NT	NT	2	0	0.3	WA sp.
Grevillea huegelii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Grevillea juncifolia ssp. juncifolia		0.00							12	3.91	LC	LC	1	0	0.3	likes sandy, dune habitat	71	23.13	LC	LC	1	0	0.3	likes sandy, dune habitat
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla	15	5.28	LC	LC	1	0	0.3		29	10.21	LC	LC	1	0	0.3		24	8.45	LC	LC	1	0	0.3	
Grevillea pterosperma		0.00								0.00							1	0.27	NT	NT	2	DD	0	
Grevillea stenobotrya	1	0.32	LC	LC	1	0	0.3		19	6.03	LC	LC	1	0	0.3		35	11.11	LC	LC	1	0	0.3	
Grevillea striata	4	6.56	LC	LC	1	0	0.3			0.00								0.00						
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva		0.00								0.00								0.00						
Gunniopsis kochii		0.00								0.00								0.00						
Gunniopsis papillata		0.00							1	0.72	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Gunniopsis quadrifida	3	0.68	LC	LC	1	0	0.3		1	0.23	LC	LC	1	0	0.3			0.00						
Gunniopsis septifraga		0.00							1	2.70	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Gunniopsis tenuifolia		0.00								0.00								0.00						
Gunniopsis zygophylloides		0.00							1	0.91	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus		0.00							14	4.68	LC	LC	1	0	0.3		28	9.36	LC	LC	1	0	0.3	
Gyrostemon tepperi		0.00								0.00							3	50.00	RA d(i,ii)	RA	3	-	0.4	could be VU; edge of range
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata	14	8.97	LC	LC	1	0	0.3			0.00							42	26.92	LC	LC	1	0	0.3	
Hakea ednieana		0.00								0.00								0.00						
Hakea eyreana		0.00								0.00								0.00						
Hakea francisiana		0.00								0.00							1	0.30	RA d(i,ii)	RA	3	DD	0	likes white sand
Hakea leucoptera ssp. leucoptera	8	0.98	LC	LC	1	0	0.3		5	0.61	LC	LC	1	0	0.3		2	0.25	RA d(i,ii)	RA	3	DD	0	
Hakea lorea ssp. lorea	26	11.40	LC	LC	1	0	0.3		7	3.07	RA d(i,ii)	RA	3	DD	0		37	16.23	LC	LC	1	0	0.3	
Hakea minyma		0.00								0.00							14	21.54	LC	LC	1	0	0.3	
Halgania cyanea		0.00								0.00							8	1.04	LC	LC	1	0	0.3	
Halgania erecta		0.00								0.00							6	35.29	NT	NT	2	0	0.3	
Halgania glabra		0.00								0.00								0.00						
Haloragis aspera		0.00							1	0.14	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Haloragis glauca forma glauca	1	9.09	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Haloragis glauca forma sclopetifera		0.00								0.00								0.00						
Haloragis gossei		0.00								0.00							9	21.95	NT	NT	2	0	0.3	
Haloragis odontocarpa forma octoforma		0.00								0.00							1	14.29	RA d(i,ii)	RA	3	DD	0	edge of range
Haloragis odontocarpa forma pterocarpa		0.00								0.00							2	5.26	RA d(i,ii)	RA	3	DD	0	
Haloragis odontocarpa forma rugosa		0.00							14	53.85	NT	NT	2	DD	0	taxonomic question on forms	2	7.69	RA d(i,ii)	RA	3	DD	0	
Haloragis uncatipila		0.00							3	5.08	RA d(i,ii)	RA	3	0	0.3	perennial	11	18.64	LC	LC	1	0	0.3	perennial
Hannafordia bissillii ssp. bissillii		0.00								0.00							24	82.76	LC	LC	1	0	0.3	sand plain spp
Harmsiodoxa blennodioides		0.00								0.00							3	1.49	NT	NT	2	0	0.3	sandhill sp; long curly pods
Harmsiodoxa brevipes var. brevipes		0.00								0.00								0.00						
Harmsiodoxa brevipes var. major		0.00								0.00								0.00						
Harmsiodoxa puberula		0.00								0.00							2	4.65	NT	NT	2	DD	0	
Helichrysum luteoalbum		0.00							1	0.32	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing		0.00						
Heliotropium ammophilum		0.00								0.00								0.00						
Heliotropium asperrimum		0.00								0.00							8	2.72	LC	LC	1	0	0.3	
Heliotropium cunninghamii		0.00							2	11.76	RA d(ii)	RA	3	DD	0			0.00						
Heliotropium europaeum		0.00								0.00								0.00						
Heliotropium filaginoides	1	2.63	RA d(ii)	RA	3	-	0.4	buffel a threat		0.00							1	2.63	RA d(ii)	RA	3	-	0.4	buffel a threat
Heliotropium moorei	1	5.56	NT	NT	2	0	0.3			0.00							1	5.56	NT	NT	2	0	0.3	
Heliotropium tanythrix		0.00								0.00								0.00						
Hemichroa diandra		0.00								0.00								0.00						
Hemichroa mesembryanthema		0.00								0.00								0.00						
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima		0.00								0.00								0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius		0.00								0.00								0.00						
Hibiscus krichauffianus		0.00							3	1.09	NT	NT	2	0	0.3		6	2.17	NT	NT	2	0	0.3	
Hibiscus solanifolius		0.00								0.00							3	4.92	NT	NT	2	0	0.3	
Hibiscus sturtii var. grandiflorus	5	2.51	LC	LC	1	0	0.3		6	3.02	RA d(ii)	RA	3	DD	0		1	0.50	NT	NT	2	DD	0	
Hibiscus sturtii var. muelleri		0.00							1	50.00	VU D2	VU	4	DD	0			0.00						
Hibiscus sturtii var. sturtii		0.00								0.00								0.00						
Hibiscus sturtii var. truncatus		0.00								0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile		0.00								0.00								0.00						
Hybanthus aurantiacus		0.00								0.00								0.00						
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus		0.00								0.00								0.00						
Hydrocotyle callicarpa		0.00								0.00								0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa	3	1.82	LC	LC	1	0	0.3	in rock crevices		0.00							2	1.21	NT	NT	2	0	0.3	in rock crevices

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Hydrocotyle verticillata		0.00								0.00								0.00						
Hypericum gramineum		0.00								0.00								0.00						
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00								0.00						
Indigofera australis ssp. australis		0.00								0.00								0.00						
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii		0.00								0.00								0.00						
Indigofera colutea	ve to S	0.00								0.00								0.00						
Indigofera cornuligera ssp cornuligera		0.00								0.00								0.00	NT	NT	2	0	0.3	(no records)
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei		0.00								0.00							6	13.04	LC	LC	1	0	0.3	
Indigofera helmsii		0.00								0.00								0.00						
Indigofera leucotricha		0.00								0.00								0.00						
Indigofera linifolia		0.00								0.00								0.00						
Indigofera linnaei	2	3.70	LC	LC	1	0	0.3			0.00								0.00						
Indigofera longibractea		0.00								0.00								0.00						
Indigofera psammophila	3	3.61	NT	NT	2	0	0.3	poorly collected	3	3.61	NT	NT	2	0	0.3		3	3.61	NT	NT	2	0	0.3	poorly collected
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla		0.00								0.00								0.00						
Ipomoea muelleri		0.00								0.00								0.00						
Ipomoea polymorpha		0.00								0.00								0.00						
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum		0.00							1	1.12	NT	NT	2	DD	0	edge of range		0.00						
Iseilema membranaceum	1	0.63	NT	NT	2	DD	0	edge of range		0.00								0.00						
Iseilema vaginiflorum	1	0.98	DD	DD	0	DD	0	edge of range		0.00								0.00						
Isoetes muelleri		0.00								0.00							5	14.71	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly e
Isoetopsis graminifolia		0.00								0.00							2	0.29	RA d(i,ii)	RA	3	DD	0	outlier
Isolepis australiensis		0.00							1	1.23	RA d(i,ii)	RA	3	DD	0	very tiny		0.00						
Isolepis cernua		0.00								0.00								0.00						
Isolepis congrua		0.00								0.00								0.00						
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea		0.00								0.00							12	3.10	LC	LC	1	0	0.3	
Isotropis centralis		0.00								0.00								0.00						
Isotropis wheeleri		0.00								0.00								0.00						
Ixiochlamys cuneifolia		0.00								0.00							1	0.36	RA d(i,ii)	RA	3	DD	0	likes sandy creek banks
Ixiochlamys filicifolia	10	13.33	LC	LC	1	0	0.3	may be impacted by buffel	1	1.33	LC	LC	1	0	0.3		3	4.00	LC	LC	1	0	0.3	
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana		0.00							1	1.43	NT	NT	2	DD	0	probably undercollected; likes degraded ground		0.00						
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare	1	0.50	RA d(i,ii)	RA	3	DD	0	edge of range; tough spp		0.00							10	4.95	LC	LC	1	0	0.3	
Josephinia eugeniae	1	4.00	RA d(ii)	RA	3	DD	0	grows under shrubs		0.00								0.00						
Juncus aridicola		0.00								0.00							1	0.71	RA d(i,ii)	RA	3	DD	0	easily spread
Juncus bufonius		0.00								0.00								0.00						
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00								0.00								0.00						
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens		0.00							1	1.67	DD	DD	0	DD	0		21	35.00	LC	LC	1	0	0.3	
Keraudrenia nephrosperma		0.00								0.00								0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)	2	15.38	RA d(ii)	RA	3	DD	0			0.00							1	7.69	RA d(ii)	RA	3	DD	0	
Kippistia suaedifolia	2	1.90	RA d(i,ii)	RA	3	DD	0	restricted habitat		0.00							3	2.86	RA d(i,ii)	RA	3	DD	0	restricted habitat
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis		0.00							1	0.27	RA d(i,ii)	RA	3	DD	0	in drainage lines, likes fresh water, dams		0.00						
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii	13	5.44	LC	LC	1	0	0.3		8	3.35	LC	LC	1	0	0.3		31	12.97	LC	LC	1	0	0.3	
Lawrencia glomerata	2	0.44	NT	NT	2	0	0.3	taxon now has 3 ssp	3	0.67	LC	LC	1	0	0.3	taxon now has 3 ssp	3	0.67	NT	NT	2	0	0.3	taxon now has 3 ssp
Lawrencia squamata		0.00							1	0.13	NT	NT	2	0	0.3			0.00						
Lechenaultia aphylla		0.00								0.00								0.00						
Lechenaultia divaricata		0.00							1	0.43	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Lechenaultia striata		0.00								0.00							1	5.56	RA d(i,ii)	RA	3	DD	0	
Leiocarpa brevicompta		0.00								0.00								0.00						
Leiocarpa leptolepis	3	0.66	LC	LC	1	0	0.3		2	0.44	LC	LC	1	0	0.3			0.00						
Leiocarpa semicalva ssp. semicalva	5	0.65	LC	LC	1	0	0.3	likes small rocky outcrops	2	0.26	RA d(ii)	RA	3	0	0.3	edge of range	20	2.61	LC	LC	1	0	0.3	likes small rocky outcrops
Leiocarpa semicalva ssp. vinacea	4	19.05	RA d(i,ii)	RA	3	DD	0	colour variant of the common ssp; needs more surveys		0.00							1	4.76	RA d(i,ii)	RA	3	DD	0	colour variant of the common ssp; needs more surveys
Leiocarpa tomentosa	4	2.21	NT	NT	2	DD	0	little known		0.00							10	5.52	NT	NT	2	DD	0	little known
Leiocarpa websteri	2	0.29	LC	LC	1	0	0.3			0.00								0.00						
Lemna disperma		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Lemooria burkittii	2	1.09	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Lepidium fasciculatum		0.00								0.00								0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi	17	5.99	LC	LC	1	0	0.3		4	1.41	LC	LC	1	0	0.3		7	2.46	LC	LC	1	0	0.3	
Lepidium oxytrichum	18	2.73	LC	LC	1	0	0.3		9	1.36	LC	LC	1	0	0.3		13	1.97	LC	LC	1	0	0.3	
Lepidium papillosum		0.00								0.00								0.00						
Lepidium phlebopetalum	6	0.77	LC	LC	1	0	0.3		6	0.77	LC	LC	1	0	0.3		9	1.15	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum	1	3.70	RA d(ii)	RA	3	DD	0	not many records	1	3.70	RA d(ii)	RA	3	DD	0	not many records		0.00						
Lepidium sagittulatum		0.00								0.00								0.00						
Lepidium strongylophyllum		0.00								0.00								0.00						
Lepidosperma avium		0.00								0.00								0.00						
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis		0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata		0.00								0.00								0.00						
Leptochloa fusca ssp. fusca		0.00								0.00								0.00						
Leptochloa fusca ssp. muelleri		0.00							2	1.05	LC	LC	1	0	0.3		2	1.05	LC	LC	1	0	0.3	
Leptorhynchos baileyi		0.00								0.00								0.00						
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii		0.00								0.00							6	33.33	LC	LC	1	0	0.3	
Leucochrysum fitzgibbonii	1	0.54	NT	NT	2	DD	0		20	10.81	LC	LC	1	0	0.3		14	7.57	LC	LC	1	0	0.3	
Leucochrysum molle		0.00								0.00								0.00						
Leucochrysum stipitatum	5	2.56	LC	LC	1	0	0.3		30	15.38	LC	LC	1	0	0.3		27	13.85	LC	LC	1	0	0.3	
Levenhookia dubia		0.00								0.00								0.00						
Limosella australis		0.00								0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00								0.00								0.00						
Lipocarpha microcephala		0.00							1	4.17	RA d(ii)	RA	3	0	0.3	ephemeral; abundant in a wet year	1	4.17	RA d(ii)	RA	3	0	0.3	ephemeral; abundant in a wet year
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla		0.00								0.00							4	16.00	RA d(i,ii)	RA	3	-	0.4	buffel a threat, needs spring rain; annual
Logania centralis		0.00								0.00								0.00						
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta	3	0.33	RA d(ii)	RA	3	0	0.3	scattered & uncommon		0.00							1	0.11	RA d(ii)	RA	3	0	0.3	scattered & uncommon
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus		0.00							1	0.09	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3	
Lycium australe		0.00							3	0.27	NT	NT	2	0	0.3	edge of range		0.00						
Lysiana exocarpi ssp. exocarpi	10	0.50	LC	LC	1	0	0.3		24	1.21	LC	LC	1	0	0.3		28	1.41	LC	LC	1	0	0.3	
Lysiana murrayi	22	9.95	LC	LC	1	0	0.3	host: mulga	20	9.05	LC	LC	1	0	0.3	host: mulga	18	8.14	LC	LC	1	0	0.3	host: mulga
Lysiana subfalcata		0.00								0.00								0.00						
Lythrum hyssopifolia		0.00								0.00								0.00						
Lythrum paradoxum		0.00								0.00								0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii		0.00							1	1.45	RA d(ii)	RA	3	0	0.3			0.00						
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	3	0.33	LC	LC	1	0	0.3			0.00								0.00						
Maireana appressa	4	0.90	LC	LC	1	0	0.3		4	0.90	NT	NT	2	0	0.3	limited habitat		0.00						
Maireana astrotricha	9	0.80	LC	LC	1	0	0.3	heavily grazed pastoral sp.; lack of regeneration a threat		0.00							2	0.18	LC	LC	1	0	0.3	
Maireana brevifolia		0.00								0.00								0.00						
Maireana campanulata		0.00							4	4.21	NT	NT	2	0	0.3			0.00						
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa		0.00								0.00								0.00						
Maireana ciliata		0.00								0.00								0.00						
Maireana coronata		0.00								0.00								0.00						
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha		0.00								0.00								0.00						
Maireana erioclada		0.00							25	1.74	LC	LC	1	0	0.3			0.00						
Maireana excavata		0.00								0.00								0.00						
Maireana georgei	10	1.17	LC	LC	1	0	0.3		43	5.02	LC	LC	1	0	0.3		4	0.47	NT	NT	2	0	0.3	
Maireana integra	5	1.47	LC	LC	1	0	0.3		11	3.24	LC	LC	1	0	0.3		8	2.35	LC	LC	1	0	0.3	
Maireana lanosa		0.00								0.00							1	50.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	1 old record
Maireana lobiflora		0.00							1	0.80	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Maireana luehmannii		0.00								0.00								0.00						
Maireana melanocarpa		0.00								0.00								0.00						
Maireana microcarpa		0.00								0.00								0.00						
Maireana oppositifolia		0.00								0.00								0.00						
Maireana ovata	1	1.41	RA d(ii)	RA	3	DD	0		3	4.23	RA d(ii)	RA	3	DD	0	limited habitat, edge of range		0.00						
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Maireana pentatropis		0.00							2	0.16	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Maireana planifolia	5	4.76	LC	LC	1	0	0.3		5	4.76	LC	LC	1	0	0.3		13	12.38	LC	LC	1	0	0.3	
Maireana pyramidata		0.00							2	0.10	NT	NT	2	0	0.3			0.00						
Maireana radiata		0.00								0.00								0.00						
Maireana schistocarpa	3	12.00	NT	NT	2	0	0.3			0.00								0.00						
Maireana scleroptera	5	11.63	LC	LC	1	0	0.3		1	2.33	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat		0.00						
Maireana sedifolia		0.00							8	0.31	NT	NT	2	0	0.3			0.00						
Maireana spongiocarpa		0.00							1	0.71	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Maireana tomentosa ssp. urceolata		0.00							1	1.19	RA d(ii)	RA	3	DD	0			0.00						
Maireana trichoptera	2	0.15	LC	LC	1	0	0.3		5	0.39	LC	LC	1	0	0.3		2	0.15	RA d(ii)	RA	3	DD	0	
Maireana triptera	1	0.28	NT	NT	2	0	0.3		8	2.28	NT	NT	2	0	0.3		12	3.42	NT	NT	2	0	0.3	
Maireana turbinata	2	0.30	NT	NT	2	0	0.3		3	0.46	NT	NT	2	0	0.3			0.00						
Maireana villosa	3	2.22	LC	LC	1	0	0.3		44	32.59	LC	LC	1	0	0.3		23	17.04	LC	LC	1	0	0.3	
Malacocera albolanata		0.00								0.00								0.00						
Malacocera biflora		0.00								0.00								0.00						
Malacocera gracilis		0.00								0.00								0.00						
Malacocera tricornis		0.00								0.00								0.00						
Malva preissiana	1	0.12	RA d(i,ii)	RA	3	DD	0	now known as M weinmanniana		0.00								0.00						
Malvastrum americanum var. americanum		0.00								0.00							2	0.30	LC	LC	1	0	0.3	spreading
Marsdenia australis		0.00							1	0.18	DD	DD	0	DD	0	no voucher	2	0.36	RA d(i,ii)	RA	3	0	0.3	
Marsilea costulifera		0.00								0.00								0.00						
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii	2	0.69	RA d(i,ii)	RA	3	0	0.3	limited habitat	2	0.69	LC	LC	1	0	0.3		1	0.35	RA d(i,ii)	RA	3	0	0.3	limited habitat
Marsilea exarata		0.00							5	6.67	RA d(i,ii)	RA	3	DD	0			0.00						
Marsilea hirsuta		0.00							4	1.71	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Melaleuca bracteata	9	18.00	RA d(i,ii)	RA	3	0	0.3	only found in drainage lines; long-lived		0.00								0.00						
Melaleuca dissitiflora		0.00								0.00								0.00						
Melaleuca fulgens ssp. corrugata		0.00								0.00								0.00						
Melaleuca glomerata	2	0.45	RA d(i,ii)	RA	3	DD	0		6	1.35	RA d(ii)	RA	3	DD	0		1	0.23	DD	DD	0	DD	0	
Melaleuca interioris		0.00							1	1.64	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Melaleuca lanceolata		0.00								0.00								0.00						
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila		0.00							3	3.33	RA d(i,ii)	RA	3	0	0.3	edge of range; limited habitat		0.00						
Melhania oblongifolia	3	6.25	NT	NT	2	0	0.3			0.00								0.00						
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis		0.00							2	2.13	NT	NT	2	0	0.3	annual; easily dispersed	3	3.19	NT	NT	2	0	0.3	annual; easily dispersed
Menkea crassa		0.00								0.00								0.00						
Menkea lutea		0.00								0.00								0.00						
Menkea sphaerocarpa	3	4.48	NT	NT	2	0	0.3	edge of range		0.00							18	26.87	LC	LC	1	0	0.3	
Menkea villosula	6	7.14	LC	LC	1	0	0.3	grows on red soils	1	1.19	RA d(ii)	RA	3	0	0.3	grows on red soils	1	1.19	NT	NT	2	0	0.3	grows on red soils
Mentha australis		0.00								0.00								0.00						
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana		0.00								0.00							2	66.67	VU D2	VU	4	DD	0	
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala		0.00								0.00							5	13.89	LC	LC	1	0	0.3	likely to be common; poorly surveyed; on red sandplain
Micromyrtus flaviflora		0.00							2	4.08	DD	DD	0	DD	0	not well-surveyed	19	38.78	LC	LC	1	0	0.3	sand plain sp.
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii		0.00								0.00								0.00						
Millotia greevesii ssp. helmsii	1	2.86	LC	LC	1	0	0.3	have been taxonomic splits; should be more records		0.00							4	11.43	LC	LC	1	0	0.3	have been taxonomic splits; should be more records
Millotia incurva		0.00							1	6.25	RA d(i,ii)	RA	3	DD	0	undercollected; old records; could be NT		0.00						
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia		0.00								0.00								0.00						
Millotia perpusilla		0.00								0.00								0.00						
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis		0.00								0.00								0.00						
Mimulus prostratus		0.00								0.00								0.00						
Mimulus repens		0.00								0.00								0.00						
Minuria annua		0.00							1	1.27	NT	NT	2	0	0.3			0.00						
Minuria cunninghamii	1	0.15	LC	LC	1	0	0.3			0.00							2	0.29	NT	NT	2	DD	0	edge of range
Minuria denticulata	2	0.33	LC	LC	1	0	0.3			0.00								0.00						
Minuria integerrima		0.00								0.00								0.00						
Minuria leptophylla	4	0.35	LC	LC	1	0	0.3		4	0.35	LC	LC	1	0	0.3		28	2.42	LC	LC	1	0	0.3	
Minuria rigida		0.00								0.00								0.00						
Mollugo cerviana		0.00								0.00							2	1.89	NT	NT	2	0	0.3	undercollected; very small
Momordica balsamina		0.00								0.00								0.00						
Monachather paradoxus	15	3.43	LC	LC	1	0	0.3		78	17.85	LC	LC	1	0	0.3		62	14.19	LC	LC	1	0	0.3	
Monotaxis luteiflora		0.00								0.00								0.00						
Muehlenbeckia coccoloboides		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Muehlenbeckia florulenta	4	0.33	LC	LC	1	0	0.3		7	0.58	LC	LC	1	0	0.3		2	0.17	RA d(i,ii)	RA	3	0	0.3	edge of range
Muelleranthus stipularis	3	7.32	NT	NT	2	DD	0		6	14.63	NT	NT	2	DD	0		3	7.32	NT	NT	2	DD	0	
Murchisonia volubilis		0.00								0.00								0.00						
Myoporum brevipes		0.00								0.00								0.00						
Myoporum montanum		0.00								0.00								0.00						
Myoporum platycarpum ssp. platycarpum		0.00							5	0.61	NT	NT	2	0	0.3			0.00						
Myosurus minimus var. australis		0.00								0.00								0.00						
Myriocephalus pluriflorus		0.00								0.00								0.00						
Myriocephalus rhizocephalus		0.00								0.00								0.00						
Myriocephalus rudallii	1	2.08	RA d(i,ii)	RA	3	DD	0		2	4.17	RA d(i,ii)	RA	3	DD	0			0.00						
Myriocephalus squamatus		0.00							3	25.00	RA d(i,ii)	RA	3	DD	0	no recent records		0.00						
Myriophyllum verrucosum		0.00								0.00								0.00						
Neobassia proceriflora	2	0.78	NT	NT	2	0	0.3			0.00								0.00						
Neptunia dimorphantha		0.00								0.00								0.00						
Neurachne lanigera		0.00								0.00								0.00						
Neurachne munroi		0.00							1	1.54	NT	NT	2	DD	0	lack of records	2	3.08	NT	NT	2	DD	0	lack of records
Newcastelia bracteosa		0.00								0.00							17	48.57	LC	LC	1	0	0.3	
Newcastelia cephalantha var. cephalantha		0.00								0.00							7	16.28	NT	NT	2	0	0.3	likes fire
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla		0.00								0.00							8	57.14	NT	NT	2	DD	0	grows on desert sanddunes
Newcastelia spodiotricha		0.00								0.00							6	27.27	NT	NT	2	DD	0	edge of range; grows on desert sanddunes
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior	1	1.09	NT	NT	2	DD	0			0.00							5	5.43	NT	NT	2	0	0.3	
Nicotiana goodspeedii		0.00								0.00								0.00						
Nicotiana gossei	1	3.13	RA d(ii)	RA	3	DD	0			0.00							2	6.25	RA d(ii)	RA	3	DD	0	edge of range
Nicotiana occidentalis ssp. obliqua	2	1.57	NT	NT	2	0	0.3			0.00							12	9.45	LC	LC	1	0	0.3	
Nicotiana rosulata ssp. ingulba		0.00								0.00							1	50.00	RA d(i,ii)	RA	3	DD	0	edge of southern range
Nicotiana rosulata ssp. rosulata		0.00							1	8.33	RA d(ii)	RA	3	DD	0	odd record		0.00						
Nicotiana simulans	5	1.99	LC	LC	1	0	0.3		4	1.59	NT	NT	2	0	0.3		2	0.80	NT	NT	2	0	0.3	
Nicotiana truncata		0.00								0.00								0.00						
Nicotiana velutina	4	0.38	LC	LC	1	0	0.3		10	0.96	LC	LC	1	0	0.3			0.00						
Nitraria billardierei		0.00								0.00								0.00						
Nymphoides crenata		0.00								0.00								0.00						
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida		0.00								0.00							2	66.67	VU D1+2	VU	4	DD	0	restricted
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00								0.00								0.00						
Olearia ferresii		0.00								0.00							2	4.76	RA d(i,ii)	RA	3	DD	0	
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri		0.00							2	0.15	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii		0.00								0.00							13	9.42	NT	NT	2	0	0.3	perennial; on rocky hills
Olearia subspicata		0.00							3	2.19	RA d(i,ii)	RA	3	DD	0		9	6.57	NT	NT	2	DD	0	
Oligochaetochilus sp Everard Range		0.00								0.00								0.00						
Omphalolappula concava	5	0.53	LC	LC	1	0	0.3			0.00							5	0.53	LC	LC	1	0	0.3	
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum		0.00								0.00								0.00						
Ophioglossum polyphyllum		0.00								0.00								0.00						
Orobanche cernua var. australiana		0.00								0.00								0.00						
Osteocarpum acropterum var. acropterum		0.00							2	0.66	NT	NT	2	0	0.3			0.00						
Osteocarpum acropterum var. deminutum		0.00								0.00								0.00						
Osteocarpum dipterocarpum	5	1.11	LC	LC	1	0	0.3			0.00							2	0.44	LC	LC	1	0	0.3	
Osteocarpum pentapterum		0.00								0.00								0.00						
Osteocarpum salsuginosum		0.00								0.00								0.00						
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula		0.00								0.00								0.00						
Oxalis perennans		0.00								0.00							3	0.30	NT	NT	2	0	0.3	Bio-survey records missing, ID issues with other oxalis
Oxalis radicosa		0.00								0.00							3	3.41	RA d(i,ii)	RA	3	0	0.3	grows in rocky ranges
Oxychloris scariosa		0.00								0.00								0.00						
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana	3	4.41	RA d(ii)	RA	3	0	0.3			0.00							9	13.24	NT	NT	2	0	0.3	
Panicum decompositum var. decompositum	5	1.39	LC	LC	1	0	0.3			0.00							7	1.95	LC	LC	1	0	0.3	
Panicum effusum var. effusum	5	1.94	LC	LC	1	0	0.3			0.00							9	3.49	LC	LC	1	0	0.3	
Panicum laevinode		0.00							5	5.62	NT	NT	2	DD	0			0.00						
Paraceterach reynoldsii		0.00								0.00								0.00						
Paractaenum novae-hollandiae ssp. reversum		0.00							5	2.55	LC	LC	1	0	0.3			0.00						
Paractaenum refractum	1	0.44	NT	NT	2	DD	0		19	8.44	LC	LC	1	0	0.3		17	7.56	LC	LC	1	0	0.3	
Paraneurachne muelleri		0.00								0.00							14	36.84	LC	LC	1	0	0.3	
Parietaria australis	2	4.76	NT	NT	2	0	0.3			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	% Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	% Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	% Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Parietaria cardiostegia		0.00								0.00								0.00						
Parietaria debilis	1	0.28	LC	LC	1	0	0.3			0.00							3	0.85	LC	LC	1	0	0.3	
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum		0.00							1	5.56	NT	NT	2	0	0.3	lots of records not databased		0.00						
Peplidium foecundum		0.00								0.00								0.00						
Peplidium sp. Marla (W.R.Barker 3535)		0.00							2	22.22	RA d(ii)	RA	3	0	0.3	likes water run-off		0.00						
Perotis rara		0.00								0.00								0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides		0.00								0.00							7	18.92	NT	NT	2	0	0.3	grows in rock crevices
Petalostylis labicheoides		0.00								0.00								0.00						
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00								0.00								0.00						
Phlegmatospermum cochlearinum		0.00								0.00								0.00						
Phlegmatospermum eremaeum		0.00								0.00								0.00						
Phragmites australis		0.00								0.00								0.00						
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii		0.00								0.00								0.00						
Phyllanthus lacunarius		0.00							2	1.83	RA d(ii)	RA	3	0	0.3	limited habitat, edge of range		0.00						
Phyllanthus lacunellus		0.00								0.00								0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00								0.00								0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata		0.00								0.00								0.00						
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00								0.00								0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00								0.00								0.00						
Pimelea microcephala ssp. microcephala	1	0.10	RA d(ii)	RA	3	DD	0		6	0.61	RA d(ii)	RA	3	DD	0		2	0.20	RA d(ii)	RA	3	DD	0	
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris		0.00								0.00								0.00						
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua		0.00								0.00								0.00						
Pimelea simplex ssp. simplex		0.00								0.00								0.00						
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya		0.00								0.00							12	5.56	LC	LC	1	0	0.3	
Pittosporum angustifolium	5	0.15	LC	LC	1	0	0.3		2	0.06	LC	LC	1	0	0.3		29	0.89	LC	LC	1	0	0.3	
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus		0.00								0.00								0.00						
Plantago cunninghamii		0.00								0.00								0.00						
Plantago debilis		0.00								0.00								0.00						
Plantago drummondii	5	0.46	LC	LC	1	0	0.3		2	0.18	LC	LC	1	0	0.3			0.00						
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa		0.00								0.00								0.00						
Plantago turrifera		0.00							1	1.82	RA d(ii)	RA	3	DD	0			0.00						
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus		0.00								0.00								0.00						
Pleurosorus rutifolius		0.00								0.00								0.00						
Pleurosorus subglandulosus		0.00								0.00							2	5.26	RA d(i,ii)	RA	3	DD	0	
Pluchea dentex	1	0.96	LC	LC	1	0	0.3			0.00								0.00						
Pluchea dunlopii		0.00							1	2.00	NT	NT	2	DD	0	sparse, scattered populations		0.00						
Pluchea rubelliflora	2	2.67	NT	NT	2	0	0.3	grows in creek lines		0.00							1	1.33	NT	NT	2	0	0.3	grows in creek lines
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana		0.00								0.00								0.00						
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens	8	2.04	LC	LC	1	0	0.3		25	6.38	LC	LC	1	0	0.3		29	7.40	LC	LC	1	0	0.3	
Podolepis capillaris	20	1.55	LC	LC	1	0	0.3		4	0.31	LC	LC	1	0	0.3		15	1.16	LC	LC	1	0	0.3	
Podolepis davisiana		0.00							1	1.79	RA d(i,ii)	RA	3	DD	0			0.00						
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Polycalymma stuartii	15	1.52	LC	LC	1	0	0.3		4	0.41	LC	LC	1	0	0.3		8	0.81	LC	LC	1	0	0.3	
Polycarpaea arida		0.00								0.00							5	6.58	NT	NT	2	0	0.3	
Polycarpaea breviflora		0.00								0.00								0.00						
Polygala isingii		0.00								0.00								0.00						
Polygonum plebeium		0.00							2	1.14	LC	LC	1	0	0.3	responds to rainfall events		0.00						
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata		0.00								0.00							2	0.66	RA d(i,ii)	RA	3	DD	0	limited habitat
Poranthera leiosperma		0.00								0.00							1	5.26	NT	NT	2	0	0.3	undercollected; new entity
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia		0.00								0.00								0.00						
Portulaca intraterranea		0.00								0.00								0.00						
Portulaca oleracea	6	0.71	LC	LC	1	0	0.3		11	1.29	LC	LC	1	0	0.3		16	1.88	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus		0.00								0.00								0.00						
Potamogeton tricarinatus		0.00								0.00								0.00						
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia		0.00							8	8.79	LC	LC	1	0	0.3	sand plain spp	1	1.10	NT	NT	2	0	0.3	sand plain spp
Prostanthera nudula	1	2.94	VU D2	VU	4	0	0.3	localised		0.00								0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora	6	0.89	LC	LC	1	0	0.3			0.00							11	1.63	LC	LC	1	0	0.3	
Prostanthera wilkieana		0.00								0.00							14	29.17	NT	NT	2	0	0.3	
Pseudoraphis spinescens		0.00								0.00								0.00						
Psydrax ammophila		0.00								0.00							3	13.64	RA d(ii)	RA	3	0	0.3	central Aust sp.
Psydrax latifolia		0.00								0.00								0.00						
Psydrax suaveolens		0.00							3	21.43	RA d(ii)	RA	3	DD	0		5	35.71	RA d(ii)	RA	3	DD	0	
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum		0.00								0.00							2	25.00	RA d(ii)	RA	3	DD	0	
Pterocaulon sphacelatum	3	0.45	LC	LC	1	0	0.3		2	0.30	LC	LC	1	0	0.3		11	1.66	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides		0.00								0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri		0.00								0.00								0.00						
Ptilotus clementii		0.00								0.00								0.00						
Ptilotus decipiens		0.00								0.00							3	3.33	NT	NT	2	0	0.3	
Ptilotus disparilis		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. gaudichaudii	5	7.14	LC	LC	1	0	0.3		2	2.86	LC	LC	1	0	0.3		5	7.14	LC	LC	1	0	0.3	
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides		0.00							1	2.78	RA d(i,ii)	RA	3	0	0.3		8	22.22	LC	LC	1	0	0.3	
Ptilotus incanus		0.00								0.00							2	14.29	RA d(ii)	RA	3	DD	0	could be more records
Ptilotus latifolius		0.00								0.00								0.00						
Ptilotus macrocephalus	2	1.54	NT	NT	2	0	0.3			0.00								0.00						
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)
Ptilotus obovatus	1	1.22	LC	LC	1	0	0.3	lots of NC records	1	1.22	LC	LC	1	0	0.3	lots of NC records		0.00						
Ptilotus parvifolius		0.00								0.00								0.00						
Ptilotus polystachyus		0.00							71	20.64	LC	LC	1	0	0.3			0.00						
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides		0.00								0.00								0.00						
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii		0.00								0.00								0.00						
Ptilotus sessilifolius	14	4.71	LC	LC	1	0	0.3		7	2.36	LC	LC	1	0	0.3		21	7.07	LC	LC	1	0	0.3	
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei		0.00								0.00								0.00						
Ptychosema anomalum		0.00								0.00								0.00						
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus		0.00							1	1.11	LC	LC	1	0	0.3	likes low-lying cracking clay soil		0.00						
Pycnosorus globosus		0.00								0.00								0.00						
Pycnosorus melleus		0.00								0.00								0.00						
Pycnosorus pleiocephalus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Radyera farragei	1	0.96	RA d(ii)	RA	3	DD	0			0.00							1	0.96	RA d(ii)	RA	3	DD	0	
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00								0.00								0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus		0.00								0.00								0.00						
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio	2	2.13	RA d(ii)	RA	3	DD	0			0.00								0.00						
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00								0.00						
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea	16	5.06	LC	LC	1	0	0.3		32	10.13	LC	LC	1	0	0.3		72	22.78	LC	LC	1	0	0.3	
Rhagodia parabolica	2	0.13	RA d(ii)	RA	3	DD	0		4	0.25	NT	NT	2	0	0.3		2	0.13	RA d(ii)	RA	3	DD	0	
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	3	0.12	LC	LC	1	0	0.3		15	0.60	LC	LC	1	0	0.3			0.00						
Rhagodia ulicina		0.00								0.00								0.00						
Rhodanthe charsleyae	8	3.60	LC	LC	1	0	0.3		8	3.60	LC	LC	1	0	0.3			0.00						
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina	2	3.64	LC	LC	1	0	0.3		14	25.45	LC	LC	1	0	0.3		8	14.55	LC	LC	1	0	0.3	
Rhodanthe corymbiflora		0.00								0.00								0.00						
Rhodanthe floribunda	26	1.90	LC	LC	1	0	0.3		23	1.68	LC	LC	1	0	0.3		23	1.68	LC	LC	1	0	0.3	
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa	1	0.17	LC	LC	1	0	0.3			0.00								0.00						
Rhodanthe moschata		0.00							3	0.33	LC	LC	1	0	0.3		1	0.11	DD	DD	0	DD	0	check ID
Rhodanthe polygalifolia		0.00								0.00								0.00						
Rhodanthe pygmaea		0.00								0.00								0.00						
Rhodanthe stricta	8	1.05	LC	LC	1	0	0.3		2	0.26	LC	LC	1	0	0.3		5	0.66	LC	LC	1	0	0.3	
Rhodanthe stuartiana	1	0.45	RA d(ii)	RA	3	DD	0			0.00								0.00						
Rhodanthe tietkensii	18	8.00	LC	LC	1	0	0.3		8	3.56	LC	LC	1	0	0.3		17	7.56	LC	LC	1	0	0.3	
Rhodanthe troedelii		0.00								0.00								0.00						
Rhodanthe uniflora		0.00							1	0.52	LC	LC	1	0	0.3			0.00						
Rhyncharrhena linearis	2	0.74	NT	NT	2	0	0.3		29	10.74	LC	LC	1	0	0.3		8	2.96	NT	NT	2	0	0.3	
Rhynchosia australis		0.00								0.00								0.00						
Rhynchosia minima		0.00								0.00								0.00						
Rorippa eustylis		0.00								0.00								0.00						
Rostellularia adscendens var. clementii		0.00								0.00								0.00						
Rostellularia adscendens var. latifolia		0.00								0.00								0.00						
Rostellularia adscendens var. pogonanthera		0.00							1	0.51	RA d(i,ii)	RA	3	DD	0	limited habitat	3	1.54	LC	LC	1	0	0.3	
Rulingia loxophylla		0.00								0.00							27	32.14	LC	LC	1	0	0.3	
Rulingia magniflora		0.00								0.00								0.00						
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus		0.00								0.00								0.00						
Ruppia maritima	2	4.65	RA d(i,ii)	RA	3	DD	0	ephemeral, relies on floods		0.00								0.00						
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides	9	2.31	LC	LC	1	0	0.3		11	2.83	LC	LC	1	0	0.3		18	4.63	LC	LC	1	0	0.3	
Salsola tragus	24	0.55	LC	LC	1	0	0.3		98	2.24	LC	LC	1	0	0.3		67	1.53	LC	LC	1	0	0.3	
Samolus eremaeus		0.00								0.00								0.00						
Samolus repens		0.00								0.00								0.00						
Santalum acuminatum	3	0.14	RA d(i,ii)	RA	3	DD	0	edge of range	17	0.80	LC	LC	1	0	0.3		21	0.99	LC	LC	1	0	0.3	
Santalum lanceolatum	5	0.57	LC	LC	1	0	0.3		15	1.71	LC	LC	1	0	0.3		6	0.68	LC	LC	1	0	0.3	
Santalum spicatum		0.00								0.00								0.00						
Sarcocornia blackiana		0.00								0.00								0.00						
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe	1	0.46	RA d(ii)	RA	3	0	0.3			0.00							1	0.46	RA d(ii)	RA	3	0	0.3	
Sarcozona praecox		0.00								0.00								0.00						
Sauropus ramosissimus		0.00								0.00								0.00						
Sauropus rigens		0.00								0.00								0.00						
Sauropus trachyspermus		0.00							1	0.40	NT	NT	2	0	0.3	edge of range	1	0.40	NT	NT	2	0	0.3	edge of range
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis		0.00								0.00							31	52.54	LC	LC	1	0	0.3	
Scaevola basedowii		0.00								0.00							28	41.79	LC	LC	1	0	0.3	
Scaevola collaris		0.00							2	0.77	RA d(i,ii)	RA	3	DD	0	likes damp sand; undercollected		0.00						
Scaevola collina		0.00							1	1.19	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Scaevola depauperata		0.00							2	1.50	RA d(ii)	RA	3	DD	0	edge of range	1	0.75	RA d(i,ii)	RA	3	DD	0	edge of range
Scaevola glabrata		0.00								0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata		0.00								0.00								0.00						
Scaevola parvibarbata		0.00								0.00								0.00						
Scaevola parvifolia ssp. parvifolia		0.00								0.00							6	26.09	NT	NT	2	DD	0	
Scaevola spinescens		0.00							11	0.84	LC	LC	1	0	0.3			0.00						
Schenkia australis		0.00							2	1.02	NT	NT	2	0	0.3			0.00						
Schoenia ayersii	1	1.16	RA d(i,ii)	RA	3	DD	0			0.00							6	6.98	LC	LC	1	0	0.3	buffel grass potential threat

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Schoenia cassiniana	8	3.23	LC	LC	1	0	0.3		34	13.71	LC	LC	1	0	0.3		9	3.63	LC	LC	1	0	0.3	
Schoenia ramosissima		0.00							1	0.60	NT	NT	2	DD	0			0.00						
Schoenoplectus dissachanthus		0.00							2	4.76	RA d(ii)	RA	3	0	0.3	responds to good years of rain; in niche habitats		0.00						
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00							1	100.00	RA d(i,ii)	RA	3	DD	0	only 1 record in SA; Northern sp.		0.00						
Schoenoplectus pungens		0.00								0.00								0.00						
Schoenoplectus subulatus		0.00								0.00								0.00						
Schoenoplectus validus		0.00								0.00								0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00								0.00								0.00						
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata		0.00								0.00								0.00						
Sclerolaena bicornis var. bicornis		0.00								0.00								0.00						
Sclerolaena bicuspis		0.00								0.00								0.00						
Sclerolaena birchii		0.00							2	13.33	RA d(i,ii)	RA	3	DD	0			0.00						
Sclerolaena blackiana		0.00								0.00								0.00						
Sclerolaena brachyptera		0.00							1	0.09	NT	NT	2	0	0.3	edge of range		0.00						
Sclerolaena calcarata		0.00								0.00								0.00						
Sclerolaena clelandii		0.00							3	27.27	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena constricta	1	0.67	NT	NT	2	DD	0	edge of range		0.00								0.00						
Sclerolaena convexula	17	4.70	LC	LC	1	0	0.3		22	6.08	LC	LC	1	0	0.3		26	7.18	LC	LC	1	0	0.3	
Sclerolaena cornishiana		0.00								0.00								0.00						
Sclerolaena costata	1	3.13	NT	NT	2	0	0.3		3	9.38	NT	NT	2	0	0.3		1	3.13	NT	NT	2	0	0.3	
Sclerolaena cristata		0.00								0.00								0.00						
Sclerolaena cuneata	7	1.91	LC	LC	1	0	0.3		5	1.37	LC	LC	1	0	0.3			0.00						
Sclerolaena decurrens	2	0.69	NT	NT	2	0	0.3			0.00								0.00						
Sclerolaena deserticola		0.00								0.00								0.00						
Sclerolaena diacantha	18	0.60	LC	LC	1	0	0.3	good stock food	34	1.13	LC	LC	1	0	0.3	good stock food	14	0.47	LC	LC	1	0	0.3	good stock food
Sclerolaena divaricata		0.00							2	0.21	NT	NT	2	DD	0	edge of range		0.00						
Sclerolaena eriacantha	2	0.66	LC	LC	1	0	0.3		7	2.31	LC	LC	1	0	0.3			0.00						
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra		0.00								0.00								0.00						
Sclerolaena holtiana	3	1.31	LC	LC	1	0	0.3		1	0.44	LC	LC	1	0	0.3		2	0.87	RA d(ii)	RA	3	DD	0	edge of range
Sclerolaena intricata		0.00								0.00								0.00						
Sclerolaena johnsonii	5	4.17	LC	LC	1	0	0.3		11	9.17	LC	LC	1	0	0.3		21	17.50	LC	LC	1	0	0.3	
Sclerolaena lanicuspis	5	0.57	LC	LC	1	0	0.3		16	1.82	LC	LC	1	0	0.3			0.00						
Sclerolaena limbata		0.00								0.00								0.00						
Sclerolaena longicuspis	1	0.29	LC	LC	1	0	0.3		1	0.29	NT	NT	2	0	0.3			0.00						
Sclerolaena muricata var. muricata		0.00							1	0.74	RA d(ii)	RA	3	DD	0	heavy clays on rivers or cane grass swamps	2	1.48	RA d(ii)	RA	3	DD	0	heavy clays on rivers or cane grass swamps
Sclerolaena muricata var. semiglabra		0.00							1	9.09	RA d(ii)	RA	3	DD	0	disjunct pop, outlier; taxonomy questionable		0.00						
Sclerolaena obliquicuspis	4	0.15	LC	LC	1	0	0.3		22	0.82	LC	LC	1	0	0.3		14	0.52	LC	LC	1	0	0.3	
Sclerolaena parallelicuspis		0.00							1	0.31	NT	NT	2	0	0.3			0.00						
Sclerolaena parviflora		0.00							2	0.42	NT	NT	2	0	0.3		18	3.77	LC	LC	1	0	0.3	
Sclerolaena patenticuspis	6	0.53	LC	LC	1	0	0.3		4	0.35	LC	LC	1	0	0.3		4	0.35	LC	LC	1	0	0.3	
Sclerolaena symoniana		0.00							2	8.00	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena tatei		0.00								0.00								0.00						
Sclerolaena tricuspis		0.00							6	2.23	NT	NT	2	DD	0			0.00						
Sclerolaena uniflora		0.00							7	0.72	LC	LC	1	0	0.3	grows on bare limestone	2	0.20	LC	LC	1	0	0.3	
Sclerolaena ventricosa		0.00								0.00								0.00						
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00								0.00								0.00						
Senecio depressicola		0.00								0.00								0.00						
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola		0.00								0.00								0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus	1	0.13	LC	LC	1	0	0.3	in interdune swales		0.00								0.00						
Senecio gregorii	8	1.02	LC	LC	1	0	0.3	on sand dunes, widespread	9	1.15	LC	LC	1	0	0.3	on sand dunes, widespread	17	2.16	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00								0.00						
Senecio laceratus		0.00								0.00							5	8.47	NT	NT	2	DD	0	
Senecio lacustrinus		0.00								0.00								0.00						
Senecio lanibracteus		0.00								0.00								0.00						
Senecio magnificus	1	0.12	LC	LC	1	0	0.3			0.00							14	1.64	LC	LC	1	0	0.3	
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius		0.00								0.00								0.00						
Senecio spanomerus	1	0.19	NE	NE	-1			taxonomic issues		0.00								0.00						
Senna artemisioides ssp. alicia		0.00								0.00								0.00						
Senna artemisioides ssp. artemisioides	7	0.89	LC	LC	1	0	0.3		15	1.90	LC	LC	1	0	0.3		16	2.03	LC	LC	1	0	0.3	
Senna artemisioides ssp. coriacea		0.00							10	0.69	LC	LC	1	0	0.3			0.00						
Senna artemisioides ssp. filifolia	71	5.98	LC	LC	1	0	0.3		14	1.18	LC	LC	1	0	0.3		42	3.54	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Senna artemisioides ssp. helmsii	4	1.17	LC	LC	1	0	0.3		6	1.75	LC	LC	1	0	0.3		9	2.62	LC	LC	1	0	0.3	
Senna artemisioides ssp. oligophylla		0.00							3	1.42	NT	NT	2	0	0.3		3	1.42	RA d(ii)	RA	3	DD	0	edge of range
Senna artemisioides ssp. petiolaris		0.00							18	1.78	LC	LC	1	0	0.3		10	0.99	LC	LC	1	0	0.3	
Senna artemisioides ssp. quadrifolia	1	0.54	DD	DD	0	DD	0	imprecise location	2	1.08	RA d(ii)	RA	3	DD	0		4	2.15	LC	LC	1	0	0.3	
Senna artemisioides ssp. sturtii	3	1.95	LC	LC	1	0	0.3		7	4.55	LC	LC	1	0	0.3		8	5.19	LC	LC	1	0	0.3	
Senna artemisioides ssp. zygophylla		0.00							4	5.71	NT	NT	2	DD	0			0.00						
Senna cardiosperma ssp. gawlerensis		0.00							11	2.68	LC	LC	1	0	0.3		3	0.73	NT	NT	2	0	0.3	
Senna cardiosperma ssp. microphylla		0.00								0.00							5	14.29	NT	NT	2	0	0.3	
Senna glutinosa ssp. glutinosa		0.00								0.00								0.00						
Senna glutinosa ssp. pruinosa	2	5.71	RA d(ii)	RA	3	DD	0			0.00								0.00						
Senna notabilis		0.00								0.00								0.00						
Senna phyllodinea		0.00								0.00								0.00						
Senna planitiicola	2	5.41	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Senna pleurocarpa var. pleurocarpa	2	0.60	NT	NT	2	DD	0	fire responsive		0.00							43	12.84	LC	LC	1	0	0.3	fire responsive
Sesbania cannabina var. cannabina		0.00								0.00								0.00						
Setaria basiclada		0.00								0.00								0.00						
Setaria clementii	2	1.98	LC	LC	1	0	0.3	easily overlooked; likes low, rocky rises	1	0.99	RA d(ii)	RA	3	0	0.3	edge of range	8	7.92	LC	LC	1	0	0.3	easily overlooked; likes low, rocky rises
Setaria constricta	5	0.93	LC	LC	1	0	0.3			0.00							9	1.68	LC	LC	1	0	0.3	
Setaria dielsii	1	0.80	RA d(ii)	RA	3	0	0.3	in creeks, drainage lines; ephemeral	4	3.20	RA d(ii)	RA	3	DD	0	edge of range; unsuitable habitat		0.00						
Setaria jubiflora		0.00							1	0.41	RA d(ii)	RA	3	DD	0	in creek lines		0.00						
Setaria reflexa		0.00							7	12.73	RA d(ii)	RA	3	DD	0		10	18.18	NT	NT	2	0	0.3	
Sida "billbarkeri"		0.00								0.00							1	100.00	DD	DD	0	DD	0	lack of information; 1 record
Sida ammophila	11	1.76	LC	LC	1	0	0.3		6	0.96	LC	LC	1	0	0.3		28	4.47	LC	LC	1	0	0.3	
Sida argillacea		0.00								0.00								0.00						
Sida calyxhymenia	2	1.02	NT	NT	2	0	0.3		5	2.55	LC	LC	1	0	0.3		12	6.12	LC	LC	1	0	0.3	
Sida cardiophylla		0.00								0.00								0.00						
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata		0.00								0.00								0.00						
Sida cunninghamii	4	1.90	LC	LC	1	0	0.3		3	1.43	LC	LC	1	0	0.3			0.00						
Sida everistiana		0.00							1	20.00	RA d(ii)	RA	3	0	0.3			0.00						
Sida fibulifera	18	1.18	LC	LC	1	0	0.3		14	0.92	LC	LC	1	0	0.3		21	1.37	LC	LC	1	0	0.3	
Sida filiformis	2	3.57	NT	NT	2	0	0.3	persistent		0.00								0.00						
Sida goniocarpa		0.00								0.00								0.00						
Sida intricata		0.00							1	0.16	RA d(i,ii)	RA	3	DD	0	edge of range	1	0.16	RA d(i,ii)	RA	3	DD	0	edge of range
Sida petrophila	1	0.07	RA d(ii)	RA	3	DD	0		1	0.07	RA d(i,ii)	RA	3	DD	0			0.00						
Sida phaeotricha	7	3.93	LC	LC	1	0	0.3			0.00							21	11.80	LC	LC	1	0	0.3	
Sida platycalyx		0.00								0.00								0.00						
Sida rohlenae ssp. rohlenae		0.00								0.00							3	9.68	NT	NT	2	DD	0	edge of southern range
Sida sp. B (C.Dunlop 1739)	6	22.22	NE	NE	-1			taxonomic issues		0.00							7	25.93	NE	NE	-1			taxonomic issues
Sida sp. Everard Ranges (D.J.Whibley 1085)	3	30.00	NT	NT	2	DD	0			0.00								0.00						
Sida sp. F (Latz 7459)		0.00								0.00								0.00						
Sida sp. L (A.M.Ashby 4202)		0.00								0.00							2	16.67	NE	NE	-1			
Sida sp. M (J.Z.Weber 831)		0.00								0.00							6	85.71	NE	NE	-1			taxonomic issues
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00							3	25.00	NE	NE	-1			taxonomic issues
Sida sp. Rabbit Flat (R.B.Major 158)		0.00							3	27.27	NE	NE	-1			taxonomic issues	4	36.36	NE	NE	-1			taxonomic issues
Sida sp. Wakaya Desert (C.Dunlop 1984)	2	16.67	NE	NE	-1			taxonomic issues	2	16.67	NE	NE	-1			taxonomic issues	6	50.00	NE	NE	-1			taxonomic issues
Sida spodochroma		0.00								0.00								0.00						
Sida trichopoda		0.00								0.00								0.00						
Sigesbeckia australiensis	6	2.64	LC	LC	1	0	0.3	likes rocky hills		0.00							1	0.44	LC	LC	1	0	0.3	likes rocky hills
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale	7	4.49	LC	LC	1	0	0.3		22	14.10	LC	LC	1	0	0.3		38	24.36	LC	LC	1	0	0.3	
Solanum chenopodinum		0.00								0.00								0.00						
Solanum cleistogamum		0.00							5	5.38	NT	NT	2	0	0.3		14	15.05	LC	LC	1	0	0.3	
Solanum coactiliferum	1	0.16	NT	NT	2	DD	0		17	2.74	LC	LC	1	0	0.3		55	8.87	LC	LC	1	0	0.3	
Solanum eardleyae	5	5.10	LC	LC	1	0	0.3		2	2.04	RA d(i,ii)	RA	3	0	0.3		7	7.14	NT	NT	2	0	0.3	
Solanum ellipticum	24	1.62	LC	LC	1	0	0.3		23	1.56	LC	LC	1	0	0.3		28	1.90	LC	LC	1	0	0.3	
Solanum esuriale		0.00								0.00								0.00						
Solanum ferocissimum	5	13.51	NT	NT	2	0	0.3		1	2.70	RA d(ii)	RA	3	DD	0		9	24.32	LC	LC	1	0	0.3	
Solanum lacunarium		0.00								0.00								0.00						
Solanum lasiophyllum		0.00							18	23.68	LC	LC	1	0	0.3		2	2.63	RA d(i,ii)	RA	3	DD	0	edge of range
Solanum oligacanthum		0.00								0.00								0.00						
Solanum orbiculatum ssp. orbiculatum		0.00							1	0.95	NT	NT	2	DD	0	edge of range	14	13.33	LC	LC	1	0	0.3	
Solanum petrophilum	1	0.10	RA d(ii)	RA	3	0	0.3		1	0.10	RA d(ii)	RA	3	0	0.3		22	2.13	LC	LC	1	0	0.3	
Solanum quadriloculatum	8	2.41	LC	LC	1	0	0.3		16	4.82	LC	LC	1	0	0.3			0.00						
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum	2	0.31	NT	NT	2	0	0.3			0.00								0.00						
Sonchus hydrophilus		0.00								0.00								0.00						
Spartothamnella teucriiflora	1	1.20	NT	NT	2	0	0.3		21	25.30	LC	LC	1	0	0.3		17	20.48	LC	LC	1	0	0.3	
Spergularia brevifolia		0.00								0.00								0.00						
Spergularia diandroides		0.00								0.00								0.00						
Spergularia marina		0.00							1	0.38	NT	NT	2	0	0.3	in low-lying salty areas		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus	2	0.37	LC	LC	1	0	0.3		3	0.55	LC	LC	1	0	0.3			0.00						
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei		0.00							2	20.00	NT	NT	2	0	0.3			0.00						
Sporobolus caroli	1	1.59	LC	LC	1	0	0.3		1	1.59	RA d(ii)	RA	3	DD	0			0.00						
Sporobolus mitchellii		0.00							1	0.29	RA d(ii)	RA	3	DD	0	restricted to river systems		0.00						
Sporobolus virginicus		0.00								0.00								0.00						
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii		0.00								0.00							6	10.71	RA d(i,ii)	RA	3	0	0.3	
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00							2	28.57	NE	NE	-1			taxonomic issues
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	4	0.62	LC	LC	1	0	0.3		2	0.31	LC	LC	1	0	0.3			0.00						
Stemodia glabella		0.00								0.00								0.00						
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00								0.00						
Stemodia viscosa		0.00								0.00								0.00						
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum		0.00							1	1.85	NT	NT	2	0	0.3	grows on flats, sands, rises	9	16.67	LC	LC	1	0	0.3	grows on flats, sands, rises
Stenopetalum decipiens		0.00								0.00								0.00						
Stenopetalum lineare	8	1.29	LC	LC	1	0	0.3	a complex of species, could be split	2	0.32	LC	LC	1	0	0.3	a complex of species, could be split	9	1.45	LC	LC	1	0	0.3	a complex of species, could be split
Stenopetalum nutans	3	3.49	LC	LC	1	0	0.3		1	1.16	LC	LC	1	0	0.3		1	1.16	LC	LC	1	0	0.3	
Stenopetalum sphaerocarpum		0.00							2	0.88	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Stenopetalum velutinum	6	2.96	LC	LC	1	0	0.3		10	4.93	LC	LC	1	0	0.3		20	9.85	LC	LC	1	0	0.3	
Streptoglossa adscendens		0.00							2	0.63	LC	LC	1	0	0.3			0.00						
Streptoglossa cylindriceps		0.00							2	4.17	RA d(i,ii)	RA	3	DD	0			0.00						
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides		0.00								0.00								0.00						
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum		0.00								0.00								0.00						
Suaeda australis		0.00								0.00								0.00						
Swainsona aculicarinata	1	2.27	RA d(ii)	RA	3	DD	0	limited habitat; heavy soils		0.00							23	52.27	LC	LC	1	0	0.3	likes heavy soils
Swainsona adenophylla		0.00							1	1.27	RA d(i,ii)	RA	3	DD	0	edge of salt lakes		0.00						
Swainsona affinis	3	5.08	RA d(i,ii)	RA	3	DD	0		1	1.69	RA d(i,ii)	RA	3	DD	0			0.00						
Swainsona burkittii		0.00								0.00								0.00						
Swainsona campylantha		0.00								0.00								0.00						
Swainsona canescens	2	1.82	LC	LC	1	0	0.3		11	10.00	LC	LC	1	0	0.3		11	10.00	LC	LC	1	0	0.3	
Swainsona colutoides		0.00								0.00								0.00						
Swainsona disjuncta		0.00								0.00							4	30.77	LC	LC	1	0	0.3	
Swainsona eremaea		0.00								0.00								0.00						
Swainsona extrajacens		0.00								0.00								0.00						
Swainsona fissimontana		0.00								0.00								0.00						
Swainsona flavicarinata		0.00								0.00								0.00						
Swainsona formosa	5	2.28	RA d(ii)	RA	3	-	0.4			0.00								0.00						
Swainsona laxa		0.00								0.00							1	1.45	RA d(i,ii)	RA	3	DD	0	disjunct population
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx		0.00								0.00								0.00						
Swainsona microphylla	1	0.58	DD	DD	0	DD	0			0.00							3	1.75	NT	NT	2	0	0.3	
Swainsona minutiflora		0.00							1	7.14	VU D2	VU	4	0	0.3	in calcareous drainage lines		0.00						
Swainsona oligophylla		0.00								0.00								0.00						
Swainsona oliveri	2	2.27	RA d(ii)	RA	3	DD	0		1	1.14	NT	NT	2	DD	0			0.00						
Swainsona oroboides	1	0.91	RA d(ii)	RA	3	DD	0		2	1.82	NT	NT	2	DD	0			0.00						
Swainsona phacoides	2	0.52	LC	LC	1	0	0.3		2	0.52	NT	NT	2	DD	0		3	0.78	LC	LC	1	0	0.3	
Swainsona purpurea		0.00								0.00								0.00						
Swainsona stipularis		0.00								0.00								0.00						
Swainsona swainsonioides		0.00								0.00								0.00						
Swainsona tenuis		0.00								0.00							6	8.33	LC	LC	1	0	0.3	
Swainsona tephrotricha		0.00								0.00								0.00						
Swainsona unifoliolata		0.00							2	14.29	RA d(ii)	RA	3	DD	0			0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa	22	16.06	LC	LC	1	0	0.3		2	1.46	RA d(ii)	RA	3	DD	0	edge of range	2	1.46	NT	NT	2	0	0.3	
Swainsona viridis		0.00								0.00								0.00						
Synaptantha tillaeacea var. hispidula		0.00							1	3.23	NT	NT	2	0	0.3	perennial; comes up after good rain		0.00						
Synaptantha tillaeacea var. tillaeacea		0.00							2	3.23	LC	LC	1	0	0.3	undercollected		0.00						
Tecticornia arbuscula		0.00								0.00								0.00						
Tecticornia cupuliformis		0.00								0.00								0.00						
Tecticornia disarticulata		0.00								0.00								0.00						
Tecticornia fontinalis		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. halocnemoides		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. longispicata		0.00							2	1.94	RA d(ii)	RA	3	DD	0			0.00						
Tecticornia halocnemoides ssp. tenuis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	% Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	% Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	% Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Tecticornia indica ssp. bidens	1	1.54	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Tecticornia indica ssp. leiostachya	1	0.21	RA d(ii)	RA	3	DD	0		2	0.41	RA d(ii)	RA	3	DD	0		1	0.21	RA d(ii)	RA	3	DD	0	
Tecticornia medullosa		0.00								0.00								0.00						
Tecticornia nitida		0.00								0.00								0.00						
Tecticornia pergranulata ssp. divaricata		0.00								0.00								0.00						
Tecticornia pergranulata ssp. elongata		0.00							2	15.38	RA d(ii)	RA	3	0	0.3			0.00						
Tecticornia pergranulata ssp. pergranulata		0.00							2	0.43	NT	NT	2	0	0.3			0.00						
Tecticornia pruiflora		0.00								0.00								0.00						
Tecticornia pruinosa		0.00								0.00							1	1.25	RA d(i,ii)	RA	3	DD	0	limited habitat
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00								0.00						
Tecticornia tenuis	1	0.33	LC	LC	1	0	0.3	arid sp.	2	0.67	LC	LC	1	0	0.3	arid sp.		0.00						
Tecticornia triandra		0.00								0.00								0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00								0.00								0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena	5	1.22	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora		0.00							3	1.03	LC	LC	1	0	0.3		8	2.76	LC	LC	1	0	0.3	
Tephrosia supina	2	7.69	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00							2	7.69	RA d(i,ii)	RA	3	0	0.3	edge of range
Tetragonia eremaea	7	0.59	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3		3	0.25	LC	LC	1	0	0.3	
Tetragonia moorei		0.00								0.00								0.00						
Tetragonia tetragonioides		0.00								0.00								0.00						
Teucrium albicaule		0.00								0.00								0.00						
Teucrium corymbosum		0.00								0.00								0.00						
Teucrium grandiusculum ssp. grandiusculum		0.00								0.00								0.00						
Teucrium racemosum		0.00							9	1.08	LC	LC	1	0	0.3		3	0.36	LC	LC	1	0	0.3	
Teucrium reidii		0.00								0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea	3	16.67	LC	LC	1	0	0.3			0.00								0.00						
Themeda triandra	6	0.40	LC	LC	1	0	0.3			0.00							18	1.19	LC	LC	1	0	0.3	
Threlkeldia inchoata		0.00								0.00								0.00						
Thryptomene elliottii		0.00								0.00							1	1.22	RA d(ii)	RA	3	DD	0	1 record only; outlier
Thryptomene longifolia		0.00							9	47.37	NT	NT	2	DD	0	probably stable; sand sp. Endemic to SA	1	5.26	DD	DD	0	DD	0	imprecise location
Thyridolepis mitchelliana	9	7.14	LC	LC	1	0	0.3		22	17.46	LC	LC	1	0	0.3		29	23.02	LC	LC	1	0	0.3	
Thyridolepis multiculmis		0.00							13	22.81	LC	LC	1	0	0.3		6	10.53	NT	NT	2	DD	0	
Thyridolepis xerophila		0.00								0.00							2	13.33	RA d(ii)	RA	3	DD	0	
Thysanotus baueri		0.00								0.00								0.00						
Thysanotus exiliflorus		0.00							1	2.56	RA d(ii)	RA	3	0	0.3			0.00						
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae		0.00								0.00							5	50.00	RA d(i,ii)	RA	3	DD	0	
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	4	1.42	LC	LC	1	0	0.3		7	2.48	LC	LC	1	0	0.3		4	1.42	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus	4	1.06	LC	LC	1	0	0.3		2	0.53	LC	LC	1	0	0.3		3	0.79	LC	LC	1	0	0.3	
Trianthema pilosa		0.00								0.00								0.00						
Trianthema triquetra	3	0.37	LC	LC	1	0	0.3		1	0.12	LC	LC	1	0	0.3		3	0.37	LC	LC	1	0	0.3	
Tribulus astrocarpus		0.00								0.00							4	14.81	NT	NT	2	0	0.3	
Tribulus eichlerianus	3	1.02	LC	LC	1	0	0.3		10	3.39	LC	LC	1	0	0.3		2	0.68	NT	NT	2	0	0.3	
Tribulus hystrix		0.00								0.00								0.00						
Tribulus macrocarpus		0.00								0.00								0.00						
Tribulus micrococcus		0.00								0.00							5	100.00	RA d(ii)	RA	3	DD	0	
Tribulus minutus		0.00							1	4.17	NT	NT	2	0	0.3	poorly collected		0.00						
Trichanthodium skirrophorum	1	0.15	LC	LC	1	0	0.3		7	1.02	LC	LC	1	0	0.3			0.00						
Trichodesma zeylanicum var. zeylanicum	2	0.27	LC	LC	1	0	0.3		1	0.14	RA d(ii)	RA	3	0	0.3	unsuitable habitat	19	2.59	LC	LC	1	0	0.3	
Triglochin hexagona		0.00								0.00								0.00						
Triglochin isingiana		0.00								0.00							1	0.70	RA d(i,ii)	RA	3	DD	0	
Triglochin multifructa		0.00								0.00								0.00						
Triglochin nana	1	5.56	LC	LC	1	0	0.3	undercollected; ephemeral		0.00							1	5.56	LC	LC	1	0	0.3	undercollected; ephemeral
Triglochin sp. A (N.N.Donner 3596)		0.00								0.00								0.00						
Triglochin striata																								
Trigonella suavissima	3	0.99	LC	LC	1	0	0.3			0.00								0.00						
Triodia basedowii		0.00								0.00							150	23.36	LC	LC	1	0	0.3	
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii		0.00								0.00							11	42.31	LC	LC	1	0	0.3	
Triodia irritans	5	0.42	LC	LC	1	0	0.3		1	0.08	RA d(ii)	RA	3	0	0.3	edge of range	15	1.26	LC	LC	1	0	0.3	
Triodia longiceps		0.00								0.00							13	61.90	NT	NT	2	DD	0	
Triodia pungens		0.00								0.00							2	16.67	NT	NT	2	DD	0	
Triodia scariosa	1	0.11	RA d(ii)	RA	3	DD	0	edge of range		0.00							80	8.68	LC	LC	1	0	0.3	
Triodia schinzii		0.00								0.00							1	20.00	RA d(ii)	RA	3	DD	0	
Tripogon loliiformis	9	1.24	LC	LC	1	0	0.3		2	0.27	NT	NT	2	DD	0		24	3.30	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Triraphis mollis	10	1.41	LC	LC	1	0	0.3		10	1.41	LC	LC	1	0	0.3		22	3.11	LC	LC	1	0	0.3	
Typha domingensis		0.00								0.00								0.00						
Typhonium alismifolium		0.00								0.00								0.00						
Uranthoecium truncatum	1	5.56	NT	NT	2	DD	0	poorly collected		0.00								0.00						
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00								0.00								0.00						
Velleia arguta		0.00							1	0.23	DD	DD	0	DD	0	checked by P.Lang - highly unlikely, could be V glabrata		0.00						
Velleia connata		0.00								0.00							4	3.77	NT	NT	2	0	0.3	comes up after fire; undercollected
Velleia glabrata		0.00							8	12.31	NT	NT	2	0	0.3		6	9.23	NT	NT	2	0	0.3	
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia		0.00								0.00								0.00						
Vittadinia arida		0.00								0.00								0.00						
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis		0.00								0.00								0.00						
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata		0.00								0.00							1	0.13	NE	NE	-1			taxonomic issues
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta	2	0.36	NT	NT	2	DD	0		2	0.36	NT	NT	2	DD	0		11	2.00	LC	LC	1	0	0.3	
Vittadinia eremaea	3	0.71	LC	LC	1	0	0.3		2	0.48	LC	LC	1	0	0.3		13	3.10	LC	LC	1	0	0.3	
Vittadinia gracilis	1	0.07	NE	NE	-1			taxonomic issues		0.00								0.00						
Vittadinia pterochaeta		0.00								0.00								0.00						
Vittadinia pustulata		0.00							2	8.33	RA d(ii)	RA	3	DD	0		4	16.67	RA d(ii)	RA	3	DD	0	
Vittadinia sulcata		0.00							4	2.14	NT	NT	2	DD	0	undercollected		0.00						
Wahlenbergia aridicola	1	1.54	RA d(ii)	RA	3	0	0.3	annual	5	7.69	RA d(ii)	RA	3	0	0.3	annual		0.00						
Wahlenbergia communis		0.00								0.00							2	0.30	LC	LC	1	0	0.3	annual
Wahlenbergia gracilenta		0.00							1	0.08	RA d(ii)	RA	3	0	0.3	responds to disturbance		0.00						
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00								0.00						
Wahlenbergia queenslandica		0.00								0.00								0.00						
Wahlenbergia stricta ssp. stricta		0.00								0.00								0.00						
Wahlenbergia tumidifructa	15	3.30	LC	LC	1	0	0.3		6	1.32	LC	LC	1	0	0.3		9	1.98	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata	5	1.28	LC	LC	1	0	0.3		38	9.74	LC	LC	1	0	0.3		9	2.31	LC	LC	1	0	0.3	
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii		0.00								0.00							4	9.76	RA d(ii)	RA	3	DD	0	buffel grass potential threat
Westringia rigida		0.00								0.00							8	0.44	RA d(i,ii)	RA	3	0	0.3	outlier
Wurmbea australis		0.00								0.00								0.00						
Wurmbea centralis		0.00								0.00								0.00						
Wurmbea citrina		0.00							1	1.85	NT	NT	2	0	0.3	endemic to SA; likes fire		0.00						
Wurmbea deserticola		0.00							1	25.00	RA d(ii)	RA	3	0	0.3			0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00							1	5.00	RA d(i,ii)	RA	3	0	0.3			0.00						
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii		0.00								0.00								0.00						
Xerochrysum bracteatum	15	6.79	LC	LC	1	0	0.3		5	2.26	LC	LC	1	0	0.3		30	13.57	LC	LC	1	0	0.3	
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00	NT	NT	2	DD	0	(no records) collections not databased		0.00								0.00						
Zaleya galericulata ssp. australis		0.00								0.00								0.00						
Zygochloa paradoxa		0.00								0.00							2	0.25	RA d(ii)	RA	3	DD	0	localised
Zygophyllum ammophilum		0.00								0.00								0.00						
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. aurantiacum		0.00							4	0.54	LC	LC	1	0	0.3		3	0.40	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. simplicifolium		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. verticillatum		0.00								0.00								0.00						
Zygophyllum compressum		0.00								0.00							1	0.98	RA d(ii)	RA	3	0	0.3	
Zygophyllum confluens		0.00								0.00								0.00						
Zygophyllum crassissimum		0.00								0.00								0.00						
Zygophyllum crenatum		0.00								0.00								0.00						
Zygophyllum eichleri	2	4.88	RA d(ii)	RA	3	0	0.3	edge of range		0.00							8	19.51	NT	NT	2	0	0.3	
Zygophyllum emarginatum		0.00							1	0.88	RA d(i,ii)	RA	3	0	0.3			0.00						
Zygophyllum eremaeum	3	0.71	NT	NT	2	0	0.3	undercollected	8	1.90	LC	LC	1	0	0.3	undercollected	3	0.71	NT	NT	2	0	0.3	undercollected
Zygophyllum glaucum		0.00								0.00								0.00						
Zygophyllum howittii		0.00								0.00								0.00						
Zygophyllum humillimum		0.00								0.00								0.00						
Zygophyllum hybridum		0.00								0.00								0.00						
Zygophyllum iodocarpum		0.00								0.00								0.00						
Zygophyllum kochii		0.00								0.00								0.00						
Zygophyllum marliesiae		0.00								0.00								0.00						
Zygophyllum ovatum		0.00							6	0.65	NT	NT	2	0	0.3		2	0.22	RA d(ii)	RA	3	0	0.3	
Zygophyllum prismatothecum	5	2.18	LC	LC	1	0	0.3			0.00								0.00						
Zygophyllum rowelliae		0.00							2	6.25	RA d(i,ii)	RA	3	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	22_Tieyon_Records	%_Tieyon	IUCN Status & Criteria (Tieyon)	Regional Status (Tieyon)	Regional Status Score (Tieyon)	Trend (-, -, 0, +, ++) Tieyon	Trend Score (Tieyon)	Comments (Tieyon)	23_Tallaringa_Records	%_Tallaringa	IUCN Status & Criteria (Tallaringa)	Regional Status (Tallaringa)	Regional Status Score (Tallaringa)	Trend (-, -, 0, +, ++) Tallaringa	Trend Score (Tallaringa)	Comments (Tallaringa)	24_Kintore_Records	%_Kintore	IUCN Status & Criteria (Kintore)	Regional Status (Kintore)	Regional Status Score (Kintore)	Trend (-, -, 0, +, ++) Kintore	Trend Score (Kintore)	Comments (Kintore)
Zygophyllum simile	4	0.92	LC	LC	1	0	0.3		3	0.69	LC	LC	1	0	0.3		10	2.29	LC	LC	1	0	0.3	
Zygophyllum tesquorum		0.00								0.00							4	50.00	RA d(i,ii)	RA	3	DD	0	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Abutilon cryptopetalum ssp. cryptopetalum	1	4.17	NT	NT	2	0	0.3	undercollected		0.00								0.00						
Abutilon fraseri ssp. diplotrichum		0.00								0.00								0.00						
Abutilon fraseri ssp. fraseri	27	38.57	LC	LC	1	0	0.3		4	5.71	LC	LC	1	0	0.3			0.00						
Abutilon halophilum		0.00								0.00							2	0.37	RA d(i,ii)	RA	3	DD	0	
Abutilon leucopetalum	45	5.43	LC	LC	1	0	0.3		23	2.77	LC	LC	1	0	0.3		15	1.81	LC	LC	1	0	0.3	
Abutilon macrum	9	19.57	LC	LC	1	0	0.3		8	17.39	LC	LC	1	0	0.3			0.00						
Abutilon malvaefolium	2	2.60	NT	NT	2	0	0.3		2	2.60	NT	NT	2	0	0.3			0.00						
Abutilon otocarpum	27	5.22	LC	LC	1	0	0.3		11	2.13	LC	LC	1	0	0.3		5	0.97	LC	LC	1	0	0.3	
Abutilon oxycarpum var. oxycarpum		0.00								0.00								0.00						
Acacia acanthoclada ssp. acanthoclada		0.00								0.00							2	1.43	RA d(i,ii)	RA	3	0	0.3	
Acacia adsurgens		0.00								0.00								0.00						
Acacia ammobia		0.00							2	100.00	VU D1 + D2	VU	4	DD	0	only 2 records for SA; outliers		0.00						
Acacia aneura var. aneura	17	3.52	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	15	3.11	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	5	1.04	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species
Acacia aneura var. intermedia	1	0.63	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species	4	2.52	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00						
Acacia aneura var. major		0.00							1	2.86	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00						
Acacia aneura var. microcarpa		0.00							1	2.94	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00						
Acacia aneura var. tenuis		0.00							1	2.63	LC	LC	1	0	0.3	taxonomic changes - all varieties will become species		0.00						
Acacia araneosa		0.00								0.00								0.00						
Acacia argyrophylla		0.00								0.00								0.00						
Acacia ayersiana	1	3.13	LC	LC	1	0	0.3	taxonomic changes, mixed with A aneura		0.00								0.00						
Acacia barattensis		0.00								0.00								0.00						
Acacia basedowii	24	82.76	LC	LC	1	0	0.3			0.00							3	10.34	VU D2	VU	4	DD	0	on isolated inselberg on Mt Lindsay; could be Rare; likely Stable
Acacia beckleri ssp. megasphaerica		0.00								0.00								0.00						
Acacia brachystachya	3	2.33	LC	LC	1	0	0.3			0.00								0.00						
Acacia burkittii		0.00								0.00								0.00						
Acacia calamifolia		0.00								0.00								0.00						
Acacia calcicola	1	0.66	RA d(i,ii)	RA	3	DD	0		4	2.63	NT	NT	2	DD	0			0.00						
Acacia cambagei		0.00								0.00								0.00						
Acacia carneorum		0.00								0.00								0.00						
Acacia clelandii	1	1.92	LC	LC	1	0	0.3	taxonomic issues		0.00							1	1.92	LC	LC	1	0	0.3	taxonomic issues
Acacia confluens		0.00								0.00								0.00						
Acacia continua		0.00								0.00								0.00						
Acacia cyperophylla var. cyperophylla		0.00								0.00								0.00						
Acacia dictyophleba		0.00								0.00								0.00						
Acacia elachantha		0.00								0.00								0.00						
Acacia estrophiolata	46	35.94	LC	LC	1	0	0.3		24	18.75	LC	LC	1	0	0.3			0.00						
Acacia georginae		0.00								0.00								0.00						
Acacia hakeoides		0.00								0.00								0.00						
Acacia havilandiorum		0.00								0.00								0.00						
Acacia helmsiana		0.00								0.00								0.00						
Acacia inaequilatera	1	100.00	RA d(i,ii)	RA	3	DD	0	only record in SA; southern edge of range; outlier		0.00								0.00						
Acacia jennerae		0.00								0.00								0.00						
Acacia kempeana	62	14.25	LC	LC	1	0	0.3		13	2.99	LC	LC	1	0	0.3		9	2.07	LC	LC	1	0	0.3	
Acacia latzii		0.00								0.00								0.00						
Acacia ligulata	70	2.38	LC	LC	1	0	0.3		31	1.05	LC	LC	1	0	0.3		30	1.02	LC	LC	1	0	0.3	
Acacia maitlandii	14	17.95	NT	NT	2	0	0.3	on ranges & sand plains		0.00							3	3.85	LC	LC	1	0	0.3	on ranges & sand plains
Acacia melleodora	12	28.57	LC	LC	1	0	0.3			0.00							2	4.76	LC	LC	1	0	0.3	
Acacia menzelii		0.00								0.00								0.00						
Acacia minyura	4	2.30	RA d(ii)	RA	3	0	0.3	limited habitat	7	4.02	LC	LC	1	0	0.3	taxonomic issues with other mulgas	11	6.32	LC	LC	1	0	0.3	taxonomic issues with other mulgas
Acacia murrayana	33	6.82	LC	LC	1	0	0.3		6	1.24	LC	LC	1	0	0.3		1	0.21	NT	NT	2	0	0.3	
Acacia notabilis		0.00								0.00								0.00						
Acacia nyssophylla	3	0.33	RA d(ii)	RA	3	0	0.3			0.00							1	0.11	RA d(i,ii)	RA	3	0	0.3	
Acacia olgana	19	15.45	NT	NT	2	0	0.3	has had a name change; likes granites	39	31.71	LC	LC	1	0	0.3	has had a name change; likes granites	34	27.64	NT	NT	2	0	0.3	has had a name change; likes granites
Acacia oswaldii	8	0.39	NT	NT	2	0	0.3	lots of northern records will become A sessiliseps	5	0.24	LC	LC	1	0	0.3	grazed by camels	1	0.05	NT	NT	2	0	0.3	lots of northern records will become A sessiliseps
Acacia pachyacra	11	20.37	LC	LC	1	0	0.3	sand plain sp.		0.00							22	40.74	LC	LC	1	0	0.3	sand plain sp.
Acacia papyrocarpa		0.00								0.00								0.00						
Acacia paradoxa		0.00								0.00								0.00						
Acacia paraneura	3	7.50	NE	NE	-1			taxonomic issues, will be split into 2	3	7.50	NE	NE	-1			taxonomic issues, will be split into 2	1	2.50	NE	NE	-1			taxonomic issues, will be split into 2
Acacia pickardii		0.00								0.00								0.00						
Acacia prainii		0.00								0.00							10	10.00	LC	LC	1	0	0.3	sand plain sp.
Acacia pravifolia		0.00								0.00								0.00						
Acacia pruinocarpa	6	46.15	RA d(i,ii)	RA	3	0	0.3	likes sandy, rocky plains & limestone; localised		0.00								0.00						
Acacia pycnantha		0.00								0.00								0.00						
Acacia quornensis		0.00								0.00								0.00						
Acacia ramulosa var. linophylla		0.00							1	0.38	NE	NE	-1			some taxonomic issues; common on dunes		0.00						
Acacia ramulosa var. ramulosa		0.00								0.00								0.00						
Acacia rhodophloia		0.00								0.00								0.00						
Acacia rigens	2	0.20	RA d(i,ii)	RA	3	0	0.3	limited habitat		0.00							1	0.10	RA d(i,ii)	RA	3	0	0.3	limited habitat
Acacia rivalis		0.00								0.00								0.00						
Acacia salicina		0.00							2	0.35	RA d(i,ii)	RA	3	DD	0			0.00						
Acacia sericophylla	1	3.85	RA d(i,ii)	RA	3	DD	0			0.00							3	11.54	RA d(ii)	RA	3	DD	0	
Acacia sibirica	2	0.85	RA d(ii)	RA	3	DD	0		7	2.99	NT	NT	2	DD	0			0.00						
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)		#DIV/0!								#DIV/0!								#DIV/0!						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Acacia spooneri		0.00								0.00								0.00						
Acacia stenophylla		0.00								0.00								0.00						
Acacia strongylophylla	42	54.55	LC	LC	1	0	0.3	prickly	13	16.88	LC	LC	1	0	0.3	prickly	9	11.69	RA d(ii)	RA	3	0	0.3	prickly
Acacia symonii	5	16.13	RA d(ii)	RA	3	0	0.3	found on granites & creeklines; highly localised	3	9.68	VU D2	VU	4	0	0.3	found on granites & creeklines; highly localised	23	74.19	VU D2	VU	4	0	0.3	found on granites & creeklines; highly localised
Acacia tarculensis		0.00								0.00								0.00						
Acacia tenuior	10	100.00	RA d(ii)	RA	3	0	0.3	fire responsive		0.00								0.00						
Acacia tenuissima		0.00								0.00								0.00						
Acacia tetragonophylla	59	2.88	LC	LC	1	0	0.3		38	1.85	LC	LC	1	0	0.3		18	0.88	LC	LC	1	0	0.3	
Acacia validinervia	15	62.50	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Acacia victoriae ssp. arida	3	3.57	NE	NE	-1			taxonomic issues	8	9.52	NE	NE	-1			taxonomic issues		0.00						
Acacia victoriae ssp. victoriae	12	0.81	LC	LC	1	0	0.3		2	0.14	NT	NT	2	0	0.3			0.00						
Acacia wilhelmiana		0.00								0.00								0.00						
Acaena echinata		0.00								0.00								0.00						
Acaena novae-zelandiae		0.00								0.00								0.00						
Actinobole uliginosum	20	1.53	LC	LC	1	0	0.3	buffel grass potential threat	6	0.46	LC	LC	1	0	0.3	buffel grass potential threat	3	0.23	LC	LC	1	0	0.3	buffel grass potential threat
Adriana tomentosa var. hookeri	6	17.65	LC	LC	1	0	0.3			0.00							5	14.71	LC	LC	1	0	0.3	
Aeschynomene indica		0.00								0.00								0.00						
Ajuga australis forma A (A.G.Spooner 9058)		0.00								0.00								0.00						
Alectryon oleifolius ssp. canescens		0.00								0.00								0.00						
Allocasuarina decaisneana	26	50.98	LC	LC	1	0	0.3			0.00								0.00						
Allocasuarina helmsii		0.00								0.00							4	4.26	RA d(i,ii)	RA	3	DD	0	highly localised; likes good soils
Allocasuarina muelleriana ssp. alticola		0.00								0.00								0.00						
Allocasuarina muelleriana ssp. muelleriana		0.00								0.00								0.00						
Allocasuarina verticillata		0.00								0.00								0.00						
Alternanthera angustifolia		0.00							3	3.16	NT	NT	2	0	0.3	ephemeral in SA		0.00						
Alternanthera denticulata		0.00							2	0.55	LC	LC	1	0	0.3			0.00						
Alternanthera nana	1	6.25	NT	NT	2	0	0.3		2	12.50	NT	NT	2	0	0.3			0.00						
Alternanthera nodiflora		0.00							1	0.47	RA d(ii)	RA	3	0	0.3			0.00						
Aluta maisonneuvei ssp. auriculata		0.00								0.00							3	5.26	LC	LC	1	0	0.3	
Aluta maisonneuvei ssp. maisonneuvei	4	6.90	LC	LC	1	0	0.3			0.00							5	8.62	LC	LC	1	0	0.3	
Alyogyne hakeifolia		0.00								0.00								0.00						
Alyogyne pinoniana var. pinoniana	12	13.04	LC	LC	1	0	0.3	fire responsive		0.00							18	19.57	LC	LC	1	0	0.3	fire responsive
Amaranthus centralis	2	28.57	DD	DD	0	DD	0	records on loan & not databased; undercollected also		0.00							1	14.29	DD	DD	0	DD	0	records on loan & not databased; undercollected also
Amaranthus cuspidifolius	10	30.30	LC	LC	1	0	0.3	records on loan	3	9.09	NT	NT	2	0	0.3	records on loan	2	6.06	NT	NT	2	0	0.3	records on loan
Amaranthus grandiflorus		0.00								0.00								0.00						
Amaranthus interruptus	4	16.00	RA d(ii)	RA	3	0	0.3		1	4.00	RA d(ii)	RA	3	0	0.3		3	12.00	RA d(ii)	RA	3	0	0.3	
Amaranthus macrocarpus var. macrocarpus		0.00								0.00								0.00						
Amaranthus mitchellii	5	5.05	LC	LC	1	0	0.3	dislikes saline ground	3	3.03	LC	LC	1	0	0.3	dislikes saline ground	2	2.02	LC	LC	1	0	0.3	dislikes saline ground
Ammannia multiflora		0.00								0.00								0.00						
Amphibromus nervosus		0.00								0.00								0.00						
Amphipogon caricinus var. caricinus	15	2.57	LC	LC	1	0	0.3			0.00							16	2.74	LC	LC	1	0	0.3	
Amyema fitzgeraldii		0.00								0.00								0.00						
Amyema gibberula var. gibberula	14	28.57	LC	LC	1	0	0.3	dependent on grevilleas & hakeas - host trees which ar	1	2.04	NT	NT	2	0	0.3	dependent on grevilleas & hakeas - host trees which are declin		0.00						
Amyema hilliana	pecimens, in rem	RA (i,ii)	RA	3	DD	0	(no records) rarest mistletoe in SA; host - ironwood; 2 specimens, in remote areas with limited access; poorly collected										0.00							
Amyema linophylla ssp. orientale		0.00								0.00								0.00						
Amyema maidenii ssp. maidenii	33	5.48	LC	LC	1	0	0.3		32	5.32	LC	LC	1	0	0.3		7	1.16	LC	LC	1	0	0.3	
Amyema miquelii	10	0.64	LC	LC	1	0	0.3			0.00							2	0.13	LC	LC	1	0	0.3	
Amyema miraculosa ssp. boormanii	1	0.34	RA d(i,ii)	RA	3	0	0.3	hosts: Myoporums, Santalacaea		0.00								0.00						
Amyema preissii	28	2.90	LC	LC	1	0	0.3		3	0.31	LC	LC	1	0	0.3		2	0.21	LC	LC	1	0	0.3	
Amyema quandang var. quandang		0.00								0.00								0.00						
Amyema sanguinea var. sanguinea	7	46.67	RA d(ii)	RA	3	DD	0	host: Bloodwoods		0.00							8	53.33	RA d(ii)	RA	3	DD	0	host: Bloodwoods
Anacampseros australiana		0.00								0.00								0.00						
Anemocarpa podolepidium		0.00							2	0.66	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Anemocarpa saxatilis	6	10.53	RA d(ii)	RA	3	0	0.3	likes rocks & sand dunes	1	1.75	RA d(ii)	RA	3	0	0.3	likes rocks & sand dunes		0.00						
Angianthus brachypappus		0.00								0.00								0.00						
Angianthus glabratus		0.00								0.00								0.00						
Angianthus tomentosus		0.00								0.00								0.00						
Anogramma leptophylla		0.00							1	0.91	DD	DD	0	DD	0	possibly extinct		0.00						
Anthocercis angustifolia		0.00								0.00								0.00						
Apium prostratum var. filiforme		0.00								0.00								0.00						
Arabidella eremigena		0.00								0.00								0.00						
Arabidella filifolia		0.00								0.00								0.00						
Arabidella glaucescens		0.00							3	1.45	LC	LC	1	0	0.3			0.00						
Arabidella nasturtium		0.00								0.00								0.00						
Arabidella procumbens		0.00								0.00								0.00						
Arabidella trisecta	13	2.21	LC	LC	1	0	0.3	likes rocky outcrops	3	0.51	LC	LC	1	0	0.3	likes rocky outcrops		0.00						
Aristida anthoxanthoides		0.00							3	1.71	LC	LC	1	0	0.3	short-lived; seasonal		0.00						
Aristida arida		0.00								0.00								0.00						
Aristida behriana		0.00								0.00								0.00						
Aristida biglandulosa		0.00								0.00								0.00						
Aristida capillifolia	6	12.24	LC	LC	1	0	0.3			0.00								0.00						
Aristida contorta	87	4.36	LC	LC	1	0	0.3		40	2.01	LC	LC	1	0	0.3		24	1.20	LC	LC	1	0	0.3	
Aristida holathera var. holathera	53	5.82	LC	LC	1	0	0.3		14	1.54	LC	LC	1	0	0.3		26	2.86	LC	LC	1	0	0.3	tolerates grazing

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Aristida inaequiglumis	1	4.00	RA d(ii)	RA	3	DD	0		2	8.00	RA d(ii)	RA	3	DD	0			0.00						
Aristida jerichoensis var. subspinulifera		0.00								0.00								0.00						
Aristida latifolia	6	5.45	RA d(ii)	RA	3	DD	0	stony, gibber habitat	1	0.91	RA d(ii)	RA	3	DD	0	stony, gibber habitat		0.00						
Aristida nitidula	44	7.04	LC	LC	1	0	0.3	likes stony ranges	9	1.44	LC	LC	1	0	0.3	likes stony ranges	19	3.04	LC	LC	1	0	0.3	likes stony ranges
Aristida obscura	3	21.43	NT	NT	2	0	0.3			0.00								0.00						
Aristida personata		0.00								0.00								0.00						
Aristida strigosa		0.00							1	1.67	LC	LC	1	0	0.3			0.00						
Arthropodium minus		0.00								0.00								0.00						
Arthropodium strictum	9	0.38	RA d(ii)	RA	3	0	0.3		7	0.29	RA d(i,ii)	RA	3	0	0.3		5	0.21	RA d(i,ii)	RA	3	0	0.3	
Asperula conferta		0.00								0.00								0.00						
Asperula gemella		0.00								0.00								0.00						
Asteridea athrixioides forma athrixioides		0.00								0.00								0.00						
Astrebla lappacea		0.00								0.00								0.00						
Astrebla pectinata	5	0.68	RA d(i,ii)	RA	3	DD	0	outliers	3	0.41	LC	LC	1	0	0.3			0.00						
Astroloma humifusum		0.00								0.00								0.00						
Atalaya hemiglauca		0.00								0.00								0.00						
Atriplex acutibractea ssp. acutibractea		0.00							1	0.35						Introduced		0.00						
Atriplex acutibractea ssp. karoniensis		0.00								0.00								0.00						
Atriplex acutiloba		0.00								0.00								0.00						
Atriplex angulata		0.00								0.00								0.00						
Atriplex cordifolia		0.00								0.00								0.00						
Atriplex crassipes var. crassipes		0.00								0.00								0.00						
Atriplex eardleyae		0.00								0.00								0.00						
Atriplex eichleri		0.00								0.00								0.00						
Atriplex elachophylla	33	27.50	LC	LC	1	0	0.3		17	14.17	LC	LC	1	0	0.3		10	8.33	LC	LC	1	0	0.3	
Atriplex fissivalvis		0.00								0.00								0.00						
Atriplex holocarpa	9	0.94	LC	LC	1	0	0.3		6	0.63	LC	LC	1	0	0.3			0.00						
Atriplex humifusa		0.00								0.00								0.00						
Atriplex incrassata		0.00								0.00								0.00						
Atriplex intermedia		0.00								0.00								0.00						
Atriplex kochiana		0.00								0.00								0.00						
Atriplex leptocarpa		0.00								0.00								0.00						
Atriplex limbata	8	1.87	NT	NT	2	DD	0		4	0.93	LC	LC	1	0	0.3			0.00						
Atriplex lindleyi ssp. conduplicata		0.00								0.00								0.00						
Atriplex lindleyi ssp. inflata		0.00								0.00								0.00						
Atriplex lindleyi ssp. lindleyi		0.00								0.00								0.00						
Atriplex lindleyi ssp. quadripartita		0.00								0.00								0.00						
Atriplex lobativalvis		0.00							2	3.45	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Atriplex macropterocarpa		0.00								0.00								0.00						
Atriplex morrisii		0.00								0.00								0.00						
Atriplex muelleri		0.00								0.00								0.00						
Atriplex nummularia ssp. nummularia	10	5.35	LC	LC	1	0	0.3		4	2.14	LC	LC	1	0	0.3			0.00						
Atriplex nummularia ssp. omissa		0.00								0.00								0.00						
Atriplex obconica		0.00								0.00								0.00						
Atriplex papillata		0.00								0.00								0.00						
Atriplex pseudocampanulata		0.00								0.00								0.00						
Atriplex pumilio		0.00								0.00								0.00						
Atriplex quadrivalvata var. quadrivalvata		0.00								0.00								0.00						
Atriplex quadrivalvata var. sessilifolia		0.00								0.00								0.00						
Atriplex quinii		0.00								0.00								0.00						
Atriplex semibaccata		0.00								0.00								0.00						
Atriplex spongiosa	1	0.14	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Atriplex stipitata		0.00							1	0.09	NT	NT	2	0	0.3	mallee sp.		0.00						
Atriplex suberecta		0.00								0.00								0.00						
Atriplex turbinata		0.00								0.00								0.00						
Atriplex velutinella		0.00								0.00								0.00						
Atriplex vesicaria ssp. calcicola		0.00								0.00								0.00						
Atriplex vesicaria ssp. variabilis		0.00								0.00								0.00						
Austrobryonia micrantha		0.00								0.00								0.00						
Austrodanthonia auriculata		0.00								0.00								0.00						
Austrodanthonia caespitosa	2	0.05	RA d(i,ii)	RA	3	DD	0	outliers		0.00								0.00						
Austrodanthonia eriantha		0.00								0.00								0.00						
Austrodanthonia setacea		0.00								0.00								0.00						
Austrostipa acrociliata		0.00								0.00								0.00						
Austrostipa blackii		0.00								0.00								0.00						
Austrostipa breviglumis		0.00								0.00								0.00						
Austrostipa densiflora		0.00								0.00								0.00						
Austrostipa drummondii		0.00								0.00								0.00						
Austrostipa elegantissima		0.00								0.00								0.00						
Austrostipa eremophila	1	0.07	RA d(ii)	RA	3	DD	0			0.00								0.00						
Austrostipa flavescens		0.00								0.00								0.00						
Austrostipa hemipogon		0.00								0.00								0.00						
Austrostipa nitida	27	0.85	LC	LC	1	0	0.3		6	0.19	LC	LC	1	0	0.3		7	0.22	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Austrostipa nodosa		0.00							1	0.07	DD	DD	0	DD	0	outlier; odd record		0.00						
Austrostipa nullanulla		0.00								0.00								0.00						
Austrostipa petraea		0.00								0.00								0.00						
Austrostipa pilata		0.00								0.00								0.00						
Austrostipa platychaeta		0.00								0.00								0.00						
Austrostipa plumigera		0.00								0.00							2	6.25	RA d(ii)	RA	3	DD	0	undercollected; black-oak habitat; grazing a threat
Austrostipa scabra ssp. falcata		0.00								0.00								0.00						
Austrostipa scabra ssp. scabra	20	4.52	LC	LC	1	0	0.3		8	1.81	LC	LC	1	0	0.3		3	0.68	LC	LC	1	0	0.3	
Austrostipa setacea		0.00								0.00								0.00						
Austrostipa trichophylla	11	2.40	NT	NT	2	DD	0		3	0.66	NT	NT	2	DD	0		1	0.22	NT	NT	2	DD	0	
Austrostipa tuckeri		0.00								0.00								0.00						
Austrostipa vickeryana		0.00								0.00								0.00						
Azolla filiculoides		0.00								0.00								0.00						
Baeckea tuberculata		0.00							1	4.00	RA d(i,ii)	RA	3	DD	0	edge of range; limited habitat		0.00						
Basedowia tenerrima	10	55.56	RA d(i,ii)	RA	3	DD	0	restricted to higher slopes; endemic; buffel grass & fire	6	33.33	RA d(i,ii)	RA	3	DD	0	restricted to higher slopes; endemic; buffel grass & fire - threa		0.00						
Bauhinia gilva		0.00								0.00								0.00						
Baumea arthrophylla		0.00								0.00								0.00						
Baumea articulata		0.00								0.00								0.00						
Baumea juncea		0.00								0.00								0.00						
Bergia ammannioides		0.00								0.00								0.00						
Bergia diacheiron		0.00								0.00								0.00						
Bergia occultipetala		0.00							1	5.56	NT	NT	2	0	0.3			0.00						
Bergia pedicellaris		0.00								0.00								0.00						
Bergia perennis ssp. exigua		0.00							1	20.00	RA d(ii)	RA	3	DD	0			0.00						
Bergia trimera	4	3.39	LC	LC	1	0	0.3	comes & goes		0.00								0.00						
Beyeria lechenaultii		0.00								0.00								0.00						
Billardiera versicolor		0.00								0.00								0.00						
Blennodia canescens		0.00							12	18.46	LC	LC	1	0	0.3			0.00						
Blennodia pterosperma		0.00								0.00								0.00						
Blennospora drummondii		0.00								0.00								0.00						
Boerhavia coccinea	20	11.76	LC	LC	1	0	0.3		5	2.94	LC	LC	1	0	0.3		3	1.76	LC	LC	1	0	0.3	
Boerhavia dominii	1	0.14	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance	2	0.28	LC	LC	1	+	0.2	weedy spp; comes up on roadsides; likes disturbance		0.00						
Boerhavia repleta	2	16.67	RA d(ii)	RA	3	DD	0	very little known, genus under review		0.00								0.00						
Boerhavia schomburgkiana	10	3.16	LC	LC	1	0	0.3	undercollected; grows in summer	2	0.63	LC	LC	1	0	0.3	undercollected; grows in summer		0.00						
Bolboschoenus caldwellii		0.00								0.00								0.00						
Bonamia deserticola		0.00								0.00								0.00						
Bonamia erecta	23	38.98	LC	LC	1	0	0.3			0.00							8	13.56	LC	LC	1	0	0.3	
Bonamia media		0.00								0.00								0.00						
Bothriochloa ewartiana	8	16.00	LC	LC	1	0	0.3			0.00								0.00						
Bothriochloa macra	1	0.93	RA d(i,ii)	RA	3	DD	0	questionable ID		0.00								0.00						
Brachiaria gilesii	1	7.69	LC	LC	1	0	0.3	undercollected, ephemeral, rain dependent		0.00								0.00						
Brachiaria notochthona		0.00								0.00								0.00						
Brachiaria piligera	3	5.88	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral	4	7.84	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral	2	3.92	LC	LC	1	0	0.3	undercollected, creeklines, ephemeral
Brachiaria praetervisa	1	0.70	LC	LC	1	0	0.3	likes flooded areas; ephemeral		0.00								0.00						
Brachyachne ciliaris		0.00								0.00								0.00						
Brachychiton gregorii	19	27.54	NT	NT	2	0	0.3		1	1.45	DD	DD	0	DD	0	1 record, highly unlikely	6	8.70	NT	NT	2	0	0.3	
Brachyscome blackii	10	38.46	LC	LC	1	0	0.3	buffel grass potential threat		0.00							12	46.15	LC	LC	1	0	0.3	buffel grass potential threat
Brachyscome campylocarpa		0.00								0.00								0.00						
Brachyscome ciliaris var. ciliaris	8	0.74	LC	LC	1	0	0.3		20	1.85	LC	LC	1	0	0.3		7	0.65	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lanuginosa	53	8.98	LC	LC	1	0	0.3		17	2.88	LC	LC	1	0	0.3		10	1.69	LC	LC	1	0	0.3	
Brachyscome ciliaris var. lyrifolia		0.00								0.00								0.00						
Brachyscome ciliaris var. subintegrifolia		0.00								0.00								0.00						
Brachyscome debilis		0.00								0.00								0.00						
Brachyscome dentata		0.00								0.00								0.00						
Brachyscome dichromosomatica var. dichromosomatica		0.00								0.00								0.00						
Brachyscome eriogona		0.00								0.00								0.00						
Brachyscome iberidifolia	6	4.32	LC	LC	1	0	0.3	undercollected	6	4.32	LC	LC	1	0	0.3		5	3.60	LC	LC	1	0	0.3	
Brachyscome lineariloba		0.00								0.00								0.00						
Brachyscome perpusilla		0.00								0.00								0.00						
Brachyscome rara		0.00								0.00								0.00						
Brachyscome tesquorum	5	21.74	RA d(i,ii)	RA	3	DD	0		1	4.35	RA d(i,ii)	RA	3	DD	0			0.00						
Brachyscome trachycarpa		0.00								0.00								0.00						
Bromus arenarius	4	1.05	NT	NT	2	0	0.3		2	0.52	NT	NT	2	0	0.3			0.00						
Brunonia australis	2	0.31	NT	NT	2	0	0.3		4	0.62	NT	NT	2	0	0.3		7	1.08	LC	LC	1	0	0.3	
Bulbine alata		0.00							3	0.98	LC	LC	1	0	0.3			0.00						
Bulbine bulbosa		0.00								0.00								0.00						
Bulbine semibarbata		0.00								0.00							5	0.47	LC	LC	1	0	0.3	
Bulbostylis barbata	2	6.67	NT	NT	2	0	0.3	common after summer rain; ephemeral	1	3.33	NT	NT	2	0	0.3	common after summer rain; ephemeral		0.00						
Bulbostylis pyriformis																								
Bulbostylis turbinata		0.00								0.00								0.00						
Bursaria spinosa ssp. lasiophylla		0.00								0.00								0.00						
Bursaria spinosa ssp. spinosa		0.00								0.00								0.00						
Caladenia capillata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Caladenia toxochila		0.00								0.00								0.00						
Calandrinia balonensis	10	9.52	LC	LC	1	0	0.3		2	1.90	NT	NT	2	0	0.3		2	1.90	NT	NT	2	0	0.3	
Calandrinia corrigioloides		0.00								0.00								0.00						
Calandrinia disperma	1	2.17	NT	NT	2	0	0.3			0.00								0.00						
Calandrinia eremaea	15	1.15	LC	LC	1	0	0.3		11	0.84	LC	LC	1	0	0.3		4	0.31	LC	LC	1	0	0.3	
Calandrinia granulifera		0.00								0.00								0.00						
Calandrinia polyandra var. polyandra	5	4.67	LC	LC	1	0	0.3			0.00							16	14.95	LC	LC	1	0	0.3	
Calandrinia ptychosperma		0.00							1	0.92	NT	NT	2	DD	0		3	2.75	NT	NT	2	DD	0	
Calandrinia pumila		0.00								0.00								0.00						
Calandrinia remota	2	2.04	NT	NT	2	DD	0	could be more records on loan & not databased	1	1.02	NT	NT	2	DD	0	could be more records on loan & not databased		0.00						
Calandrinia reticulata	5	12.20	LC	LC	1	0	0.3		4	9.76	NT	NT	2	0	0.3			0.00						
Calandrinia stagnensis		0.00								0.00								0.00						
Calandrinia volubilis		0.00								0.00								0.00						
Callistemon teretifolius		0.00								0.00								0.00						
Callitriche sonderi		0.00								0.00								0.00						
Callitris glaucophylla	44	3.81	LC	LC	1	0	0.3		6	0.52	NT	NT	2	0	0.3	scattered trees	30	2.60	LC	LC	1	0	0.3	
Callitris verrucosa		0.00								0.00								0.00						
Calocephalus citreus		0.00								0.00								0.00						
Calocephalus knappii	6	11.32	RA d(ii)	RA	3	DD	0			0.00							2	3.77	RA d(ii)	RA	3	DD	0	
Calocephalus platycephalus	23	6.63	LC	LC	1	0	0.3		13	3.75	LC	LC	1	0	0.3		7	2.02	LC	LC	1	0	0.3	
Calostemma abdicatum		0.00							23	95.83	RA d(i,ii)	RA	3	0	0.3	grows in cracks & run-off		0.00						
Calostemma luteum		0.00								0.00								0.00						
Calostemma purpureum		0.00								0.00								0.00						
Calotis ancyrocarpa		0.00								0.00								0.00						
Calotis cymbacantha	2	0.60	LC	LC	1	0	0.3		3	0.90	LC	LC	1	0	0.3			0.00						
Calotis erinacea	3	0.68	LC	LC	1	0	0.3			0.00							1	0.23	LC	LC	1	0	0.3	
Calotis hispidula	43	2.03	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	22	1.04	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance	20	0.94	LC	LC	1	++	0.1	increase due to pastoralism; likes disturbance
Calotis kempei	7	29.17	RA d(i,ii)	RA	3	DD	0	highly resistent to grazing		0.00								0.00						
Calotis lappulacea		0.00								0.00								0.00						
Calotis latiuscula	35	22.29	LC	LC	1	DD	0	buffel grass potential threat	7	4.46	LC	LC	1	DD	0	buffel grass potential threat		0.00						
Calotis multicaulis		0.00							3	1.85	NT	NT	2	DD	0		2	1.23	NT	NT	2	DD	0	
Calotis plumulifera	11	2.66	LC	LC	1	0	0.3		7	1.69	LC	LC	1	0	0.3			0.00						
Calotis porphyroglossa		0.00								0.00								0.00						
Calotis scabiosifolia var. scabiosifolia		0.00								0.00								0.00						
Calytrix carinata	2	13.33	LC	LC	1	0	0.3	dune spp; not frequently collected		0.00							4	26.67	LC	LC	1	0	0.3	dune spp; not frequently collected
Calytrix gypsophila		0.00								0.00								0.00						
Calytrix tetragona		0.00								0.00								0.00						
Capparis mitchellii		0.00								0.00								0.00						
Carex appressa		0.00								0.00								0.00						
Carex bichenoviana		0.00								0.00								0.00						
Carex breviculmis		0.00								0.00								0.00						
Carex gaudichaudiana		0.00								0.00								0.00						
Carex inversa var. major		0.00								0.00								0.00						
Carex tereticaulis		0.00								0.00								0.00						
Carinavalva glauca		0.00								0.00								0.00						
Cassinia arcuata		0.00								0.00								0.00						
Cassinia complanata		0.00								0.00								0.00						
Cassinia laevis	20	2.37	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Cassytha flindersii		0.00								0.00								0.00						
Casuarina pauper		0.00								0.00							3	0.18	LC	LC	1	0	0.3	
Centella asiatica		0.00								0.00								0.00						
Centipeda crateriformis ssp. compacta		0.00								0.00								0.00						
Centipeda crateriformis ssp. crateriformis		0.00								0.00								0.00						
Centipeda cunninghamii		0.00								0.00								0.00						
Centipeda minima ssp. minima		0.00							1	1.67	RA d(i,ii)	RA	3	DD	0			0.00						
Centipeda nidiformis		0.00								0.00								0.00						
Centipeda pleiocephala		0.00							1	4.00	NT	NT	2	DD	0	poorly collected & understood, ephemeral		0.00						
Centipeda thespidioides	1	0.52	LC	LC	1	0	0.3		2	1.04	LC	LC	1	0	0.3			0.00						
Centrolepis aristata		0.00								0.00								0.00						
Centrolepis cephaloformis ssp. cephaloformis		0.00								0.00								0.00						
Centrolepis eremica	1	2.70	NT	NT	2	0	0.3		1	2.70	NT	NT	2	0	0.3		3	8.11	NT	NT	2	0	0.3	
Centrolepis polygyna		0.00								0.00								0.00						
Centrolepis strigosa ssp. strigosa		0.00								0.00								0.00						
Cephalipterum drummondii		0.00							1	0.56	RA d(i,ii)	RA	3	DD	0	edge of range; little known here		0.00						
Cheilanthes austrotenuifolia		0.00								0.00								0.00						
Cheilanthes distans		0.00								0.00								0.00						
Cheilanthes lasiophylla	56	5.33	LC	LC	1	0	0.3		22	2.10	LC	LC	1	0	0.3		21	2.00	LC	LC	1	0	0.3	
Cheilanthes sieberi ssp. pseudovellea	2	11.76	RA d(i,ii)	RA	3	DD	0	likes rich soils		0.00								0.00						
Cheilanthes sieberi ssp. sieberi	36	5.16	LC	LC	1	0	0.3		25	3.58	LC	LC	1	0	0.3		23	3.30	LC	LC	1	0	0.3	
Chenopodium auricomum		0.00								0.00								0.00						
Chenopodium curvispicatum	2	0.26	RA d(ii)	RA	3	DD	0			0.00								0.00						
Chenopodium desertorum ssp. anidiophyllum	29	20.00	LC	LC	1	0	0.3	on creeklines	3	2.07	LC	LC	1	0	0.3	on creeklines	2	1.38	LC	LC	1	0	0.3	on creeklines
Chenopodium desertorum ssp. desertorum	12	1.66	LC	LC	1	0	0.3		2	0.28	LC	LC	1	0	0.3		2	0.28	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Chenopodium desertorum ssp. microphyllum		0.00								0.00								0.00						
Chenopodium desertorum ssp. rectum	7	5.98	LC	LC	1	0	0.3		2	1.71	NT	NT	2	0	0.3		1	0.85	LC	LC	1	0	0.3	
Chenopodium gaudichaudianum		0.00								0.00								0.00						
Chenopodium nitrariaceum		0.00							1	0.34	RA d(ii)	RA	3	0	0.3			0.00						
Chloris pectinata	1	0.74	RA d(ii)	RA	3	DD	0			0.00								0.00						
Chloris truncata		0.00								0.00								0.00						
Chrysocephalum apiculatum	33	2.86	LC	LC	1	0	0.3		3	0.26	LC	LC	1	0	0.3		5	0.43	LC	LC	1	0	0.3	
Chrysocephalum eremaeum	21	7.42	LC	LC	1	0	0.3		2	0.71	LC	LC	1	0	0.3		11	3.89	LC	LC	1	0	0.3	
Chrysocephalum pterochaetum	29	8.38	LC	LC	1	0	0.3		26	7.51	LC	LC	1	0	0.3		17	4.91	LC	LC	1	0	0.3	
Chrysocephalum semipapposum		0.00								0.00								0.00						
Chrysopogon fallax		0.00								0.00								0.00						
Chthonocephalus pseudevax	6	2.87	LC	LC	1	0	0.3		6	2.87	LC	LC	1	0	0.3		12	5.74	LC	LC	1	0	0.3	
Citrus glauca		0.00								0.00								0.00						
Cladium procerum		0.00								0.00								0.00						
Clematis decipiens	1	3.70	DD	DD	0	DD	0	query ID		0.00								0.00						
Clematis leptophylla		0.00								0.00								0.00						
Clematis microphylla		0.00								0.00								0.00						
Cleome viscosa	17	13.93	LC	LC	1	0	0.3	common roadside spp		0.00							2	1.64	LC	LC	1	0	0.3	common roadside spp
Codonocarpus cotinifolius	16	5.63	LC	LC	1	0	0.3			0.00							8	2.82	LC	LC	1	0	0.3	
Codonocarpus pyramidalis		0.00								0.00								0.00						
Comesperma viscidulum	2	7.41	RA d(ii)	RA	3	DD	0			0.00							4	14.81	RA d(ii)	RA	3	DD	0	
Commelina ensifolia	1	33.33	RA d(i,ii)	RA	3	DD	0	southern limit, northern species		0.00								0.00						
Commicarpus australis	4	2.92	RA d(i,ii)	RA	3	DD	0	rocky gorges & gullies	8	5.84	RA d(i,ii)	RA	3	DD	0	rocky gorges & gullies		0.00						
Convolvulus clementii	10	5.18	LC	LC	1	0	0.3		4	2.07	LC	LC	1	0	0.3			0.00						
Convolvulus crispifolius		0.00								0.00								0.00						
Convolvulus eyreanus		0.00								0.00								0.00						
Convolvulus microsepalus		0.00								0.00								0.00						
Convolvulus recurvatus ssp. nullarborensis		0.00								0.00								0.00						
Convolvulus recurvatus ssp. recurvatus		0.00								0.00								0.00						
Convolvulus remotus	16	0.92	LC	LC	1	0	0.3		6	0.34	LC	LC	1	0	0.3		2	0.11	NT	NT	2	0	0.3	
Convolvulus tedmoorei																								
Correa glabra var. turnbullii		0.00								0.00								0.00						
Corymbia eremaea ssp. eremaea	80	42.11	LC	LC	1	0	0.3		21	11.05	LC	LC	1	0	0.3		34	17.89	LC	LC	1	0	0.3	
Corymbia opaca	3	100.00	LC	LC	1	0	0.3	(no records) D Nicolle		0.00								0.00						
Corymbia terminalis		0.00								0.00								0.00						
Corynotheca micrantha var. divaricata		0.00								0.00							4	12.90	RA d(ii)	RA	3	DD	0	
Craspedia haplorrhiza		0.00								0.00								0.00						
Craspedia variabilis		0.00								0.00								0.00						
Crassula colligata ssp. lamprosperma		0.00								0.00								0.00						
Crassula colorata var. acuminata	1	0.08	LC	LC	1	0	0.3		5	0.42	LC	LC	1	0	0.3		9	0.76	LC	LC	1	0	0.3	
Crassula colorata var. colorata		0.00								0.00								0.00						
Crassula extrorsa		0.00								0.00								0.00						
Crassula peduncularis		0.00								0.00								0.00						
Crassula tetramera	6	3.59	LC	LC	1	0	0.3	records missing due to taxo changes	4	2.40	LC	LC	1	0	0.3	records missing due to taxo changes	9	5.39	LC	LC	1	0	0.3	records missing due to taxo changes
Cratystylis conocephala		0.00								0.00								0.00						
Cremnothamnus thomsonii		0.00							14	93.33	VU D2	VU	4	DD	0			0.00						
Cressa australis		0.00							2	0.77	RA d(i,ii)	RA	3	0	0.3	edge of range; likes clay, low-lying areas		0.00						
Crinum flaccidum		0.00								0.00								0.00						
Crotalaria cunninghamii ssp. sturtii		0.00	RA d(ii)	RA	3	0	0.3	(no records) edge of range		0.00							3	2.08	RA d(i,ii)	RA	3	0	0.3	edge of range
Crotalaria eremaea ssp. eremaea		0.00								0.00								0.00						
Crotalaria eremaea ssp. strehlowii	12	5.11	LC	LC	1	0	0.3		13	5.53	LC	LC	1	0	0.3		2	0.85	NT	NT	2	0	0.3	
Crotalaria medicaginea var. neglecta	1	12.50	RA d(ii)	RA	3	DD	0			0.00								0.00						
Crotalaria novae-hollandiae ssp. lasiophylla		0.00								0.00								0.00						
Crotalaria smithiana		0.00								0.00								0.00						
Cryptandra aridicola		0.00								0.00								0.00						
Cucumis maderaspatanus	45	14.24	LC	LC	1	0	0.3	now known as C argenteus	20	6.33	LC	LC	1	0	0.3	now known as C argenteus	11	3.48	LC	LC	1	0	0.3	now known as C argenteus
Cucumis melo		0.00								0.00								0.00						
Cullen australasicum	27	3.39	LC	LC	1	0	0.3		13	1.63	LC	LC	1	0	0.3		3	0.38	NT	NT	2	0	0.3	
Cullen cinereum		0.00								0.00								0.00						
Cullen discolor		0.00								0.00								0.00						
Cullen graveolens	ily	0.00	RA d(i,ii)	RA	3	DD	0	(no records, but would occur here)		0.00								0.00						
Cullen pallidum		0.00								0.00								0.00						
Cullen parvum		0.00								0.00								0.00						
Cullen patens	1	1.72	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Cuphonotus andraeanus		0.00							3	37.50	RA d(ii)	RA	3	0	0.3	likes rich red soils; locally common		0.00						
Cuphonotus humistratus		0.00								0.00								0.00						
Cuscuta victoriana	4	11.76	NT	NT	2	0	0.3	parasitic sp; very cryptic		0.00								0.00						
Cymbopogon ambiguus	38	3.76	LC	LC	1	0	0.3		7	0.69	LC	LC	1	0	0.3		10	0.99	LC	LC	1	0	0.3	
Cymbopogon obtectus	57	20.00	LC	LC	1	0	0.3		8	2.81	LC	LC	1	0	0.3		4	1.40	LC	LC	1	0	0.3	
Cynanchum floribundum		0.00								0.00								0.00						
Cynoglossum australe	17	3.88	LC	LC	1	0	0.3		6	1.37	LC	LC	1	0	0.3		7	1.60	LC	LC	1	0	0.3	
Cynoglossum suaveolens		0.00								0.00								0.00						
Cyperus alterniflorus		0.00							1	0.53	RA d(ii)	RA	3	0	0.3	in creeks with seepage		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461		0.00								0.00								0.00						
Cyperus bifax		0.00								0.00								0.00						
Cyperus bulbosus	2	1.19	RA d(ii)	RA	3	0	0.3	needs drainage lines	3	1.79	LC	LC	1	0	0.3	needs drainage lines		0.00						
Cyperus castaneus		0.00								0.00								0.00						
Cyperus centralis	18	24.66	NT	NT	2	0	0.3		19	26.03	NT	NT	2	0	0.3		23	31.51	NT	NT	2	0	0.3	
Cyperus concinnus		0.00								0.00								0.00						
Cyperus dactylotes		0.00								0.00								0.00						
Cyperus difformis	3	2.97	NT	NT	2	0	0.3			0.00								0.00						
Cyperus exaltatus		0.00								0.00								0.00						
Cyperus flaccidus		0.00							1	25.00	RA d(ii)	RA	3	DD	0	could be introduced		0.00						
Cyperus gilesii		0.00							1	2.44	RA d(i,ii)	RA	3	0	0.3			0.00						
Cyperus gymnocaulos	9	0.98	LC	LC	1	0	0.3		8	0.87	NT	NT	2	DD	0			0.00						
Cyperus iria		0.00							1	1.20	NT	NT	2	0	0.3			0.00						
Cyperus laevigatus		0.00							1	0.27	RA d(i,ii)	RA	3	0	0.3	needs permanent water		0.00						
Cyperus nervulosus		0.00								0.00								0.00						
Cyperus pygmaeus		0.00								0.00								0.00						
Cyperus rigidellus	2	1.71	NT	NT	2	0	0.3			0.00								0.00						
Cyperus squarrosus	3	3.75	NT	NT	2	0	0.3			0.00							2	2.50	NT	NT	2	0	0.3	
Cyperus vaginatus	23	4.71	NT	NT	2	0	0.3		4	0.82	NT	NT	2	0	0.3			0.00						
Cyperus victoriensis	7	3.55	NT	NT	2	0	0.3			0.00								0.00						
Dactyloctenium radulans	15	2.09	LC	LC	1	0	0.3		3	0.42	LC	LC	1	0	0.3			0.00						
Damasonium minus		0.00								0.00								0.00						
Dampiera cinerea		0.00								0.00								0.00						
Dampiera dysantha		0.00								0.00								0.00						
Dampiera roycei	2	100.00	RA d(i,ii)	RA	3	DD	0	in NT & WA; edge of range		0.00								0.00						
Darwinia salina		0.00								0.00								0.00						
Daucus glochidiatus	29	0.77	LC	LC	1	0	0.3		10	0.27	LC	LC	1	0	0.3		10	0.27	LC	LC	1	0	0.3	
Daviesia arenaria		0.00								0.00								0.00						
Daviesia benthamii ssp. humilis		0.00								0.00								0.00						
Daviesia genistifolia		0.00								0.00								0.00						
Daviesia leptophylla		0.00								0.00								0.00						
Daviesia stricta		0.00								0.00								0.00						
Daviesia ulicifolia ssp. aridicola		0.00								0.00								0.00						
Dentella pulvinata		0.00								0.00								0.00						
Deyeuxia quadriseta		0.00								0.00								0.00						
Dianella revoluta var. divaricata	5	2.07	NE	NE	-1			taxonomic issues		0.00								0.00						
Dianella revoluta var. revoluta		0.00								0.00								0.00						
Dichanthium sericeum ssp. humilius	2	1.74	LC	LC	1	0	0.3	ephemeral; tolerates disturbance		0.00								0.00						
Dichanthium sericeum ssp. sericeum	18	10.53	LC	LC	1	0	0.3	perennial		0.00								0.00						
Dichelachne crinita		0.00								0.00								0.00						
Dichelachne micrantha		0.00								0.00								0.00						
Dichondra repens		0.00								0.00								0.00						
Dichromochlamys dentatifolia		0.00							6	4.38	LC	LC	1	0	0.3			0.00						
Dicrastylis beveridgei var. beveridgei	2	4.35	RA d(ii)	RA	3	DD	0	prob stable		0.00							1	2.17	RA d(ii)	RA	3	DD	0	prob stable
Dicrastylis beveridgei var. lanata	2	1.89	RA d(ii)	RA	3	DD	0		1	0.94	RA d(ii)	RA	3	DD	0			0.00						
Dicrastylis costelloi var. costelloi		0.00								0.00								0.00						
Dicrastylis costelloi var. eriantha		0.00								0.00								0.00						
Dicrastylis costelloi var. globulifera		0.00								0.00								0.00						
Dicrastylis costelloi var. violacea		0.00								0.00								0.00						
Dicrastylis exsuccosa var. tomentosa		0.00								0.00							10	66.67	NT	NT	2	0	0.3	localised, edge of range
Dicrastylis gilesii var. bagotensis		0.00								0.00								0.00						
Dicrastylis lewellinii		0.00								0.00								0.00						
Digitaria ammophila	29	18.01	LC	LC	1	0	0.3		4	2.48	LC	LC	1	0	0.3		5	3.11	LC	LC	1	0	0.3	
Digitaria brownii	69	8.55	LC	LC	1	0	0.3		30	3.72	LC	LC	1	0	0.3		24	2.97	LC	LC	1	0	0.3	
Digitaria coenicola	23	15.03	LC	LC	1	0	0.3	likes rocky areas	3	1.96	RA d(ii)	RA	3	DD	0	likes rocky areas		0.00						
Digitaria ctenantha		0.00								0.00								0.00						
Dimorphocoma minutula		0.00								0.00								0.00						
Diplatia grandibractea		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. australasicus		0.00								0.00								0.00						
Dipteracanthus australasicus ssp. glabratus		0.00								0.00								0.00						
Disphyma crassifolium ssp. clavellatum		0.00							1	0.07	LC	LC	1	0	0.3	in lagoons & around lakes; undercollected; difficult to collect		0.00						
Dissocarpus biflorus var. biflorus		0.00							1	0.18	RA d(ii)	RA	3	0	0.3	edge of range		0.00						
Dissocarpus biflorus var. villosus		0.00								0.00								0.00						
Dissocarpus fontinalis		0.00								0.00								0.00						
Dissocarpus latifolius		0.00								0.00								0.00						
Dissocarpus paradoxus	18	1.32	LC	LC	1	0	0.3		7	0.51	LC	LC	1	0	0.3			0.00						
Distichlis distichophylla		0.00								0.00								0.00						
Dodonaea baueri		0.00								0.00								0.00						
Dodonaea lobulata		0.00								0.00								0.00						
Dodonaea microzyga var. microzyga		0.00							3	0.55	LC	LC	1	0	0.3		2	0.37	RA d(i,ii)	RA	3	DD	0	
Dodonaea petiolaris		0.00								0.00								0.00						
Dodonaea stenozyga		0.00								0.00								0.00						
Dodonaea viscosa ssp. angustissima	20	0.72	LC	LC	1	0	0.3		7	0.25	LC	LC	1	0	0.3		19	0.68	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Dodonaea viscosa ssp. mucronata	65	38.46	LC	LC	1	0	0.3		34	20.12	LC	LC	1	0	0.3		29	17.16	LC	LC	1	0	0.3	
Dodonaea viscosa ssp. spatulata	5	0.34	RA d(ii)	RA	3	DD	0		3	0.21	RA d(ii)	RA	3	DD	0		1	0.07	RA d(ii)	RA	3	DD	0	
Doodia caudata		0.00								0.00								0.00						
Drosera auriculata		0.00								0.00								0.00						
Drosera glanduligera		0.00								0.00								0.00						
Drosera indica		0.00								0.00								0.00						
Drosera macrantha ssp. planchonii		0.00								0.00								0.00						
Drosera peltata		0.00								0.00								0.00						
Duboisia hopwoodii	16	5.80	LC	LC	1	0	0.3		2	0.72	NT	NT	2	0	0.3		11	3.99	LC	LC	1	0	0.3	
Dysphania cristata	20	5.38	LC	LC	1	0	0.3		5	1.34	LC	LC	1	0	0.3		2	0.54	LC	LC	1	0	0.3	
Dysphania glomulifera ssp. eremaea	2	8.00	LC	LC	1	0	0.3	undercollected; ephemeral	1	4.00	LC	LC	1	0	0.3	undercollected; ephemeral	5	20.00	LC	LC	1	0	0.3	undercollected; ephemeral
Dysphania glomulifera ssp. glomulifera		0.00								0.00								0.00						
Dysphania kalpari		0.00								0.00								0.00						
Dysphania melanocarpa forma leucocarpa	2	25.00	NT	NT	2	0	0.3		2	25.00	NT	NT	2	0	0.3		2	25.00	NT	NT	2	0	0.3	
Dysphania melanocarpa forma melanocarpa	22	15.71	LC	LC	1	0	0.3		9	6.43	LC	LC	1	0	0.3		9	6.43	LC	LC	1	0	0.3	
Dysphania plantaginella	1	1.89	NT	NT	2	0	0.3	edge of range		0.00								0.00						
Dysphania platycarpa		0.00								0.00								0.00						
Dysphania pumilio		0.00								0.00								0.00						
Dysphania rhadinostachya ssp. rhadinostachya	6	27.27	LC	LC	1	0	0.3		5	22.73	LC	LC	1	0	0.3			0.00						
Dysphania simulans		0.00								0.00								0.00						
Dysphania truncata	2	4.35	LC	LC	1	0	0.3		1	2.17	NT	NT	2	0	0.3		1	2.17	NT	NT	2	0	0.3	
Echinochloa inundata	1	4.00	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Echinochloa turneriana		0.00								0.00								0.00						
Echinopogon caespitosus var. caespitosus		0.00								0.00								0.00						
Echinopogon ovatus		0.00								0.00								0.00						
Eclipta alatocarpa	1	5.00	RA d(i,ii)	RA	3	0	0.3	undercollected		0.00								0.00						
Eclipta platyglossa		0.00								0.00								0.00						
Einadia nutans ssp. eremaea	26	12.26	LC	LC	1	0	0.3		16	7.55	LC	LC	1	0	0.3		2	0.94	LC	LC	1	0	0.3	
Einadia nutans ssp. nutans	10	0.74	NT	NT	2	0	0.3			0.00								0.00						
Einadia nutans ssp. oxycarpa	3	11.54	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Elachanthus pusillus		0.00								0.00								0.00						
Elatine gratioloides	1	1.14	RA d(ii)	RA	3	DD	0			0.00							2	2.27	RA d(ii)	RA	3	DD	0	
Eleocharis acuta		0.00								0.00								0.00						
Eleocharis geniculata		0.00								0.00								0.00						
Eleocharis pallens		0.00							2	1.24	NT	NT	2	0	0.3			0.00						
Eleocharis papillosa		0.00								0.00								0.00						
Eleocharis plana		0.00								0.00								0.00						
Eleocharis pusilla		0.00							1	1.79	RA d(ii)	RA	3	DD	0	short-lived; undercollected		0.00						
Eleocharis sphacelata		0.00								0.00								0.00						
Elymus multiflorus var. multiflorus		0.00								0.00								0.00						
Elymus scaber var. scaber		0.00								0.00								0.00						
Elytrophorus spicatus	1	3.13	RA d(ii)	RA	3	DD	0			0.00								0.00						
Embadium johnstonii		0.00								0.00								0.00						
Embadium uncinatum		0.00							1	2.00	VU D2	VU	4	DD	0	outlier, granites		0.00						
Enchylaena tomentosa var. glabra		0.00								0.00								0.00						
Enchylaena tomentosa var. tomentosa	58	0.97	LC	LC	1	0	0.3		28	0.47	LC	LC	1	0	0.3		22	0.37	LC	LC	1	0	0.3	
Enneapogon avenaceus	54	3.09	LC	LC	1	0	0.3		18	1.03	LC	LC	1	0	0.3		3	0.17	LC	LC	1	0	0.3	
Enneapogon caerulescens	5	2.48	LC	LC	1	0	0.3		4	1.98	LC	LC	1	0	0.3		1	0.50	LC	LC	1	0	0.3	
Enneapogon cylindricus	14	1.35	LC	LC	1	0	0.3		4	0.38	LC	LC	1	0	0.3		1	0.10	LC	LC	1	0	0.3	
Enneapogon eremophilus	1	100.00	RA d(ii)	RA	3	DD	0	only record in SA; edge of range		0.00								0.00						
Enneapogon intermedius	6	12.00	NT	NT	2	0	0.3		1	2.00	NT	NT	2	0	0.3			0.00						
Enneapogon lindleyanus	1	1.92	RA d(ii)	RA	3	DD	0			0.00								0.00						
Enneapogon nigricans	16	2.29	LC	LC	1	0	0.3			0.00								0.00						
Enneapogon polyphyllus	100	7.86	LC	LC	1	0	0.3		36	2.83	LC	LC	1	0	0.3		30	2.36	LC	LC	1	0	0.3	
Enneapogon robustissimus	4	40.00	RA d(ii)	RA	3	DD	0	southern edge of range		0.00								0.00						
Enteropogon acicularis	2	0.81	RA d(ii)	RA	3	DD	0		6	2.43	NT	NT	2	DD	0			0.00						
Enteropogon ramosus	25	7.74	LC	LC	1	0	0.3		4	1.24	LC	LC	1	0	0.3		5	1.55	LC	LC	1	0	0.3	
Epaltes australis		0.00								0.00								0.00						
Epaltes cunninghamii		0.00								0.00								0.00						
Epilobium billardierianum ssp. intermedium		0.00								0.00								0.00						
Epilobium hirtigerum		0.00								0.00								0.00						
Eragrostis australasica		0.00							2	0.61	RA d(i,ii)	RA	3	DD	0			0.00						
Eragrostis basedowii		0.00							1	0.85	RA d(ii)	RA	3	DD	0	limited habitat		0.00						
Eragrostis confertiflora		0.00								0.00								0.00						
Eragrostis cumingii	1	100.00	RA d(ii)	RA	3	DD	0	taxonomic issues, prob more widespread in SA		0.00								0.00						
Eragrostis dielsii var. dielsii	11	1.68	LC	LC	1	0	0.3		9	1.38	LC	LC	1	0	0.3			0.00						
Eragrostis elongata	1	1.54	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Eragrostis eriopoda	8	1.03	LC	LC	1	0	0.3		8	1.03	LC	LC	1	0	0.3		44	5.65	LC	LC	1	0	0.3	
Eragrostis exigua		0.00								0.00								0.00						
Eragrostis falcata		0.00							2	1.11	NT	NT	2	DD	0	edge of range		0.00						
Eragrostis infecunda		0.00								0.00								0.00						
Eragrostis kennedyae	3	13.04	LC	LC	1	0	0.3	ephemeral; small grass, undercollected; plentiful after rain		0.00								0.00						
Eragrostis lacunaria	1	1.45	RA d(ii)	RA	3	DD	0	around lagoons, creeks, river systems	2	2.90	RA d(ii)	RA	3	DD	0	around lagoons, creeks, river systems		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Eragrostis laniflora	24	9.34	LC	LC	1	0	0.3		10	3.89	LC	LC	1	0	0.3		14	5.45	LC	LC	1	0	0.3	
Eragrostis lanipes		0.00								0.00								0.00						
Eragrostis leptocarpa	1	0.40	LC	LC	1	0	0.3		3	1.20	LC	LC	1	0	0.3		1	0.40	LC	LC	1	0	0.3	
Eragrostis parviflora	9	4.66	LC	LC	1	0	0.3		3	1.55	LC	LC	1	0	0.3		2	1.04	LC	LC	1	0	0.3	
Eragrostis pergracilis	2	3.57	NT	NT	2	DD	0		2	3.57	NT	NT	2	DD	0			0.00						
Eragrostis setifolia	11	0.92	LC	LC	1	0	0.3		3	0.25	LC	LC	1	0	0.3		6	0.50	LC	LC	1	0	0.3	
Eragrostis sp. Limestone (P.K.Latz 5921)		0.00								0.00								0.00						
Eragrostis speciosa	1	5.56	RA d(ii)	RA	3	DD	0			0.00								0.00						
Eragrostis tenellula	1	1.72	RA d(ii)	RA	3	DD	0		1	1.72	RA d(ii)	RA	3	DD	0			0.00						
Eragrostis xerophila	3	0.81	LC	LC	1	0	0.3		9	2.43	LC	LC	1	0	0.3			0.00						
Eremophea spinosa	7	17.95	LC	LC	1	0	0.3	likes red sand		0.00							1	2.56	LC	LC	1	0	0.3	likes red sand
Eremophila alternifolia	1	0.08	RA d(ii)	RA	3	0	0.3		1	0.08	RA d(ii)	RA	3	DD	0		1	0.08	RA d(ii)	RA	3	DD	0	
Eremophila arachnoides ssp. tenera		0.00								0.00							1	2.38	RA d(ii)	RA	3	DD	0	
Eremophila arenaria	1	2.86	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Eremophila battii		0.00								0.00								0.00						
Eremophila bignoniiflora		0.00								0.00								0.00						
Eremophila clarkei	3	6.12	RA d(ii)	RA	3	DD	0			0.00							2	4.08	RA d(ii)	RA	3	DD	0	
Eremophila dalyana		0.00								0.00								0.00						
Eremophila decussata		0.00								0.00								0.00						
Eremophila dendritica		0.00								0.00								0.00						
Eremophila deserti		0.00								0.00								0.00						
Eremophila duttonii	2	0.34	RA d(ii)	RA	3	DD	0		5	0.85	LC	LC	1	0	0.3			0.00						
Eremophila elderi	26	92.86	LC	LC	1	0	0.3			0.00								0.00						
Eremophila fallax		0.00								0.00								0.00						
Eremophila forrestii ssp. forrestii		0.00								0.00								0.00						
Eremophila forrestii ssp. viridis		0.00								0.00								0.00						
Eremophila freelingii	17	1.16	LC	LC	1	0	0.3		43	2.93	LC	LC	1	0	0.3			0.00						
Eremophila gibsonii	7	5.83	NT	NT	2	0	0.3			0.00							4	3.33	NT	NT	2	0	0.3	
Eremophila gilesii ssp. gilesii	7	3.55	LC	LC	1	0	0.3		3	1.52	NT	NT	2	0	0.3		37	18.78	LC	LC	1	0	0.3	
Eremophila glabra ssp. glabra	4	0.25	LC	LC	1	0	0.3		3	0.19	LC	LC	1	0	0.3		7	0.43	LC	LC	1	0	0.3	
Eremophila latrobei ssp. glabra	18	2.37	LC	LC	1	0	0.3		12	1.58	LC	LC	1	0	0.3		21	2.76	LC	LC	1	0	0.3	
Eremophila latrobei ssp. latrobei	11	7.53	LC	LC	1	0	0.3		18	12.33	LC	LC	1	0	0.3			0.00						
Eremophila longifolia	52	4.21	LC	LC	1	0	0.3		16	1.29	LC	LC	1	0	0.3		14	1.13	LC	LC	1	0	0.3	
Eremophila macdonnellii	2	0.80	LC	LC	1	0	0.3		5	2.00	LC	LC	1	0	0.3			0.00						
Eremophila macgillivrayi		0.00								0.00								0.00						
Eremophila maculata ssp. maculata	1	0.32	NT	NT	2	0	0.3		4	1.29	NT	NT	2	0	0.3			0.00						
Eremophila neglecta	6	2.99	NT	NT	2	DD	0		8	3.98	LC	LC	1	0	0.3			0.00						
Eremophila obovata ssp. obovata		0.00								0.00								0.00						
Eremophila oppositifolia ssp. angustifolia		0.00								0.00								0.00						
Eremophila oppositifolia ssp. oppositifolia		0.00								0.00								0.00						
Eremophila paisleyi ssp. glandulosa	1	3.13	RA d(i,ii)	RA	3	DD	0	old record	2	6.25	RA d(i,ii)	RA	3	DD	0	old records		0.00						
Eremophila paisleyi ssp. paisleyi		0.00								0.00								0.00						
Eremophila pentaptera		0.00								0.00								0.00						
Eremophila platythamnos ssp. exotrachys	8	9.52	LC	LC	1	0	0.3	sand plain spp	2	2.38	RA d(i,ii)	RA	3	DD	0	edge, limited habitat	8	9.52	LC	LC	1	0	0.3	sand plain spp
Eremophila polyclada		0.00								0.00								0.00						
Eremophila rotundifolia		0.00							3	1.20	RA d(i,ii)	RA	3	0	0.3	endemic to SA; edge of range		0.00						
Eremophila santalina		0.00								0.00								0.00						
Eremophila scoparia		0.00							1	0.08	RA d(i,ii)	RA	3	DD	0	outlier		0.00						
Eremophila serrulata	38	7.24	LC	LC	1	0	0.3		21	4.00	LC	LC	1	0	0.3		28	5.33	LC	LC	1	0	0.3	
Eremophila sturtii	2	0.44	RA d(ii)	RA	3	0	0.3		13	2.87	LC	LC	1	0	0.3		2	0.44	RA d(ii)	RA	3	0	0.3	edge of range
Eremophila subfloccosa ssp. glandulosa		0.00								0.00								0.00						
Eremophila subfloccosa ssp. lanata	1	0.83	VU D2	VU	4	DD	0	outlier		0.00								0.00						
Eremophila verrucosa ssp. verrucosa		0.00								0.00								0.00						
Eremophila willsii ssp. integrifolia	11	6.67	LC	LC	1	0	0.3		2	1.21	NT	NT	2	0	0.3		7	4.24	LC	LC	1	0	0.3	
Eremophila willsii ssp. willsii	3	6.52	NT	NT	2	DD	0			0.00							2	4.35	NT	NT	2	DD	0	
Eriachne aristidea		0.00								0.00								0.00						
Eriachne helmsii	19	7.48	LC	LC	1	0	0.3		13	5.12	LC	LC	1	0	0.3		11	4.33	LC	LC	1	0	0.3	
Eriachne mucronata	33	13.10	LC	LC	1	0	0.3	likes rocky outcrops	20	7.94	LC	LC	1	0	0.3	likes rocky outcrops	10	3.97	LC	LC	1	0	0.3	likes rocky outcrops
Eriachne ovata		0.00								0.00								0.00						
Eriachne pulchella ssp. pulchella	3	8.82	NT	NT	2	DD	0			0.00								0.00						
Erigeron sessilifolius		0.00								0.00								0.00						
Eriocaulon carsonii ssp. carsonii		0.00								0.00								0.00						
Eriochiton sclerolaenoides	3	0.18	LC	LC	1	0	0.3		4	0.24	LC	LC	1	0	0.3		3	0.18	NT	NT	2	0	0.3	
Eriochlamys behrii		0.00								0.00								0.00						
Eriochlamys eremaea	4	5.56	NT	NT	2	0	0.3		4	5.56	LC	LC	1	0	0.3			0.00						
Eriochloa australiensis		0.00								0.00								0.00						
Eriochloa crebra	3	13.04	NT	NT	2	DD	0		1	4.35	NT	NT	2	DD	0			0.00						
Eriochloa procera		0.00								0.00								0.00						
Eriochloa pseudoacrotricha		0.00								0.00								0.00						
Erodiophyllum elderi		0.00								0.00								0.00						
Erodium carolinianum	5	1.98	LC	LC	1	0	0.3	missing Bio-survey records		0.00								0.00	LC	LC	1	0	0.3	(no records) missing Bio-survey records
Erodium crinitum	41	3.71	LC	LC	1	0	0.3		15	1.36	LC	LC	1	0	0.3		16	1.45	LC	LC	1	0	0.3	
Erodium cygnorum	5	3.05	LC	LC	1	0	0.3		1	0.61	LC	LC	1	0	0.3		5	3.05	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Erodium janszii		0.00								0.00								0.00						
Eryngium plantagineum		0.00								0.00								0.00						
Eryngium supinum		0.00	DD	DD	0	DD	0	(no records) recorded as E vesiculosum		0.00	DD	DD	0	DD	0	(no records) recorded as E vesiculosum		0.00						
Eucalyptus camaldulensis ssp. arida		#DIV/0!	LC	LC	1	0	0.3	(NC records) E camaldulensis ssp arida		#DIV/0!								#DIV/0!	RA d(i)	RA	3	0	0.3	(NC records) E camaldulensis ssp arida
Eucalyptus camaldulensis ssp. minima		0.00								0.00								0.00						
Eucalyptus canescens ssp. beadellii		0.00								0.00								0.00						
Eucalyptus concinna		0.00								0.00								0.00						
Eucalyptus coolabah		0.00							2	0.37	RA d(i,ii)	RA	3	0	0.3			0.00						
Eucalyptus dumosa		0.00								0.00								0.00						
Eucalyptus flindersii		0.00								0.00								0.00						
Eucalyptus gamophylla	32	58.18	LC	LC	1	0	0.3			0.00							2	3.64	RA d(i)	RA	3	0	0.3	
Eucalyptus gillenii		0.00								0.00							15	65.22	RA d(i,ii)	RA	3	0	0.3	
Eucalyptus gillii		0.00								0.00								0.00						
Eucalyptus glomerosa	3	2.61	RA d(i,ii)	RA	3	0	0.3		2	1.74	RA d(i,ii)	RA	3	0	0.3	eastern edge of range	8	6.96	LC	LC	1	0	0.3	
Eucalyptus gongylocarpa		0.00								0.00							5	5.38	RA d(ii)	RA	3	DD	0	
Eucalyptus goniocalyx ssp. exposa		0.00								0.00								0.00						
Eucalyptus gracilis		0.00								0.00								0.00						
Eucalyptus gypsophila		0.00								0.00								0.00						
Eucalyptus intertexta	29	4.56	RA d(ii)	RA	3	0	0.3		45	7.08	RA d(ii)	RA	3	0	0.3		32	5.03	RA d(ii)	RA	3	0	0.3	
Eucalyptus largiflorens		0.00								0.00								0.00						
Eucalyptus leptophylla		0.00								0.00								0.00						
Eucalyptus mannensis ssp. mannensis	20	27.40	RA d(ii)	RA	3	0	0.3			0.00							7	9.59	RA d(ii)	RA	3	0	0.3	
Eucalyptus minnirritchi	8	100.00	VU D2	VU	4	0	0.3	highly localised; on top of rocky hills		0.00								0.00						
Eucalyptus odorata		0.00								0.00								0.00						
Eucalyptus oleosa ssp. oleosa		#DIV/0!								#DIV/0!								#DIV/0!						
Eucalyptus oxymitra	36	21.56	LC	LC	1	0	0.3		10	5.99	LC	LC	1	0	0.3		26	15.57	LC	LC	1	0	0.3	
Eucalyptus peeneri		0.00								0.00								0.00						
Eucalyptus percostata		0.00								0.00								0.00						
Eucalyptus pimpiniana		0.00								0.00								0.00						
Eucalyptus polybractea		0.00								0.00								0.00						
Eucalyptus porosa		0.00								0.00								0.00						
Eucalyptus repullulans	1	100.00	VU D2	VU	4	DD	0			0.00								0.00						
Eucalyptus socialis ssp. eucentrica	32	24.81	NE	NE	-1			taxonomic issues	5	3.88	NE	NE	-1			taxonomic issues		0.00						
Eucalyptus socialis ssp. socialis		0.00								0.00								0.00						
Eucalyptus socialis ssp. victoriensis	9	6.25	NE	NE	-1			taxonomic issues	2	1.39	NE	NE	-1			taxonomic issues	2	1.39	NE	NE	-1			taxonomic issues
Eucalyptus sparsa	33	38.37	RA d(ii)	RA	3	0	0.3	on rocky outcrops	12	13.95	RA d(ii)	RA	3	0	0.3	on rocky outcrops	6	6.98	RA d(ii)	RA	3	0	0.3	on rocky outcrops
Eucalyptus trivalvis	6	12.50	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Eucalyptus viridis ssp. viridis		0.00								0.00								0.00						
Eucalyptus youngiana		0.00								0.00							5	3.09	RA d(i)	RA	3	0	0.3	
Euchiton collinus		0.00								0.00								0.00						
Euchiton involucratus		0.00								0.00								0.00						
Euchiton sphaericus	20	4.42	LC	LC	1	0	0.3		10	2.21	LC	LC	1	0	0.3		9	1.99	LC	LC	1	0	0.3	
Eulalia aurea	12	5.13	LC	LC	1	0	0.3	limited to waterways	5	2.14	LC	LC	1	0	0.3	limited to waterways	4	1.71	NT	NT	2	DD	0	limited to waterways
Euphorbia alsiniflora		0.00								0.00								0.00						
Euphorbia australis		0.00							1	1.82	NT	NT	2	0	0.3			0.00						
Euphorbia centralis	24	80.00	LC	LC	1	0	0.3			0.00							2	6.67	LC	LC	1	0	0.3	
Euphorbia drummondii		0.00								0.00								0.00						
Euphorbia inappendiculata	7	18.42	LC	LC	1	0	0.3			0.00							2	5.26	LC	LC	1	0	0.3	
Euphorbia mitchelliana		0.00								0.00								0.00						
Euphorbia parvicaruncula	2	1.82	RA d(i,ii)	RA	3	0	0.3	outliers		0.00								0.00						
Euphorbia stevenii		0.00								0.00								0.00						
Euphorbia tannensis ssp. eremophila	60	5.23	LC	LC	1	0	0.3		28	2.44	LC	LC	1	0	0.3		26	2.27	LC	LC	1	0	0.3	
Euphorbia wheeleri		0.00								0.00								0.00						
Eutaxia diffusa		0.00								0.00								0.00						
Eutaxia microphylla		0.00								0.00								0.00						
Evolvulus alsinoides var. decumbens	4	14.29	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Evolvulus alsinoides var. villosicalyx	14	17.07	LC	LC	1	0	0.3			0.00							6	7.32	NT	NT	2	DD	0	
Exocarpos aphyllus		0.00								0.00								0.00						
Exocarpos sparteus	11	0.97	LC	LC	1	0	0.3			0.00							5	0.44	LC	LC	1	0	0.3	
Festuca benthamiana		0.00								0.00								0.00						
Ficus brachypoda	35	33.98	LC	LC	1	0	0.3	lives on rocks	21	20.39	LC	LC	1	0	0.3	lives on rocks	13	12.62	LC	LC	1	0	0.3	lives on rocks
Fimbristylis dichotoma	5	2.91	LC	LC	1	0	0.3		5	2.91	LC	LC	1	0	0.3		8	4.65	LC	LC	1	0	0.3	
Fimbristylis ferruginea		0.00								0.00								0.00						
Fimbristylis sieberiana		0.00								0.00								0.00						
Fimbristylis velata		0.00								0.00								0.00						
Flaveria trinervia		0.00								0.00								0.00						
Frankenia cinerea		0.00								0.00								0.00						
Frankenia cordata		0.00								0.00								0.00						
Frankenia crispa		0.00								0.00								0.00						
Frankenia cupularis		0.00								0.00								0.00						
Frankenia foliosa	1	0.41	DD	DD	0	DD	0			0.00								0.00						
Frankenia pauciflora var. gunnii		0.00								0.00								0.00						
Frankenia plicata		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Frankenia serpyllifolia		0.00							3	0.40	LC	LC	1	0	0.3			0.00						
Frankenia subteres		0.00								0.00								0.00						
Gahnia trifida		0.00								0.00								0.00						
Galium bulliformis		0.00								0.00								0.00						
Galium gaudichaudii ssp. gaudichaudii		0.00								0.00								0.00						
Galium gaudichaudii ssp. parviflorum		0.00								0.00								0.00						
Galium leptogonium		0.00								0.00								0.00						
Galium microlobum		0.00								0.00								0.00						
Galium migrans ssp. inversum		0.00								0.00								0.00						
Galium migrans ssp. migrans		0.00								0.00								0.00						
Galium migrans ssp. trichogynum		0.00								0.00								0.00						
Geijera parviflora		0.00								0.00								0.00						
Geococcus pusillus		0.00								0.00								0.00						
Geranium retrorsum		0.00								0.00								0.00						
Geranium solanderi var. solanderi		0.00								0.00								0.00						
Gilesia biniflora		0.00								0.00								0.00						
Glinus lotoides		0.00								0.00								0.00						
Glinus oppositifolius	1	3.23	RA d(i,ii)	RA	3	DD	0	naturally rare, restricted to larger water holes		0.00								0.00						
Glinus orygioides		0.00								0.00								0.00						
Glischrocaryon aureum var. angustifolium		0.00								0.00							2	2.38	RA d(ii)	RA	3	0	0.3	sand plain sp., undercollected
Glischrocaryon flavescens		0.00								0.00								0.00						
Glossocardia bidens	3	4.76	NT	NT	2	0	0.3			0.00								0.00						
Glossostigma cleistanthum		0.00								0.00								0.00						
Glossostigma diandrum	1	3.03	NT	NT	2	0	0.3			0.00							2	6.06	NT	NT	2	0	0.3	
Glossostigma drummondii		0.00								0.00								0.00						
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)		0.00								0.00								0.00						
Glycine canescens	37	12.67	LC	LC	1	0	0.3		14	4.79	LC	LC	1	0	0.3		13	4.45	LC	LC	1	0	0.3	
Glycine rubiginosa	6	0.75	RA d(ii)	RA	3	0	0.3	needs winter rainfall		0.00								0.00						
Glycyrrhiza acanthocarpa		0.00								0.00								0.00						
Gnaphalium diamantinense		0.00								0.00								0.00						
Gnaphalium indutum ssp. indutum		0.00								0.00								0.00						
Gnephosis arachnoidea	16	2.91	LC	LC	1	0	0.3		25	4.55	LC	LC	1	0	0.3			0.00						
Gnephosis eriocarpa		0.00							1	0.36	LC	LC	1	0	0.3			0.00						
Gnephosis tenuissima	10	2.58	LC	LC	1	0	0.3		4	1.03	LC	LC	1	0	0.3		11	2.84	LC	LC	1	0	0.3	
Gomphrena lanata	2	66.67	RA d(ii)	RA	3	0	0.3	southern edge of range; summer growing spp		0.00								0.00						
Gonocarpus elatus		0.00								0.00								0.00						
Goodenia albiflora		0.00								0.00								0.00						
Goodenia anfracta		0.00								0.00								0.00						
Goodenia berardiana		0.00							6	3.41	LC	LC	1	0	0.3			0.00						
Goodenia brunnea	27	96.43	RA d(ii)	RA	3	0	0.3	in gorges, on rocks, likes fire, restricted habitat		0.00								0.00						
Goodenia calcarata		0.00								0.00								0.00						
Goodenia centralis	5	7.69	LC	LC	1	0	0.3			0.00							5	7.69	LC	LC	1	0	0.3	
Goodenia chambersii	1	1.32	RA d(i,ii)	RA	3	0	0.3	edge of range	1	1.32	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Goodenia cycloptera	3	0.81	NT	NT	2	0	0.3		2	0.54	NT	NT	2	0	0.3			0.00						
Goodenia fasicularis	1	0.09	RA d(i,ii)	RA	3	0	0.3	edge of range	1	0.09	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Goodenia gibbosa	2	6.90	NT	NT	2	0	0.3	sparse in SA	1	3.45	NT	NT	2	0	0.3	sparse in SA		0.00						
Goodenia glabra		0.00								0.00								0.00						
Goodenia glandulosa		0.00								0.00							2	25.00	RA d(i,ii)	RA	3	DD	0	
Goodenia glauca	1	0.74	RA d(i,ii)	RA	3	0	0.3	edge of range	2	1.48	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Goodenia grandiflora		#DIV/0!	RA d(i,ii)	RA	3	DD	0	(no records) only 1 record in SA, query location										#DIV/0!						
Goodenia havilandii		0.00							2	1.21	NT	NT	2	DD	0			0.00						
Goodenia heterochila	5	11.90	LC	LC	1	0	0.3		6	14.29	LC	LC	1	0	0.3		2	4.76	NT	NT	2	0	0.3	
Goodenia heteromera		0.00								0.00								0.00						
Goodenia lobata		0.00								0.00								0.00						
Goodenia lunata	4	0.97	RA d(ii)	RA	3	0	0.3		7	1.70	LC	LC	1	0	0.3			0.00						
Goodenia modesta	1	2.94	RA d(i,ii)	RA	3	DD	0			0.00							2	5.88	RA d(i,ii)	RA	3	DD	0	
Goodenia mueckeana	1	11.11	RA d(i,ii)	RA	3	DD	0			0.00							2	22.22	RA d(i,ii)	RA	3	DD	0	
Goodenia occidentalis		0.00							1	3.33	RA d(i,ii)	RA	3	0	0.3	eastern edge of range; sparse distribution		0.00						
Goodenia ovata		0.00								0.00								0.00						
Goodenia pinnatifida		0.00							1	0.08	RA d(ii)	RA	3	DD	0			0.00						
Goodenia pusilliflora		0.00							1	0.11	DD	DD	0	DD	0	checked by P.Lang - query location, could be an advantageou		0.00						
Goodenia ramelii	24	75.00	LC	LC	1	0	0.3	common after fire		0.00								0.00						
Goodenia saccata		0.00								0.00								0.00						
Goodenia triodiophila	10	40.00	LC	LC	1	0	0.3			0.00							5	20.00	LC	LC	1	0	0.3	
Goodenia vernicosa		0.00								0.00								0.00						
Goodenia vilmoriniae	1	100.00	RA d(i,ii)	RA	3	DD	0	edge of southern range, NT spp		0.00								0.00						
Goodia medicaginea		0.00								0.00								0.00						
Gossypium sturtianum var. sturtianum	32	20.92	LC	LC	1	0	0.3		7	4.58	LC	LC	1	0	0.3		9	5.88	LC	LC	1	0	0.3	
Gratwickia monochaeta		0.00								0.00								0.00						
Grevillea albiflora		0.00								0.00								0.00						
Grevillea aspera		0.00								0.00								0.00						
Grevillea eriostachya	2	7.14	RA d(i,ii)	RA	3	-	0.4	WA sp.		0.00							7	25.00	NT	NT	2	0	0.3	WA sp.
Grevillea huegelii		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Grevillea juncifolia ssp. juncifolia	15	4.89	LC	LC	1	0	0.3	likes sandy, dune habitat	4	1.30	LC	LC	1	0	0.3	likes sandy, dune habitat	24	7.82	LC	LC	1	0	0.3	likes sandy, dune habitat
Grevillea lavandulacea ssp. lavandulacea		0.00								0.00								0.00						
Grevillea nematophylla ssp. nematophylla	11	3.87	LC	LC	1	0	0.3		8	2.82	LC	LC	1	0	0.3		14	4.93	LC	LC	1	0	0.3	
Grevillea pterosperma	2	0.54	NT	NT	2	DD	0			0.00							4	1.08	NT	NT	2	DD	0	
Grevillea stenobotrya	13	4.13	LC	LC	1	0	0.3		1	0.32	LC	LC	1	0	0.3		13	4.13	LC	LC	1	0	0.3	
Grevillea striata	2	3.28	RA d(i,ii)	RA	3	DD	0	edge of range	1	1.64	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Gunniopsis calcarea		0.00								0.00								0.00						
Gunniopsis calva		0.00								0.00								0.00						
Gunniopsis kochii		0.00								0.00								0.00						
Gunniopsis papillata		0.00								0.00								0.00						
Gunniopsis quadrifida		0.00							5	1.13	LC	LC	1	0	0.3			0.00						
Gunniopsis septifraga		0.00								0.00								0.00						
Gunniopsis tenuifolia		0.00								0.00								0.00						
Gunniopsis zygophylloides		0.00								0.00								0.00						
Gyrostemon australasicus		0.00								0.00								0.00						
Gyrostemon ramulosus	4	1.34	RA d(i,ii)	RA	3	0	0.3		2	0.67	RA d(ii)	RA	3	0	0.3	edge of range	12	4.01	LC	LC	1	0	0.3	
Gyrostemon tepperi	1	16.67	RA d(i,ii)	RA	3	-	0.4	could be VU; edge of range		0.00								0.00						
Gyrostemon thesioides		0.00								0.00								0.00						
Haeckeria punctulata		0.00								0.00								0.00						
Hakea divaricata	87	55.77	LC	LC	1	0	0.3		2	1.28	LC	LC	1	0	0.3		7	4.49	LC	LC	1	0	0.3	
Hakea ednieana		0.00								0.00								0.00						
Hakea eyreana		0.00								0.00								0.00						
Hakea francisiana		0.00								0.00								0.00						
Hakea leucoptera ssp. leucoptera	1	0.12	RA d(i,ii)	RA	3	DD	0		3	0.37	LC	LC	1	0	0.3			0.00						
Hakea lorea ssp. lorea	81	35.53	LC	LC	1	0	0.3		21	9.21	LC	LC	1	0	0.3		23	10.09	LC	LC	1	0	0.3	
Hakea minyma	37	56.92	LC	LC	1	0	0.3			0.00							11	16.92	LC	LC	1	0	0.3	
Halgania cyanea	3	0.39	RA d(ii)	RA	3	0	0.3			0.00							3	0.39	LC	LC	1	0	0.3	
Halgania erecta	7	41.18	LC	LC	1	0	0.3			0.00								0.00						
Halgania glabra	1	100.00	RA d(ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Haloragis aspera	5	0.68	LC	LC	1	0	0.3		2	0.27	NT	NT	2	0	0.3			0.00						
Haloragis glauca forma glauca		0.00								0.00								0.00						
Haloragis glauca forma sclopetifera		0.00								0.00								0.00						
Haloragis gossei	2	4.88	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Haloragis odontocarpa forma octoforma		0.00								0.00							2	28.57	RA d(i,ii)	RA	3	DD	0	edge of range
Haloragis odontocarpa forma pterocarpa		0.00							2	5.26	RA d(i,ii)	RA	3	DD	0		2	5.26	RA d(i,ii)	RA	3	DD	0	
Haloragis odontocarpa forma rugosa	2	7.69	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Haloragis uncatipila	29	49.15	LC	LC	1	0	0.3	perennial	9	15.25	LC	LC	1	0	0.3	perennial		0.00						
Hannafordia bissillii ssp. bissillii	4	13.79	NT	NT	2	0	0.3	limited habitat		0.00								0.00						
Harmsiodoxa blennodioides	3	1.49	NT	NT	2	0	0.3	sandhill sp; long curly pods		0.00							2	0.99	NT	NT	2	0	0.3	sandhill sp; long curly pods
Harmsiodoxa brevipes var. brevipes		0.00							1	0.82	RA d(i,ii)	RA	3	DD	0	weeds; lack of winter rain, threats		0.00						
Harmsiodoxa brevipes var. major		0.00								0.00								0.00						
Harmsiodoxa puberula	2	4.65	NT	NT	2	DD	0			0.00								0.00						
Helichrysum luteoalbum	2	0.65	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	1	0.32	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing	1	0.32	LC	LC	1	0	0.3	likes disturbance, records missing, probably increasing
Heliotropium ammophilum		0.00								0.00								0.00						
Heliotropium asperrimum	50	17.01	LC	LC	1	0	0.3		11	3.74	LC	LC	1	0	0.3		12	4.08	LC	LC	1	0	0.3	
Heliotropium cunninghamii	1	5.88	RA d(ii)	RA	3	DD	0			0.00								0.00						
Heliotropium europaeum		0.00								0.00								0.00						
Heliotropium filaginoides		0.00								0.00								0.00						
Heliotropium moorei	1	5.56	NT	NT	2	0	0.3			0.00								0.00						
Heliotropium tanythrix	5	16.67	LC	LC	1	0	0.3	undercollected	1	3.33	NT	NT	2	0	0.3	undercollected	2	6.67	NT	NT	2	0	0.3	undercollected
Hemichroa diandra		0.00								0.00								0.00						
Hemichroa mesembryanthema		0.00								0.00								0.00						
Hibbertia crinita		0.00								0.00								0.00						
Hibbertia glaberrima	6	15.00	RA d(ii)	RA	3	0	0.3		29	72.50	RA d(i,ii)	RA	3	0	0.3			0.00						
Hibiscus brachychlaenus		0.00								0.00								0.00						
Hibiscus brachysiphonius		0.00								0.00								0.00						
Hibiscus krichauffianus	3	1.09	NT	NT	2	0	0.3		3	1.09	NT	NT	2	0	0.3		2	0.72	NT	NT	2	0	0.3	
Hibiscus solanifolius	23	37.70	LC	LC	1	0	0.3		17	27.87	LC	LC	1	0	0.3		1	1.64	LC	LC	1	0	0.3	
Hibiscus sturtii var. grandiflorus	24	12.06	LC	LC	1	0	0.3		2	1.01	NT	NT	2	0	0.3		4	2.01	LC	LC	1	0	0.3	
Hibiscus sturtii var. muelleri		0.00								0.00								0.00						
Hibiscus sturtii var. sturtii		0.00								0.00								0.00						
Hibiscus sturtii var. truncatus	1	100.00	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Histiopteris incisa		0.00								0.00								0.00						
Hovea purpurea		0.00								0.00								0.00						
Hyalosperma demissum		0.00								0.00								0.00						
Hyalosperma glutinosum ssp. glutinosum		0.00								0.00								0.00						
Hyalosperma semisterile		0.00								0.00								0.00						
Hybanthus auranticus	1	5.56	RA d(ii)	RA	3	DD	0	in rocky creek lines	2	11.11	VU D2	VU	4	DD	0	in rocky creek lines		0.00						
Hybanthus floribundus ssp. floribundus		0.00								0.00								0.00						
Hybanthus monopetalus	6	3.31	RA d(ii)	RA	3	0	0.3	outlier		0.00								0.00						
Hydrocotyle callicarpa		0.00								0.00								0.00						
Hydrocotyle laxiflora		0.00								0.00								0.00						
Hydrocotyle trachycarpa	37	22.42	LC	LC	1	0	0.3	in rock crevices	18	10.91	LC	LC	1	0	0.3	in rock crevices	22	13.33	LC	LC	1	0	0.3	in rock crevices

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Hydrocotyle verticillata		0.00								0.00								0.00						
Hypericum gramineum		0.00							1	0.23	RA d(ii)	RA	3	DD	0	could be split into 2 spp	2	0.47	RA d(ii)	RA	3	DD	0	could be split into 2 spp
Hypoxis glabella var. glabella		0.00								0.00								0.00						
Hypoxis vaginata var. vaginata		0.00								0.00								0.00						
Imperata cylindrica		0.00								0.00								0.00						
Indigastrum parviflorum		0.00								0.00								0.00						
Indigofera australis ssp. australis		0.00								0.00							1	1.69	DD	DD	0	DD	0	outlier, odd old record
Indigofera australis ssp. hesperia		0.00								0.00								0.00						
Indigofera basedowii	9	50.00	NT	NT	2	0	0.3	common when found	4	22.22	NT	NT	2	0	0.3	common when found		0.00						
Indigofera colutea	3	7.14						introduced, spread by stock, weedy spp, not sure if native to S		0.00								0.00						
Indigofera cornuligera ssp cornuligera		0.00	NT	NT	2	0	0.3	(no records)		0.00	NT	NT	2	0	0.3	(no records)		0.00	NT	NT	2	0	0.3	(no records)
Indigofera cornuligera ssp flindersensis		0.00								0.00								0.00						
Indigofera georgei	6	13.04	LC	LC	1	0	0.3		4	8.70	LC	LC	1	0	0.3			0.00						
Indigofera helmsii	9	13.43	NT	NT	2	0	0.3		5	7.46	NT	NT	2	0	0.3		6	8.96	RA d(i,ii)	RA	3	0	0.3	
Indigofera leucotricha	5	10.64	NE	NE	-1			taxonomic issues	3	6.38	NE	NE	-1			taxonomic issues	7	14.89	NE	NE	-1			taxonomic issues
Indigofera linifolia		0.00								0.00								0.00						
Indigofera linnaei	3	5.56	LC	LC	1	0	0.3		3	5.56	LC	LC	1	0	0.3			0.00						
Indigofera longibractea		0.00								0.00								0.00						
Indigofera psammophila	1	1.20	NT	NT	2	0	0.3	poorly collected	5	6.02	NT	NT	2	0	0.3			0.00						
Ipomoea diamantinensis		0.00								0.00								0.00						
Ipomoea lonchophylla		0.00								0.00								0.00						
Ipomoea muelleri		0.00								0.00								0.00						
Ipomoea polymorpha		0.00								0.00								0.00						
Ipomoea racemigera		0.00								0.00								0.00						
Iseilema eremaeum		0.00								0.00								0.00						
Iseilema membranaceum	1	0.63	RA d(i,ii)	RA	3	DD	0	edge of range; questionable ID		0.00								0.00						
Iseilema vaginiflorum		0.00								0.00								0.00						
Isoetes muelleri	1	2.94	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly ephemer		0.00							2	5.88	NT	NT	2	0	0.3	undercollected, only appears after rain/floods; mostly ephemeral; u
Isoetopsis graminifolia		0.00								0.00								0.00						
Isolepis australiensis		0.00								0.00								0.00						
Isolepis cernua		0.00								0.00								0.00						
Isolepis congrua	3	4.62	RA d(i,ii)	RA	3	0	0.3		3	4.62	NT	NT	2	0	0.3		14	21.54	RA d(i,ii)	RA	3	DD	0	localised
Isolepis hookeriana		0.00								0.00								0.00						
Isolepis inundata		0.00								0.00								0.00						
Isolepis platycarpa		0.00								0.00								0.00						
Isotoma petraea	15	3.88	LC	LC	1	0	0.3		18	4.65	LC	LC	1	0	0.3		8	2.07	LC	LC	1	0	0.3	
Isotropis centralis	6	100.00	RA d(ii)	RA	3	DD	0	southern edge of range		0.00								0.00						
Isotropis wheeleri		0.00								0.00								0.00						
Ixiochlamys cuneifolia	3	1.08	RA d(ii)	RA	3	DD	0	likes sandy creek banks	5	1.81	RA d(i,ii)	RA	3	DD	0	likes sandy creek banks		0.00						
Ixiochlamys filicifolia	20	26.67	LC	LC	1	0	0.3	buffel grass potential threat	11	14.67	LC	LC	1	0	0.3	buffel grass potential threat	2	2.67	LC	LC	1	0	0.3	buffel grass potential threat
Ixiochlamys integerrima		0.00								0.00								0.00						
Ixiochlamys nana	4	5.71	NT	NT	2	DD	0	probably undercollected; likes degraded ground		0.00								0.00						
Ixodia flindersica		0.00								0.00								0.00						
Jasminum didymum ssp. lineare	30	14.85	LC	LC	1	0	0.3		7	3.47	NT	NT	2	0	0.3	localised	7	3.47	NT	NT	2	0	0.3	undercollected
Josephinia eugeniae		0.00							1	4.00	RA d(ii)	RA	3	DD	0	grows under shrubs		0.00						
Juncus aridicola		0.00								0.00							3	2.13	RA d(i,ii)	RA	3	DD	0	easily spread
Juncus bufonius	1	0.17	RA d(i,ii)	RA	3	DD	0	could be introduced		0.00								0.00						
Juncus caespiticius		0.00								0.00								0.00						
Juncus flavidus		0.00								0.00								0.00						
Juncus holoschoenus		0.00								0.00								0.00						
Juncus kraussii		0.00								0.00								0.00						
Juncus subsecundus		0.00								0.00								0.00						
Kennedia prorepens	23	38.33	LC	LC	1	0	0.3		1	1.67	NT	NT	2	0	0.3	edge of range	10	16.67	LC	LC	1	0	0.3	
Keraudrenia nephrosperma		0.00								0.00								0.00						
Keraudrenia sp. North West (J.Z.Weber 6475)	2	15.38	RA d(ii)	RA	3	DD	0			0.00							2	15.38	RA d(ii)	RA	3	DD	0	
Kippistia suaedifolia		0.00								0.00								0.00						
Korthalsella japonica forma japonica		0.00								0.00								0.00						
Lachnagrostis filiformis	1	0.27	RA d(ii)	RA	3	DD	0	limited habitat	3	0.81	RA d(ii)	RA	3	DD	0	in drainage lines, likes fresh water, dams	1	0.27	RA d(ii)	RA	3	DD	0	
Lachnagrostis perennis		0.00								0.00								0.00						
Lasiopetalum behrii		0.00								0.00								0.00						
Lawrencella davenportii	23	9.62	LC	LC	1	0	0.3		6	2.51	LC	LC	1	0	0.3		16	6.69	LC	LC	1	0	0.3	
Lawrencia glomerata	3	0.67	NT	NT	2	0	0.3	taxon now has 3 ssp		0.00								0.00						
Lawrencia squamata		0.00								0.00								0.00						
Lechenaultia aphylla		0.00								0.00							2	25.00	RA d(ii)	RA	3	0	0.3	checked by P Lang, good records, could be more recor
Lechenaultia divaricata		0.00								0.00								0.00						
Lechenaultia striata		0.00								0.00								0.00						
Leiocarpa brevicompta		0.00								0.00								0.00						
Leiocarpa leptolepis		0.00							6	1.32	LC	LC	1	0	0.3			0.00						
Leiocarpa semicalva ssp. semicalva	58	7.57	LC	LC	1	0	0.3	likes small rocky outcrops	3	0.39	LC	LC	1	0	0.3	likes small rocky outcrops	20	2.61	LC	LC	1	0	0.3	likes small rocky outcrops
Leiocarpa semicalva ssp. vinacea	6	28.57	RA d(i,ii)	RA	3	DD	0	colour variant of the common ssp; needs more surveys	8	38.10	RA d(i,ii)	RA	3	DD	0	colour variant of the common ssp; needs more surveys		0.00						
Leiocarpa tomentosa	22	12.15	LC	LC	1	0	0.3			0.00							2	1.10	NT	NT	2	0	0.3	little known
Leiocarpa websteri	3	0.43	LC	LC	1	0	0.3		3	0.43	LC	LC	1	0	0.3			0.00						
Lemna disperma		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Lemooria burkittii		0.00							3	1.63	RA d(i,ii)	RA	3	DD	0			0.00						
Lepidium fasciculatum		0.00								0.00								0.00						
Lepidium leptopetalum		0.00								0.00								0.00						
Lepidium muelleri-ferdinandi	42	14.79	LC	LC	1	0	0.3		8	2.82	LC	LC	1	0	0.3		10	3.52	LC	LC	1	0	0.3	
Lepidium oxytrichum	52	7.88	LC	LC	1	0	0.3		25	3.79	LC	LC	1	0	0.3		26	3.94	LC	LC	1	0	0.3	
Lepidium papillosum		0.00								0.00								0.00						
Lepidium phlebopetalum	21	2.68	LC	LC	1	0	0.3		14	1.79	LC	LC	1	0	0.3		3	0.38	LC	LC	1	0	0.3	
Lepidium pseudoruderale		0.00								0.00								0.00						
Lepidium rotundum		0.00								0.00								0.00						
Lepidium sagittulatum		0.00								0.00								0.00						
Lepidium strongylophyllum		0.00								0.00								0.00						
Lepidosperma avium	6	16.22	RA d(ii)	RA	3	0	0.3	localised	23	62.16	RA d(ii)	RA	3	0	0.3		6	16.22	RA d(ii)	RA	3	0	0.3	highly localised
Lepidosperma viscidum		0.00								0.00								0.00						
Lepilaena australis		0.00								0.00								0.00						
Lepilaena bilocularis		0.00								0.00								0.00						
Lepilaena preissii		0.00								0.00								0.00						
Leptochloa digitata		0.00							2	4.00	NT	NT	2	0	0.3	lack of records		0.00						
Leptochloa fusca ssp. fusca		0.00								0.00								0.00						
Leptochloa fusca ssp. muelleri		0.00							1	0.52	LC	LC	1	0	0.3			0.00						
Leptorhynchos baileyi		0.00								0.00								0.00						
Leptorhynchos tetrachaetus		0.00								0.00								0.00						
Leptorhynchos waitzia		0.00								0.00								0.00						
Leptosema chambersii	10	55.56	LC	LC	1	0	0.3			0.00							1	5.56	NT	NT	2	DD	0	edge of range
Leucochrysum fitzgibbonii	1	0.54	RA d(i,ii)	RA	3	DD	0	1 old record	20	10.81	LC	LC	1	0	0.3		2	1.08	LC	LC	1	0	0.3	
Leucochrysum molle		0.00								0.00								0.00						
Leucochrysum stipitatum	11	5.64	LC	LC	1	0	0.3		10	5.13	LC	LC	1	0	0.3		7	3.59	LC	LC	1	0	0.3	
Levenhookia dubia		0.00								0.00								0.00						
Limosella australis		0.00								0.00								0.00						
Limosella curdieana var. curdieana		0.00								0.00								0.00						
Linum marginale		0.00								0.00								0.00						
Lipocarpha microcephala		0.00								0.00								0.00						
Lobelia anceps		0.00								0.00								0.00						
Lobelia heterophylla	1	4.00	RA d(i,ii)	RA	3	-	0.4	buffel a threat, needs spring rain; annual		0.00								0.00						
Logania centralis		0.00								0.00							4	100.00	RA d(i,ii)	RA	3	DD	0	edge of range
Logania saxatilis		0.00								0.00								0.00						
Lomandra densiflora		0.00								0.00								0.00						
Lomandra effusa		0.00								0.00								0.00						
Lomandra leucocephala ssp. robusta		0.00							1	0.11	RA d(ii)	RA	3	0	0.3	scattered & uncommon		0.00						
Lomandra multiflora ssp. dura		0.00								0.00								0.00						
Lotus australis		0.00								0.00								0.00						
Lotus cruentus	15	1.28	LC	LC	1	0	0.3		2	0.17	LC	LC	1	0	0.3		3	0.26	LC	LC	1	0	0.3	
Lycium australe		0.00								0.00								0.00						
Lysiana exocarpi ssp. exocarpi	40	2.01	LC	LC	1	0	0.3		15	0.75	LC	LC	1	0	0.3		7	0.35	LC	LC	1	0	0.3	
Lysiana murrayi	5	2.26	LC	LC	1	0	0.3	host: mulga	11	4.98	LC	LC	1	0	0.3	host: mulga	6	2.71	LC	LC	1	0	0.3	host: mulga
Lysiana subfalcata		0.00								0.00								0.00						
Lythrum hyssopifolia	1	0.20	RA d(i,ii)	RA	3	DD	0	restricted to lagoons, comes & goes		0.00								0.00						
Lythrum paradoxum	6	35.29	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Lythrum salicaria		0.00								0.00								0.00						
Lythrum wilsonii		0.00								0.00								0.00						
Macgregoria racemigera		0.00								0.00								0.00						
Maireana aphylla	5	0.54	LC	LC	1	0	0.3		6	0.65	LC	LC	1	0	0.3			0.00						
Maireana appressa	3	0.68	LC	LC	1	0	0.3		2	0.45	LC	LC	1	0	0.3			0.00						
Maireana astrotricha		0.00							6	0.53	LC	LC	1	0	0.3			0.00						
Maireana brevifolia		0.00								0.00								0.00						
Maireana campanulata		0.00								0.00								0.00						
Maireana cannonii		0.00								0.00								0.00						
Maireana carnosa		0.00								0.00								0.00						
Maireana ciliata		0.00								0.00								0.00						
Maireana coronata	2	0.96	RA d(ii)	RA	3	0	0.3	edge of range		0.00								0.00						
Maireana enchylaenoides		0.00								0.00								0.00						
Maireana eriantha		0.00							2	0.97	RA d(ii)	RA	3	DD	0			0.00						
Maireana erioclada		0.00								0.00								0.00						
Maireana excavata		0.00								0.00								0.00						
Maireana georgei	2	0.23	NT	NT	2	0	0.3		13	1.52	LC	LC	1	0	0.3			0.00						
Maireana integra	2	0.59	NT	NT	2	DD	0		7	2.06	LC	LC	1	0	0.3		1	0.29	NT	NT	2	DD	0	
Maireana lanosa		0.00								0.00								0.00						
Maireana lobiflora		0.00								0.00								0.00						
Maireana luehmannii	1	6.67	VU D2	VU	4	DD	0	southern outliers, Northern Territory sp. Very little known		0.00								0.00						
Maireana melanocarpa		0.00								0.00								0.00						
Maireana microcarpa		0.00								0.00								0.00						
Maireana oppositifolia		0.00								0.00								0.00						
Maireana ovata		0.00							2	2.82	RA d(ii)	RA	3	DD	0			0.00						
Maireana pentagona		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Maireana pentatropis		0.00								0.00								0.00						
Maireana planifolia	18	17.14	LC	LC	1	0	0.3		16	15.24	LC	LC	1	0	0.3		8	7.62	LC	LC	1	0	0.3	
Maireana pyramidata		0.00								0.00								0.00						
Maireana radiata		0.00								0.00								0.00						
Maireana schistocarpa		0.00								0.00								0.00						
Maireana scleroptera	7	16.28	LC	LC	1	0	0.3			0.00								0.00						
Maireana sedifolia		0.00							6	0.23	RA d(i,ii)	RA	3	DD	0			0.00						
Maireana spongiocarpa		0.00							3	2.13	LC	LC	1	0	0.3			0.00						
Maireana tomentosa ssp. urceolata		0.00							5	5.95	LC	LC	1	0	0.3			0.00						
Maireana trichoptera	1	0.08	RA d(ii)	RA	3	DD	0		2	0.15	RA d(ii)	RA	3	DD	0			0.00						
Maireana triptera		0.00							12	3.42	LC	LC	1	0	0.3			0.00						
Maireana turbinata	2	0.30	RA d(ii)	RA	3	DD	0	edge of range		0.00								0.00						
Maireana villosa	11	8.15	LC	LC	1	0	0.3		6	4.44	LC	LC	1	0	0.3			0.00						
Malacocera albolanata		0.00								0.00								0.00						
Malacocera biflora		0.00								0.00								0.00						
Malacocera gracilis		0.00								0.00								0.00						
Malacocera tricornis		0.00								0.00								0.00						
Malva preissiana		0.00							3	0.36	LC	LC	1	0	0.3	now known as M weinmanniana		0.00						
Malvastrum americanum var. americanum	22	3.29	LC	LC	1	0	0.3	spreading	10	1.50	LC	LC	1	0	0.3	spreading	3	0.45	LC	LC	1	0	0.3	spreading
Marsdenia australis	6	1.07	LC	LC	1	0	0.3		1	0.18	RA d(ii)	RA	3	0	0.3			0.00						
Marsilea costulifera		0.00								0.00								0.00						
Marsilea cryptocarpa		#DIV/0!								#DIV/0!								#DIV/0!						
Marsilea drummondii	1	0.35	RA d(i,ii)	RA	3	0	0.3	limited habitat		0.00								0.00						
Marsilea exarata	2	2.67	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Marsilea hirsuta	2	0.85	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Melaleuca bracteata	34	68.00	RA d(ii)	RA	3	0	0.3	only found in drainage lines; long-lived		0.00								0.00						
Melaleuca dissitiflora	21	19.09	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Melaleuca fulgens ssp. corrugata	11	39.29	VU D2	VU	4	0	0.3	highly localised	3	10.71	VU D2	VU	4	0	0.3	highly localised	13	46.43	VU D2	VU	4	0	0.3	highly localised; on Mt Lindsay
Melaleuca glomerata	58	13.06	NT	NT	2	0	0.3		5	1.13	RA d(ii)	RA	3	0	0.3		3	0.68	VU D2	VU	4	0	0.3	
Melaleuca interioris		0.00								0.00								0.00						
Melaleuca lanceolata		0.00								0.00								0.00						
Melaleuca trichostachya		0.00								0.00								0.00						
Melaleuca uncinata		0.00								0.00								0.00						
Melaleuca xerophila		0.00								0.00								0.00						
Melhania oblongifolia	8	16.67	LC	LC	1	0	0.3		3	6.25	NT	NT	2	0	0.3			0.00						
Melicytus dentatus		0.00								0.00								0.00						
Menkea australis		0.00								0.00							1	1.06	NT	NT	2	0	0.3	annual; easily dispersed
Menkea crassa	1	0.88	RA d(ii)	RA	3	0	0.3	annual, grows on stony ground	1	0.88	RA d(ii)	RA	3	0	0.3	annual, grows on stony ground		0.00						
Menkea lutea	5	62.50	VU D2	VU	4	DD	0	restricted habitat, very limited, tiny annual		0.00								0.00						
Menkea sphaerocarpa	22	32.84	LC	LC	1	0	0.3		1	1.49	NT	NT	2	0	0.3	edge of range		0.00						
Menkea villosula	14	16.67	LC	LC	1	0	0.3	grows on red soils	23	27.38	LC	LC	1	0	0.3	grows on red soils		0.00						
Mentha australis		0.00								0.00								0.00						
Mentha satureioides		0.00								0.00								0.00						
Microcorys macredieana	1	33.33	VU D2	VU	4	DD	0			0.00								0.00						
Microlaena stipoides var. stipoides		0.00								0.00								0.00						
Micromyrtus fimbrisepala	s	0.00								0.00								0.00						
Micromyrtus flaviflora	9	18.37	LC	LC	1	0	0.3	sand plain sp.		0.00							13	26.53	LC	LC	1	0	0.3	sand plain sp.
Microseris lanceolata		0.00								0.00								0.00						
Microtis arenaria		0.00								0.00								0.00						
Microtis eremaea		0.00								0.00								0.00						
Microtis frutetorum		0.00								0.00								0.00						
Microtis parviflora		0.00								0.00								0.00						
Millotia greevesii ssp. greevesii		0.00								0.00								0.00						
Millotia greevesii ssp. helmsii		0.00								0.00							1	2.86	LC	LC	1	0	0.3	have been taxonomic splits; should be more records
Millotia incurva		0.00								0.00							1	6.25	RA d(i,ii)	RA	3	DD	0	undercollected; old records; could be NT
Millotia macrocarpa		0.00								0.00								0.00						
Millotia myosotidifolia		0.00								0.00								0.00						
Millotia perpusilla		0.00							2	1.74	RA d(ii)	RA	3	DD	0	undercollected; very tiny, ephemeral		0.00						
Millotia tenuifolia var. tenuifolia		0.00								0.00								0.00						
Mimulus gracilis		0.00								0.00								0.00						
Mimulus prostratus		0.00								0.00								0.00						
Mimulus repens		0.00								0.00								0.00						
Minuria annua		0.00							1	1.27	NT	NT	2	0	0.3			0.00						
Minuria cunninghamii		0.00								0.00								0.00						
Minuria denticulata	1	0.16	NT	NT	2	DD	0		2	0.33	NT	NT	2	DD	0			0.00						
Minuria integerrima	1	0.46	RA d(i,ii)	RA	3	DD	0	in swails, floodplains, creek lines, indeserts	1	0.46	RA d(i,ii)	RA	3	DD	0	in swails, floodplains, creek lines, indeserts		0.00						
Minuria leptophylla	38	3.29	LC	LC	1	0	0.3		13	1.13	LC	LC	1	0	0.3		3	0.26	LC	LC	1	0	0.3	
Minuria rigida		0.00								0.00								0.00						
Mollugo cerviana	4	3.77	LC	LC	1	0	0.3	undercollected; very small	1	0.94	LC	LC	1	0	0.3	undercollected; very small		0.00						
Momordica balsamina	2	22.22	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Monachather paradoxus	15	3.43	LC	LC	1	0	0.3		10	2.29	LC	LC	1	0	0.3		53	12.13	LC	LC	1	0	0.3	
Monotaxis luteiflora		0.00							3	100.00	VU D2	VU	4	DD	0	fire responsive; in red soils		0.00						
Muehlenbeckia coccoloboides		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Muehlenbeckia florulenta	7	0.58	LC	LC	1	0	0.3		4	0.33	LC	LC	1	0	0.3			0.00						
Muelleranthus stipularis	1	2.44	RA d(ii)	RA	3	DD	0		2	4.88	NT	NT	2	DD	0		2	4.88	RA d(i,ii)	RA	3	DD	0	
Murchisonia volubilis		0.00								0.00							2	3.08	RA d(ii)	RA	3	0	0.3	
Myoporum brevipes		0.00								0.00								0.00						
Myoporum montanum	22	3.16	LC	LC	1	0	0.3	prone to fires from Buffel grass		0.00								0.00						
Myoporum platycarpum ssp. platycarpum		0.00								0.00								0.00						
Myosurus minimus var. australis	1	1.16	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Myriocephalus pluriflorus		0.00							1	2.44	NT	NT	2	DD	0	could be common; appears after good rains; lack of recent rec		0.00						
Myriocephalus rhizocephalus		0.00								0.00								0.00						
Myriocephalus rudallii		0.00								0.00								0.00						
Myriocephalus squamatus		0.00								0.00								0.00						
Myriophyllum verrucosum	6	2.82	LC	LC	1	0	0.3			0.00								0.00						
Neobassia proceriflora	1	0.39	DD	DD	0	DD	0	lack of data		0.00								0.00						
Neptunia dimorphantha		0.00								0.00								0.00						
Neurachne lanigera		0.00								0.00							1	33.33	EN B2ab(i,ii,iii)	EN	5	-	0.4	could be extinct
Neurachne munroi		0.00							8	12.31	LC	LC	1	0	0.3		2	3.08	NT	NT	2	DD	0	
Newcastelia bracteosa	3	8.57	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Newcastelia cephalantha var. cephalantha	5	11.63	NT	NT	2	0	0.3	likes fire		0.00							8	18.60	NT	NT	2	0	0.3	likes fire
Newcastelia cephalantha var. oblonga		0.00								0.00								0.00						
Newcastelia cephalantha var. tephropepla	4	28.57	DD	DD	0	DD	0	grows on desert sanddunes		0.00							1	7.14	DD	DD	0	DD	0	grows on desert sanddunes
Newcastelia spodiotricha	2	9.09	DD	DD	0	DD	0	limited habitat; 2 old records		0.00							3	13.64	RA d(ii)	RA	3	DD	0	edge of range; grows on desert sanddunes
Nicotiana burbidgeae		0.00								0.00								0.00						
Nicotiana excelsior	21	22.83	LC	LC	1	0	0.3		25	27.17	LC	LC	1	0	0.3		10	10.87	NT	NT	2	0	0.3	
Nicotiana goodspeedii		0.00								0.00								0.00						
Nicotiana gossei	19	59.38	LC	LC	1	0	0.3		1	3.13	RA d(ii)	RA	3	DD	0			0.00						
Nicotiana occidentalis ssp. obliqua	23	18.11	LC	LC	1	0	0.3			0.00							4	3.15	LC	LC	1	0	0.3	
Nicotiana rosulata ssp. ingulba	1	50.00	RA d(i,ii)	RA	3	DD	0	edge of southern range		0.00								0.00						
Nicotiana rosulata ssp. rosulata		0.00								0.00								0.00						
Nicotiana simulans	7	2.79	LC	LC	1	0	0.3		12	4.78	LC	LC	1	0	0.3			0.00						
Nicotiana truncata		0.00								0.00								0.00						
Nicotiana velutina	4	0.38	LC	LC	1	0	0.3			0.00							2	0.19	NT	NT	2	0	0.3	
Nitraria billardierei		0.00								0.00								0.00						
Nymphoides crenata		0.00								0.00								0.00						
Olearia arckaringensis		0.00								0.00								0.00						
Olearia arida	1	33.33	VU D1+2	VU	4	DD	0	restricted		0.00								0.00						
Olearia calcarea		0.00								0.00								0.00						
Olearia decurrens		0.00								0.00								0.00						
Olearia ferresii	33	78.57	NT	NT	2	DD	0		3	7.14	RA d(i,ii)	RA	3	DD	0			0.00						
Olearia incana		0.00								0.00								0.00						
Olearia minor		0.00								0.00								0.00						
Olearia muelleri		0.00								0.00								0.00						
Olearia picridifolia		0.00								0.00								0.00						
Olearia pimeleoides		0.00								0.00								0.00						
Olearia ramulosa		0.00								0.00								0.00						
Olearia stuartii	49	35.51	NT	NT	2	0	0.3	perennial; on rocky hills	27	19.57	NT	NT	2	0	0.3	perennial; on rocky hills	21	15.22	NT	NT	2	0	0.3	perennial; on rocky hills
Olearia subspicata	13	9.49	NT	NT	2	DD	0		2	1.46	NT	NT	2	DD	0			0.00						
Oligochaetochilus sp Everard Range		0.00								0.00	VU D2	VU	4	DD	0	(no records) possibly endemic; checked by Mark Clements		0.00						
Omphalolappula concava	14	1.47	LC	LC	1	0	0.3		7	0.74	LC	LC	1	0	0.3			0.00						
Opercularia turpis		0.00								0.00								0.00						
Ophioglossum lusitanicum	2	0.61	NT	NT	2	0	0.3	very small spp, likes shady, rocky areas, very localised	1	0.31	NT	NT	2	0	0.3	very small spp, likes shady, rocky areas, very localised	7	2.15	NT	NT	2	0	0.3	very small spp, likes shady, rocky areas, very localised
Ophioglossum polyphyllum	2	12.50	RA d(i,ii)	RA	3	DD	0	likes loam over rocks		0.00							1	6.25	RA d(i,ii)	RA	3	DD	0	likes loam over rocks
Orobanche cernua var. australiana		0.00								0.00								0.00						
Osteocarpum acropterum var. acropterum	1	0.33	NT	NT	2	0	0.3			0.00								0.00						
Osteocarpum acropterum var. deminutum		0.00								0.00								0.00						
Osteocarpum dipterocarpum		0.00								0.00								0.00						
Osteocarpum pentapterum		0.00								0.00								0.00						
Osteocarpum salsuginosum		0.00								0.00								0.00						
Ottelia ovalifolia ssp. ovalifolia		0.00								0.00								0.00						
Owenia acidula		0.00								0.00								0.00						
Oxalis perennans	12	1.19	LC	LC	1	0	0.3	Bio-survey records missing, ID issues with other oxalis spp.		0.00								0.00						
Oxalis radicosa	32	36.36	LC	LC	1	0	0.3	grows in rocky ranges		0.00							9	10.23	NT	NT	2	0	0.3	grows in rocky ranges
Oxychloris scariosa		0.00								0.00								0.00						
Ozothamnus retusus		0.00								0.00								0.00						
Ozothamnus scaber		0.00								0.00								0.00						
Pandorea pandorana	20	29.41	LC	LC	1	0	0.3		8	11.76	LC	LC	1	0	0.3		10	14.71	LC	LC	1	0	0.3	
Panicum decompositum var. decompositum	21	5.85	LC	LC	1	0	0.3		6	1.67	LC	LC	1	0	0.3		5	1.39	LC	LC	1	0	0.3	
Panicum effusum var. effusum	15	5.81	LC	LC	1	0	0.3		4	1.55	LC	LC	1	0	0.3		2	0.78	LC	LC	1	0	0.3	
Panicum laevinode	1	1.12	RA d(ii)	RA	3	DD	0		1	1.12	RA d(ii)	RA	3	DD	0			0.00						
Paraceterach reynoldsii	16	14.81	LC	LC	1	0	0.3		6	5.56	RA d(i,ii)	RA	3	0	0.3		4	3.70	RA d(i,ii)	RA	3	0	0.3	
Paractaenum novae-hollandiae ssp. reversum		0.00							2	1.02	RA d(ii)	RA	3	DD	0	lack of habitat		0.00						
Paractaenum refractum	5	2.22	NT	NT	2	DD	0		3	1.33	NT	NT	2	DD	0		5	2.22	LC	LC	1	0	0.3	
Paraneurachne muelleri	3	7.89	NT	NT	2	0	0.3			0.00							6	15.79	NT	NT	2	0	0.3	
Parietaria australis	4	9.52	LC	LC	1	0	0.3		2	4.76	NT	NT	2	0	0.3		3	7.14	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Parietaria cardiostegia	2	0.79	NT	NT	2	0	0.3		1	0.40	NT	NT	2	0	0.3			0.00						
Parietaria debilis	11	3.11	LC	LC	1	0	0.3		1	0.28	NT	NT	2	0	0.3	edge of range	12	3.39	LC	LC	1	0	0.3	
Pelargonium littorale		0.00								0.00								0.00						
Peplidium aithocheilum		0.00								0.00								0.00						
Peplidium foecundum		0.00								0.00								0.00						
Peplidium sp. Marla (W.R.Barker 3535)		0.00								0.00								0.00						
Perotis rara	1	25.00	RA d(ii)	RA	3	DD	0	edge of range		0.00	RA d(ii)	RA	3	DD	0	(no records)		0.00						
Persicaria attenuata ssp. attenuata		0.00								0.00								0.00						
Persicaria decipiens		0.00								0.00								0.00						
Persicaria glabra		0.00								0.00								0.00						
Persicaria lapathifolia		0.00								0.00								0.00						
Persicaria prostrata		0.00								0.00								0.00						
Petalostylis cassioides	16	43.24	LC	LC	1	0	0.3	grows in rock crevices	8	21.62	LC	LC	1	0	0.3	grows in rock crevices	2	5.41	NT	NT	2	0	0.3	grows in rock crevices
Petalostylis labicheoides		0.00								0.00								0.00						
Philotheca angustifolia ssp. angustifolia		0.00								0.00								0.00						
Philotheca difformis ssp. difformis		0.00								0.00								0.00						
Philotheca linearis		0.00							17	8.21	RA d(i,ii)	RA	3	0	0.3	grows on hill tops; outlier		0.00						
Phlegmatospermum cochlearinum		0.00								0.00								0.00						
Phlegmatospermum eremaeum		0.00								0.00								0.00						
Phragmites australis		0.00								0.00								0.00						
Phragmites vallatoria		#DIV/0!								#DIV/0!								#DIV/0!						
Phyllangium sulcatum		0.00								0.00								0.00						
Phyllanthus calycinus		0.00								0.00								0.00						
Phyllanthus fuernrohrii		0.00								0.00								0.00						
Phyllanthus lacunarius	1	0.92	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Phyllanthus lacunellus		0.00								0.00								0.00						
Phyllanthus maderaspatensis var. angustifolius		0.00								0.00								0.00						
Phyllanthus oblanceolatus		0.00								0.00								0.00						
Phyllanthus saxosus		0.00								0.00								0.00						
Picris angustifolia ssp. angustifolia		0.00								0.00								0.00						
Pilularia novae-hollandiae		0.00								0.00								0.00						
Pimelea elongata		0.00								0.00								0.00						
Pimelea flava ssp. dichotoma		0.00								0.00								0.00						
Pimelea imbricata var. petraea		0.00								0.00								0.00						
Pimelea micrantha		0.00								0.00								0.00						
Pimelea microcephala ssp. glabra		0.00							5	50.00	RA d(i,ii)	RA	3	DD	0	could be ID problems with ssp microcephala	2	20.00	RA d(i,ii)	RA	3	DD	0	could be ID problems with ssp microcephala
Pimelea microcephala ssp. microcephala		0.00							1	0.10	RA d(ii)	RA	3	DD	0		2	0.20	RA d(ii)	RA	3	DD	0	
Pimelea octophylla		0.00								0.00								0.00						
Pimelea penicillaris		0.00								0.00								0.00						
Pimelea petrophila		0.00								0.00								0.00						
Pimelea simplex ssp. continua	2	1.50	RA d(ii)	RA	3	0	0.3		1	0.75	RA d(ii)	RA	3	0	0.3			0.00						
Pimelea simplex ssp. simplex		0.00								0.00								0.00						
Pimelea stricta		0.00								0.00								0.00						
Pimelea trichostachya	6	2.78	LC	LC	1	0	0.3		4	1.85	LC	LC	1	0	0.3		3	1.39	LC	LC	1	0	0.3	
Pittosporum angustifolium	79	2.41	LC	LC	1	0	0.3		15	0.46	LC	LC	1	0	0.3		22	0.67	LC	LC	1	0	0.3	
Plagiobothrys elachanthus		0.00								0.00								0.00						
Plagiobothrys plurisepaleus		0.00							1	0.45	RA d(i,ii)	RA	3	DD	0			0.00						
Plantago cunninghamii		0.00								0.00								0.00						
Plantago debilis		0.00								0.00								0.00						
Plantago drummondii	4	0.37	RA d(i,ii)	RA	3	DD	0		3	0.28	LC	LC	1	0	0.3			0.00						
Plantago hispida		0.00								0.00								0.00						
Plantago multiscapa		0.00								0.00								0.00						
Plantago turrifera	1	1.82	RA d(ii)	RA	3	DD	0			0.00								0.00						
Plantago varia		0.00								0.00								0.00						
Plectranthus intraterraneus	20	19.80	LC	LC	1	0	0.3		11	10.89	LC	LC	1	0	0.3			0.00						
Pleurosorus rutifolius	1	0.20	RA d(i)	RA	3	DD	0		6	1.18	RA d(i,ii)	RA	3	DD	0	localised	4	0.79	RA d(i,ii)	RA	3	DD	0	localised
Pleurosorus subglandulosus	6	15.79	RA d(ii)	RA	3	DD	0		1	2.63	RA d(i,ii)	RA	3	DD	0		10	26.32	RA d(i,ii)	RA	3	DD	0	
Pluchea dentex	19	18.27	LC	LC	1	0	0.3		10	9.62	LC	LC	1	0	0.3		4	3.85	LC	LC	1	0	0.3	
Pluchea dunlopii		0.00								0.00								0.00						
Pluchea rubelliflora	4	5.33	NT	NT	2	0	0.3	grows in creek lines	3	4.00	NT	NT	2	0	0.3	grows in creek lines		0.00						
Poa crassicaudex		0.00								0.00								0.00						
Poa fax		0.00								0.00								0.00						
Poa fordeana		0.00								0.00								0.00						
Poa labillardieri var. labillardieri		0.00								0.00								0.00						
Podolepis canescens	20	5.10	LC	LC	1	0	0.3		9	2.30	LC	LC	1	0	0.3		11	2.81	LC	LC	1	0	0.3	
Podolepis capillaris	16	1.24	LC	LC	1	0	0.3		25	1.93	LC	LC	1	0	0.3			0.00						
Podolepis davisiana		0.00								0.00								0.00						
Podolepis jaceoides		0.00								0.00								0.00						
Podolepis longipedata		0.00								0.00								0.00						
Podolepis muelleri		0.00								0.00								0.00						
Podolepis rugata var. rugata		0.00								0.00								0.00						
Podolepis tepperi		0.00								0.00								0.00						
Pogonolepis muelleriana		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Polycalymma stuartii	20	2.03	LC	LC	1	0	0.3		8	0.81	LC	LC	1	0	0.3		5	0.51	LC	LC	1	0	0.3	
Polycarpaea arida	6	7.89	NT	NT	2	0	0.3		7	9.21	LC	LC	1	0	0.3		5	6.58	NT	NT	2	0	0.3	
Polycarpaea breviflora		0.00								0.00								0.00						
Polygala isingii	1	7.69	NT	NT	2	0	0.3	ephemeral, very small, undercollected		0.00								0.00						
Polygonum plebeium		0.00								0.00								0.00						
Pomaderris paniculosa ssp. paniculosa		0.00								0.00								0.00						
Pomax umbellata	18	5.96	LC	LC	1	0	0.3	grows in rock crevices	13	4.30	NT	NT	2	0	0.3	grows in rock crevices	5	1.66	NT	NT	2	0	0.3	grows in rock crevices
Poranthera leiosperma	1	5.26	NT	NT	2	0	0.3	undercollected; new entity		0.00							2	10.53	NT	NT	2	0	0.3	undercollected; new entity
Poranthera microphylla		0.00								0.00								0.00						
Portulaca filifolia	1	1.96	NT	NT	2	DD	0			0.00								0.00						
Portulaca intraterranea		0.00								0.00								0.00						
Portulaca oleracea	32	3.76	LC	LC	1	0	0.3		10	1.18	LC	LC	1	0	0.3		6	0.71	LC	LC	1	0	0.3	
Potamogeton crispus		0.00								0.00								0.00						
Potamogeton ochreatus		0.00								0.00								0.00						
Potamogeton pectinatus		0.00								0.00								0.00						
Potamogeton tricarinatus		0.00								0.00								0.00						
Prasophyllum elatum		0.00								0.00								0.00						
Prasophyllum occidentale		0.00								0.00								0.00						
Prasophyllum odoratum		0.00								0.00								0.00						
Prostanthera althoferi ssp. longifolia	2	2.20	RA d(i,ii)	RA	3	0	0.3	sand plain spp		0.00								0.00						
Prostanthera nudula	7	20.59	VU D2	VU	4	0	0.3	localised	23	67.65	VU D2	VU	4	0	0.3	localised		0.00						
Prostanthera spinosa		0.00								0.00								0.00						
Prostanthera striatiflora	36	5.34	LC	LC	1	0	0.3		7	1.04	LC	LC	1	0	0.3		20	2.97	LC	LC	1	0	0.3	
Prostanthera wilkieana		0.00								0.00							8	16.67	NT	NT	2	0	0.3	
Pseudoraphis spinescens		0.00								0.00								0.00						
Psydrax ammophila	2	9.09	RA d(ii)	RA	3	0	0.3	central Aust sp.	2	9.09	RA d(ii)	RA	3	0	0.3	central Aust sp.	13	59.09	NT	NT	2	0	0.3	limited habitat
Psydrax latifolia	1	7.14	RA d(ii)	RA	3	DD	0		7	50.00	LC	LC	1	0	0.3		1	7.14	RA d(ii)	RA	3	DD	0	
Psydrax suaveolens	2	14.29	RA d(ii)	RA	3	DD	0		1	7.14	RA d(ii)	RA	3	DD	0			0.00						
Pteris tremula		0.00								0.00								0.00						
Pterocaulon serrulatum	1	12.50	RA d(ii)	RA	3	DD	0			0.00								0.00						
Pterocaulon sphacelatum	34	5.14	LC	LC	1	0	0.3		17	2.57	LC	LC	1	0	0.3		2	0.30	LC	LC	1	0	0.3	
Pterostylis biseta		0.00								0.00								0.00						
Pterostylis boormanii		0.00								0.00								0.00						
Pterostylis excelsa		0.00								0.00								0.00						
Pterostylis lingua		0.00								0.00								0.00						
Pterostylis mutica		0.00								0.00								0.00						
Pterostylis nana		0.00								0.00								0.00						
Pterostylis plumosa		0.00								0.00								0.00						
Pterostylis pusilla		0.00								0.00								0.00						
Pterostylis robusta		0.00								0.00								0.00						
Pterostylis sanguinea		0.00								0.00								0.00						
Pterostylis viriosa		0.00								0.00								0.00						
Ptilotus aervoides	4	100.00	RA d(i,ii)	RA	3	DD	0	WA/NT sp, eastern edge of range		0.00								0.00						
Ptilotus aristatus ssp. aristatus		0.00								0.00								0.00						
Ptilotus barkeri		0.00								0.00								0.00						
Ptilotus clementii	2	100.00	RA d(i,ii)	RA	3	DD	0	edge of range in SA, northern spp		0.00								0.00						
Ptilotus decipiens	21	23.33	LC	LC	1	0	0.3		6	6.67	NT	NT	2	0	0.3		5	5.56	NT	NT	2	0	0.3	
Ptilotus disparilis		0.00								0.00								0.00						
Ptilotus gaudichaudii ssp. gaudichaudii	2	2.86	RA d(i,ii)	RA	3	0	0.3		6	8.57	LC	LC	1	0	0.3			0.00						
Ptilotus gaudichaudii ssp. parviflorus		0.00								0.00								0.00						
Ptilotus helipteroides	5	13.89	NT	NT	2	0	0.3		4	11.11	LC	LC	1	0	0.3		3	8.33	LC	LC	1	0	0.3	
Ptilotus incanus	10	71.43	LC	LC	1	0	0.3	could be more records		0.00								0.00						
Ptilotus latifolius		0.00								0.00							1	1.89	RA d(i,ii)	RA	3	0	0.3	
Ptilotus macrocephalus		0.00							5	3.85	LC	LC	1	0	0.3			0.00						
Ptilotus murrayi		0.00								0.00								0.00						
Ptilotus nobilis ssp. nobilis		0.00	LC	LC	1	0	0.3	(no records)		0.00	LC	LC	1	0	0.3	(no records)		0.00						
Ptilotus obovatus	4	4.88	LC	LC	1	0	0.3	lots of NC records	4	4.88	LC	LC	1	0	0.3	lots of NC records		0.00						
Ptilotus parvifolius		0.00								0.00								0.00						
Ptilotus polystachyus	1	0.29	LC	LC	1	0	0.3		1	0.29	LC	LC	1	0	0.3		1	0.29	LC	LC	1	0	0.3	
Ptilotus propinquus		0.00								0.00								0.00						
Ptilotus pseudohelipteroides		0.00								0.00								0.00						
Ptilotus remotiflorus		0.00								0.00								0.00						
Ptilotus schwartzii	1	50.00	RA d(i,ii)	RA	3	DD	0	southern edge of range	1	50.00	RA d(i,ii)	RA	3	DD	0	southern edge of range		0.00						
Ptilotus sessilifolius	27	9.09	LC	LC	1	0	0.3		2	0.67	LC	LC	1	0	0.3		3	1.01	LC	LC	1	0	0.3	
Ptilotus spathulatus		0.00								0.00								0.00						
Ptilotus whitei		0.00								0.00								0.00						
Ptychosema anomalum		0.00								0.00							2	100.00	RA d(i,ii)	RA	3	DD	0	
Puccinellia stricta		0.00								0.00								0.00						
Pultenaea largiflorens		0.00								0.00								0.00						
Pycnosorus eremaeus		0.00								0.00								0.00						
Pycnosorus globosus		0.00								0.00								0.00						
Pycnosorus melleus		0.00								0.00								0.00						
Pycnosorus pleiocephalus	2	0.31	NT	NT	2	0	0.3		4	0.62	NT	NT	2	0	0.3			0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Radyera farragei	12	11.54	NT	NT	2	0	0.3		14	13.46	NT	NT	2	0	0.3		1	0.96	NT	NT	2	0	0.3	
Ranunculus amphitrichus		0.00								0.00								0.00						
Ranunculus hamatosetosus		0.00								0.00								0.00						
Ranunculus pentandrus var. pentandrus		0.00								0.00								0.00						
Ranunculus pentandrus var. platycarpus		0.00							2	1.31	NT	NT	2	0	0.3	grows on interdune swales after rain		0.00						
Ranunculus pumilio var. politus		0.00								0.00								0.00						
Ranunculus pumilio var. pumilio		0.00								0.00								0.00						
Ranunculus sessiliflorus var. pilulifer		0.00								0.00								0.00						
Ranunculus sessiliflorus var. sessiliflorus		0.00								0.00							5	1.78	VU D2	VU	4	DD	0	localised
Rhagodia crassifolia		0.00								0.00								0.00						
Rhagodia eremaea	77	24.37	LC	LC	1	0	0.3		34	10.76	LC	LC	1	0	0.3		21	6.65	LC	LC	1	0	0.3	
Rhagodia parabolica	26	1.63	LC	LC	1	0	0.3		3	0.19	LC	LC	1	0	0.3		14	0.88	LC	LC	1	0	0.3	
Rhagodia preissii ssp. preissii		0.00								0.00								0.00						
Rhagodia spinescens	3	0.12	NT	NT	2	0	0.3		3	0.12	LC	LC	1	0	0.3		1	0.04	NT	NT	2	0	0.3	
Rhagodia ulicina		0.00							1	0.17	DD	DD	0	DD	0			0.00						
Rhodanthe charsleyae	2	0.90	NT	NT	2	DD	0		15	6.76	LC	LC	1	0	0.3			0.00						
Rhodanthe chlorocephala ssp. rosea		0.00								0.00								0.00						
Rhodanthe citrina	3	5.45	LC	LC	1	0	0.3			0.00							3	5.45	LC	LC	1	0	0.3	
Rhodanthe corymbiflora		0.00								0.00								0.00						
Rhodanthe floribunda	57	4.15	LC	LC	1	0	0.3		31	2.26	LC	LC	1	0	0.3		13	0.95	LC	LC	1	0	0.3	
Rhodanthe gossypina		0.00								0.00								0.00						
Rhodanthe laevis		0.00								0.00								0.00						
Rhodanthe microglossa	1	0.17	LC	LC	1	0	0.3		7	1.16	LC	LC	1	0	0.3			0.00						
Rhodanthe moschata		0.00								0.00							1	0.11	DD	DD	0	DD	0	check ID
Rhodanthe polygalifolia		0.00								0.00								0.00						
Rhodanthe pygmaea		0.00								0.00								0.00						
Rhodanthe stricta	19	2.49	LC	LC	1	0	0.3		13	1.70	LC	LC	1	0	0.3		19	2.49	LC	LC	1	0	0.3	
Rhodanthe stuartiana	1	0.45	RA d(ii)	RA	3	DD	0			0.00								0.00						
Rhodanthe tietkensii	43	19.11	LC	LC	1	0	0.3		22	9.78	LC	LC	1	0	0.3		16	7.11	LC	LC	1	0	0.3	
Rhodanthe troedelii		0.00								0.00								0.00						
Rhodanthe uniflora		0.00							1	0.52	LC	LC	1	0	0.3			0.00						
Rhyncharrhena linearis	9	3.33	LC	LC	1	0	0.3		9	3.33	LC	LC	1	0	0.3		4	1.48	NT	NT	2	0	0.3	
Rhynchosia australis	2	15.38	NE	NE	-1			taxonomic issues - difficult to ID from minima		0.00								0.00						
Rhynchosia minima	2	10.00	NE	NE	-1			taxonomic issues		0.00								0.00						
Ripippa eustylis		0.00								0.00								0.00						
Rostellularia adscendens var. clementii		0.00								0.00								0.00						
Rostellularia adscendens var. latifolia		0.00								0.00								0.00						
Rostellularia adscendens var. pogonanthera	26	13.33	LC	LC	1	0	0.3		2	1.03	LC	LC	1	0	0.3			0.00						
Rulingia loxophylla	11	13.10	LC	LC	1	0	0.3			0.00							9	10.71	LC	LC	1	0	0.3	
Rulingia magniflora	4	13.79	RA d(ii)	RA	3	DD	0		14	48.28	RA d(ii)	RA	3	DD	0		6	20.69	RA d(ii)	RA	3	DD	0	
Rumex brownii		0.00								0.00								0.00						
Rumex crystallinus		0.00							1	0.76	RA d(i,ii)	RA	3	DD	0	edge of range		0.00						
Ruppia maritima		0.00								0.00								0.00						
Ruppia megacarpa		0.00								0.00								0.00						
Ruppia polycarpa		0.00								0.00								0.00						
Rutidosis helichrysoides ssp. helichrysoides	31	7.97	LC	LC	1	0	0.3		13	3.34	LC	LC	1	0	0.3		13	3.34	LC	LC	1	0	0.3	
Salsola tragus	96	2.19	LC	LC	1	0	0.3		33	0.75	LC	LC	1	0	0.3		18	0.41	LC	LC	1	0	0.3	
Samolus eremaeus	29	85.29	RA d(ii)	RA	3	0	0.3	limited habitat		0.00								0.00						
Samolus repens		0.00								0.00								0.00						
Santalum acuminatum	3	0.14	LC	LC	1	0	0.3		5	0.24	LC	LC	1	0	0.3		18	0.85	LC	LC	1	0	0.3	
Santalum lanceolatum	31	3.53	LC	LC	1	0	0.3		7	0.80	LC	LC	1	0	0.3		1	0.11	RA d(i,ii)	RA	3	DD	0	
Santalum spicatum		0.00								0.00								0.00						
Sarcocornia blackiana		0.00								0.00								0.00						
Sarcocornia quinqueflora		0.00								0.00								0.00						
Sarcostemma viminale ssp. australe	19	8.80	LC	LC	1	0	0.3		9	4.17	NT	NT	2	0	0.3		7	3.24	NT	NT	2	0	0.3	
Sarcozona praecox		0.00								0.00								0.00						
Sauropus ramosissimus		0.00								0.00							2	9.52	VU D2	VU	4	0	0.3	long-lived; outlier
Sauropus rigens		0.00								0.00								0.00						
Sauropus trachyspermus	14	5.58	LC	LC	1	0	0.3			0.00							2	0.80	NT	NT	2	0	0.3	edge of range
Scaevola albida		0.00								0.00								0.00						
Scaevola amblyanthera var. centralis	12	20.34	LC	LC	1	0	0.3			0.00								0.00						
Scaevola basedowii	7	10.45	LC	LC	1	0	0.3		1	1.49	RA d(i,ii)	RA	3	DD	0		6	8.96	LC	LC	1	0	0.3	
Scaevola collaris	1	0.38	RA d(i,ii)	RA	3	DD	0	likes damp sand; undercollected		0.00								0.00						
Scaevola collina	41	48.81	LC	LC	1	0	0.3		2	2.38	RA d(i,ii)	RA	3	0	0.3	edge of range		0.00						
Scaevola depauperata	1	0.75	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Scaevola glabrata	1	100.00	RA d(i,ii)	RA	3	DD	0	only 1 record; could be VU		0.00								0.00						
Scaevola humilis		0.00								0.00								0.00						
Scaevola obovata	1	100.00	VU D2	VU	4	DD	0	only 1 record for SA; edge of range		0.00								0.00						
Scaevola parvibarbata		0.00								0.00								0.00						
Scaevola parvifolia ssp. parvifolia	6	26.09	NT	NT	2	DD	0			0.00							2	8.70	NT	NT	2	DD	0	
Scaevola spinescens		0.00							3	0.23	RA d(ii)	RA	3	DD	0	edge of range		0.00						
Schenkia australis		0.00							2	1.02	NT	NT	2	0	0.3			0.00						
Schoenia ayersii	39	45.35	LC	LC	1	0	0.3	buffel grass potential threat	14	16.26	LC	LC	1	0	0.3	buffel grass potential threat	1	1.16	LC	LC	1	0	0.3	buffel grass potential threat

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Schoenia cassiniana	15	6.05	LC	LC	1	0	0.3		13	5.24	LC	LC	1	0	0.3		5	2.02	LC	LC	1	0	0.3	
Schoenia ramosissima		0.00							2	1.19	NT	NT	2	DD	0			0.00						
Schoenoplectus dissachanthus		0.00								0.00								0.00						
Schoenoplectus laevis		0.00								0.00								0.00						
Schoenoplectus lateriflorus		0.00								0.00								0.00						
Schoenoplectus pungens		0.00								0.00								0.00						
Schoenoplectus subulatus		0.00								0.00								0.00						
Schoenoplectus validus		0.00								0.00								0.00						
Schoenus apogon		0.00								0.00								0.00						
Scleranthus minusculus		0.00								0.00								0.00						
Scleranthus pungens		0.00								0.00								0.00						
Scleroblitum atriplicinum		0.00								0.00								0.00						
Sclerolaena anisacanthoides		0.00								0.00								0.00						
Sclerolaena articulata		0.00								0.00								0.00						
Sclerolaena bicornis var. bicornis		0.00								0.00								0.00						
Sclerolaena bicuspis		0.00								0.00								0.00						
Sclerolaena birchii	1	6.67	RA d(ii)	RA	3	DD	0		1	6.67	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena blackiana		0.00								0.00								0.00						
Sclerolaena brachyptera		0.00								0.00								0.00						
Sclerolaena calcarata	1	0.94	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Sclerolaena clelandii		0.00								0.00								0.00						
Sclerolaena constricta		0.00								0.00								0.00						
Sclerolaena convexula	57	15.75	LC	LC	1	0	0.3		34	9.39	LC	LC	1	0	0.3		15	4.14	LC	LC	1	0	0.3	
Sclerolaena cornishiana		0.00							2	66.67	RA d(ii)	RA	3	DD	0			0.00						
Sclerolaena costata	5	15.63	NT	NT	2	0	0.3		2	6.25	NT	NT	2	0	0.3			0.00						
Sclerolaena cristata		0.00	VU D2	VU	4	DD	0	(no record) 1 record in NSW herbarium		0.00								0.00						
Sclerolaena cuneata		0.00							8	2.19	LC	LC	1	0	0.3			0.00						
Sclerolaena decurrens		0.00							1	0.34	NT	NT	2	0	0.3			0.00						
Sclerolaena deserticola		0.00							4	11.11	NT	NT	2	0	0.3			0.00						
Sclerolaena diacantha	11	0.37	LC	LC	1	0	0.3	good stock food	14	0.47	LC	LC	1	0	0.3	good stock food		0.00						
Sclerolaena divaricata	1	0.11	DD	DD	0	DD	0		4	0.43	LC	LC	1	0	0.3			0.00						
Sclerolaena eriacantha	1	0.33	NT	NT	2	DD	0		15	4.95	LC	LC	1	0	0.3			0.00						
Sclerolaena fontinalis		0.00								0.00								0.00						
Sclerolaena glabra		0.00								0.00								0.00						
Sclerolaena holtiana		0.00							3	1.31	LC	LC	1	0	0.3			0.00						
Sclerolaena intricata		0.00								0.00								0.00						
Sclerolaena johnsonii	17	14.17	LC	LC	1	0	0.3		1	0.83	LC	LC	1	0	0.3		8	6.67	LC	LC	1	0	0.3	
Sclerolaena lanicuspis		0.00							7	0.80	LC	LC	1	0	0.3			0.00						
Sclerolaena limbata		0.00								0.00								0.00						
Sclerolaena longicuspis		0.00							2	0.57	LC	LC	1	0	0.3			0.00						
Sclerolaena muricata var. muricata		0.00								0.00								0.00						
Sclerolaena muricata var. semiglabra		0.00								0.00								0.00						
Sclerolaena obliquicuspis	6	0.22	LC	LC	1	0	0.3		2	0.07	LC	LC	1	0	0.3			0.00						
Sclerolaena parallelicuspis	2	0.61	NT	NT	2	0	0.3			0.00								0.00						
Sclerolaena parviflora	3	0.63	LC	LC	1	0	0.3			0.00							3	0.63	LC	LC	1	0	0.3	
Sclerolaena patenticuspis	11	0.97	LC	LC	1	0	0.3			0.00								0.00						
Sclerolaena symoniana		0.00								0.00								0.00						
Sclerolaena tatei		0.00								0.00								0.00						
Sclerolaena tricuspis		0.00								0.00								0.00						
Sclerolaena uniflora	4	0.41	LC	LC	1	0	0.3	grows on bare limestone		0.00								0.00						
Sclerolaena ventricosa		0.00								0.00								0.00						
Scutellaria humilis		0.00								0.00								0.00						
Senecio anethifolius ssp. anethifolius		0.00								0.00								0.00						
Senecio anethifolius ssp. brevibracteolatus		0.00								0.00								0.00						
Senecio cunninghamii var. flindersensis		0.00								0.00								0.00						
Senecio depressicola		0.00								0.00								0.00						
Senecio dolichocephalus		0.00								0.00								0.00						
Senecio eremicola		0.00							1	16.67	RA d(i,ii)	RA	3	DD	0			0.00						
Senecio glomeratus ssp. longifructus		0.00								0.00								0.00						
Senecio glossanthus	2	0.26	LC	LC	1	0	0.3	in interdune swales	1	0.13	LC	LC	1	0	0.3	in interdune swales		0.00						
Senecio gregorii	42	5.34	LC	LC	1	0	0.3	on sand dunes, widespread	10	1.27	LC	LC	1	0	0.3	on sand dunes, widespread	13	1.65	LC	LC	1	0	0.3	on sand dunes, widespread
Senecio gypsicola		0.00								0.00								0.00						
Senecio laceratus	12	20.34	NT	NT	2	DD	0		5	8.47	NT	NT	2	DD	0			0.00						
Senecio lacustrinus		0.00								0.00								0.00						
Senecio lanibracteus		0.00								0.00								0.00						
Senecio magnificus	32	3.76	LC	LC	1	0	0.3		24	2.82	LC	LC	1	0	0.3		4	0.47	LC	LC	1	0	0.3	
Senecio quadridentatus		0.00								0.00								0.00						
Senecio runcinifolius		0.00								0.00								0.00						
Senecio spanomerus		0.00								0.00								0.00						
Senna artemisioides ssp. alicia	4	3.96	RA d(ii)	RA	3	0	0.3	edge of range	2	1.98	RA d(ii)	RA	3	0	0.3		4	3.96	RA d(i,ii)	RA	3	0	0.3	
Senna artemisioides ssp. artemisioides	16	2.03	LC	LC	1	0	0.3		6	0.76	LC	LC	1	0	0.3		9	1.14	LC	LC	1	0	0.3	
Senna artemisioides ssp. coriacea	2	0.14	NT	NT	2	0	0.3		10	0.69	LC	LC	1	0	0.3			0.00						
Senna artemisioides ssp. filifolia	40	3.37	LC	LC	1	0	0.3		29	2.44	LC	LC	1	0	0.3		18	1.52	LC	LC	1	0	0.3	

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Senna artemisioides ssp. helmsii	12	3.50	LC	LC	1	0	0.3		11	3.21	LC	LC	1	0	0.3		12	3.50	LC	LC	1	0	0.3	
Senna artemisioides ssp. oligophylla	1	0.47	RA d(ii)	RA	3	DD	0	edge of range	7	3.30	LC	LC	1	0	0.3		1	0.47	RA d(ii)	RA	3	DD	0	edge of range
Senna artemisioides ssp. petiolaris	13	1.29	LC	LC	1	0	0.3		1	0.10	RA d(ii)	RA	3	DD	0		1	0.10	NT	NT	2	DD	0	
Senna artemisioides ssp. quadrifolia		0.00							5	2.69	LC	LC	1	0	0.3			0.00						
Senna artemisioides ssp. sturtii	9	5.84	LC	LC	1	0	0.3		5	3.25	LC	LC	1	0	0.3		7	4.55	LC	LC	1	0	0.3	
Senna artemisioides ssp. zygophylla		0.00								0.00								0.00						
Senna cardiosperma ssp. gawlerensis		0.00							1	0.24	RA d(ii)	RA	3	0	0.3			0.00						
Senna cardiosperma ssp. microphylla		0.00							6	17.14	NT	NT	2	0	0.3		3	8.57	NT	NT	2	0	0.3	
Senna glutinosa ssp. glutinosa	7	77.78	RA d(i,ii)	RA	3	0	0.3	likes rocky hillsides		0.00								0.00						
Senna glutinosa ssp. pruinosa		0.00							2	5.71	NT	NT	2	DD	0			0.00						
Senna notabilis		0.00								0.00								0.00						
Senna phyllodinea		0.00								0.00								0.00						
Senna planitiicola		0.00							26	70.27	RA d(ii)	RA	3	0	0.3			0.00						
Senna pleurocarpa var. pleurocarpa	26	7.76	LC	LC	1	0	0.3	fire responsive		0.00							10	2.99	LC	LC	1	0	0.3	fire responsive
Sesbania cannabina var. cannabina		0.00								0.00								0.00						
Setaria basiclada	6	6.06	NT	NT	2	DD	0	likes rocky hills		0.00							1	1.01	NT	NT	2	DD	0	likes rocky hills
Setaria clementii	17	16.83	LC	LC	1	0	0.3		7	6.93	LC	LC	1	0	0.3	easily overlooked; likes low, rocky rises	6	5.94	LC	LC	1	0	0.3	easily overlooked; likes low, rocky rises
Setaria constricta	25	4.66	LC	LC	1	0	0.3		11	2.05	LC	LC	1	0	0.3		12	2.23	LC	LC	1	0	0.3	
Setaria dielsii	6	4.80	LC	LC	1	0	0.3		1	0.80	RA d(ii)	RA	3	DD	0			0.00						
Setaria jubiflora	1	0.41	RA d(ii)	RA	3	DD	0	in creek lines		0.00								0.00						
Setaria reflexa	10	18.18	NT	NT	2	0	0.3		2	3.64	RA d(ii)	RA	3	DD	0		2	3.64	RA d(ii)	RA	3	DD	0	
Sida "billbarkeri"		0.00								0.00								0.00						
Sida ammophila	13	2.08	LC	LC	1	0	0.3		10	1.60	LC	LC	1	0	0.3		3	0.48	LC	LC	1	0	0.3	
Sida argillacea		0.00								0.00								0.00						
Sida calyxhymenia	16	8.16	LC	LC	1	0	0.3		4	2.04	LC	LC	1	0	0.3		2	1.02	LC	LC	1	0	0.3	
Sida cardiophylla	2	33.33	NT	NT	2	0	0.3			0.00							4	66.67	NT	NT	2	0	0.3	edge of range
Sida corrugata var. angustifolia		0.00								0.00								0.00						
Sida corrugata var. corrugata		0.00								0.00								0.00						
Sida cunninghamii		0.00								0.00								0.00						
Sida everistiana		0.00								0.00								0.00						
Sida fibulifera	50	3.27	LC	LC	1	0	0.3		24	1.57	LC	LC	1	0	0.3			0.00						
Sida filiformis		0.00							12	21.43	LC	LC	1	0	0.3	persistent	12	21.43	NT	NT	2	0	0.3	persistent
Sida goniocarpa	1	3.33	RA d(ii)	RA	3	DD	0			0.00								0.00						
Sida intricata		0.00								0.00								0.00						
Sida petrophila		0.00							1	0.07	RA d(i,ii)	RA	3	DD	0			0.00						
Sida phaeotricha	48	26.97	LC	LC	1	0	0.3		7	3.93	LC	LC	1	0	0.3		34	19.10	LC	LC	1	0	0.3	
Sida platycalyx	2	100.00	DD	DD	0	DD	0	edge of range; too few records		0.00								0.00						
Sida rohlenae ssp. rohlenae	2	6.45	LC	LC	1	0	0.3			0.00								0.00						
Sida sp. B (C.Dunlop 1739)	3	11.11	NE	NE	-1			taxonomic issues	1	3.70	NE	NE	-1			taxonomic issues		0.00						
Sida sp. Everard Ranges (D.J.Whibley 1085)		0.00							5	50.00	NT	NT	2	DD	0			0.00						
Sida sp. F (Latz 7459)		0.00							4	10.53	NE	NE	-1			taxonomic issues		0.00						
Sida sp. L (A.M.Ashby 4202)		0.00							2	16.67	NE	NE	-1			taxonomic issues	3	25.00	NE	NE	-1			taxonomic issues
Sida sp. M (J.Z.Weber 831)		0.00								0.00								0.00						
Sida sp. Mitrata (R.E.Winkworth 798)		0.00								0.00								0.00						
Sida sp. R (P.Copley 1390)		0.00								0.00								0.00						
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								0.00								0.00						
Sida sp. Wakaya Desert (C.Dunlop 1984)		0.00								0.00							1	8.33	NE	NE	-1			taxonomic issues
Sida spodochroma		0.00								0.00								0.00						
Sida trichopoda		0.00								0.00								0.00						
Sigesbeckia australiensis	22	9.69	LC	LC	1	0	0.3	likes rocky hills	9	3.96	LC	LC	1	0	0.3	likes rocky hills	12	5.29	LC	LC	1	0	0.3	likes rocky hills
Sigesbeckia orientalis ssp. orientalis		0.00								0.00								0.00						
Siloxerus multiflorus		0.00								0.00								0.00						
Solanum centrale	19	12.18	LC	LC	1	0	0.3		4	2.56	LC	LC	1	0	0.3		11	7.05	LC	LC	1	0	0.3	
Solanum chenopodinum		0.00								0.00								0.00						
Solanum cleistogamum	12	12.90	LC	LC	1	0	0.3			0.00							2	2.15	NT	NT	2	0	0.3	
Solanum coactiliferum	30	4.84	LC	LC	1	0	0.3		1	0.16	NT	NT	2	DD	0		19	3.06	LC	LC	1	0	0.3	
Solanum eardleyae	63	64.29	LC	LC	1	0	0.3		1	1.02	RA d(ii)	RA	3	0	0.3			0.00						
Solanum ellipticum	60	4.06	LC	LC	1	0	0.3		35	2.37	LC	LC	1	0	0.3		26	1.76	LC	LC	1	0	0.3	
Solanum esuriale		0.00								0.00								0.00						
Solanum ferocissimum	9	24.32	LC	LC	1	0	0.3		3	8.11	NT	NT	2	0	0.3			0.00						
Solanum lacunarium		0.00								0.00								0.00						
Solanum lasiophyllum	5	6.58	RA d(i,ii)	RA	3	DD	0	edge of range	7	9.21	LC	LC	1	0	0.3			0.00						
Solanum oligacanthum		0.00								0.00								0.00						
Solanum orbiculatum ssp. orbiculatum	10	9.52	LC	LC	1	0	0.3			0.00							10	9.52	LC	LC	1	0	0.3	
Solanum petrophilum	39	3.78	LC	LC	1	0	0.3		31	3.01	LC	LC	1	0	0.3		21	2.04	LC	LC	1	0	0.3	
Solanum quadriloculatum	11	3.31	LC	LC	1	0	0.3		8	2.41	LC	LC	1	0	0.3			0.00						
Solanum simile		0.00								0.00								0.00						
Solanum sturtianum		0.00							5	0.77	NT	NT	2	0	0.3			0.00						
Sonchus hydrophilus	1	0.38	RA d(i,ii)	RA	3	-	0.4	displaced by weedy spp.		0.00								0.00						
Spartothamnella teucriiflora	4	4.82	NT	NT	2	0	0.3		4	4.82	NT	NT	2	0	0.3		3	3.61	NT	NT	2	0	0.3	
Spergularia brevifolia		0.00								0.00								0.00						
Spergularia diandroides		0.00								0.00								0.00						
Spergularia marina		0.00							1	0.38	NT	NT	2	0	0.3	in low-lying salty areas		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Sphaeranthus indicus		0.00								0.00								0.00						
Sporobolus actinocladus		0.00							8	1.47	LC	LC	1	0	0.3			0.00						
Sporobolus australasicus		0.00								0.00								0.00						
Sporobolus blakei	3	30.00	NT	NT	2	0	0.3		3	30.00	NT	NT	2	0	0.3			0.00						
Sporobolus caroli		0.00								0.00								0.00						
Sporobolus mitchellii		0.00								0.00								0.00						
Sporobolus virginicus		0.00								0.00								0.00						
Spyridium phlebophyllum		0.00								0.00								0.00						
Stackhousia clementii	2	3.57	RA d(i,ii)	RA	3	0	0.3			0.00								0.00						
Stackhousia monogyna		0.00								0.00								0.00						
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								0.00								0.00						
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								0.00								0.00						
Stemodia florulenta	8	1.25	LC	LC	1	0	0.3		3	0.47	LC	LC	1	0	0.3			0.00						
Stemodia glabella		0.00								0.00								0.00						
Stemodia sp. Haegii (J.Z.Weber 9055)		0.00								0.00								0.00						
Stemodia viscosa	23	62.16	NT	NT	2	0	0.3	likes granites; buffel a threat	5	13.51	RA d(ii)	RA	3	0	0.3	likes granites; buffel a threat	8	21.62	RA d(ii)	RA	3	0	0.3	likes granites; buffel a threat
Stenanthemum leucophractum		0.00								0.00								0.00						
Stenopetalum anfractum	4	7.41	LC	LC	1	0	0.3	grows on flats, sands, rises	15	27.78	LC	LC	1	0	0.3	grows on flats, sands, rises	1	1.85	LC	LC	1	0	0.3	grows on flats, sands, rises
Stenopetalum decipiens	1	25.00	RA d(i,ii)	RA	3	DD	0	restricted habitat, edge of range, buffel a threat, questionably r		0.00								0.00						
Stenopetalum lineare	21	3.39	LC	LC	1	0	0.3	a complex of species, could be split	4	0.65	LC	LC	1	0	0.3		1	0.16	LC	LC	1	0	0.3	
Stenopetalum nutans	11	12.79	LC	LC	1	0	0.3		7	8.14	LC	LC	1	0	0.3			0.00						
Stenopetalum sphaerocarpum		0.00								0.00								0.00						
Stenopetalum velutinum	40	19.70	LC	LC	1	0	0.3		10	4.93	LC	LC	1	0	0.3		7	3.45	LC	LC	1	0	0.3	
Streptoglossa adscendens		0.00								0.00								0.00						
Streptoglossa cylindriceps		0.00								0.00								0.00						
Streptoglossa decurrens		0.00								0.00								0.00						
Streptoglossa liatroides	1	0.60	RA d(i,ii)	RA	3	DD	0	edge of range		0.00								0.00						
Stuartina hamata		0.00								0.00								0.00						
Stuartina muelleri		0.00								0.00								0.00						
Stylidium desertorum		0.00								0.00								0.00						
Stylidium despectum		0.00								0.00								0.00						
Stylidium inaequipetalum	4	80.00	RA d(ii)	RA	3	DD	0	southern edge of range; comes up after fire; buffel a threat		0.00								0.00						
Suaeda australis		0.00								0.00								0.00						
Swainsona acuticarinata	6	13.64	NT	NT	2	0	0.3	likes heavy soils		0.00								0.00						
Swainsona adenophylla		0.00								0.00								0.00						
Swainsona affinis	1	1.69	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Swainsona burkittii		0.00								0.00								0.00						
Swainsona campylantha		0.00								0.00								0.00						
Swainsona canescens	20	18.18	LC	LC	1	0	0.3			0.00							3	2.73	NT	NT	2	0	0.3	
Swainsona colutoides		0.00								0.00								0.00						
Swainsona disjuncta	6	46.15	LC	LC	1	0	0.3			0.00								0.00						
Swainsona eremaea		0.00								0.00								0.00						
Swainsona extrajacens		0.00								0.00								0.00						
Swainsona fissimontana		0.00								0.00								0.00						
Swainsona flavicarinata	3	4.05	RA d(ii)	RA	3	DD	0			0.00								0.00						
Swainsona formosa		0.00							2	0.91	NT	NT	2	DD	0			0.00						
Swainsona laxa		0.00								0.00								0.00						
Swainsona leeana		0.00								0.00								0.00						
Swainsona microcalyx		0.00							1	2.33	RA d(i,ii)	RA	3	DD	0			0.00						
Swainsona microphylla	21	12.28	LC	LC	1	0	0.3			0.00							2	1.17	NT	NT	2	0	0.3	
Swainsona minutiflora		0.00								0.00								0.00						
Swainsona oligophylla		0.00							2	2.13	NT	NT	2	DD	0			0.00						
Swainsona oliveri		0.00							4	4.55	NT	NT	2	0	0.3			0.00						
Swainsona oroboides		0.00							2	1.82	RA d(i,ii)	RA	3	0	0.3			0.00						
Swainsona phacoides	9	2.33	LC	LC	1	0	0.3		1	0.26	NT	NT	2	DD	0			0.00						
Swainsona purpurea		0.00								0.00								0.00						
Swainsona stipularis		0.00								0.00								0.00						
Swainsona swainsonioides		0.00								0.00								0.00						
Swainsona tenuis	11	15.28	LC	LC	1	0	0.3		8	11.11	LC	LC	1	0	0.3		2	2.78	NT	NT	2	0	0.3	
Swainsona tephrotricha		0.00								0.00								0.00						
Swainsona unifoliolata		0.00								0.00								0.00						
Swainsona vestita		0.00								0.00								0.00						
Swainsona villosa	65	47.45	LC	LC	1	0	0.3		3	2.19	LC	LC	1	0	0.3			0.00						
Swainsona viridis		0.00								0.00								0.00						
Synaptantha tillaeacea var. hispidula	1	3.23	NT	NT	2	0	0.3	perennial; comes up after good rain		0.00								0.00						
Synaptantha tillaeacea var. tillaeacea	1	1.61	NT	NT	2	DD	0	undercollected	2	3.23	LC	LC	1	0	0.3	undercollected		0.00						
Tecticornia arbuscula		0.00								0.00								0.00						
Tecticornia cupuliformis		0.00								0.00								0.00						
Tecticornia disarticulata		0.00							2	1.08	RA d(i,ii)	RA	3	DD	0	limited habitat		0.00						
Tecticornia fontinalis		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. halocnemoides		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. longispicata		0.00								0.00								0.00						
Tecticornia halocnemoides ssp. tenuis		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Tecticornia indica ssp. bidens	1	1.54	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Tecticornia indica ssp. leiostachya		0.00							2	0.41	RA d(ii)	RA	3	DD	0			0.00						
Tecticornia medullosa		0.00								0.00								0.00						
Tecticornia nitida		0.00								0.00								0.00						
Tecticornia pergranulata ssp. divaricata		0.00								0.00								0.00						
Tecticornia pergranulata ssp. elongata		0.00								0.00								0.00						
Tecticornia pergranulata ssp. pergranulata		0.00								0.00								0.00						
Tecticornia pruiflora		0.00								0.00								0.00						
Tecticornia pruinosa		0.00								0.00								0.00						
Tecticornia pterygosperma ssp. pterygosperma		0.00								0.00								0.00						
Tecticornia tenuis		0.00								0.00								0.00						
Tecticornia triandra		0.00							1	2.08	VU D2	VU	4	DD	0	1 old record; could be extinct		0.00						
Tecticornia undulata		0.00								0.00								0.00						
Tecticornia verrucosa		0.00							3	100.00	VU D2	VU	4	DD	0	only records for SA		0.00						
Templetonia aculeata		0.00								0.00								0.00						
Templetonia egena		0.00							2	0.49	RA d(ii)	RA	3	0	0.3			0.00						
Templetonia retusa		0.00								0.00								0.00						
Tephrosia sphaerospora	17	5.86	LC	LC	1	0	0.3		5	1.72	LC	LC	1	0	0.3		5	1.72	LC	LC	1	0	0.3	
Tephrosia supina	13	50.00	LC	LC	1	0	0.3			0.00								0.00						
Tetragonia eremaea	5	0.42	LC	LC	1	0	0.3		11	0.93	LC	LC	1	0	0.3			0.00						
Tetragonia moorei		0.00								0.00								0.00						
Tetragonia tetragonioides		0.00								0.00								0.00						
Teucrium albicaule		0.00								0.00								0.00						
Teucrium corymbosum	3	2.73	RA d(i,ii)	RA	3	DD	0			0.00	RA d(i,ii)	RA	3	DD	0	(no records)		0.00						
Teucrium grandiusculum ssp. grandiusculum	6	100.00	VU D2	VU	4	DD	0	highly localised		0.00								0.00						
Teucrium racemosum	5	0.60	LC	LC	1	0	0.3		3	0.36	LC	LC	1	0	0.3			0.00						
Teucrium reidii	11	78.57	RA d(ii)	RA	3	DD	0	probably stable pop.		0.00								0.00						
Thelymitra grandiflora		0.00								0.00								0.00						
Thelymitra megcalyptra		0.00								0.00								0.00						
Themeda avenacea	3	16.67	NT	NT	2	DD	0		1	5.56	NT	NT	2	DD	0		3	16.67	NT	NT	2	DD	0	
Themeda triandra	46	3.04	LC	LC	1	0	0.3		8	0.53	LC	LC	1	0	0.3		16	1.06	LC	LC	1	0	0.3	
Threlkeldia inchoata		0.00							1	1.37	RA d(ii)	RA	3	DD	0	likes rich soils & stony rises		0.00						
Thryptomene elliottii		0.00								0.00								0.00						
Thryptomene longifolia		0.00								0.00								0.00						
Thyridolepis mitchelliana	3	2.38	LC	LC	1	0	0.3		11	8.73	LC	LC	1	0	0.3		9	7.14	LC	LC	1	0	0.3	
Thyridolepis multiculmis	1	1.75	NT	NT	2	DD	0		4	7.02	LC	LC	1	0	0.3			0.00						
Thyridolepis xerophila	1	6.67	RA d(ii)	RA	3	DD	0		1	6.67	RA d(ii)	RA	3	DD	0			0.00						
Thysanotus baueri		0.00								0.00								0.00						
Thysanotus exiliflorus	2	5.13	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Thysanotus patersonii		0.00								0.00								0.00						
Thysanotus tenellus		0.00								0.00								0.00						
Tietkensia corrickiae	5	50.00	RA d(i,ii)	RA	3	DD	0			0.00								0.00						
Trachymene cyanopetala		0.00								0.00								0.00						
Trachymene glaucifolia	8	2.84	LC	LC	1	0	0.3		4	1.42	LC	LC	1	0	0.3		2	0.71	LC	LC	1	0	0.3	
Trachymene ornata		0.00								0.00								0.00						
Tragus australianus	9	2.37	LC	LC	1	0	0.3		8	2.11	LC	LC	1	0	0.3		2	0.53	LC	LC	1	0	0.3	
Trianthema pilosa		0.00								0.00								0.00						
Trianthema triquetra	21	2.58	LC	LC	1	0	0.3		7	0.86	LC	LC	1	0	0.3			0.00						
Tribulus astrocarpus		0.00							1	3.70	NT	NT	2	0	0.3			0.00						
Tribulus eichlerianus	3	1.02	NT	NT	2	0	0.3		5	1.69	LC	LC	1	0	0.3			0.00						
Tribulus hystrix	1	0.46						introduced		0.00								0.00						
Tribulus macrocarpus	1	25.00	VU D2	VU	4	DD	0			0.00								0.00						
Tribulus micrococcus		0.00								0.00								0.00						
Tribulus minutus		0.00								0.00								0.00						
Trichanthodium skirrophorum	1	0.15	DD	DD	0	DD	0	unknown		0.00								0.00						
Trichodesma zeylanicum var. zeylanicum	48	6.54	LC	LC	1	0	0.3		23	3.13	LC	LC	1	0	0.3		16	2.18	LC	LC	1	0	0.3	
Triglochin hexagona		0.00								0.00								0.00						
Triglochin isingiana	1	0.70	NT	NT	2	0	0.3		2	1.41	NT	NT	2	0	0.3		7	4.93	NT	NT	2	0	0.3	specific habitat
Triglochin multifructa		0.00								0.00								0.00						
Triglochin nana		0.00	LC	LC	1	0	0.3	(no records) undercollected; ephemeral		0.00								0.00	LC	LC	1	0	0.3	(no records) undercollected; ephemeral
Triglochin sp. A (N.N.Donner 3596)		0.00								0.00								0.00						
Triglochin striata																								
Trigonella suavissima	6	1.99	LC	LC	1	0	0.3			0.00								0.00						
Triodia basedowii	52	8.10	LC	LC	1	0	0.3		1	0.16	NT	NT	2	0	0.3	lack of habitat	50	7.79	LC	LC	1	0	0.3	
Triodia bunicola		0.00								0.00								0.00						
Triodia helmsii	3	11.54	NT	NT	2	0	0.3			0.00								0.00						
Triodia irritans	71	5.96	LC	LC	1	0	0.3		26	2.18	LC	LC	1	0	0.3		3	0.25	LC	LC	1	0	0.3	
Triodia longiceps	4	19.05	NT	NT	2	DD	0			0.00								0.00						
Triodia pungens	5	41.67	NT	NT	2	DD	0		1	8.33	NT	NT	2	DD	0		2	16.67	NT	NT	2	DD	0	
Triodia scariosa	41	4.45	LC	LC	1	0	0.3		2	0.22	NT	NT	2	0	0.3		7	0.76	LC	LC	1	0	0.3	
Triodia schinzii	1	20.00	RA d(ii)	RA	3	DD	0			0.00								0.00						
Tripogon loliiformis	32	4.40	LC	LC	1	0	0.3		20	2.75	LC	LC	1	0	0.3		19	2.61	LC	LC	1	0	0.3	
Triptilodiscus pygmaeus		0.00							1	0.24	RA d(ii)	RA	3	DD	0	outlier		0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Triraphis mollis	44	6.22	LC	LC	1	0	0.3		11	1.56	LC	LC	1	0	0.3		7	0.99	LC	LC	1	0	0.3	
Typha domingensis	5	1.14	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Typhonium alismifolium		0.00								0.00								0.00						
Uranthoecium truncatum	1	5.56	NT	NT	2	DD	0	poorly collected		0.00								0.00						
Utricularia australis		0.00								0.00								0.00						
Utricularia dichotoma		0.00								0.00								0.00						
Velleia arguta		0.00								0.00								0.00						
Velleia connata	3	2.83	NT	NT	2	0	0.3	comes up after fire; undercollected		0.00								0.00						
Velleia glabrata	1	1.54	RA d(ii)	RA	3	0	0.3		4	6.15	NT	NT	2	0	0.3		2	3.08	NT	NT	2	0	0.3	
Veronica decorosa		0.00								0.00								0.00						
Vigna lanceolata var. latifolia		0.00								0.00								0.00						
Vittadinia arida	7	8.05	RA d(ii)	RA	3	DD	0			0.00								0.00						
Vittadinia blackii		0.00								0.00								0.00						
Vittadinia cervicularis var. cervicularis	2	0.32	NE	NE	-1			taxonomic issues, could be V. sulcata		0.00								0.00						
Vittadinia condyloides		0.00								0.00								0.00						
Vittadinia cuneata var. cuneata forma cuneata		0.00								0.00								0.00						
Vittadinia cuneata var. morrisii		0.00								0.00								0.00						
Vittadinia dissecta var. hirta	27	4.92	LC	LC	1	0	0.3		2	0.36	NT	NT	2	DD	0			0.00						
Vittadinia eremaea	15	3.57	LC	LC	1	0	0.3		1	0.24	LC	LC	1	0	0.3		2	0.48	LC	LC	1	0	0.3	
Vittadinia gracilis		0.00								0.00								0.00						
Vittadinia pterochaeta		0.00								0.00								0.00						
Vittadinia pustulata	10	41.67	NT	NT	2	DD	0		2	8.33	RA d(ii)	RA	3	DD	0		4	16.67	RA d(ii)	RA	3	DD	0	
Vittadinia sulcata	8	4.28	NT	NT	2	DD	0	undercollected		0.00								0.00						
Wahlenbergia aridicola	2	3.08	RA d(ii)	RA	3	0	0.3	annual		0.00								0.00						
Wahlenbergia communis	15	2.26	LC	LC	1	0	0.3	annual	1	0.15	LC	LC	1	0	0.3	annual		0.00						
Wahlenbergia gracilenta	1	0.08	RA d(ii)	RA	3	0	0.3	responds to disturbance		0.00							2	0.16	RA d(ii)	RA	3	0	0.3	responds to disturbance
Wahlenbergia luteola		0.00								0.00								0.00						
Wahlenbergia preissii		0.00								0.00								0.00						
Wahlenbergia queenslandica	3	5.00	LC	LC	1	0	0.3		1	1.67	LC	LC	1	0	0.3			0.00						
Wahlenbergia stricta ssp. stricta		0.00								0.00								0.00						
Wahlenbergia tumidifructa	27	5.93	LC	LC	1	0	0.3		23	5.05	LC	LC	1	0	0.3		19	4.18	LC	LC	1	0	0.3	
Waitzia acuminata var. acuminata	4	1.03	LC	LC	1	0	0.3		6	1.54	LC	LC	1	0	0.3		6	1.54	LC	LC	1	0	0.3	
Walwhalleya proluta		0.00								0.00								0.00						
Wedelia stirlingii	37	90.24	LC	LC	1	0	0.3	buffel grass potential threat		0.00								0.00						
Westringia rigida		0.00								0.00								0.00						
Wurmbea australis		0.00								0.00								0.00						
Wurmbea centralis	1	12.50	EN B2ab(i,ii,iii)	EN	5	-	0.4	very limited habitat		0.00								0.00						
Wurmbea citrina		0.00								0.00								0.00						
Wurmbea deserticola	2	50.00	RA d(ii)	RA	3	0	0.3			0.00								0.00						
Wurmbea dioica ssp. brevifolia		0.00								0.00								0.00						
Wurmbea nilpinna		0.00								0.00								0.00						
Wurmbea stellata		0.00								0.00								0.00						
Xanthorrhoea quadrangulata		0.00								0.00								0.00						
Xanthorrhoea thorntonii	7	77.78	VU D2	VU	4	0	0.3	highly localised; some recruitment happening; very long-lived;		0.00								0.00						
Xerochrysum bracteatum	27	12.22	LC	LC	1	0	0.3		16	7.24	LC	LC	1	0	0.3		9	4.07	LC	LC	1	0	0.3	
Xerothamnella parvifolia		0.00								0.00								0.00						
Yakirra australiensis var. australiensis		0.00								0.00								0.00						
Zaleya galericulata ssp. australis	2	3.70	RA d(ii)	RA	3	DD	0	outlier		0.00								0.00						
Zygochloa paradoxa		0.00								0.00								0.00						
Zygophyllum ammophilum	1	0.36	DD	DD	0	DD	0	query ID	1	0.36	DD	DD	0	DD	0	query ID		0.00						
Zygophyllum angustifolium		0.00								0.00								0.00						
Zygophyllum apiculatum	1	0.07	RA d(ii)	RA	3	DD	0	1 old record	3	0.20	LC	LC	1	0	0.3			0.00						
Zygophyllum aurantiacum ssp. aurantiacum		0.00								0.00							1	0.13	LC	LC	1	0	0.3	
Zygophyllum aurantiacum ssp. cuneatum		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. simplicifolium		0.00								0.00								0.00						
Zygophyllum aurantiacum ssp. verticillatum		0.00								0.00								0.00						
Zygophyllum compressum		0.00								0.00								0.00						
Zygophyllum confluens		0.00								0.00								0.00						
Zygophyllum crassissimum		0.00								0.00								0.00						
Zygophyllum crenatum		0.00								0.00								0.00						
Zygophyllum eichleri	25	60.98	LC	LC	1	0	0.3		1	2.44	NT	NT	2	0	0.3			0.00						
Zygophyllum emarginatum		0.00							1	0.88	RA d(i,ii)	RA	3	0	0.3			0.00						
Zygophyllum eremaeum	2	0.48	NT	NT	2	0	0.3	undercollected	2	0.48	NT	NT	2	0	0.3	undercollected	5	1.19	LC	LC	1	0	0.3	undercollected
Zygophyllum glaucum		0.00								0.00								0.00						
Zygophyllum howittii		0.00								0.00								0.00						
Zygophyllum humillimum		0.00								0.00								0.00						
Zygophyllum hybridum		0.00								0.00								0.00						
Zygophyllum iodocarpum		0.00								0.00								0.00						
Zygophyllum kochii		0.00							2	8.70	RA d(i,ii)	RA	3	DD	0			0.00						
Zygophyllum marliesiae		0.00								0.00								0.00						
Zygophyllum ovatum	2	0.22	RA d(ii)	RA	3	0	0.3		1	0.11	RA d(ii)	RA	3	DD	0			0.00						
Zygophyllum prismatothecum		0.00							1	0.44	RA d(i,ii)	RA	3	DD	0			0.00						
Zygophyllum rowelliae		0.00								0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	25_Mann-Musgrave Block_Records	%_Mann-Musgrave Block	IUCN Status & Criteria (Mann-Musgrave Block)	Regional Status (Mann-Musgrave Block)	Regional Status Score (MMB)	Trend (-, -, 0, +, ++) Mann-Musgrave Block	Trend Score (MMB)	Comments (Mann-Musgrave Block)	26_Everard Block_Records	%_Everard Block	IUCN Status & Criteria (Everard Block)	Regional Status (Everard Block)	Regional Status Score (Everard Block)	Trend (-, -, 0, +, ++) Everard Block	Trend Score (Everard Block)	Comments (Everard Block)	27_Watarru_Records	%_Watarru	IUCN Status & Criteria (Watarru)	Regional Status (Watarru)	Regional Status Score (Watarru)	Trend (-, -, 0, +, ++) Watarru	Trend Score (Watarru)	Comments (Watarru)
Zygophyllum simile	15	3.43	LC	LC	1	0	0.3		16	3.66	LC	LC	1	0	0.3		6	1.37	LC	LC	1	0	0.3	
Zygophyllum tesquorum	1	12.50	RA d(i,ii)	RA	3	DD	0			0.00								0.00						

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Abutilon cryptopetalum ssp. cryptopetalum
Abutilon fraseri ssp. diplotrichum
Abutilon fraseri ssp. fraseri
Abutilon halophilum
Abutilon leucopetalum
Abutilon macrum
Abutilon malvaefolium
Abutilon otocarpum
Abutilon oxycarpum var. oxycarpum
Acacia acanthoclada ssp. acanthoclada
Acacia adsurgens
Acacia ammobia
Acacia aneura var. aneura
Acacia aneura var. intermedia
Acacia aneura var. major
Acacia aneura var. microcarpa
Acacia aneura var. tenuis
Acacia araneosa
Acacia argyrophylla
Acacia ayersiana
Acacia barattensis
Acacia basedowii
Acacia beckleri ssp. megaspherica
Acacia brachystachya
Acacia burkittii
Acacia calamifolia
Acacia calcicola
Acacia cambagei
Acacia carneorum
Acacia clelandii
Acacia confluens
Acacia continua
Acacia cyperophylla var. cyperophylla
Acacia dictyophleba
Acacia elachantha
Acacia estrophiolata
Acacia georginae
Acacia hakeoides
Acacia havilandiorum
Acacia helmsiana
Acacia inaequilatera
Acacia jennerae
Acacia kempeana
Acacia latzii
Acacia ligulata
Acacia maitlandii
Acacia melleodora
Acacia menzelii
Acacia minyura
Acacia murrayana
Acacia notabilis
Acacia nyssophylla
Acacia olgana
Acacia oswaldii
Acacia pachyacra
Acacia papyrocarpa
Acacia paradoxa
Acacia paraneura
Acacia pickardii
Acacia prainii
Acacia pravifolia
Acacia pruinocarpa
Acacia pycnantha
Acacia quornensis
Acacia ramulosa var. linophylla
Acacia ramulosa var. ramulosa
Acacia rhodophloia
Acacia rigens
Acacia rivalis
Acacia salicina
Acacia sericophylla
Acacia sibirica
Acacia sp. Blyth Range (W.V.Fitzgerald s.n. 1898)

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Acacia spooneri
Acacia stenophylla
Acacia strongylophylla
Acacia symonii
Acacia tarculensis
Acacia tenuior
Acacia tenuissima
Acacia tetragonophylla
Acacia validinervia
Acacia victoriae ssp. arida
Acacia victoriae ssp. victoriae
Acacia wilhelmiana
Acaena echinata
Acaena novae-zelandiae
Actinobole uliginosum
Adriana tomentosa var. hookeri
Aeschynomene indica
Ajuga australis forma A (A.G.Spooner 9058)
Alectryon oleifolius ssp. canescens
Allocasuarina decaisneana
Allocasuarina helmsii
Allocasuarina muelleriana ssp. alticola
Allocasuarina muelleriana ssp. muelleriana
Allocasuarina verticillata
Alternanthera angustifolia
Alternanthera denticulata
Alternanthera nana
Alternanthera nodiflora
Aluta maisonneuvei ssp. auriculata
Aluta maisonneuvei ssp. maisonneuvei
Alyogyne hakeifolia
Alyogyne pinoniana var. pinoniana
Amaranthus centralis
Amaranthus cuspidifolius
Amaranthus grandiflorus
Amaranthus interruptus
Amaranthus macrocarpus var. macrocarpus
Amaranthus mitchellii
Ammannia multiflora
Amphibromus nervosus
Amphipogon caricinus var. caricinus
Amyema fitzgeraldii
Amyema gibberula var. gibberula
Amyema hilliana
Amyema linophylla ssp. orientale
Amyema maidenii ssp. maidenii
Amyema miquelii
Amyema miraculosa ssp. boormanii
Amyema preissii
Amyema quandang var. quandang
Amyema sanguinea var. sanguinea
Anacampseros australiana
Anemocarpa podolepidium
Anemocarpa saxatilis
Angianthus brachypappus
Angianthus glabratus
Angianthus tomentosus
Anogramma leptophylla
Anthocercis angustifolia
Apium prostratum var. filiforme
Arabidella eremigena
Arabidella filifolia
Arabidella glaucescens
Arabidella nasturtium
Arabidella procumbens
Arabidella trisecta
Aristida anthoxanthoides
Aristida arida
Aristida behriana
Aristida biglandulosa
Aristida capillifolia
Aristida contorta
Aristida holathera var. holathera

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Aristida inaequiglumis
Aristida jerichoensis var. subspinulifera
Aristida latifolia
Aristida nitidula
Aristida obscura
Aristida personata
Aristida strigosa
Arthropodium minus
Arthropodium strictum
Asperula conferta
Asperula gemella
Asteridea athrixioides forma athrixioides
Astrebla lappacea
Astrebla pectinata
Astroloma humifusum
Atalaya hemiglauca
Atriplex acutibractea ssp. acutibractea
Atriplex acutibractea ssp. karoniensis
Atriplex acutiloba
Atriplex angulata
Atriplex cordifolia
Atriplex crassipes var. crassipes
Atriplex eardleyae
Atriplex eichleri
Atriplex elachophylla
Atriplex fissivalvis
Atriplex holocarpa
Atriplex humifusa
Atriplex incrassata
Atriplex intermedia
Atriplex kochiana
Atriplex leptocarpa
Atriplex limbata
Atriplex lindleyi ssp. conduplicata
Atriplex lindleyi ssp. inflata
Atriplex lindleyi ssp. lindleyi
Atriplex lindleyi ssp. quadripartita
Atriplex lobativalvis
Atriplex macropterocarpa
Atriplex morrisii
Atriplex muelleri
Atriplex nummularia ssp. nummularia
Atriplex nummularia ssp. omissa
Atriplex obconica
Atriplex papillata
Atriplex pseudocampanulata
Atriplex pumilio
Atriplex quadrivalvata var. quadrivalvata
Atriplex quadrivalvata var. sessilifolia
Atriplex quinii
Atriplex semibaccata
Atriplex spongiosa
Atriplex stipitata
Atriplex suberecta
Atriplex turbinata
Atriplex velutinella
Atriplex vesicaria ssp. calcicola
Atriplex vesicaria ssp. variabilis
Austrobryonia micrantha
Austrodanthonia auriculata
Austrodanthonia caespitosa
Austrodanthonia eriantha
Austrodanthonia setacea
Austrostipa acrociliata
Austrostipa blackii
Austrostipa breviglumis
Austrostipa densiflora
Austrostipa drummondii
Austrostipa elegantissima
Austrostipa eremophila
Austrostipa flavescens
Austrostipa hemipogon
Austrostipa nitida

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Austrostipa nodosa
Austrostipa nullanulla
Austrostipa petraea
Austrostipa pilata
Austrostipa platychaeta
Austrostipa plumigera
Austrostipa scabra ssp. falcata
Austrostipa scabra ssp. scabra
Austrostipa setacea
Austrostipa trichophylla
Austrostipa tuckeri
Austrostipa vickeryana
Azolla filiculoides
Baeckea tuberculata
Basedowia tenerrima
Bauhinia gilva
Baumea arthrophylla
Baumea articulata
Baumea juncea
Bergia ammannioides
Bergia diacheiron
Bergia occultipetala
Bergia pedicellaris
Bergia perennis ssp. exigua
Bergia trimera
Beyeria lechenaultii
Billardiera versicolor
Blennodia canescens
Blennodia pterosperma
Blennospora drummondii
Boerhavia coccinea
Boerhavia dominii
Boerhavia repleta
Boerhavia schomburgkiana
Bolboschoenus caldwellii
Bonamia deserticola
Bonamia erecta
Bonamia media
Bothriochloa ewartiana
Bothriochloa macra
Brachiaria gilesii
Brachiaria notochthona
Brachiaria piligera
Brachiaria praetervisa
Brachyachne ciliaris
Brachychiton gregorii
Brachyscome blackii
Brachyscome campylocarpa
Brachyscome ciliaris var. ciliaris
Brachyscome ciliaris var. lanuginosa
Brachyscome ciliaris var. lyrifolia
Brachyscome ciliaris var. subintegrifolia
Brachyscome debilis
Brachyscome dentata
Brachyscome dichromosomatica var. dichromosomatica
Brachyscome eriogona
Brachyscome iberidifolia
Brachyscome lineariloba
Brachyscome perpusilla
Brachyscome rara
Brachyscome tesquorum
Brachyscome trachycarpa
Bromus arenarius
Brunonia australis
Bulbine alata
Bulbine bulbosa
Bulbine semibarbata
Bulbostylis barbata
Bulbostylis pyriformis
Bulbostylis turbinata
Bursaria spinosa ssp. lasiophylla
Bursaria spinosa ssp. spinosa
Caladenia capillata

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Caladenia toxochila
Calandrinia balonensis
Calandrinia corrigioloides
Calandrinia disperma
Calandrinia eremaea
Calandrinia granulifera
Calandrinia polyandra var. polyandra
Calandrinia ptychosperma
Calandrinia pumila
Calandrinia remota
Calandrinia reticulata
Calandrinia stagnensis
Calandrinia volubilis
Callistemon teretifolius
Callitriche sonderi
Callitris glaucophylla
Callitris verrucosa
Calocephalus citreus
Calocephalus knappii
Calocephalus platycephalus
Calostemma abdicatum
Calostemma luteum
Calostemma purpureum
Calotis ancyrocarpa
Calotis cymbacantha
Calotis erinacea
Calotis hispidula
Calotis kempei
Calotis lappulacea
Calotis latiuscula
Calotis multicaulis
Calotis plumulifera
Calotis porphyroglossa
Calotis scabiosifolia var. scabiosifolia
Calytrix carinata
Calytrix gypsophila
Calytrix tetragona
Capparis mitchellii
Carex appressa
Carex bichenoviana
Carex breviculmis
Carex gaudichaudiana
Carex inversa var. major
Carex tereticaulis
Carinavalva glauca
Cassinia arcuata
Cassinia complanata
Cassinia laevis
Cassytha flindersii
Casuarina pauper
Centella asiatica
Centipeda crateriformis ssp. compacta
Centipeda crateriformis ssp. crateriformis
Centipeda cunninghamii
Centipeda minima ssp. minima
Centipeda nidiformis
Centipeda pleiocephala
Centipeda thespidioides
Centrolepis aristata
Centrolepis cephaloformis ssp. cephaloformis
Centrolepis eremica
Centrolepis polygyna
Centrolepis strigosa ssp. strigosa
Cephalipterum drummondii
Cheilanthes austrotenuifolia
Cheilanthes distans
Cheilanthes lasiophylla
Cheilanthes sieberi ssp. pseudovellea
Cheilanthes sieberi ssp. sieberi
Chenopodium auricomum
Chenopodium curvispicatum
Chenopodium desertorum ssp. anidiophyllum
Chenopodium desertorum ssp. desertorum

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Chenopodium desertorum ssp. microphyllum
Chenopodium desertorum ssp. rectum
Chenopodium gaudichaudianum
Chenopodium nitrariaceum
Chloris pectinata
Chloris truncata
Chrysocephalum apiculatum
Chrysocephalum eremaeum
Chrysocephalum pterochaetum
Chrysocephalum semipapposum
Chrysopogon fallax
Chthonocephalus pseudevax
Citrus glauca
Cladium procerum
Clematis decipiens
Clematis leptophylla
Clematis microphylla
Cleome viscosa
Codonocarpus cotinifolius
Codonocarpus pyramidalis
Comesperma viscidulum
Commelina ensifolia
Commicarpus australis
Convolvulus clementii
Convolvulus crispifolius
Convolvulus eyreanus
Convolvulus microsepalus
Convolvulus recurvatus ssp. nullarborensis
Convolvulus recurvatus ssp. recurvatus
Convolvulus remotus
Convolvulus tedmoorei
Correa glabra var. turnbullii
Corymbia eremaea ssp. eremaea
Corymbia opaca
Corymbia terminalis
Corynotheca micrantha var. divaricata
Craspedia haplorrhiza
Craspedia variabilis
Crassula colligata ssp. lamprosperma
Crassula colorata var. acuminata
Crassula colorata var. colorata
Crassula extrorsa
Crassula peduncularis
Crassula tetramera
Cratystylis conocephala
Cremnothamnus thomsonii
Cressa australis
Crinum flaccidum
Crotalaria cunninghamii ssp. sturtii
Crotalaria eremaea ssp. eremaea
Crotalaria eremaea ssp. strehlowii
Crotalaria medicaginea var. neglecta
Crotalaria novae-hollandiae ssp. lasiophylla
Crotalaria smithiana
Cryptandra aridicola
Cucumis maderaspatanus
Cucumis melo
Cullen australasicum
Cullen cinereum
Cullen discolor
Cullen graveolens
Cullen pallidum
Cullen parvum
Cullen patens
Cuphonotus andraeanus
Cuphonotus humistratus
Cuscuta victoriana
Cymbopogon ambiguus
Cymbopogon obtectus
Cynanchum floribundum
Cynoglossum australe
Cynoglossum suaveolens
Cyperus alterniflorus

SPECIES NAME
Cyperus alterniflorus forma Oodnadatta (K.L.Wilson 461
Cyperus bifax
Cyperus bulbosus
Cyperus castaneus
Cyperus centralis
Cyperus concinnus
Cyperus dactylotes
Cyperus difformis
Cyperus exaltatus
Cyperus flaccidus
Cyperus gilesii
Cyperus gymnocaulos
Cyperus iria
Cyperus laevigatus
Cyperus nervulosus
Cyperus pygmaeus
Cyperus rigidellus
Cyperus squarrosus
Cyperus vaginatus
Cyperus victoriensis
Dactyloctenium radulans
Damasonium minus
Dampiera cinerea
Dampiera dysantha
Dampiera roycei
Darwinia salina
Daucus glochidiatus
Daviesia arenaria
Daviesia benthamii ssp. humilis
Daviesia genistifolia
Daviesia leptophylla
Daviesia stricta
Daviesia ulicifolia ssp. aridicola
Dentella pulvinata
Deyeuxia quadriseta
Dianella revoluta var. divaricata
Dianella revoluta var. revoluta
Dichanthium sericeum ssp. humilius
Dichanthium sericeum ssp. sericeum
Dichelachne crinita
Dichelachne micrantha
Dichondra repens
Dichromochlamys dentatifolia
Dicrastylis beveridgei var. beveridgei
Dicrastylis beveridgei var. lanata
Dicrastylis costelloi var. costelloi
Dicrastylis costelloi var. eriantha
Dicrastylis costelloi var. globulifera
Dicrastylis costelloi var. violacea
Dicrastylis exsuccosa var. tomentosa
Dicrastylis gilesii var. bagotensis
Dicrastylis lewellinii
Digitaria ammophila
Digitaria brownii
Digitaria coenicola
Digitaria ctenantha
Dimorphocoma minutula
Diplatia grandibractea
Dipteracanthus australasicus ssp. australasicus
Dipteracanthus australasicus ssp. glabratus
Disphyma crassifolium ssp. clavellatum
Dissocarpus biflorus var. biflorus
Dissocarpus biflorus var. villosus
Dissocarpus fontinalis
Dissocarpus latifolius
Dissocarpus paradoxus
Distichlis distichophylla
Dodonaea baueri
Dodonaea lobulata
Dodonaea microzyga var. microzyga
Dodonaea petiolaris
Dodonaea stenozyga
Dodonaea viscosa ssp. angustissima

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Dodonaea viscosa ssp. mucronata
Dodonaea viscosa ssp. spatulata
Doodia caudata
Drosera auriculata
Drosera glanduligera
Drosera indica
Drosera macrantha ssp. planchonii
Drosera peltata
Duboisia hopwoodii
Dysphania cristata
Dysphania glomulifera ssp. eremaea
Dysphania glomulifera ssp. glomulifera
Dysphania kalpari
Dysphania melanocarpa forma leucocarpa
Dysphania melanocarpa forma melanocarpa
Dysphania plantaginella
Dysphania platycarpa
Dysphania pumilio
Dysphania rhadinostachya ssp. rhadinostachya
Dysphania simulans
Dysphania truncata
Echinochloa inundata
Echinochloa turneriana
Echinopogon caespitosus var. caespitosus
Echinopogon ovatus
Eclipta alatocarpa
Eclipta platyglossa
Einadia nutans ssp. eremaea
Einadia nutans ssp. nutans
Einadia nutans ssp. oxycarpa
Elachanthus pusillus
Elatine gratioloides
Eleocharis acuta
Eleocharis geniculata
Eleocharis pallens
Eleocharis papillosa
Eleocharis plana
Eleocharis pusilla
Eleocharis sphacelata
Elymus multiflorus var. multiflorus
Elymus scaber var. scaber
Elytrophorus spicatus
Embadium johnstonii
Embadium uncinatum
Enchylaena tomentosa var. glabra
Enchylaena tomentosa var. tomentosa
Enneapogon avenaceus
Enneapogon caerulescens
Enneapogon cylindricus
Enneapogon eremophilus
Enneapogon intermedius
Enneapogon lindleyanus
Enneapogon nigricans
Enneapogon polyphyllus
Enneapogon robustissimus
Enteropogon acicularis
Enteropogon ramosus
Epaltes australis
Epaltes cunninghamii
Epilobium billardierianum ssp. intermedium
Epilobium hirtigerum
Eragrostis australasica
Eragrostis basedowii
Eragrostis confertiflora
Eragrostis cumingii
Eragrostis dielsii var. dielsii
Eragrostis elongata
Eragrostis eriopoda
Eragrostis exigua
Eragrostis falcata
Eragrostis infecunda
Eragrostis kennedyae
Eragrostis lacunaria

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Eragrostis laniflora
Eragrostis lanipes
Eragrostis leptocarpa
Eragrostis parviflora
Eragrostis pergracilis
Eragrostis setifolia
Eragrostis sp. Limestone (P.K.Latz 5921)
Eragrostis speciosa
Eragrostis tenellula
Eragrostis xerophila
Eremophea spinosa
Eremophila alternifolia
Eremophila arachnoides ssp. tenera
Eremophila arenaria
Eremophila battii
Eremophila bignoniiflora
Eremophila clarkei
Eremophila dalyana
Eremophila decussata
Eremophila dendritica
Eremophila deserti
Eremophila duttonii
Eremophila elderi
Eremophila fallax
Eremophila forrestii ssp. forrestii
Eremophila forrestii ssp. viridis
Eremophila freelingii
Eremophila gibsonii
Eremophila gilesii ssp. gilesii
Eremophila glabra ssp. glabra
Eremophila latrobei ssp. glabra
Eremophila latrobei ssp. latrobei
Eremophila longifolia
Eremophila macdonnellii
Eremophila macgillivrayi
Eremophila maculata ssp. maculata
Eremophila neglecta
Eremophila obovata ssp. obovata
Eremophila oppositifolia ssp. angustifolia
Eremophila oppositifolia ssp. oppositifolia
Eremophila paisleyi ssp. glandulosa
Eremophila paisleyi ssp. paisleyi
Eremophila pentaptera
Eremophila platythamnos ssp. exotrachys
Eremophila polyclada
Eremophila rotundifolia
Eremophila santalina
Eremophila scoparia
Eremophila serrulata
Eremophila sturtii
Eremophila subfloccosa ssp. glandulosa
Eremophila subfloccosa ssp. lanata
Eremophila verrucosa ssp. verrucosa
Eremophila willsii ssp. integrifolia
Eremophila willsii ssp. willsii
Eriachne aristidea
Eriachne helmsii
Eriachne mucronata
Eriachne ovata
Eriachne pulchella ssp. pulchella
Erigeron sessilifolius
Eriocaulon carsonii ssp. carsonii
Eriochiton sclerolaenoides
Eriochlamys behrii
Eriochlamys eremaea
Eriochloa australiensis
Eriochloa crebra
Eriochloa procera
Eriochloa pseudoacrotricha
Erodiophyllum elderi
Erodium carolinianum
Erodium crinitum
Erodium cygnorum

SPECIES NAME
Erodium janszii
Eryngium plantagineum
Eryngium supinum
Eucalyptus camaldulensis ssp. arida
Eucalyptus camaldulensis ssp. minima
Eucalyptus canescens ssp. beadellii
Eucalyptus concinna
Eucalyptus coolabah
Eucalyptus dumosa
Eucalyptus flindersii
Eucalyptus gamophylla
Eucalyptus gillenii
Eucalyptus gillii
Eucalyptus glomerosa
Eucalyptus gongylocarpa
Eucalyptus goniocalyx ssp. exposa
Eucalyptus gracilis
Eucalyptus gypsophila
Eucalyptus intertexta
Eucalyptus largiflorens
Eucalyptus leptophylla
Eucalyptus mannensis ssp. mannensis
Eucalyptus minniritchi
Eucalyptus odorata
Eucalyptus oleosa ssp. oleosa
Eucalyptus oxymitra
Eucalyptus peeneri
Eucalyptus percostata
Eucalyptus pimpiniana
Eucalyptus polybractea
Eucalyptus porosa
Eucalyptus repullulans
Eucalyptus socialis ssp. eucentrica
Eucalyptus socialis ssp. socialis
Eucalyptus socialis ssp. victoriensis
Eucalyptus sparsa
Eucalyptus trivalvis
Eucalyptus viridis ssp. viridis
Eucalyptus youngiana
Euchiton collinus
Euchiton involucratus
Euchiton sphaericus
Eulalia aurea
Euphorbia alsiniflora
Euphorbia australis
Euphorbia centralis
Euphorbia drummondii
Euphorbia inappendiculata
Euphorbia mitchelliana
Euphorbia parvicaruncula
Euphorbia stevenii
Euphorbia tannensis ssp. eremophila
Euphorbia wheeleri
Eutaxia diffusa
Eutaxia microphylla
Evolvulus alsinoides var. decumbens
Evolvulus alsinoides var. villosicalyx
Exocarpos aphyllus
Exocarpos sparteus
Festuca benthamiana
Ficus brachypoda
Fimbristylis dichotoma
Fimbristylis ferruginea
Fimbristylis sieberiana
Fimbristylis velata
Flaveria trinervia
Frankenia cinerea
Frankenia cordata
Frankenia crispa
Frankenia cupularis
Frankenia foliosa
Frankenia pauciflora var. gunnii
Frankenia plicata

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Frankenia serpyllifolia
Frankenia subteres
Gahnia trifida
Galium bulliformis
Galium gaudichaudii ssp. gaudichaudii
Galium gaudichaudii ssp. parviflorum
Galium leptogonium
Galium microlobum
Galium migrans ssp. inversum
Galium migrans ssp. migrans
Galium migrans ssp. trichogynum
Geijera parviflora
Geococcus pusillus
Geranium retrorsum
Geranium solanderi var. solanderi
Gilesia biniflora
Glinus lotoides
Glinus oppositifolius
Glinus orygioides
Glischrocaryon aureum var. angustifolium
Glischrocaryon flavescens
Glossocardia bidens
Glossostigma cleistanthum
Glossostigma diandrum
Glossostigma drummondii
Glossostigma sp. Long stout-pedicelled (W.R.Barker 2481)
Glycine canescens
Glycine rubiginosa
Glycyrrhiza acanthocarpa
Gnaphalium diamantinense
Gnaphalium indutum ssp. indutum
Gnephosis arachnoidea
Gnephosis eriocarpa
Gnephosis tenuissima
Gomphrena lanata
Gonocarpus elatus
Goodenia albiflora
Goodenia anfracta
Goodenia berardiana
Goodenia brunnea
Goodenia calcarata
Goodenia centralis
Goodenia chambersii
Goodenia cycloptera
Goodenia fascicularis
Goodenia gibbosa
Goodenia glabra
Goodenia glandulosa
Goodenia glauca
Goodenia grandiflora
Goodenia havilandii
Goodenia heterochila
Goodenia heteromera
Goodenia lobata
Goodenia lunata
Goodenia modesta
Goodenia mueckeana
Goodenia occidentalis
Goodenia ovata
Goodenia pinnatifida
Goodenia pusilliflora
Goodenia ramelii
Goodenia saccata
Goodenia triodiophila
Goodenia vernicosa
Goodenia vilmoriniae
Goodia medicaginea
Gossypium sturtianum var. sturtianum
Gratwickia monochaeta
Grevillea albiflora
Grevillea aspera
Grevillea eriostachya
Grevillea huegelii

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Grevillea juncifolia ssp. juncifolia
Grevillea lavandulacea ssp. lavandulacea
Grevillea nematophylla ssp. nematophylla
Grevillea pterosperma
Grevillea stenobotrya
Grevillea striata
Gunniopsis calcarea
Gunniopsis calva
Gunniopsis kochii
Gunniopsis papillata
Gunniopsis quadrifida
Gunniopsis septifraga
Gunniopsis tenuifolia
Gunniopsis zygophylloides
Gyrostemon australasicus
Gyrostemon ramulosus
Gyrostemon tepperi
Gyrostemon thesioides
Haeckeria punctulata
Hakea divaricata
Hakea ednieana
Hakea eyreana
Hakea francisiana
Hakea leucoptera ssp. leucoptera
Hakea lorea ssp. lorea
Hakea minyma
Halgania cyanea
Halgania erecta
Halgania glabra
Haloragis aspera
Haloragis glauca forma glauca
Haloragis glauca forma sclopetifera
Haloragis gossei
Haloragis odontocarpa forma octoforma
Haloragis odontocarpa forma pterocarpa
Haloragis odontocarpa forma rugosa
Haloragis uncatipila
Hannafordia bissillii ssp. bissillii
Harmsiodoxa blennodioides
Harmsiodoxa brevipes var. brevipes
Harmsiodoxa brevipes var. major
Harmsiodoxa puberula
Helichrysum luteoalbum
Heliotropium ammophilum
Heliotropium asperrimum
Heliotropium cunninghamii
Heliotropium europaeum
Heliotropium filaginoides
Heliotropium moorei
Heliotropium tanythrix
Hemichroa diandra
Hemichroa mesembryanthema
Hibbertia crinita
Hibbertia glaberrima
Hibiscus brachychlaenus
Hibiscus brachysiphonius
Hibiscus krichauffianus
Hibiscus solanifolius
Hibiscus sturtii var. grandiflorus
Hibiscus sturtii var. muelleri
Hibiscus sturtii var. sturtii
Hibiscus sturtii var. truncatus
Histiopteris incisa
Hovea purpurea
Hyalosperma demissum
Hyalosperma glutinosum ssp. glutinosum
Hyalosperma semisterile
Hybanthus aurantiacus
Hybanthus floribundus ssp. floribundus
Hybanthus monopetalus
Hydrocotyle callicarpa
Hydrocotyle laxiflora
Hydrocotyle trachycarpa

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME	
Hydrocotyle verticillata	
Hypericum gramineum	
Hypoxis glabella var. glabella	
Hypoxis vaginata var. vaginata	
Imperata cylindrica	
Indigastrum parviflorum	
Indigofera australis ssp. australis	
Indigofera australis ssp. hesperia	
Indigofera basedowii	
Indigofera colutea	
Indigofera cornuligera ssp cornuligera	
Indigofera cornuligera ssp flindersensis	
Indigofera georgei	
Indigofera helmsii	
Indigofera leucotricha	
Indigofera linifolia	
Indigofera linnaei	
Indigofera longibractea	
Indigofera psammophila	
Ipomoea diamantinensis	
Ipomoea lonchophylla	
Ipomoea muelleri	
Ipomoea polymorpha	
Ipomoea racemigera	
Iseilema eremaeum	
Iseilema membranaceum	
Iseilema vaginiflorum	
Isoetes muelleri	common
Isoetopsis graminifolia	
Isolepis australiensis	
Isolepis cernua	
Isolepis congrua	
Isolepis hookeriana	
Isolepis inundata	
Isolepis platycarpa	
Isotoma petraea	
Isotropis centralis	
Isotropis wheeleri	
Ixiochlamys cuneifolia	
Ixiochlamys filicifolia	
Ixiochlamys integerrima	
Ixiochlamys nana	
Ixodia flindersica	
Jasminum didymum ssp. lineare	
Josephinia eugeniae	
Juncus aridicola	
Juncus bufonius	
Juncus caespiticius	
Juncus flavidus	
Juncus holoschoenus	
Juncus kraussii	
Juncus subsecundus	
Kennedia prorepens	
Keraudrenia nephrosperma	
Keraudrenia sp. North West (J.Z.Weber 6475)	
Kippistia suaedifolia	
Korthalsella japonica forma japonica	
Lachnagrostis filiformis	
Lachnagrostis perennis	
Lasiopetalum behrii	
Lawrencella davenportii	
Lawrencia glomerata	
Lawrencia squamata	
Lechenaultia aphylla	ds
Lechenaultia divaricata	
Lechenaultia striata	
Leiocarpa brevicompta	
Leiocarpa leptolepis	
Leiocarpa semicalva ssp. semicalva	
Leiocarpa semicalva ssp. vinacea	
Leiocarpa tomentosa	
Leiocarpa websteri	
Lemna disperma	

SPECIES NAME
Lemooria burkittii
Lepidium fasciculatum
Lepidium leptopetalum
Lepidium muelleri-ferdinandi
Lepidium oxytrichum
Lepidium papillosum
Lepidium phlebopetalum
Lepidium pseudoruderale
Lepidium rotundum
Lepidium sagittulatum
Lepidium strongylophyllum
Lepidosperma avium
Lepidosperma viscidum
Lepilaena australis
Lepilaena bilocularis
Lepilaena preissii
Leptochloa digitata
Leptochloa fusca ssp. fusca
Leptochloa fusca ssp. muelleri
Leptorhynchos baileyi
Leptorhynchos tetrachaetus
Leptorhynchos waitzia
Leptosema chambersii
Leucochrysum fitzgibbonii
Leucochrysum molle
Leucochrysum stipitatum
Levenhookia dubia
Limosella australis
Limosella curdieana var. curdieana
Linum marginale
Lipocarpha microcephala
Lobelia anceps
Lobelia heterophylla
Logania centralis
Logania saxatilis
Lomandra densiflora
Lomandra effusa
Lomandra leucocephala ssp. robusta
Lomandra multiflora ssp. dura
Lotus australis
Lotus cruentus
Lycium australe
Lysiana exocarpi ssp. exocarpi
Lysiana murrayi
Lysiana subfalcata
Lythrum hyssopifolia
Lythrum paradoxum
Lythrum salicaria
Lythrum wilsonii
Macgregoria racemigera
Maireana aphylla
Maireana appressa
Maireana astrotricha
Maireana brevifolia
Maireana campanulata
Maireana cannonii
Maireana carnosa
Maireana ciliata
Maireana coronata
Maireana enchylaenoides
Maireana eriantha
Maireana erioclada
Maireana excavata
Maireana georgei
Maireana integra
Maireana lanosa
Maireana lobiflora
Maireana luehmannii
Maireana melanocarpa
Maireana microcarpa
Maireana oppositifolia
Maireana ovata
Maireana pentagona

SPECIES NAME
Maireana pentatropis
Maireana planifolia
Maireana pyramidata
Maireana radiata
Maireana schistocarpa
Maireana scleroptera
Maireana sedifolia
Maireana spongiocarpa
Maireana tomentosa ssp. urceolata
Maireana trichoptera
Maireana triptera
Maireana turbinata
Maireana villosa
Malacocera albolanata
Malacocera biflora
Malacocera gracilis
Malacocera tricornis
Malva preissiana
Malvastrum americanum var. americanum
Marsdenia australis
Marsilea costulifera
Marsilea cryptocarpa
Marsilea drummondii
Marsilea exarata
Marsilea hirsuta
Melaleuca bracteata
Melaleuca dissitiflora
Melaleuca fulgens ssp. corrugata
Melaleuca glomerata
Melaleuca interioris
Melaleuca lanceolata
Melaleuca trichostachya
Melaleuca uncinata
Melaleuca xerophila
Melhania oblongifolia
Melicytus dentatus
Menkea australis
Menkea crassa
Menkea lutea
Menkea sphaerocarpa
Menkea villosula
Mentha australis
Mentha satureioides
Microcorys macredieana
Microlaena stipoides var. stipoides
Micromyrtus fimbrisepala
Micromyrtus flaviflora
Microseris lanceolata
Microtis arenaria
Microtis eremaea
Microtis frutetorum
Microtis parviflora
Millotia greevesii ssp. greevesii
Millotia greevesii ssp. helmsii
Millotia incurva
Millotia macrocarpa
Millotia myosotidifolia
Millotia perpusilla
Millotia tenuifolia var. tenuifolia
Mimulus gracilis
Mimulus prostratus
Mimulus repens
Minuria annua
Minuria cunninghamii
Minuria denticulata
Minuria integerrima
Minuria leptophylla
Minuria rigida
Mollugo cerviana
Momordica balsamina
Monachather paradoxus
Monotaxis luteiflora
Muehlenbeckia coccoloboides

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Muehlenbeckia florulenta
Muelleranthus stipularis
Murchisonia volubilis
Myoporum brevipes
Myoporum montanum
Myoporum platycarpum ssp. platycarpum
Myosurus minimus var. australis
Myriocephalus pluriflorus
Myriocephalus rhizocephalus
Myriocephalus rudallii
Myriocephalus squamatus
Myriophyllum verrucosum
Neobassia proceriflora
Neptunia dimorphantha
Neurachne lanigera
Neurachne munroi
Newcastelia bracteosa
Newcastelia cephalantha var. cephalantha
Newcastelia cephalantha var. oblonga
Newcastelia cephalantha var. tephropepla
Newcastelia spodiotricha
Nicotiana burbidgeae
Nicotiana excelsior
Nicotiana goodspeedii
Nicotiana gossei
Nicotiana occidentalis ssp. obliqua
Nicotiana rosulata ssp. ingulba
Nicotiana rosulata ssp. rosulata
Nicotiana simulans
Nicotiana truncata
Nicotiana velutina
Nitraria billardierei
Nymphoides crenata
Olearia arckaringensis
Olearia arida
Olearia calcarea
Olearia decurrens
Olearia ferresii
Olearia incana
Olearia minor
Olearia muelleri
Olearia picridifolia
Olearia pimeleoides
Olearia ramulosa
Olearia stuartii
Olearia subspicata
Oligochaetochilus sp Everard Range
Omphalolappula concava
Opercularia turpis
Ophioglossum lusitanicum
Ophioglossum polyphyllum
Orobanche cernua var. australiana
Osteocarpum acropterum var. acropterum
Osteocarpum acropterum var. deminutum
Osteocarpum dipterocarpum
Osteocarpum pentapterum
Osteocarpum salsuginosum
Ottelia ovalifolia ssp. ovalifolia
Owenia acidula
Oxalis perennans
Oxalis radicosa
Oxychloris scariosa
Ozothamnus retusus
Ozothamnus scaber
Pandorea pandorana
Panicum decompositum var. decompositum
Panicum effusum var. effusum
Panicum laevinode
Paraceterach reynoldsii
Paractaenum novae-hollandiae ssp. reversum
Paractaenum refractum
Paraneurachne muelleri
Parietaria australis

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Parietaria cardiostegia
Parietaria debilis
Pelargonium littorale
Peplidium aithocheilum
Peplidium foecundum
Peplidium sp. Marla (W.R.Barker 3535)
Perotis rara
Persicaria attenuata ssp. attenuata
Persicaria decipiens
Persicaria glabra
Persicaria lapathifolia
Persicaria prostrata
Petalostylis cassioides
Petalostylis labicheoides
Philotheca angustifolia ssp. angustifolia
Philotheca difformis ssp. difformis
Philotheca linearis
Phlegmatospermum cochlearinum
Phlegmatospermum eremaeum
Phragmites australis
Phragmites vallatoria
Phyllangium sulcatum
Phyllanthus calycinus
Phyllanthus fuernrohrii
Phyllanthus lacunarius
Phyllanthus lacunellus
Phyllanthus maderaspatensis var. angustifolius
Phyllanthus oblanceolatus
Phyllanthus saxosus
Picris angustifolia ssp. angustifolia
Pilularia novae-hollandiae
Pimelea elongata
Pimelea flava ssp. dichotoma
Pimelea imbricata var. petraea
Pimelea micrantha
Pimelea microcephala ssp. glabra
Pimelea microcephala ssp. microcephala
Pimelea octophylla
Pimelea penicillaris
Pimelea petrophila
Pimelea simplex ssp. continua
Pimelea simplex ssp. simplex
Pimelea stricta
Pimelea trichostachya
Pittosporum angustifolium
Plagiobothrys elachanthus
Plagiobothrys plurisepaleus
Plantago cunninghamii
Plantago debilis
Plantago drummondii
Plantago hispida
Plantago multiscapa
Plantago turrifera
Plantago varia
Plectranthus intraterraneus
Pleurosorus rutifolius
Pleurosorus subglandulosus
Pluchea dentex
Pluchea dunlopii
Pluchea rubelliflora
Poa crassicaudex
Poa fax
Poa fordeana
Poa labillardieri var. labillardieri
Podolepis canescens
Podolepis capillaris
Podolepis davisiana
Podolepis jaceoides
Podolepis longipedata
Podolepis muelleri
Podolepis rugata var. rugata
Podolepis tepperi
Pogonolepis muelleriana

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Polycalymma stuartii
Polycarpaea arida
Polycarpaea breviflora
Polygala isingii
Polygonum plebeium
Pomaderris paniculosa ssp. paniculosa
Pomax umbellata
Poranthera leiosperma
Poranthera microphylla
Portulaca filifolia
Portulaca intraterranea
Portulaca oleracea
Potamogeton crispus
Potamogeton ochreatus
Potamogeton pectinatus
Potamogeton tricarinatus
Prasophyllum elatum
Prasophyllum occidentale
Prasophyllum odoratum
Prostanthera althoferi ssp. longifolia
Prostanthera nudula
Prostanthera spinosa
Prostanthera striatiflora
Prostanthera wilkieana
Pseudoraphis spinescens
Psydrax ammophila
Psydrax latifolia
Psydrax suaveolens
Pteris tremula
Pterocaulon serrulatum
Pterocaulon sphacelatum
Pterostylis biseta
Pterostylis boormanii
Pterostylis excelsa
Pterostylis lingua
Pterostylis mutica
Pterostylis nana
Pterostylis plumosa
Pterostylis pusilla
Pterostylis robusta
Pterostylis sanguinea
Pterostylis viriosa
Ptilotus aervoides
Ptilotus aristatus ssp. aristatus
Ptilotus barkeri
Ptilotus clementii
Ptilotus decipiens
Ptilotus disparilis
Ptilotus gaudichaudii ssp. gaudichaudii
Ptilotus gaudichaudii ssp. parviflorus
Ptilotus helipteroides
Ptilotus incanus
Ptilotus latifolius
Ptilotus macrocephalus
Ptilotus murrayi
Ptilotus nobilis ssp. nobilis
Ptilotus obovatus
Ptilotus parvifolius
Ptilotus polystachyus
Ptilotus propinquus
Ptilotus pseudohelipteroides
Ptilotus remotiflorus
Ptilotus schwartzii
Ptilotus sessilifolius
Ptilotus spathulatus
Ptilotus whitei
Ptychosema anomalum
Puccinellia stricta
Pultenaea largiflorens
Pycnosorus eremaeus
Pycnosorus globosus
Pycnosorus mellеus
Pycnosorus pleiocephalus

SPECIES NAME
Radyera farragei
Ranunculus amphitrichus
Ranunculus hamatosetosus
Ranunculus pentandrus var. pentandrus
Ranunculus pentandrus var. platycarpus
Ranunculus pumilio var. politus
Ranunculus pumilio var. pumilio
Ranunculus sessiliflorus var. pilulifer
Ranunculus sessiliflorus var. sessiliflorus
Rhagodia crassifolia
Rhagodia eremaea
Rhagodia parabolica
Rhagodia preissii ssp. preissii
Rhagodia spinescens
Rhagodia ulicina
Rhodanthe charsleyae
Rhodanthe chlorocephala ssp. rosea
Rhodanthe citrina
Rhodanthe corymbiflora
Rhodanthe floribunda
Rhodanthe gossypina
Rhodanthe laevis
Rhodanthe microglossa
Rhodanthe moschata
Rhodanthe polygalifolia
Rhodanthe pygmaea
Rhodanthe stricta
Rhodanthe stuartiana
Rhodanthe tietkensii
Rhodanthe troedelii
Rhodanthe uniflora
Rhyncharrhena linearis
Rhynchosia australis
Rhynchosia minima
Rorippa eustylis
Rostellularia adscendens var. clementii
Rostellularia adscendens var. latifolia
Rostellularia adscendens var. pogonanthera
Rulingia loxophylla
Rulingia magniflora
Rumex brownii
Rumex crystallinus
Ruppia maritima
Ruppia megacarpa
Ruppia polycarpa
Rutidosis helichrysoides ssp. helichrysoides
Salsola tragus
Samolus eremaeus
Samolus repens
Santalum acuminatum
Santalum lanceolatum
Santalum spicatum
Sarcocornia blackiana
Sarcocornia quinqueflora
Sarcostemma viminale ssp. australe
Sarcozona praecox
Sauropus ramosissimus
Sauropus rigens
Sauropus trachyspermus
Scaevola albida
Scaevola amblyanthera var. centralis
Scaevola basedowii
Scaevola collaris
Scaevola collina
Scaevola depauperata
Scaevola glabrata
Scaevola humilis
Scaevola obovata
Scaevola parvibarbata
Scaevola parvifolia ssp. parvifolia
Scaevola spinescens
Schenkia australis
Schoenia ayersii

SPECIES NAME
Schoenia cassiniana
Schoenia ramosissima
Schoenoplectus dissachanthus
Schoenoplectus laevis
Schoenoplectus lateriflorus
Schoenoplectus pungens
Schoenoplectus subulatus
Schoenoplectus validus
Schoenus apogon
Scleranthus minusculus
Scleranthus pungens
Scleroblitum atriplicinum
Sclerolaena anisacanthoides
Sclerolaena articulata
Sclerolaena bicornis var. bicornis
Sclerolaena bicuspis
Sclerolaena birchii
Sclerolaena blackiana
Sclerolaena brachyptera
Sclerolaena calcarata
Sclerolaena clelandii
Sclerolaena constricta
Sclerolaena convexula
Sclerolaena cornishiana
Sclerolaena costata
Sclerolaena cristata
Sclerolaena cuneata
Sclerolaena decurrens
Sclerolaena deserticola
Sclerolaena diacantha
Sclerolaena divaricata
Sclerolaena eriacantha
Sclerolaena fontinalis
Sclerolaena glabra
Sclerolaena holtiana
Sclerolaena intricata
Sclerolaena johnsonii
Sclerolaena lanicuspis
Sclerolaena limbata
Sclerolaena longicuspis
Sclerolaena muricata var. muricata
Sclerolaena muricata var. semiglabra
Sclerolaena obliquicuspis
Sclerolaena parallelicuspis
Sclerolaena parviflora
Sclerolaena patenticuspis
Sclerolaena symoniana
Sclerolaena tatei
Sclerolaena tricuspis
Sclerolaena uniflora
Sclerolaena ventricosa
Scutellaria humilis
Senecio anethifolius ssp. anethifolius
Senecio anethifolius ssp. brevibracteolatus
Senecio cunninghamii var. flindersensis
Senecio depressicola
Senecio dolichocephalus
Senecio eremicola
Senecio glomeratus ssp. longifructus
Senecio glossanthus
Senecio gregorii
Senecio gypsicola
Senecio laceratus
Senecio lacustrinus
Senecio lanibracteus
Senecio magnificus
Senecio quadridentatus
Senecio runcinifolius
Senecio spanomerus
Senna artemisioides ssp. alicia
Senna artemisioides ssp. artemisioides
Senna artemisioides ssp. coriacea
Senna artemisioides ssp. filifolia

SPECIES NAME
Senna artemisioides ssp. helmsii
Senna artemisioides ssp. oligophylla
Senna artemisioides ssp. petiolaris
Senna artemisioides ssp. quadrifolia
Senna artemisioides ssp. sturtii
Senna artemisioides ssp. zygophylla
Senna cardiosperma ssp. gawlerensis
Senna cardiosperma ssp. microphylla
Senna glutinosa ssp. glutinosa
Senna glutinosa ssp. pruinosa
Senna notabilis
Senna phyllodinea
Senna planitiicola
Senna pleurocarpa var. pleurocarpa
Sesbania cannabina var. cannabina
Setaria basiclada
Setaria clementii
Setaria constricta
Setaria dielsii
Setaria jubiflora
Setaria reflexa
Sida "billbarkeri"
Sida ammophila
Sida argillacea
Sida calyxhymenia
Sida cardiophylla
Sida corrugata var. angustifolia
Sida corrugata var. corrugata
Sida cunninghamii
Sida everistiana
Sida fibulifera
Sida filiformis
Sida goniocarpa
Sida intricata
Sida petrophila
Sida phaeotricha
Sida platycalyx
Sida rohlenae ssp. rohlenae
Sida sp. B (C.Dunlop 1739)
Sida sp. Everard Ranges (D.J.Whibley 1085)
Sida sp. F (Latz 7459)
Sida sp. L (A.M.Ashby 4202)
Sida sp. M (J.Z.Weber 831)
Sida sp. Mitrata (R.E.Winkworth 798)
Sida sp. R (P.Copley 1390)
Sida sp. Rabbit Flat (R.B.Major 158)
Sida sp. Wakaya Desert (C.Dunlop 1984)
Sida spodochroma
Sida trichopoda
Sigesbeckia australiensis
Sigesbeckia orientalis ssp. orientalis
Siloxerus multiflorus
Solanum centrale
Solanum chenopodinum
Solanum cleistogamum
Solanum coactiliferum
Solanum eardleyae
Solanum ellipticum
Solanum esuriale
Solanum ferocissimum
Solanum lacunarium
Solanum lasiophyllum
Solanum oligacanthum
Solanum orbiculatum ssp. orbiculatum
Solanum petrophilum
Solanum quadriloculatum
Solanum simile
Solanum sturtianum
Sonchus hydrophilus
Spartothamnella teucriiflora
Spergularia brevifolia
Spergularia diandroides
Spergularia marina

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Sphaeranthus indicus
Sporobolus actinocladus
Sporobolus australasicus
Sporobolus blakei
Sporobolus caroli
Sporobolus mitchellii
Sporobolus virginicus
Spyridium phlebophyllum
Stackhousia clementii
Stackhousia monogyna
Stackhousia muricata ssp. Annual (W.R.Barker 2172)
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)
Stemodia florulenta
Stemodia glabella
Stemodia sp. Haegii (J.Z.Weber 9055)
Stemodia viscosa
Stenanthemum leucophractum
Stenopetalum anfractum
Stenopetalum decipiens
Stenopetalum lineare
Stenopetalum nutans
Stenopetalum sphaerocarpum
Stenopetalum velutinum
Streptoglossa adscendens
Streptoglossa cylindriceps
Streptoglossa decurrens
Streptoglossa liatroides
Stuartina hamata
Stuartina muelleri
Stylidium desertorum
Stylidium despectum
Stylidium inaequipetalum
Suaeda australis
Swainsona acuticarinata
Swainsona adenophylla
Swainsona affinis
Swainsona burkittii
Swainsona campylantha
Swainsona canescens
Swainsona colutoides
Swainsona disjuncta
Swainsona eremaea
Swainsona extrajacens
Swainsona fissimontana
Swainsona flavicarinata
Swainsona formosa
Swainsona laxa
Swainsona leeana
Swainsona microcalyx
Swainsona microphylla
Swainsona minutiflora
Swainsona oligophylla
Swainsona oliveri
Swainsona oroboides
Swainsona phacoides
Swainsona purpurea
Swainsona stipularis
Swainsona swainsonioides
Swainsona tenuis
Swainsona tephrotricha
Swainsona unifoliolata
Swainsona vestita
Swainsona villosa
Swainsona viridis
Synaptantha tillaeacea var. hispidula
Synaptantha tillaeacea var. tillaeacea
Tecticornia arbuscula
Tecticornia cupuliformis
Tecticornia disarticulata
Tecticornia fontinalis
Tecticornia halocnemoides ssp. halocnemoides
Tecticornia halocnemoides ssp. longispicata
Tecticornia halocnemoides ssp. tenuis

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Tecticornia indica ssp. bidens
Tecticornia indica ssp. leiostachya
Tecticornia medullosa
Tecticornia nitida
Tecticornia pergranulata ssp. divaricata
Tecticornia pergranulata ssp. elongata
Tecticornia pergranulata ssp. pergranulata
Tecticornia pruiflora
Tecticornia pruinosa
Tecticornia pterygosperma ssp. pterygosperma
Tecticornia tenuis
Tecticornia triandra
Tecticornia undulata
Tecticornia verrucosa
Templetonia aculeata
Templetonia egena
Templetonia retusa
Tephrosia sphaerospora
Tephrosia supina
Tetragonia eremaea
Tetragonia moorei
Tetragonia tetragonioides
Teucrium albicaule
Teucrium corymbosum
Teucrium grandiusculum ssp. grandiusculum
Teucrium racemosum
Teucrium reidii
Thelymitra grandiflora
Thelymitra megcalyptra
Themeda avenacea
Themeda triandra
Threlkeldia inchoata
Thryptomene elliottii
Thryptomene longifolia
Thyridolepis mitchelliana
Thyridolepis multiculmis
Thyridolepis xerophila
Thysanotus baueri
Thysanotus exiliflorus
Thysanotus patersonii
Thysanotus tenellus
Tietkensia corrickiae
Trachymene cyanopetala
Trachymene glaucifolia
Trachymene ornata
Tragus australianus
Trianthema pilosa
Trianthema triquetra
Tribulus astrocarpus
Tribulus eichlerianus
Tribulus hystrix
Tribulus macrocarpus
Tribulus micrococcus
Tribulus minutus
Trichanthodium skirrophorum
Trichodesma zeylanicum var. zeylanicum
Triglochin hexagona
Triglochin isingiana
Triglochin multifructa
Triglochin nana
Triglochin sp. A (N.N.Donner 3596)
Triglochin striata
Trigonella suavissima
Triodia basedowii
Triodia bunicola
Triodia helmsii
Triodia irritans
Triodia longiceps
Triodia pungens
Triodia scariosa
Triodia schinzii
Tripogon loliiformis
Triptilodiscus pygmaeus

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Triraphis mollis
Typha domingensis
Typhonium alismifolium
Uranthoecium truncatum
Utricularia australis
Utricularia dichotoma
Velleia arguta
Velleia connata
Velleia glabrata
Veronica decorosa
Vigna lanceolata var. latifolia
Vittadinia arida
Vittadinia blackii
Vittadinia cervicularis var. cervicularis
Vittadinia condyloides
Vittadinia cuneata var. cuneata forma cuneata
Vittadinia cuneata var. morrisii
Vittadinia dissecta var. hirta
Vittadinia eremaea
Vittadinia gracilis
Vittadinia pterochaeta
Vittadinia pustulata
Vittadinia sulcata
Wahlenbergia aridicola
Wahlenbergia communis
Wahlenbergia gracilenta
Wahlenbergia luteola
Wahlenbergia preissii
Wahlenbergia queenslandica
Wahlenbergia stricta ssp. stricta
Wahlenbergia tumidifructa
Waitzia acuminata var. acuminata
Walwhalleya proluta
Wedelia stirlingii
Westringia rigida
Wurmbea australis
Wurmbea centralis
Wurmbea citrina
Wurmbea deserticola
Wurmbea dioica ssp. brevifolia
Wurmbea nilpinna
Wurmbea stellata
Xanthorrhoea quadrangulata
Xanthorrhoea thorntonii
Xerochrysum bracteatum
Xerothamnella parvifolia
Yakirra australiensis var. australiensis
Zaleya galericulata ssp. australis
Zygochloa paradoxa
Zygophyllum ammophilum
Zygophyllum angustifolium
Zygophyllum apiculatum
Zygophyllum aurantiacum ssp. aurantiacum
Zygophyllum aurantiacum ssp. cuneatum
Zygophyllum aurantiacum ssp. simplicifolium
Zygophyllum aurantiacum ssp. verticillatum
Zygophyllum compressum
Zygophyllum confluens
Zygophyllum crassissimum
Zygophyllum crenatum
Zygophyllum eichleri
Zygophyllum emarginatum
Zygophyllum eremaeum
Zygophyllum glaucum
Zygophyllum howittii
Zygophyllum humillimum
Zygophyllum hybridum
Zygophyllum iodocarpum
Zygophyllum kochii
Zygophyllum marliesiae
Zygophyllum ovatum
Zygophyllum prismatothecum
Zygophyllum rowelliae

Regional Species Conservation Assessments
DEWNR Outback Region
Complete Dataset for all Flora Assessments May 2013
In Alphabetical Order of Species Name

SPECIES NAME
Zygophyllum simile
Zygophyllum tesquorum